

Horn Theory: An Introduction, Part 1

This author presents a two-part introduction to horns—their definition, features, types, and functions.

This article deals with the theory of acoustical horns, as it applies to loudspeakers. It reviews the basic assumptions behind classical horn theory as it stands, presents the different types of horns, and discusses their properties. Directivity control, wave-front shapes, and distortion are also discussed.

In this article, I try to keep the math simple, and, where it is required, I explain or illustrate the meaning of the equations. The focus is on understanding what is going on in a horn. The practical aspects of horn design are not treated here.

TERMINOLOGY

The article includes the following terminology:

Impedance: Quantity impeding or reducing flow of energy. Can be electrical, mechanical, or acoustical.

Acoustical Impedance: The ratio of sound pressure to volume velocity of air. In a horn, the acoustical impedance will increase when the cross-section of the horn decreases, as a decrease in cross section will limit the flow of air at a certain pressure.

Volume Velocity: Flow of air through a surface in m^3/s , equals particle velocity times area.

Throat: The small end of the horn, where the driver is attached.

Mouth: The far end of the horn, which radiates into the air.

Driver: Loudspeaker unit used for driving the horn.

c: The speed of sound, 344m/s at 20° C.

ρ_0 : Density of air, 1.205 kg/m^3 .

f: Frequency, Hz.

ω : Angular frequency, radians/s, $\omega = 2\pi f$.

k: Wave number or spatial frequency,

$$\text{radians/m, } k = \frac{\omega}{c} = \frac{2\pi f}{c}.$$

S: Area.

p: Pressure.

Z_A : Acoustical impedance.

j: Imaginary operator, $j = \sqrt{-1}$.

THE PURPOSE OF A HORN

It can be useful to look at the purpose of the horn before looking at the theory. Where are horns used, and for what?

Throughout the history of electroacoustics, there have been two important aspects:

- Loading of the driver
- Directivity control

You would also think that increasing the output would be one aspect of horns, but this is included in both. Increasing the loading of the driver over that of free air increases efficiency and hence the output, and concentrating the sound into a certain solid angle increases the output further.

Loading of the Driver. The loudspeaker, which is a generator of pressure, has an internal source impedance and drives an external load impedance. The air is the ultimate load, and the impedance of air is low, because of its low density.

The source impedance of any loudspeaker, on the other hand, is high, so there will be a considerable mismatch between the source and the load. The result is that most of the energy put into a direct radiating loudspeaker will not reach the air, but will be converted

to heat in the voice coil and mechanical resistances in the unit. The problem is worse at low frequencies, where the size of the source will be small compared to a wavelength and the source will merely push the medium away. At higher frequencies, the radiation from the source will be in the form of plane waves that do not spread out. The load, as seen from the driver, is at its highest, and the system is as efficient as it can be.

If you could make the driver radiate plane waves in its entire operating range, efficient operation would be secured at all frequencies. The driver would work into a constant load, and if this load could be made to match the impedances of the driver, resonances would be suppressed. This is because the driver is a mechanical filter, which needs to be terminated in its characteristic impedance, ideally a pure resistance. If the driver is allowed to radiate plane waves, resistive loading is secured.

The easiest way to make the driver radiate plane waves is to connect it to a long, uniform tube. But the end of the tube will still be small compared to a wavelength at low frequencies. To avoid reflections, the cross section of the tube must be large compared to a wavelength, but, at the same time, it must also be small to fit the driver and present the required load. To solve this dilemma, you need to taper the tube.

When you do this, you can take radiation from the driver in the form of plane waves and transform the high pressure, low velocity vibrations at the throat into low pressure, high velocity vibrations that can efficiently be radiated into the

air. Depending on how the tube flares, it is possible to present a load to the driver that is constant over a large frequency range.

Directivity Control. The directivity of a cone or dome diaphragm is largely uncontrolled, dictated by the dimensions of the diaphragm, and heavily dependent on frequency, becoming sharper and sharper as frequency increases. You can solve this problem by using multiple driving units and digital signal processing, but a far simpler and cheaper way to achieve predictable directivity control is to use a horn. The walls of the horn will restrict the spreading of the sound

waves, so that sound can be focused into the areas where it is needed, and kept out of areas where it is not.

Directivity control is most important in sound reinforcement systems, where a large audience should have the same distribution of low and high frequencies, and where reverberation and reflections can be a problem. In a studio or home environment, this is not as big a problem.

As the art and science of electroacoustics has developed, the focus has changed from loading to directivity control. Most modern horns offer directivity control at the expense of driver loading, often

presenting the driver with a load full of resonances and reflections. **Figure 1** compares the throat impedance of a typical constant directivity horn (dashed line) with the throat impedance of a tractrix horn (solid line)¹. The irregularities above 8kHz come from higher order modes.

FUNDAMENTAL THEORY

Horn theory, as it has been developed, is based on a series of assumptions and simplifications, but the resulting equations can still give useful information about the behavior. I will review the assumptions later, and discuss how well they hold up in practice.

The problem of sound propagation in horns is a complicated one, and has not yet been rigorously solved analytically. Initially, it is a three-dimensional problem, but solving the wave equation in 3D is very complicated in all but the most elementary cases. The wave equation for three dimensions (in Cartesian coordinates) looks like this²

$$\frac{\partial^2 \phi}{\partial t^2} - c^2 \left(\frac{\partial^2 \phi}{\partial x^2} + \frac{\partial^2 \phi}{\partial y^2} + \frac{\partial^2 \phi}{\partial z^2} \right) = 0 \quad (1)$$

This equation describes how sound waves of very small (infinitesimal) amplitudes behave in a three-dimensional medium. I will not discuss this equation, but only note that it is not easily solved in the case of horns.

In 1919, Webster³ presented a solution to the problem by simplifying equation 1 from a three-dimensional to a one-dimensional problem. He did this by assuming that the sound energy was uniformly distributed over a plane wave-front perpendicular to the horn axis, and considering only motion in the axial direction. The result of these simplifications




FIGURE 1: Throat impedance of a typical constant directivity horn (—) and a tractrix horn (---)¹.

JANTZEN AUDIO DENMARK

realize your audio dreams

JANTZEN KITS WITH WORLD BRANDS - AUDIO TECHNOLOGY - AUDAX - JANTZEN - RAIDHO



High end kit for beginners.

Raidho tweeter FTT-75
together with
Audio Technology driver 18H52.



JA-8008

Brand new Jantzen Audio 8"
driver, 8 ohm, 95 dB
designed by Troels Gravesen
and made by SEAS, Norway.
Ideally matched with high efficiency,
34 mm dome tweeter
with JA-waveguide.



JA-2806

Jantzen Audio silk dome
tweeter together with our
drivers:

JA-5006
JA-6006
JA-6012



JBL L100 Century

Upgrade Kit with
Jantzen Audio components.
A true renaissance
complete kit for the many
JBL lovers.

Please have a look at our website to the various products and links to Jantzen Kits. More to come.

All components can be bought separately

www.jantzen-audio.com

is the so-called “Webster’s Horn Equation,” which can be solved for a large number of cases:

$$\frac{d^2\phi}{dx^2} + \frac{d \ln S}{dx} \frac{d\phi}{dx} - k^2\phi = 0 \quad (2)$$

where

$k = \frac{2\pi f}{c}$, the wave number or spatial frequency (radians per meter),

ϕ is the velocity potential (see appendix for explanation), and S is the cross-sectional area of the horn as a function of x .

The derivation of equation 2 is given in the appendix. You can use this equation to predict what is going on inside a horn, neglecting higher order effects, but it can’t say anything about what is going on outside the horn, so it can’t predict directivity. Here are the assumptions equation 2 is based on^{4,5}:

1. Infinitesimal amplitude: The sound pressure amplitude is insignificant compared to the steady air pressure. This condition is easily satisfied for most speech and music, but in high power sound reinforcement, the sound pressure at the throat of a horn can easily reach 150-170dB SPL. This article takes a closer look at distortion in horns due to the nonlinearity of air later, but for now it is sufficient to note that the distortion at home reproduction levels is insignificant.

2. The medium is considered to be a uniform fluid. This is not the case with air, but is permissible at the levels (see 1) and frequencies involved.

3. Viscosity and friction are neglected. The equations involving these quantities are not easily solved in the case of horns.

4. No external forces, such as gravity, act on the medium.

5. The motion is assumed irrotational.

6. The walls of the horn are perfectly rigid and smooth.

7. The pressure is uniform over the wave-front. Webster originally considered tubes of infinitesimal cross-section, and in this case propagation is by plane waves. The horn equation does not require plane waves, as is often assumed. But it requires the wave-front to be a function of x alone. This, in turn, means that the center of curvature of the wave-fronts must not change.

If this is the case, the horn is said to admit one-parameter (1P) waves⁶, and according to Putland⁷, the only horns that admit 1P waves are the uniform tube, the parabolic horn with cylindrical wave-fronts, and the conical horn. For other horns, you need the horn radius to be small compared to the wavelength.

Because the horn equation is not able to predict the interior and exterior sound field for horns other than true 1P horns, it has been much criticized. It has, however, been shown^{8,9} that the approximation is not as bad as you might think in the first instance. Holland¹⁰ has shown that you can predict the performance of horns of arbitrary shape by considering the wave-front area expansion instead of the physical cross-section of the horn. I have also developed software based on the same principles, and have been able to predict the throat impedance of horns with good accuracy.

SOLUTIONS

This section presents the solution of equation 2 for the most interesting horns, and looks at the values for throat impedance for the different types. You can calculate this by solving the horn equation, but this will not be done in full mathematical rigor in this article.

The solution of equation 2 can, in a general way, be set up as a sum of two functions u and v :

$$\phi = Au + Bv \quad (3)$$

where A and B represent the outgoing (diverging) and reflected (converging) wave, respectively, and u and v depend on the specific type of horn.

In the case of an infinite horn, there is no reflected wave, and $B = 0$. This article first considers infinite horns, and presents the solutions for the most common types¹¹. The solutions are given in terms of absolute acoustical impedance,

$$\frac{\rho_0 c}{S_t}$$

you can find the specific throat impedance (impedance per unit area) by mul-

tiplying by S_t , the throat area, and the normalized throat resistance by multiplying by $\frac{S_t}{\rho_0 c}$.

THE PIPE AND THE PARABOLIC HORN

Both these horns are true 1P horns. The infinite pipe of uniform cross-section acts as a pure resistance equal to

$$Z_A = \frac{\rho_0 c}{S_t} \quad (4)$$

An infinite, uniform pipe does not sound very useful. But a suitably damped, long pipe (plane wave tube) closely approximates the resistive load impedance of an infinite pipe across a wide band of frequencies, and is very valuable for testing compression drivers^{12,13}. It presents a constant frequency independent load, and as such acts like the perfect horn.

The parabolic horn is a true 1P horn if it is rectangular with two parallel sides, the two other sides expanding linearly, and the wave-fronts are concentric cylinders. It has an area expansion given as

$S = S_t x$. The expression for throat impedance is very complicated, and will not be given here.

The throat impedances for both the uniform pipe and the parabolic horn are given in **Fig. 2**. Note that the pipe has the best, and the parabolic horn the worst, loading performance of all horns shown.

CONICAL HORN

The conical horn is a true 1P horn in




FIGURE 2: Throat acoustical resistance r_A and reactance x_A as a function of frequency for different horn types.

spherical coordinates. If you use spherical coordinates, the cross-sectional area of the spherical wave-front in an axis-symmetric conical horn is $S = \Omega(x+x_0)^2$, where x_0 is the distance from the vertex to the throat, and Ω is the solid angle of the cone. If you know the half angle θ (wall tangent angle) of the cone,

$$\Omega = 2\pi(1 - \cos\theta). \quad (5)$$

In the case where you are interested in calculating the plane cross-sectional area at a distance x from the throat,

$$S(x) = S_t \left(\frac{x+x_0}{x_0} \right)^2. \quad (6)$$

The throat impedance of an infinite conical horn is

$$z_A = \frac{\rho_0 c}{S_t} \left(\frac{k^2 x_0^2 + jkx_0}{1 + k^2 x_0^2} \right). \quad (7)$$

You should note that equation 7 is identical to the expression for the radiation impedance of a pulsating sphere of radius x_0 .

The throat resistance of the conical horn rises slowly (**Fig. 2**). At what frequency it reaches its asymptotic value depends on the solid angle Ω , being lower for smaller solid angle. This means that for good loading at low frequencies, the horn must open up slowly.

As you will see later, a certain minimum mouth area is required to minimize reflections at the open end. This area is larger for horns intended for low frequency use (it depends on the wavelength), which means that a conical horn would need to be very long to provide satisfying performance at low frequencies. As such, the conical expansion is not very useful in bass horns. Indeed, the conical horn is not very useful at all in applications requiring good loading performance, but it has certain virtues in directivity control.

EXPONENTIAL HORN

Imagine you have two pipes of unequal cross-sectional areas S_0 and S_2 , joined by a third segment of cross-sectional area S_1 , as in **Fig. 3**. At each of the discontinuities, there will be reflections, and the total reflection of a wave passing from S_0 to S_2 will depend on S_1 . It can be shown that the condition for least reflection occurs when

$$S_1 = \sqrt{S_0 S_2}. \quad (8)$$

This means that $S_1 = S_0 k$ and $S_2 = S_1 k$,

thus $S_2 = S_0 k^2$. Further expansion along this line gives for the n th segment, $S_n = S_0 k^n$, given that each segment has the same length. If $k = e^m$, and n is replaced by x , you have the exponential horn, where the cross-sectional area of the wave-fronts is given as $S = S_t e^{mx}$. If you assume plane wave-fronts, this is also the cross-sectional area of the horn at a distance x from the throat.

The exponential horn is not a true 1P-horn, so you cannot exactly predict its performance. But much information can be gained from the equations.

The throat impedance of an infinite exponential horn is

$$z_A = \frac{\rho_0 c}{S_t} \left(\sqrt{1 - \frac{m^2}{4k^2}} + j \frac{m}{2k} \right) \quad (9)$$

When $m = 2k$ or $f = \frac{mc}{4\pi}$, the throat resistance becomes zero, and the horn is said to cut off. Below this frequency, the throat impedance is entirely reactive and is

$$z_A = j \frac{\rho_0 c}{S_t} \left(\frac{m}{2k} - \sqrt{\frac{m^2}{4k^2} - 1} \right). \quad (10)$$

The throat impedance of an exponential horn is shown in **Fig. 2**. Above the cut-off frequency, the throat resistance rises quickly, and the horn starts to load the driver at a much lower frequency than the corresponding conical horn. In the case shown, the exponential horn throat resistance reaches 80% of its final value at 270Hz, while the conical horn reaches the same value at about 1200Hz.

An infinite horn will not transmit anything below cutoff, but it's a different matter with a finite horn, as you will see later.

You should note that for an exponential horn to be a real exponential horn, the wave-front areas, not the cross-sectional areas, should increase exponentially. Because the wave-fronts are curved, as will be shown later, the physical horn contour must be corrected to account for this.

HYPERBOLIC HORNS

The hyperbolic horns, also called hyperbolic-exponential or hypex horns, were first presented by Salmon¹⁴, and is a general family of horns given by the wave-front area expansion

$$S = S_t \left(\cosh \frac{x}{x_0} + T \sinh \frac{x}{x_0} \right)^2. \quad (11)$$

T is a parameter that sets the shape of the horn (**Fig. 4**). For $T = 1$, the horn is an exponential horn, and for $T \rightarrow \infty$ the horn becomes a conical horn.

x_0 is the reference distance given as $x_0 = \frac{c}{2\pi f_c}$ where f_c is the cutoff frequency. A representative selection of hypex contours is shown in **Fig. 4**.

Above cutoff, the throat impedance of an infinite hyperbolic horn is

$$z_A = \frac{\rho_0 c}{S_t} \left(\frac{\sqrt{1 - \frac{1}{\mu^2}}}{1 - \frac{1-T^2}{\mu^2}} + j \frac{\frac{T}{\mu}}{1 - \frac{1-T^2}{\mu^2}} \right), \quad (12)$$

and below cutoff, the throat impedance is entirely reactive and is

$$z_A = j \frac{\rho_0 c}{S_t} \left(\frac{\frac{1}{\mu} \sqrt{\frac{1}{\mu^2} - 1}}{1 - \frac{1-T^2}{\mu^2}} \right) \quad (13)$$

where μ is the normalized frequency, $\mu = \frac{f}{f_c}$.

The throat impedance of a hypex horn with $T = 0.5$ is shown in **Fig. 2**. The throat impedance of a family of horns with T ranging from 0 to 5 is shown in **Fig. 5**.

Exponential and hyperbolic horns have much slower flare close to the




FIGURE 3: Joined pipe segments.




FIGURE 4: A family of representative hypex contours, $T = 0$ (lower curve), 0.5, 1, 2, 5, and infinite (upper curve).

throat than the conical horn, and thus have much better low frequency loading. When $T < 1$, the throat resistance of the hyperbolic horn rises faster to its asymptotic value than the exponential, and for $T < \sqrt{2}$ it rises above this value right above cutoff. The range $0.5 < T < 1$ is most useful when the purpose is to improve loading. When $T = 0$, there is no reactance component above cutoff for an infinite horn, but the large peak in the throat resistance may cause peaks in the SPL response of a horn speaker.

Due to the slower flaring close to the throat, horns with low values of T will also have somewhat higher distortion than horns with higher T values.

WHAT IS CUTOFF?

Both exponential and hyperbolic horns have a property called cutoff. Below this frequency, the horn transmits nothing, and its throat impedance is purely reactive. But what happens at this frequency? What separates the exponential and hyperbolic horns from the conical horn that does not have a cutoff frequency?

To understand this, you first must look at the difference between plane and spherical waves¹⁰. A plane wave propagating in a uniform tube will not have any expansion of the wavefront. The normalized acoustical impedance is uniform and equal to unity through the entire tube.

A propagating spherical wave, on the other hand, has an acoustical impedance that changes with frequency and distance from the source. At low frequencies and small radii, the acoustical impedance is dominated by reactance. When $kr = 1$ —i.e., when the distance from the source is $\frac{\lambda}{2\pi}$ —the reactive and resistive parts of the impedance are equal, and above this frequency, resistance dominates.




FIGURE 5: Throat impedance of a family of hypex horns.

MCap® RXF Radial Xtra Flat Capacitor

by MUNDORF
Made in Germany

NEW! MCap® RXF Oil

Featuring the ultimate winding geometry (edgewise) for

- extremely short, low-loss signal transmission,
 - extremely reduced residual-resistance (ESR),
 - remarkable low residual-inductivity (ESL).
- Polypropylene capacitor-foil, alu metallized.
Grouted winding against microphonic effects.
• Fit-In-Adaptors now available.



TubeCap® - Optimized
High Voltage MKP



Audiophile Resistors



Silver/Gold
Internal Wirings



MSolder™ Silver/Gold
MSolder™ Supreme

MCap® Supreme



THE LATEST
MCap® Supreme Oil and
Supreme Silver/Gold/Oil

MCap® Supreme
MCap® Supreme Silver/Oil
MCap® Supreme Silver/Gold



Varied Foil Coils & Air Core Coils

Recommended US Dealer
MADISOUND SPEAKER COMPONENTS
www.madisound.com
Exclusive Canadian Distributor
AUDIO INC.
www.audiyo.com

See more audio innovations on
www.mundorf.com
and subscribe for our newsletter
info@mundorf.com
OEM and dealer inquiries invited



MUNDORF®

High End Components Made In Germany Since 1985

The difference between the two cases is that the air particles in the spherical wave move apart as the wave propagates; the wave-front becomes stretched. This introduces reactance into the system, because you have two components in the propagating wave: the pressure that propagates outward, and the pressure that stretches the wave-front. The propagating pressure is the same as in the non-expanding plane wave, and gives the resistive component of the impedance. The stretching pressure steals energy from the propagating wave and stores it, introducing a reactive component where no power is dissipated. You can say that below $kr = 1$, there is reactively dominated propagation, and above $kr = 1$ there is resistive dominated propagation.

If you apply this concept to the conical and exponential horns by looking at how the wave-fronts expand in these two horns, you will see why the cutoff phenomenon occurs in the exponential horn. You must consider the flare rate of the horn, which is defined as (rate of change of wave-front area with distance)/(wave-front area).

In a conical horn, the flare rate changes throughout the horn, and the point where propagation changes from reactive to resistive changes with frequency throughout the horn.

In an exponential horn, the flare rate is constant. Here the transition from reactive to resistive wave propagation happens at the same frequency throughout the entire horn. This is the cutoff frequency. There is no gradual transition, no frequency dependent change in propagation type, and that's why the change is so abrupt.

FINITE HORNS

For a finite horn, you must consider both parts of equation 3. By solving the horn equation this way^{3,15}, you get the following results for pressure and volume velocity at the ends of a horn:

$$\begin{aligned} p_m &= ap_t + bU_t \quad (14) \\ U_m &= fp_t + gU_t \quad (15) \end{aligned}$$

where p and U denote the pressure and volume velocity, respectively, and the subscripts denote the throat and mouth of the horn. You can now find the impedance at the throat of a horn, given that you know a , b , f , and g :

$$Z_t = \frac{gZ_m - b}{a - fZ_m} \quad (16)$$

where Z_m is the terminating impedance at the mouth.

The expressions for a , b , f , and g are quite complicated, and are given by Stewart¹⁵ for the uniform tube, the conical, and the exponential horn.

You see that the value of mouth impedance will dictate the value of the throat impedance. As explained previously, there will usually be reflections at the mouth, and depending on the phase and magnitude of the reflected wave,

it may increase or decrease the throat impedance. A horn with strong reflections will have large variations in throat impedance.

Reflections also imply standing waves and resonance. To avoid this, it is important to terminate the horn correctly, so that reflections are minimized. This will be discussed in the next section.

It's interesting to see what effect the length has on the performance of a horn. **Figure 6** shows the throat impedance of 75Hz exponential horns of different lengths, but the same mouth size. As the horn length increases, the throat resistance rises faster to a useful value, and the peaks in the throat impedance become more closely spaced.

Finite horns will transmit sound below their cutoff frequency. This can

be explained as follows: the horn is an acoustical transformer, transforming the high impedance at the throat to a low impedance at the mouth. But this applies only above cutoff. Below cutoff there is no transformer action, and the horn only adds a mass reactance.

An infinite exponential horn can be viewed as a finite exponential horn terminated by an infinite one with the same cutoff. As you have seen, the throat resistance of an infinite exponential horn is zero below cutoff, and the throat resistance of the finite horn will thus be zero. But if the impedance present at the mouth has a non-zero resistance below cutoff, a resistance will be present at the throat. This is illustrated in **Fig. 7**, where a small exponential horn with a mouth three times larger than its throat is terminated by an infinite pipe (a pure acoustical resistance). The acoustical resistance present at the throat below cutoff approaches that of the pipe alone, one third of the value above cutoff.

The same is true for any mouth termination. As long as there is a resistive impedance present at the mouth below cutoff, power can be drawn from the horn.




FIGURE 6: The effect of increasing the length of a 75Hz exponential horn with $krm = 0.5$. The lengths are (top to bottom) 50, 100, and 200cm.

TERMINATION OF THE HORN

I have briefly mentioned that there can be reflections from the mouth of a horn. The magnitude of this reflection depends on frequency and mouth size.

Consider a wave of long wavelength¹⁶. While it is progressing along a tube, it occupies a constant volume, but when it leaves the tube, it expands into an approximate hemispherical shape (Fig. 8). The volume thus increases, the pressure falls, increasing the velocity of air inside the tube, pulling it out. This produces an impulse that travels backwards from the end of the tube, a reflection.

It's a different matter at higher frequencies. The relative volume of a half-wavelength of sound is much smaller, and the resulting volume increase is less, producing fewer reflections (Fig. 9).

You may ask what the optimum size of the end of the tube is, to mini-

mize reflection in a certain frequency range. This has been investigated since the early 1920s^{2, 5, 16, 17, 18} and has led to the general assumption that if the mouth circumference of an exponential horn is at least one wavelength at the cutoff frequency of the horn, so that $kr_m \geq 1$, the reflections will be negligible. r_m is the radius of the mouth.

The effect of different mouth sizes is shown in Fig. 10, where the throat impedance of a 100Hz exponential horn is




FIGURE 8: Waves with long wavelength at the end of a tube¹⁶.




FIGURE 7: Finite exponential horn terminated by an infinite pipe.




FIGURE 9: Waves with short wavelength at the end of a tube¹⁶.



PARTS CONNECTION

The Authority on Hi-fi DIY!

No matter what your requirements are, pcX has what you need. Whether it be vacuum tubes (NEW, New Old Stock or OS), sockets, transformers, capacitors, resistors, connectors, hook-up wire, etc...

We've got a world class selection of all the best brands ...and more arriving every month!

Visit our website and sign up for our eConneXion Newsletter!

www.partsconneXion.com

Tel: 905-681-9602 Fax: 905-631-5777

*Toll free order line

1-866-681-9602

order@partsconneXion.com

*USA & Canada only. VISA, MasterCard, Paypal, US money order, bank draft, cashier's check

International orders welcome!





2885 Sherwood Heights Drive, Unit #72, Oakville, Ontario, CANADA L6J 7H1

• NOTE: No "on-site/walk-in" business at this time

shown. The throat impedance is calculated assuming plane wave-fronts, and using the impedance of a piston in an infinite wall as termination. The mouth sizes correspond to $kr_m = 0.23$, 0.46, 0.70, and 0.93. You can see that for higher values of kr_m , the ripple in the throat impedance decreases.

When kr_m is increased beyond 1, however, the ripple increases again, as shown in Fig. 11. This led Keele to investigate what the optimum horn mouth size would be¹⁹. For a horn termination simulated by a piston in an infinite baffle, he found the optimum kr_m to be slightly less than 1, the exact value depending on how close to cutoff the horn is operating. His findings were based on the plane wave assumption, which, as you will see in the next section, does not hold in practice.

As a historical side note, Flanders also discovered increased mouth reflections for kr_m larger than 1 for a plane wave exponential horn¹⁸ in 1924.

If the same horn is calculated assuming spherical waves, there is no obvious optimum mouth size. If you consider the throat impedance of two 100Hz horns with $kr_m = 0.93$ and 1.4, assuming spherical wave-fronts and the same mouth termination as before, you can see that the ripple decreases, not increases, for higher values of kr_m (Fig. 12).

The reason may be that the wave-front expansion of a horn where the cross-section is calculated as $S = S_e^{mx}$ will have a flare rate that decreases toward the mouth. This is because the wave-fronts bulge (Fig. 13). The areas of the curved wave-fronts are larger than those of the plane ones, and the distance between them is also larger. But the distance between successive curved wave-fronts increases faster than their areas, so the outer parts of the horn will have a lower cutoff. The required kr_m for optimum termination becomes larger, and it increases as the horn is made

longer.

These considerations are valid for exponential horns. What, then, about hyperbolic and conical horns? Hyper-

bolic horns with $T < 1$ will approximate the exponential horn expansion a certain distance from the throat, and the mouth termination conditions will

be similar to those for an exponential horn. Conical horns show no sign of having an optimum mouth size. As length and mouth size increase, simulations show that the throat impedance ripple steadily decreases, and the horn approaches the characteristics of an infinite horn.

In conclusion, you may say that the mouth area of a horn can hardly be made too large, but it can easily be made too small. kr_m in the range 0.7-1 will usually give smooth response for bass horns, while midrange and tweeter horns will benefit from values ≥ 1 .

Another factor you need to consider is the termination at the throat. If there is a mismatch between the driver and the horn, the reflected waves traveling from the mouth will again be reflected when they reach the throat, producing standing waves in the horn.

CURVED WAVE-FRONTS

By logical reasoning, the assumption that the wave-fronts in a horn are plane cannot be true. If it was so, the speed of sound along the horn walls would need to be greater than the speed of sound along the axis. This cannot be the case, and the result is that the wave-front on the axis must gain on that at the horn walls, so the wave-fronts will define convex surfaces. In a circular conical horn the wave-fronts are spherical with centers at the apex. In the uniform tube, the wave-fronts are plane. In both cases the wave-fronts cut the axis and the walls at right angles. It is, therefore, logical to assume that this will happen in other horn types, too.

WAVE-FRONTS IN HORNS

In 1928, Hall conducted a detailed investigation of the sound




FIGURE 10: Throat impedance of finite horns¹⁰, $kr_m =$ (top to bottom) 0.23, 0.46, 0.70, and 0.93.

field inside horns^{4,20} showing how the wave-fronts curve in an exponential and a conical horn. The wave-fronts in a 120Hz exponential horn at the cutoff frequency are shown in **Fig. 14**, where you can see that the wave-fronts are very nearly normal to the walls.

It's a different matter at 800Hz (**Fig. 15**). At a certain distance from the throat, the pressure wave-fronts become seriously disturbed. Hall attributes this to reflections at the outer rim of the mouth that are more powerful than at the center, because the discontinuity is greater. Another explanation⁸ is that higher order modes (see Part 2) will distort the shape of the amplitude wave-fronts. This is also most evident in **Fig. 15**. In a flaring horn, higher order modes will not appear at the same frequencies throughout the horn. Close to the throat, where the radius is small, they will appear at fairly high frequencies, but closer to the mouth they will appear at lower frequencies.

Conical horns do not look any better than exponential horns. Hall also investigated a large conical horn, 183cm

long, throat diameter 2cm, and mouth diameter 76cm. Simulations show that the horn does not have significant mouth reflections, because the throat impedance is close to that of an infinite horn. Still the amplitude wave-fronts are seriously disturbed, even close to the throat, which does not happen in an exponential horn (**Fig. 16**). You can see two nodal lines, each about halfway between the horn wall and the axis. This is a result of higher order modes, and can be predicted.

The frequency where $R_a = X_a$ —i.e., where the throat acoustical resistance and reactance are equal—is about 1kHz for this horn. This indicates that higher order modes are a problem in conical horns even below the frequency where it has useful loading properties.

TRACTRIX HORN

The tractrix is a kind of horn generated by the revolution of the tractrix curve around the x-axis. The equation for the tractrix curve is given as

$$x = r_m \ln \frac{r_m + \sqrt{r_m^2 - r_x^2}}{r_x} - \sqrt{r_m^2 - r_x^2} \quad (17)$$

where

r_m is the mouth radius, usually taken as

$\frac{\lambda_c}{2\pi} = \frac{c}{2\pi f_c}$, where f_c is the horn cut-off frequency, and r_x is the radius of





FIGURE 11: Increasing ripple for oversized mouth, $kr_m = 1.4$.

CLIO 8



Turns your PC into the most complete easy-to-use electrical and acoustical measurement system



CLIOfw

- IEEE-1394 audio interface
- 24-bit up to 192kHz
- Balanced input and output
- Maximum performances
- Maximum portability

www.audiomatica.com www.cliosystem.com

■ The **CLIOfw FW-01 audio interface** sets new hardware precision standards for the CLIO system. The **CLIO 8 system software** is its perfect companion being the synthesis of more than 15 years of excellence in electrical and acoustical measurements.

Two channels separate input monitor and control up to +40 dBV (280 Vpp)

Programmable 90 kHz AC output generator

Input A dBfs 0 dBV Input B dBfs -40 dBV A-B Out 6.907 V 192kHz






FIGURE 12: Throat impedance of horns with $krm = 0.93$ and 1.4 , assuming spherical wave-fronts.

the horn at a distance x from the horn mouth (Fig. 17).

Because the radius (or cross-section) is not a function of x , as in most other horns, the tractrix contour is not as straightforward to calculate, but it should not pose any problems.

The tractrix horn expands faster than




FIGURE 13: Comparing plane and curved wave-fronts in an exponential horn.

the exponential horn close to the mouth, as you will see in Part 2.

The tractrix curve was first employed for horn use by P.G.A.H. Voigt, and patented in 1926²¹. In more recent times it was popularized by Dinsdale²², and most of all by Dr. Bruce Edgar^{23, 24}. The main assumption in the tractrix




FIGURE 14: Wave-fronts in an exponential horn at 120Hz⁴.

APPENDIX DERIVATION OF THE WEBSTER HORN EQUATION

This derivation is based on the infinitesimal amplitude, one-parameter plane wave assumption, as discussed in Part 1.

Consider a flaring horn as shown in Fig. A, where dx is the short axial length between two plane wave-fronts of area S . The volume of this element is Sdx , where S is given as an arbitrary function of x . Fluid (air) will flow into this element from one side, and out of it on the other side, due to the passage of sound waves. The change in the mass of the fluid in this volume is

$$-\frac{\partial(\rho S)}{\partial t} dx$$

with dx not changing with time.

The particle velocity of the fluid moving along the x -axis through the element is u , and the difference in the mass of fluid entering one plane and leaving the other, is

$$\rho \frac{\partial(uS)}{\partial x} dx$$

this is ρ (the density of the medium) times the change in volume velocity, uS , with x . Because the fluid is continuous, these two quantities must be equal, so

$$\rho \frac{\partial(uS)}{\partial x} = -\frac{\partial(\rho S)}{\partial t}$$

Expand both sides to get

$$\rho \left(u \frac{\partial S}{\partial x} + S \frac{\partial u}{\partial x} \right) = - \left(\rho \frac{\partial S}{\partial t} + S \frac{\partial \rho}{\partial t} \right)$$

Now introduce the concept of velocity potential, which you can consider as similar to electric potential along a resistive conductor. If this conductor has a resistance R per unit length, the resistance of a small length dx is Rdx . If a current I flows through the conductor, the voltage drop (electrical potential) across dx is

$$\partial U = -RI dx.$$

Setting $R = 1$, you have

$$I = -\frac{\partial U}{\partial x}.$$

Acoustically, you may say that the velocity potential replaces U , and the particle velocity replaces I . Thus $u = -\frac{\partial \phi}{\partial x}$.




FIGURE A: Plane wave propagation in a horn.

You also have the relation that

$$\frac{\partial \rho}{\partial t} = \rho_0 \frac{\partial s}{\partial t} = \frac{\rho_0}{c^2} \frac{\partial^2 \phi}{\partial t^2},$$

where s is the condensation of the medium, and ρ_0 is the static density of the medium. For infinitesimal amplitudes, $\rho = \rho_0$, and $\frac{\partial A}{\partial t} = 0$, because the area at a given value of x is independent of time. After substitution, you have

$$\frac{\partial^2 \phi}{\partial x^2} + \left[\frac{1}{A} \frac{\partial A}{\partial x} \right] \frac{\partial \phi}{\partial x} - \frac{1}{c^2} \frac{\partial^2 \phi}{\partial t^2} = 0.$$

Because $\frac{1}{S} \frac{\partial S}{\partial x} = \frac{\partial \ln S}{\partial x}$, you can write this as

$$\frac{\partial^2 \phi}{\partial x^2} + \frac{\partial \ln S}{\partial x} \frac{\partial \phi}{\partial x} - \frac{1}{c^2} \frac{\partial^2 \phi}{\partial t^2} = 0$$

This is the fundamental horn equation for infinitesimal amplitudes. If you have simple harmonic motion (a sine or cosine wave of a single frequency), you can write $\phi = \phi_1 \cos \omega t$, which gives $\partial^2 \phi / \partial t^2 = -\omega^2 \phi$, $\omega = 2\pi f$. By using this substitution, and remembering that $k = \omega/c$, you get

$$\frac{d^2 \phi}{dx^2} + \frac{d \ln S}{dx} \frac{d \phi}{dx} - k^2 \phi = 0,$$

which is the most convenient form of the horn equation. ■

horn is that the sound waves propagate through the horn as spherical wave-fronts with constant radius, r_m , which also is tangent to the walls at all times (Fig. 18).

For this requirement to hold, the wave-front must be spherical at all frequencies, and the velocity of the sound must be constant throughout the horn.

A theory of the tractrix horn was worked out by Lambert²⁵. The throat impedance of a horn was calculated using both a hemisphere and a piston as radiation load, and the results compared to measurements. It appeared that the wave-front at the mouth was neither spherical nor plane. Also, directivity measurements showed increased beaming at higher frequencies. This means that the tractrix horn does not present a hemispherical wave-front at the mouth




FIGURE 15: Wave-fronts in an exponential horn at 800Hz⁴.




FIGURE 16: Wave-fronts in a conical horn at 800Hz⁴.




FIGURE 17: Dimensions of the tractrix horn.

at all frequencies. It does come close at low frequencies, but so does almost every horn type.

The throat impedance of a 100Hz tractrix horn, assuming wave-fronts in the form of flattened spherical caps and using the radiation impedance of a sphere with radius equal to the mouth radius as mouth termination, is shown in Fig. 19.

Next month Part 2 will continue this in-depth look at various horn types. **ax**

REFERENCES

1. G.K. Behler and M. Makarski, "Two-Port Representation of the Connection between Horn Driver and Horn," *JAES* vol. 51, No. 10, October 2003, pp. 883-897.
2. I.B. Crandall, "Theory of Vibrating Systems and Sound," Van Nostrand, 1926.
3. A.G. Webster, "Acoustical Impedance and the theory of Horns and of the Phonograph," *Proc. N. Ac. of Sci.*, 1919, pp. 275-282.
4. W.M. Hall, "Comments on the Theory of Horns," *JASA* vol 3, 1932, pp. 552-561.
5. N.W. McLachlan, "Loud Speakers," Oxford, 1934.
6. E.R. Geddes, "Acoustic Waveguide Theory," *JAES* Vol. 37, Jul/Aug 1989, pp. 554-569.
7. G.R. Putland, "Every One-parameter Acoustic field Obeys Webster's Horn Equation," *JAES* Vol. 41, No. 6, June 1993, pp. 435-451.
8. A.H. Benade and E.V. Jansson, "On Plane and Spherical Waves in Horns with Nonuniform Flare, Part 1," *Acoustica* vol. 31, 1974, pp. 79-98.
9. J.T. Post and E.L. Hixon, "A Modeling and Measurement Study of Acoustic Horns," dissertation, 1994.
10. K.R. Holland, F.J. Fahy, and C.L. Morfey, "Prediction and Measurement of the One-parameter Behavior of Horns," *JAES* Vol. 39, May 1991, pp. 315-337.
11. H.F. Olson, "Elements of Acoustical Engineering," 2nd edition, Van Nostrand, 1947.
12. AES Information Document, "Plane-Wave Tubes: Design and Practice," *JAES* vol. 39, No. 6. June 1991, pp. 474-480.
13. M. Buck, "Plane Wave Tubes—Uses and Limitations," *AES Convention Paper* no. 6268, Oct. 2004.
14. V. Salmon, "A New Family of Horns," *JASA* vol. 17, Jan. 1946, pp. 212-218.

15. G.W. Stewart and R.B. Lindsay, "Acoustics," Van Nostrand, 1930.

16. C.R. Hanna and J. Slepian, "The function and design of Horns for Loudspeakers," *Transactions of the AIEE*, 1924.

17. H.C. Harrison, "Improvements in Acoustic Horns," British Patent no. 213 528, 1923/1925.

18. P.B. Flanders, "Improvements in Acoustic Horns," British Patent no. 245 415, 1924/1926.

19. D.B. Keele, "Optimum Horn Mouth Size," *AES Preprint* no 933, 1973.

20. W.M. Hall, "An investigation of Sound Fields in Regions Restricted by Finite Boundaries," MS Thesis, MIT 1928.

21. P.G.A.H. Voigt, "Improvements in Horns for Acoustic Instruments," British Patent no. 278 098, 1926/1927.

22. J. Dinsdale, "Horn Loudspeaker Design part 1-3," *Wireless World*, March, May, and June 1974.

23. B. Edgar, "The Tractrix Horn Contour," *Speaker Builder* 2/81, pp. 9-15.

24. B. Edgar, "The Edgar Midrange Horn," *Speaker Builder* 1/86, pp. 7-17.

25. R.F. Lambert, "Acoustical studies of the Tractrix Horn part I and II," *JAES* Nov. 1954, pp. 1024-1033.




FIGURE 18: Assumed wave-fronts in a tractrix horn.




FIGURE 19: Throat impedance of a tractrix horn.