

Brew

YOUR OWN

September 1998, Vol.4, No.9
Niche Publications Inc.

SPECIAL
EQUIPMENT ISSUE

THE HOW-TO HOMEBREW BEER MAGAZINE


**THE ULTIMATE
GARAGE
BREWERY!**

**12 Easy
Upgrades to
Your Setup**

**Compact,
Custom
RIMS**

**Brew
7-Grain
Beer!**

JOHN MARIONI
BOTHELL, WASH.



U.S. \$3.95 (CANADA \$4.95)



AN ALL-GRAIN, FRESH WORT BEER KIT? DAMMIT JIM, I'M A BREWER NOT A MAGICIAN!

A bold leap in technology brings you
The Brew House beer kit: fresh,
all-grain wort without
extract or concentrate.

Now you can brew
all-grain beer in
only minutes
and make your
best recipes
even better.
Brew House:
the next
generation of
homebrewing.

RIF Vienna Lager

(Recipe for 5 US gallons*)

- 1 Brew House Pilsner Kit
- 1 lb. Munich malt
- 8 oz. Aromatic malt
- 8 oz. CaraVienne malt
- 1 oz. Saaz hops
- Wyeast 2124 Bohemian lager yeast

1. Crack your grains and place
them in a grain bag.

2. Add grain bag to 2 gallons
of cold water in a 3 gallon (or
larger) pot. Place over medium
heat. Bring temperature to
170°F and hold for 20 minutes.

3. Remove and discard grains and boil
for 20 minutes. At the end of the boil, add
Saaz hops, remove pot from heat and steep
hops for 5 minutes.

4. Cool the liquid and use it to make up the volume of the kit. Top up with
water if necessary. Do not forget to add the pH adjustment package.

5. Pitch your yeast culture and ferment at 46-54°F.

Your RIF should be ready for bottling in 6 to 8 weeks. With long lagering
comes smoothness, rich complexity, and assimilation.

*This recipe is for the 5 US gallon (19 litre) kit. Get in touch and we'll send you the
Canadian version. We have other recipes too—just ask.



Stout

Pilsner

Pale Ale

Wheat Beer

Munich Dark Lager

Extra Special Bitter

American Premium Lager

<http://www.thebrewhouse.com>

info@thebrewhouse.com

CANADA, WESTERN USA

Spagnol's Wine and Beer Making Supplies Ltd.

Tel: 1-800-663-0954

Fax: 1-888-557-7557

EASTERN USA

Crosby & Baker

1-800-999-2440 (MA)

1-800-666-2440 (GA)

Contents

SEPTEMBER 1998

FEATURES

- 18 Cool Equipment** *Craig Hartinger*
Twelve easy ways to improve your brewery. Find out how adding kettles, cookers and chillers can improve your brewing.
- 22 Garage Vision** *John Marioni*
Why waste the largest room in your house on cars? The author turned his into a full-fledged homebrewery.
- 32 Killer RIMS** *Colin Markham*
Take a first-hand look at this recirculating infusion mash system — and even learn how to build some of the parts yourself.
- 46 Multi-grain Brewing** *Scott Russell*
Just as merging grains can create more flavorful bread, it can also create rich, complex beer. Try out an array of different grains, from buckwheat to quinoa, with these terrific recipes.
- 51 Cooking With Spent Grain** *Neal Fortin*
Brewing your own beer doesn't have to mean wasted malt at the end of the process. Cooking with spent grain is an economical way to create great food.



p. 22

DEPARTMENTS

- 2 Editor's Note**
Calling all inventors.
- 5 Pot Shots**
Is this covered by your HMO?
- 7 Mail**
All Hands Starboard.
- 64 Last Call**
Brewing the faith.
- 60 Homebrew Directory**
- 56 Classifieds**
- 56 Advertiser Index**

COLUMNS

- 9 Recipe Exchange**
Some well-bread history.
- 11 Help Me, Mr. Wizard**
The Crown Prince of Calculations holds court on predicting the right yield.
- 15 Tips From the Pros**
Leading the pack in Indy.
- 57 Wine Making**
Equipment basics: buckets and beyond.

Calling All Inventors

I've never been much of a mechanical wizard. Sure, I figured out to empty the drier vent when the clothes started to come out with little burn marks, but that was pure luck.

Like most guys, I love cool machines, gadgets, and nifty inventions. I admire the innovative things that people have done to fine-tune their brewing systems. Often I tell them how much I admire what they've done, hoping they'll volunteer to do the same for me. (Rarely works, though.)

You know how some people can sit down with a wrench, an old keg, a handful of C-clamps, and a welding torch and come out with an exact miniature of the Spaten brew-house they saw during their trip to Munich last summer? Me, I pull out a screwdriver and my wife is calling to make sure our health insurance is paid up. A hammer and she's got the phone in hand, ready to dial 911. Of course on the other hand, she'll never ask me to put in a new doorbell or repair the drywall.

Anyway, if you're one of those mechanical geniuses just waiting to sketch out your latest brewing invention, I have a couple of suggestions. These are things I could sure use for my brewing setup, and I bet a lot of other people would find them useful, too.

Sani-geiger Counter. You know Geiger counters, those things that click when they come near radiation and click faster the more radiation is present? (And by the way, do those really exist, or are they just a product of science fiction movies?)

What I want is a Geiger counter that measures bacteria and other nasties that could contaminate my beer. I stick my Sani-geiger counter in the empty fermenting bucket. Click. Click. I thrust it down to where the bottom and the side

meet. Clickclickclickclickclick. Aha! Blast it with bleach! Inundate it with iodophor! This could be the ultimate beer-saving device.

Bonehead Alarm. This would ring any time I'm about to toss in my aroma hops at the beginning of a 60-minute boil or dump a whole pound of black malt into a recipe that calls for three ounces.

I picture this device as something I attach to my temples when I'm starting to brew. It measures my brainwave pattern and when the waves start to go into a perpetual loop, a bell goes off. Then a soothing, prerecorded voice asks, "Are you sure you want to do that?"

This month's issue features two of those great inventor types, John Marioni of Bothell, Wash., and Colin Markham of Philadelphia. John, an aspiring professional brewer, renovated his garage into a workspace a lot nicer than some full-fledged microbreweries. Colin, who works long hours as a nurse at local hospitals, managed to squeeze in the time to build an incredible recirculating infusion mash system (RIMS).

They each share the details of their projects along with some step-by-step plans so you can build key parts for yourself. Check out *Garage Vision*, page 22, and *Killer RIMS*, page 32. They may just make you want to get out the C-clamps and the welding torch!



Brew
YOUR OWN[®]
THE HOW-TO HOMEBREW BEER MAGAZINE

EDITOR Craig Bystrynski

MANAGING EDITOR Gailen Jacobs

SENIOR EDITOR Suzanne Berens

ASSOCIATE EDITOR Julie Slama

TECHNICAL EDITOR Mike Ramsey

ART DIRECTOR Christine Kell

GRAPHIC ARTIST Janet Park

CONTRIBUTING WRITERS Alison Crowe, Stan Hieronymus, Daria Labinsky, Scott Russell

EDITORIAL INTERN Amy Simpson

MARKETING DIRECTOR Steve Rank

ADVERTISING DIRECTOR Corey Gerhard

ADVERTISING MANAGER Evan Shipman

ADVERTISING COORDINATOR Jenna Holmes

CLASSIFIEDS COORDINATOR Elisa Brewer

CIRCULATION MANAGER Karen Embry

ACCOUNTING MANAGER Stacey Horigan

PUBLISHING ASSISTANTS Autumn Anderson, Frank Bernard, Katie Landau

WEB MASTER Heidi Larson

CIRCULATION CONSULTANT Maureen Kaminski

PUBLISHER Carl B. Landau

Brew Your Own (ISSN 1081-826X) is published monthly for \$44.95 per year by Niche Publications, 216 F St., Suite 160, Davis, CA 95616; tel. (530) 758-4596; fax (530) 758-7477. E-mail address: BYO@byo.com. Periodicals postage rate paid at Davis, CA and additional mailing offices. Canada Post International Publications Mail Product Sales Agreement No. 1250469. Canadian Mail Distributor information: Express Messenger International, P.O. Box 25058, London BC, Ontario, Canada N6C6A8. POSTMASTER: Send address changes to *Brew Your Own*, P.O. Box 1504, Martinez, CA 94553-0504. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write *Brew Your Own*, P.O. Box 1504, Martinez, CA 94553-0504. Tel (510) 372-6002. Fax (510) 372-8582. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The subscription rate to Canada and Mexico is \$55; for all other countries the subscription rate is \$70.

All contents of *Brew Your Own* are Copyright © 1998 by Niche Publications, unless otherwise noted. *Brew Your Own* is a registered trademark owned by Niche Publications, a California Corporation. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.

All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in U.S.A.

Who does your Homebrew Shopkeeper call when he wants fresh stock fast?

Chances are your homebrew retailer knows our number by heart! We are one of the leading distributors of brewing supplies in the country.

The brewer's source for premium products such as: • Briess • Coopers • Edme • De Wolf • Cosyns • John Bull • Laaglander • Morgans • Muntons • Pauls Malt • Premier • Scotmalt • Weissheimer Malz • Wort Works •

Always the freshest malt, hops and yeast plus cleaning and sanitization supplies, instruments and accessories. For the winemaker we offer state of the art Vintners Reserve and Selection Wine Kits.




Supplier of quality products for the discriminating brewer and winemaker for 29 years!

Our increased buying power allow us to offer the lowest prices to our homebrew retailer. We ship anywhere in the country, so even the smallest shop can get anything the creative brewer or winemaker requires. If there's a product or ingredient you want or need but your brew shop doesn't have on hand, ask him to give us a call.

Distribution to Retailers Only
463 Portage Boulevard
Kent, Ohio 44240
800 321-0315

Home Wine & Beer Trade Association Member

GIVE YOUR YEAST PURE OXYGEN! DRINK BEER IN SIX DAYS!*



Use the trick the top breweries use. *The Oxynater™* by Liquid Bread injects pure oxygen into the wort. You get healthier yeast. Faster fermentation. Better attenuation. Cut the risk of off-flavors. Get better tasting beer. No kidding!

2312 Clark Street Unit #8
 Orlando, FL 32703
 Tel: (407) 888-3533 Fax (407) 522-0902
<http://www.liquidbread.com> • lbread@lag.net

* Finish your beer with the *Carbonater™* by Liquid Bread!

CIRCLE 29 ON READER SERVICE CARD

THESE BEERS COULD BE THE BEST YOU EVER TASTED

Over Twenty-four Great Home Brews — ALL DIFFERENT —

These brews range from our Pilsen Supreme, a light, pleasant, American style at 3%, to the "take away your car keys" Winter Wheat Warmer at about 9%.

Bierhaus Next Step Bru-Paks® are complete, simple to make and inexpensive.

Call or write for a brochure. You'll be glad.




Bierhaus International, Inc.
 3723 West 12th Street
 Erie, PA 16505

toll free phone: 888-273-9386
 e-mail: bierhaus@erie.net

CIRCLE 7 ON READER SERVICE CARD

Taste A Classic



Draught, Real Ale,
Bitter, Stout and
Classic Dark Ale
also available

CASCADIA IMPORTERS

For the retailer nearest you, award-winning
recipes, newsletter & more, visit our
web site at www.cascadiabrew.com.

COOPERS
BREW PRODUCTS

CIRCLE 14 ON READER SERVICE CARD

Is This Covered by Your HMO?

John Zimmerman
Brigantine, N.J.

I have been a chiropractor for 10 years and have been drinking beer even longer. I recently decided it was time to merge my profession with my hobby by making my own chiropractic beer. Dr. Jay's Subluxation Lager was the result. With the help of my local brew store's lager recipe, I brewed a fine-tasting lager with all of the dangerous side effects intact.

For the uninitiated, a subluxation is a condition in the spine in which one or more of the vertebrae are misaligned, placing pressure on the spinal nerves, causing the body not to function properly or be as healthy as it could be. Subluxations are caused by physical (trauma),

emotional (stress), or chemical (alcohol, caffeine, drugs) means. Thus the name Subluxation Lager.

An interesting side note is that due to the health benefits and pureness of homebrew, I have not been able to drink enough of my own beer to cause a subluxation. I have had plenty of fun, though.

DR. JAY'S SUBLUXATION LAGER

"A Subluxation In Every Bottle"

Alcohol Content Is Too High To Mention!

Warning: Imbibing May Lead To Fun And Chemically Induced Subluxations.

Brewed In Brigantine, N.J.



This chiropractor likes adjusting his beer as much as his patients.

Sharon Partain and Traci Tutor
Pangburn, Ark.

Officially we are Emergency Medical Technicians (EMT) — that's ambulance drivers to you lay people — in the field of Emergency Medical Services (EMS). That's the branch of emergency services that employs big white ice cream trucks with red lights on top.

Unofficially we are Emergency

Medicinal Tasters (that's beer guzzlers) for EMS (Emergency Medicinal Suds) Brewery, our two person, five-gallon-a-week beer producing team.

As you can see, we bring our careers into our labels.

Medical Translation:

Tachy Turtle Wheat: Refers to a fast heart rate. (So "fast" and "turtle" don't go together, but the beer's damn good.)

Code Brown Ale: Code Brown is the pile of smelly presents our patients leave on our gurney from time to time.



These homebrewing EMTs have a quick response time for making beer at EMS Brewery.






Photo Opportunity: Kenneth Clucas of Overland Park, Kan., gets help in his homebrewery from his trusty pet cockatoo, Kitt-man. The bird's favorite task is opening the bottles (or at least chewing the caps).

Tom Centurion Areguá, Paraguay

I live in Areguá, Paraguay, a beautiful place around the romantic "Ypacaraí Lake," 20 miles away from Asunción, the main city and capital of Paraguay. My wife Whitney, an American, and I have been fanatic homebrewers since 1994, brewing great real beer (according to our friend and family fans).

As you see in the picture, sometimes we get some help from our cute pets, Beethoven (left) and Fluffy (right). They love licking drops of beer on the counter or floor. We are subscribers to BYO, and that helps us a lot to improve our brewing.

Currently, I'm a musician and my wife runs her English school in Paraguay. We are planning to move soon to Davis, Calif., to



Beethoven and Fluffy help create "Lady of the Lake" in Paraguay.

study brewing, then come back to Paraguay and open a micro-brewery and/or brewpub.

Our specialty is a great pale ale, "Lady of the Lake." We add some local hops (still a secret), but next time I'll send our exclusive recipe to all readers. A huge hello to all the BYO worldwide family from Areguá, Paraguay.

"Contact us for more information."



Stainless steel
perforated/footed
false bottom and other
accessories also available.

the 10 gallon
BREW POT

2806 N. 15th Street
P.O. Box 211
Sheboygan, WI 53083



Phone 800/237-3655
FAX 414/458-2205
Email jfrey@excel.net

MANUFACTURER OF PREMIUM QUALITY STAINLESS STEEL BREWING SUPPLIES

CIRCLE 40 ON READER SERVICE CARD



The Grape and Granary

A Complete Line of
Homebrew Supplies
and Equipment

- Kegging Supplies
- Mail Order Prices
- Same Day Shipping
- Bulk Pricing

Call or Write for a Free Catalog
1302 E. Tallmadge Ave.
Akron, OH 44310
1-800-695-9870
www.grapeandgranary.com

CIRCLE 21 ON READER SERVICE CARD

Editorial Review Board

Fal Allen	The Pike Brewing Co.
Donald Barkeley	Mendocino Brewing Co.
Byron Burch	The Beverage People
Tom Flores	Brewer's Alley
Mark Garetz	HopTech
Drew Goldberg	Alcatraz Brewing Co.
Herbert L. Grant	Yakima Brewing & Malting Co.
Craig Hartinger	Liberty Malt Supply Co.
Tom Hoare	Ram Big Horn Brewery
Denise Jones	Third Street Ale Works
Alan Kornhauser	Portland Brewing
Larry Lesterud	Humboldt Brewing Co.
Mark Lupa	Tabernash Brewing Co.
John Maier	Rogue Ales
Kirby Nelson	Capital Brewing Co.
Steve Nordahl	Frederick Brewing Co.
Ralph Olson	Hopunion USA Inc.
Steve Parkes	American Brewers Guild
David Pierce	Bluegrass Brewing Co.
Artie Tafoya	Appalachian Brewing Co.
Keith Wayne	Tahoe Mountain Brewery
Randy Whisler	Smutty Nose Brewery

How To Reach

Brew
YOUR OWN

Editorial and Advertising Office:

Brew Your Own
216 F Street, Suite 160
Davis, CA 95616

Tel: (530) 758-4596
Fax: (530) 758-7477
E-Mail: BYO@byo.com

Advertising Contact:

Evan Shipman, Ad Manager
ad@byo.com

Editorial Contact:

Craig Bystrynski, Editor
edit@byo.com

Subscriptions Only:

Brew Your Own
PO Box 1504
Martinez, CA 94553

Tel: 1-800-900-7594
M-F 8:30-5:00 PST
Fax: (510) 372-8582

Special Subscription Offer:

12 issues for \$29.95

Web Site:

www.byo.com

All Hands Starboard

Dear BYO,

In the July '98 issue (Mail) Steven Guyot makes a great point regarding the content of your magazine. As an avid homebrewer, I was very interested to begin a subscription to your magazine. After several issues I realized that a few of your pages were devoted to the folly of winemaking. My first thought was that, yes, some homebrewers fade to the "port side" occasionally. But then common sense kicked in and I realized that a true homebrewer may stray but must always return to where the wort is pure (pure malt, that is!).

Imagine what would happen to BYO (The How-To Homebrew "Beer" Magazine) if all of your devoted subscribers became wine (ughhh) makers. Your subscriptions would fall and we would all be reading "Whine & More!"

I hope you rethink the wine-making section before I am drawn to the evils that lurk in wine! If you need content, print more letters!

Tom Rueckl

The Bomb Brewery
Luxemburg, Wis.

Dear BYO,

In the July issue there is a person who is whining about your magazine having too much wine-making stuff. Well, I (disagree). There are a lot of us out here who like to make wine also, not just beer.

Bernie Gonzales
Las Vegas, Nev.

Dear BYO,

In reference to the letter in the July issue I, too, subscribe to a "brew your own" magazine not a "wine your own" one. At this time I do not feel I will renew the subscription when the time comes.

Allen Dangerfield
via e-mail

Dear BYO,

I recently started brewing and have been frequently buying your



magazine (the last six issues). I have considered getting a subscription but am

dissatisfied by your wine coverage ("Adding Oak to your Wine," July '98). If I want to read about wine-making, I will seek out a periodical specializing in wine. My needs are to learn about beer making and improve on my brewing style. I enjoy the format you present, but if you want me as a reader, please concentrate on beer.

In reference to the oak article, I am hoping you will concentrate a future article on beer and oak. I have read very little on the subject. I am also in the middle of a test batch of some oak chips and Scottish ale. I need more information on contact time, amount of chips, sanitization of chips, how to roast and the effects of different levels of roasting, and varieties of beer that would be enhanced by oak aging.

David Russell
Ann Arbor Brewer's Guild
Plymouth, Mich.

Thanks for the suggestion. We're preparing an article on oak that will appear in a future issue of BYO.

Changes Brewing

Dear BYO,

I am a subscriber from the beginning. I have passed the word of your magazine along to many of my brewing friends. But now that I have renewed for the fourth year, I am not happy with the "new focus" of the magazine.

I have always felt that although much of the direction of the magazine was toward the extract brewer, you always attempted to get people to try all-grain brewing and reap the benefits. But now the tables have turned and my favorite section of the magazine has vanished. Style of the Month is no more. What happened to it and will it return? Over the years I have brewed many beers from these recipes and look forward to each

month to see what I might be brewing next. What is happening?

I would like to cast my vote for the return of Style of the Month.

*Darren and Laurie Procsal
via e-mail*

The votes have been counted and Style of the Month will return. Look for it in the January issue in a new and improved format.

Frozen Grains

Dear BYO,

I'm sometimes overzealous when purchasing my brew supplies and thus always buy more than I really need. I guess I think that I will brew every day, but that doesn't happen. When I purchase grains and seldom use all that I purchase, I freeze them, sometimes for a

month or two. What effect will this have on my brew? Will the grains be as fresh as they were when I purchased them? Is there a time when I should discard them?

*Don Spurrier
Moorpark, Calif.*

Unless you live in a very humid climate, storing unmilled malt dry in an air-tight container at room temperature should be fine. Freezing may create moisture, altering brewing calculations and flavors. There is also the possibility of it staling faster when frozen. In addition grain will not mill as well when wet.

If you are buying premilled grain, we recommend buying only the necessary quantity.

It Just Didn't Seem Right

I have already brewed two of your clone recipes from the July issue ("Extract Clones"), the Anchor Steam, and the Celis White. The problem arose with the wit beer.

After steeping the oats as directed, I added one quart of water to compensate for the absorbed water (I was going on instinct). I then added the extract and candi sugar. Six pounds of extract created almost three-quarters gallon of additional volume, to which I added another quart to bring up to two gallons, as directed. Here is the problem: 1.75 gallons of water is not enough for six pounds of wheat extract, which is extremely heavy. I thought that the instructions should have specified to bring the *water* volume to two gallons, as opposed to the wort volume, which became very thick. But I followed the instructions and proceeded. Some of the extract settled during the boil and scorched on the bottom, giving my finished brew a somewhat caramelized color and a very faint burnt aroma. I don't think this is characteristic of Belgian wits, and I would hate to have someone else make this mistake.

Please clarify this step for future brewers. As for me, I will not second guess my instincts in the future.

*Andy Lynch,
Roanoke, Va.*

Grapes, heart of our logo, matter of our 23 L. Sterile Musts kits!

Setting the quality standard in varietal juice kits since 1993

Combining the simplicity of a kit, with the superb, clean taste and aromas *only quality fresh juice can deliver!*

For further information on this unique line of kits, please contact:



Mosti Mondiale Inc.

6865 Route 132 Ville Ste-Catherine (Quebec) Canada J0L 1E0
Tel.: (514) 638-6380 Fax: (514) 638-7049 www.mostimondiale.com
DEALER INQUIRIES WELCOMED

CIRCLE 35 ON READER SERVICE CARD

Some Well-Bread History

by Scott R. Russell

To explain this month's recipe, I have to delve back into the past and explain one of the great myths of modern history. Bear with me; it will all make sense in the end. And it's a true story. I swear!

In 1804 Napoleon Bonaparte, emperor of France, was on his way to a battle. He and his troops stopped in some obscure Austrian or Bavarian village to find food. One of his aides came back with what the villagers called bread — it was dark brown, dense, full of whole grains and seeds, warm and aromatic. Napoleon, being a bit of an aristocrat (taste-wise, at least) and not liking to be reminded of his less-than-upper-class roots (the ruling classes in France ate nothing but pure white bread), took a look at the bread, then looked at his horse, Nicole. She seemed genuinely interested in the

bread, so he gave her some. She ate it greedily. He smiled and turned back to his aide and said, "*Voilà, c'est bon pour Nicole.*" (That will take care of Nicole.) Now find *me* something to eat." A villager standing nearby heard "*bon pour Nicole*," but of course, when he repeated the insult to his friends, pronounced it "*pon por Nikul*," which of course became "Pumpernickel" — a dark brown, multi-grain rye and wheat bread.

Since Napoleon was emperor, any associated beer must be an imperial stout. This recipe is a tribute to Napoleon, to his lack of good taste in bread. I think he would have liked the beer, though. It is rich and dark but not black like an Irish stout. Sweeter than most stouts but with the unmistakable double tang of rye and caraway.



Reader Recipes

Wild Dog ESB

(5.5 gallons, partial mash)

This beer is a little too rich, malty, complex, and dark to be a true ESB, but it's exactly what I was after, a "house" style ale that's good anytime. Add two cups (0.5 lb.)

chocolate malt to the grains and

"Bon pour Nicole" Stout (5 gallons, partial mash)

Ingredients:

- 3 lbs. English pale malt
- 0.5 lb. dark crystal malt (90° to 120° Lovibond)
- 1 lb. malted rye
- 1 lb. malted wheat
- 0.5 lb. roasted barley
- 1 lb. flaked maize
- 3 lbs. unhopped dark dry malt extract
- 1 cup molasses
- 1 oz. Fuggle hops (4% alpha acid) for 60 min.
- 1 oz. Northern Brewer hops (8% alpha acid) for 15 min.
- 1 Tbsp. caraway seeds (slightly crushed but not powdered)
- 1 qt. English or Irish ale yeast slurry (Wyeast 1098 or 1084)

- 2/3 cup corn sugar to prime

Step by Step:

Heat 2.5 gal. of water to 164° F. Crush grains and mix in, settling mash at about 152° F. Hold at this temperature for 75 min. Begin run-off and sparge with 2.5 gal. water at 168° F.

To the run-off add dry malt and molasses. Total boil is 60 min. Bring to a boil, add Fuggle hops, and boil 45 min. Add Northern Brewer, boil 15 min. more. Remove from heat and add caraway. Steep 30 min. then begin cooling. Top off in fermenter with enough cold, pre-boiled water to make 5.25 gal. Chill to 68° F and pitch yeast slurry.

Ferment at 65° F for 10 days.

Rack to secondary, age cool (50° F) for three weeks. Prime with corn sugar, bottle, and age four to six weeks.

Variations:

All-grain recipe: Increase mash water to 4 gal., sparge water to 5 gal. Increase pale malt to 6 lbs.; crystal and roasted barley to 1 lb. each. Omit dry malt extract, but the rest of the procedure is the same.

All-extract recipe: Steep rye, wheat, crystal, and roasted barley in 3 gal. of water, raising heat gradually to 179° F. Remove grains, and add 3 lbs. dark dry malt extract and 4 lbs. amber dry malt extract. The rest of the procedure is the same.

you've got a fantastic porter!

Mark Garland
Syracuse, N.Y.

Ingredients:

- 6.6 lbs. Yellow Dog amber extract
- 1 lb. light dry malt
- 1 lb. two-row pale malt
- 1 lb. Munich malt
- 4 oz. victory or biscuit malt
- 4 oz. cara-pils malt

- 1 lb. crystal malt, 60° Lovibond
- 2 tsp. gypsum
- 1 tsp. Irish moss
- 1 oz. Northern Brewer hops (8% alpha acid) for 60 min.
- 1 oz. Cascade hops (5% alpha acid): 0.5 oz. for 45 min., 0.5 oz. for 15 min.
- 1 oz. Fuggle hops (5% alpha acid): 0.5 oz. for 30 min. (1 full oz. optional), 0.5 oz. end of boil

- Wyeast 1056 (American ale)
- $\frac{3}{4}$ cup corn sugar for priming

Step by Step:

Mash malts in large grain bags in 1.5 gal. of water at 150° to 155° F for 60 min. Remove and sparge with 2 gal. of 170° F water.

Add extracts and return to boil. Total boil is 60 min. Add Northern Brewer at start of boil. Boil 15 min. and add 0.5 oz. Cascade hops. Boil 15 min. more and add 0.5 oz. Fuggle hops. Boil 15 min. more and add remaining Cascade hops. Boil 15 min. more. At the end of boil add remaining Fuggle. Steep for 5 min. Transfer to fermenter and top up to 5.5 gal. Pitch yeast at 70° to 75° F.

Ferment seven to nine days at 65° F. Rack to secondary and ferment for seven to nine days. Bottle with corn sugar. Age four weeks.

Sweet Stout

(5 gallons, partial mash)

My favorite stout.

Kathy Jackson
Oakland, Calif.

Ingredients:

- 7 lbs. dark extract
- 1 lb. dark brown sugar
- 0.25 lb. black patent malt
- 0.25 lb. roasted barley
- 0.75 lb. crystal malt, 70° Lovibond
- 3 oz. Northern Brewer hops (8% alpha acid): 1 oz. for 60 min., 1 oz. for 45 min., 1 oz. for 15 min.
- 1 pack liquid Irish ale yeast
- $\frac{2}{3}$ cup corn sugar for priming

Step by Step:

Steep grains in 1.5 gal. of 150° F water for 10 min. Remove from heat and rinse grains with 1.5 gal. of 150° F water.

Add extract and brown sugar. Bring to boil. Total boil is 60 min. Add 1 oz. hops and boil 15 min. Add 1 oz. hops and boil 30 min. more. Add last ounce of hops and boil 15 min. more. Remove from heat, rack into primary, and top up to 5 gal. Chill to 70° F. Pitch yeast.

Ferment near 65° F for 10 days. Bottle or keg as usual.

OG = 1.065

FG = 1.012 ■



The classic beers of Belgium

Nowhere else in the world is there a greater diversity of beer styles than in Belgium. From crisp, tart Saisons, to strong, spicy Trappist Ales brewed by monks, from sweet and sour Brown Ales, all the way to wild fermented Lambics made with raspberries or cherries. The Belgian author, journalist Christian Deglas describes in mouthwatering detail every beer being brewed today in Belgium. This book covers historical background, brewing techniques, and also gives thorough tasting notes and includes over 200 full-color photographs.



Published by: G.W. KENT, INC.
Tel: 1-800-333-4288



CIRCLE 22 ON READER SERVICE CARD

Predicting the Right Yield

Mr. Wizard

I am looking for a formula and instructions for calculating extract efficiency in all-grain brewing. How important is it to calculate this number? I hear other brewers claim they got 75, 80, even 90 percent extract efficiency from their all-grain brews. How do you calculate extract efficiency?

*Tony Bell
via e-mail*

Professional brewers strive to brew the same wort day after day to achieve the most consistent beer possible. At least that's the plan. One of the many things required to brew a consistent beer is knowledge about extract efficiency or extract yield. Malts change from lot to lot and brewhouse efficiency may change with time, so commercial brewers naturally want to account for these natural variations.

Almost every batch of malt produced in a commercial malt house is analyzed for the maximum amount of solids that can be extracted from the malt in a laboratory mash. The number produced from this analysis is called the laboratory yield. When brewers produce wort using the same batch of malt as a lab they almost always get less extract from the malt. This is because brewers use a coarser malt grind than the lab method and they collect less of the weak "last runnings" from the grain bed. The relationship between the brewery yield and the laboratory yield is a reflection of brewery efficiency and is referred to as brewhouse yield. To calculate brewhouse yield you only need to know three numbers: wort

volume after boiling, wort gravity after boiling, and the laboratory yield.

This really is easy to calculate if you have a hydrometer and a way to measure wort volume. Suppose you produce five gallons of a 1.040 OG wort. If you multiply five gallons by 40 gravity points (the number following the decimal in the OG reading), you can determine the number of gallon-points in the wort. In this example there are 200 gallon-points. Although this is a strange unit, it works well.

Next, compare the gallon-points actually produced with the number theoretically possible. Suppose you used seven pounds of malt that had a laboratory yield of 36 gallon-points per pound. Theoretically you could produce 252 gallon-points of extract (7×36).

Comparing the 200 gallon-points produced with the 252 gallon-points theoretically possible gives a brewhouse yield of 79 percent.

This calculation is easy on paper. However, calculating it at home is another story because very few malts purchased at homebrew supply stores state their theoretical yield. Even if the malt comes with a laboratory yield number, the number can't always be trusted. Malts settle and small samples may not have the same properties as the whole batch, bags get mixed, old data sheets hang around longer than the malt bag they came with, and many malt suppliers give

"typical" lab results to homebrew suppliers. Falling short of analyzing the malt yourself, you probably won't know the laboratory yield of the malt you are using.

Most homebrewers (and many pub brewers) make educated guesses at the theoretical yield of different malts. This works reasonably well because the modern maltster is pretty good at being consistent; after all, we brewers demand it! Pale malt usually has a lab yield of about 78 percent, crystal is about 72 percent, rice is around 98 percent, and black malt is near 65 percent. Malt labs typically report yield as a percentage, and these numbers can be converted to gallon-points per pound by multiplying by 0.46.

The great thing about knowing your brewery efficiency and your malt yield is that they help you become consistent and are very helpful when trying to hit a target original gravity with grains you have never used. Those are really the only brewing issues related to efficiency unless you brew commercially.

If you make as much beer as Anheuser-Busch, the difference between 95 percent and 90 percent efficiency is about \$15 million per year if the price of malt is only 15 cents per pound. For homebrewers making the legal limit of 200 gallons per year, the difference is a whopping \$11.06 if our price of malt is a \$1.50 per pound — not a big deal considering a couple rounds of good beer cost more than \$11.06.

The other hobbyist aspect of efficiency is machismo. I mean, what good is 95 percent efficiency if you can't brag? Kind of like the guy with the imported sports car that goes from zero to 60 in 4.9 seconds. All of his friends surely know his car's prowess, but has he needed that acceleration lately, let alone



used it?

Give me a system that is reliable, predictable and, most important, makes great beer!

Mr. Wizard

I buy bottled drinking water for brewing. The label indicates the water was purified by reverse osmosis and then "ozonated." Adding ozone disinfects, decolorizes, and deodorizes, but does the extra oxygen add any risks, especially since I've always read to "siphon quietly" to avoid oxygenation? Or is the term "ozonated" just a buzz word?

*Jon Bakehouse
via e-mail*

Water purified using reverse osmosis (RO) has been stripped of any chemical preservatives, such as chlorine and chloramines, that are added to municipal water. Thus, RO-

purified water must be stabilized before it is sold. Although water exiting an RO purification usually harbors no microorganisms, the storage tanks and interconnecting pipework following the purification unit may. This is why bottled waters must be treated before packaging.

Two common methods used to kill microbes in water before packaging are ultraviolet light systems and ozonation. UV systems work by passing the water through a clear pipe that has a UV lamp shining on it. The UV light energy kills contaminants and imparts nothing to the water.

The other common method is ozonation. Ozonation works by bubbling ozone (O₃) through the water. Ozone is a potent oxidizing agent and oxidizes anything and everything that it contacts. That's why ozonation kills, decolorizes, and deodorizes — pretty nifty stuff! The only thing left in the water by the ozone is oxygen. However, any

bottle of non-ozonated water allowed to sit around for a day or two after bottling will become saturated with oxygen from the atmosphere because plastic water bottles are oxygen permeable. This means that all bottled waters contain about the same oxygen concentration, roughly 10 parts per million, regardless of how they were treated before packaging.

Mr. Wizard

How do you safely extend the use of packaged liquid yeast? I seem to remember an article a few years ago that talked about getting six batches of beer out of one packet of Wyeast. I don't want to get into yeast slants or propagation; those methods are too complicated. I just want to learn how to get more than one clean and uncontaminated use per packet.

*Sidney L. Patin
Colorado Springs, Colo.*

ROGUE™



Gratefully
dedicated to
the Rogue in
each of us

100% Cotton Tee
Black w/front print
White w/back print
L/XL \$14, XXL \$18

Order Yours Now!
Operators On Duty
24 Hours A Day:
1-800-489-4582

CIRCLE 42 ON READER SERVICE CARD

Keg beer without a keg!



**Beer
Dispenser**

Just PRESS, POUR & ENJOY!

- ◆ Easier to fill than bottles - No pumps or CO₂ systems.
- ◆ Holds 2.25 gallons of beer - Two "Pigs" perfect for one 5 gal. fermenter.
- ◆ Patented self-inflating Pressure Pouch maintains carbonation and freshness.
- ◆ Perfect dispense without disturbing sediment.
- ◆ Simple to use - Easy to carry - Fits in "fridge".
- ◆ Ideal for parties, picnics and holidays.

Ask for the **Party Pig®** Beer Dispenser at your local homebrew supply shop and at your favorite craft brewer.

QUOIN (pronounced "coin")
401 Violet St.
Golden, CO 80401

Phone: (303) 279-8731
Fax: (303) 278-0833
<http://www.partypig.com>

All breweries recycle their yeast to some extent, and the key to yeast reuse begins with cleanliness. Any bacteria picked up from wort coolers, fermenters, or beer hose will start to grow during beer fermentation and will eventually become a prominent part of the yeast population. This is when re-using yeast becomes the brewer's worst enemy. If you want to get six uses out of one packet of liquid yeast, cleanliness is a must.

The easiest and perhaps most reliable method of harvesting and re-using yeast is to brew frequently. Yeast is healthiest when it is used soon after harvest. Most ale strains can be harvested by skimming the yeast from the top of the fermenter about four days after fermentation has begun. Lager strains do form a thin yeast head on top of the ferment, but the cell density is too low to give a very good yeast harvest.

If skimming the fermenter is not an option, most ales strains and all lager strains will eventually settle to the bottom of the fermenter where yeast can be harvested. Cooling the fermentation after the diacetyl rest usually helps get the yeast to the bottom of the fermenter. After the yeast has settled, rack the beer into another fermenter and collect the yeast by carefully pouring it into a clean and sanitized storage container. Whether top cropping or harvesting from the bottom, it is best to use the yeast as soon as possible.

When yeast is fresh it will start fermentation quickly and will suppress the growth of bacteria that are most likely somewhere in the wort. This effect is due to the yeast lowering the pH of the wort during the early stages of fermentation and due to their rapid uptake of nutrients when fermentations start to rock and roll. Microbiologists call this competition — competition is good!


One of the problems with yeast reuse is that taking everything from the bottom of the fermenter is not very exact. In the process of harvesting yeast, a lot of trub and dead yeast are likely to be brought along for the ride. Since trub and dead yeast tend to settle quickly from the

wort, their concentration will grow with successive uses if precautions are not taken.

One of the best methods to limit dead yeast and trub carry-over is to remove them as soon as the living yeast wakes up and disperses in the wort. The easiest way to do this at home is to rack the beer before rapid fermentation takes off but after the good yeast starts to produce some

carbon dioxide. This is usually about 12 hours after pitching. In commercial breweries "flotation" (purging air through pitched wort to drive the dead yeast and trub to the wort surface) and cone blowing or purging the unwanted schmoos from the tank bottom are two common methods used to deal with the same problem. Unfortunately, most homebrewers don't have the tools required for

TIRED OF BAD BEER?



*To Brew the Best,
Brew With the Best:*

*Quality Supplies from
a reputable
homebrew shop.*

Call 1-800-999-2440

for the location of a full-service retailer near you.

a service of

Crosby & Baker Ltd

wholesale distributor of some of the world's
finest brewing products, including:

**Muntions, Weyermann,
Mountmellick, John Bull, Edme,
Morgan's and much, much more!**

cone blowing or flotation.

Once yeast is harvested it should be stored in a clean and sterile container at cold temperatures (32° to 38° F) until use. To prevent possible explosions, do not seal the yeast container. Covering with aluminum foil or plastic wrap works fine. As long as the yeast is used within two weeks it will be okay. If you want the healthiest yeast, use it immedi-

ately. The drawback with immediate reuse is that you will be brewing every seven to 10 days and producing enough beer to satisfy more thirsty friends than you want hanging out at your home.

One technique I like is to form a brewing circle. The only requirement to the brewing circle technique is that all members of the circle have to be reliable. The idea is simple.

When the yeast is harvested and ready to ferment another five gallons of wort, one of your brewing buddies is prepared to use it. When his batch is complete, he harvests the yeast and passes it to the next anxious brewer in the circle. I have successfully used this method and can guarantee success if the circle works as a team. This means that the first brewer doesn't brew an imperial stout if the second brewer is planning a light ale.

If you don't have a brew circle, try propagation. Propagation is just a smaller-scale fermentation. Start with one packet of liquid yeast and grow it up in a quart of wort. When it's time to brew use about 90 percent of the starter for the brew and transfer the remainder to a clean and sterile quart jar. At the end of your brew day, fill up the quart jar with fresh wort and store it in a cool place. After about two days transfer the starter to the refrigerator until you are ready to brew again. On brew day take the starter from the refrigerator and allow the yeast to wake up. Repeat the process in the same manner as before and you will find success.

Whatever method is used, pay attention. If the fermentations take longer to start, if the beer tastes funky, or if the yeast starts to lose its flocculation (settling) properties, start over. As long as things are clean and the yeast is reasonably fresh, six brews from one yeast packet is an attainable goal! ■

Let us give you a taste of the business.



If you're thinking of taking the plunge into professional brewing, there's no better place to get your toes (and lips) wet than Siebel.

The Siebel Institute is America's oldest, largest and most respected brewing school. Nearly all the beer brewed in America—from micros to industrial giants—comes from breweries with Siebel graduates on the brewing staff.

Our classes cover every aspect of the art and science of brewing. Call us today for a complete course catalog. It's time to get a real taste of the brewing business.

HANDS-ON AND INTRODUCTORY SHORT COURSES

EIGHT-WEEK PROFESSIONAL BREWERS PREPARATION PROGRAM

MICROBIOLOGY AND QUALITY CONTROL LABORATORY COURSES

OVER 75 WEEKS OF SCHEDULED COURSES EACH YEAR



For more information, write or call the registrar

SIEBEL INSTITUTE OF TECHNOLOGY

4055 W Peterson, Chicago, IL 60646
Phone 773/279-0966 Fax 773/463-7688
<http://www.siebel-institute.com/welcome>
siebelinstitute@worldnet.att.net

Mr. Wizard's Address

Do you have a question for Mr. Wizard? Write to him c/o *Brew Your Own*, 216 F St., #160, Davis, CA 95616. Or send e-mail to wiz@byo.com.

Mr. Wizard, BYO's resident expert, is a leading authority in homebrewing whose identity, like the identity of all superheroes, must be kept confidential.

CIRCLE 44 ON READER SERVICE CARD

Leading the Pack in Indy

by Stan Hieronymus and Daria Labinsky

Brewer: Brook Belli

Brewery: Oaken Barrel Brewing Co.

Years of experience: Pro for four years and homebrewer for four years

Education: Civil Engineering Degree at Virginia Tech, Siebel Institute Degree

House Beers: Meridian Street Lager, Big Red, Leroy Brown, Razz Wheat, Snake, Snakepit Porter

What happens when your brewery grows faster than planned, when you take a giant step from running a seven-barrel pub system to running a 50-barrel microbrewery?

Although the owners of the Oaken Barrel Brewing Co., in the Indianapolis suburb of Greenwood, eventually hoped to expand, it wasn't something they had in their short-range plans. But when the Indianapolis Brewing Co. went on the block last year, Oaken Barrel owners Bill Fulton, Brook Belli, and Kwang Casey decided buying it was an opportunity they couldn't pass up.

Besides, the pub's brewing system was practically maxed out, and storage space was at a premium, so they knew Oaken Barrel would have to expand eventually. They raised money privately and became the owners of IBC's brewing equipment and bottling line late last year, taking possession on Jan. 1 of the warehouse space where those are located.

With the demise of the Evansville Brewing Co., Oaken Barrel is now Indiana's largest brewery. The new purchase added 9,000 square feet of space to the 650-square-foot pub brewery and expanded capacity from 2,000 to

10,000 barrels.

Rather than dive right into the new equipment, Belli, the director of brewing operations, decided to test the brewing waters. "We're not afraid to take our time," he says of the one-day-a-week summer brewing schedule. "Until we're able to be there two to three days a week, it's hard to get used to everything. You go in and it's like, 'Where'd I leave off?'"

"We need to make a lot of money before we can make a lot of changes there. We don't want to overextend ourselves." Still, he adds, "I'm looking forward to the time when we can make that the focus more than the pub."

Buying Indianapolis Brewing isn't the first step Oaken Barrel has

taken sooner than planned, and the owners have approached each new step with the same kind of caution. Not long after opening in July 1994, the brewpub became a distributing microbrewery thanks to the popularity of a beer called Razz Wheat.

Although Belli never made a raspberry beer as a homebrewer, he did so at the request of Fulton's wife, Patty, who had tried several in the Northwest. "I think it was the only fruit beer in the state," Belli says. "We didn't plan to sell it off-premise, but more people came in and tried it. It was the one beer they focused on, like nothing they ever had before."

Within two months of the pub's opening, bar owners were coming in wanting to buy it. "We didn't try

Oaken Barrel Brewing Co.



Brewer: Brook Belli with Bill Fulton

Brook Belli

to solicit accounts," Belli says. "They came to us and said that's what they wanted."

Adds Fulton, "We tried to take it off tap, and we couldn't." Off-premise, they found, "it wasn't the sales that were important, it was the fact that it was a drawing card. Bud Ice isn't going to draw somebody into their place, but Razz Wheat will."

Boosted by that initial success and by winning a silver medal for Razz Wheat at the 1995 Great American Beer Festival, Oaken Barrel targeted likely accounts. "The places we picked were horrible," Belli says with a laugh. "So we pulled back and let them come to us." Today, the beer and several other Oaken Barrel brews are sold off-premise through Hoosier Micro

Distributors.

Three brewers run Oaken Barrel's brewery: Belli, Brewing Coordinator Jerry Sutherland, and Brewer Tony Diggs. They do two seven-barrel brews on brew day and transfer them into a 14-barrel tank. Belli says he and brewer Gus Chalfant, who died last year, "rebuilt the whole thing" over the past few years. By adding five 14-barrel conditioning tanks, the brewery doubled its capacity relatively cheaply.

In addition to Razz Wheat, the most popular beers at Oaken Barrel are Meridian Street Premium Lager and Snake Pit Porter. Meridian Street Lager is a medium-bodied, straw-colored lager in the helles style. It's hopped with American hops, including Cascades, which Belli describes as his "workhorse bittering hops," with Liberty and Crystal added late in the boil. Meridian Lager took a silver in the Munchener Helles and Export category at last year's Great American Beer Festival.

Snake Pit Porter is a coffeeish porter made with chocolate, crystal, and black malt. Other popular beers include Leroy Brown, an English-style brown ale made with honey, and Big Red, a red ale. Despite the fact that Razz Wheat, Snake Pit Porter, and Meridian Lager account for two-thirds of the pub brewery's output, Oaken Barrel has been able to make about 15 beers each year. "Brook likes to keep eight beers on tap," Fulton says. Popular seasonals include Plum Stout, which is available in the winter, and a German-style unfiltered wheat beer called King Rudi, sold during the summer.

Eventually, the eastside brewery will take over production of the porter, lager, and Razz, hopefully freeing up the pub system somewhat. The IBC equipment includes a 25-barrel brew kettle, two 50-barrel fermenters, and five 50-barrel conditioning tanks and a bright tank.

But it will take months to get it on track. For one thing, Belli is concerned about how the lager will translate to the bigger system. "The lager's always been tricky with yeast management," he says. "I'm hoping

"Sure my kettles are bigger... ...But How are My Ales?"

Everyone needs a measure by which to judge their own brewing efforts. I offer these classic Fuller's Ales as your "benchmark" ales.

*Reg Drury
Fuller's Brewmaster*



FOR A FREE BIER BARON'S GIFT CATALOG CALL 1-800-589-2437

SEND E-MAIL TO BREWMASER REG DRURY AT info@paulaner.com

imported by PNA - Purveyors of the World's Finest Ales - Englewood, CO

CIRCLE 38 ON READER SERVICE CARD

to get a new mill installed before we lager over there. The water's a little different, the mill's a little different." The fact that Diggs formerly worked at Indianapolis Brewing will help. "It's nice to have him familiar with all the equipment," Belli says.

Even when the eastside brewery is fully operational, Oaken Barrel doesn't plan to sell much beer outside central Indiana. The brewpub produced more than 1,000 barrels in 1997 and has at times been on a 1,300-to-1,500-barrel pace this year. "May was tough for us" with the Indianapolis 500 and the NBA Pacers in the conference finals, Belli says. "We were out of lager, brown, red; we were down to four beers at one point."

Fulton, who's from Indiana, and Belli were working as engineers in Atlanta when they began talking about opening a brewery-restaurant. At that time, the early 1990s, brewpubs weren't legal in Georgia. "Microbreweries were legal, but starting a micro was a struggle," Belli says. "A restaurant is a built-in market for your beer."

Neither man had restaurant experience, but through a friend they found Casey, a restaurant veteran who was looking for a new opportunity. They contributed their own money and raised additional money privately. Casey serves as

line from Kalamazoo Brewing Co.

Razz Wheat, Meridian Street Lager and Snake Pit Porter are now available in 12-ounce bottles, and the pub's pale ale may be in bottles by the time you read this. The brewers bottle about 50 cases at a time, so they can control product freshness.

Oaken Barrel Brewing Co. is open Monday through Saturday for lunch and dinner. The Brewhouse Bar is open on Sundays as well.

Oaken Barrel Brewing Co., 50 N. Airport Parkway, Suite L, Greenwood, Ind. 46143. (317) 887-2287. Web site: www.oakenbarrel.com

Tips

With the success of the Razz Wheat, Belli has had a lot of practice making fruit beers.

"You don't want to overpower the fruit flavor with something else, like hops or yeast," Belli says. A Belgian or German yeast can add flavors you may not want. Instead he recommends using a neutral yeast.

So what's the best form for your fruit? For homebrewers, using fresh or frozen fruit isn't too much of a problem, according to Belli. "I suggest steeping the fruit in hot water, about 180° F, for 15 minutes to pasteurize it. Whole fruit with skin should be crushed before adding to your fermenter. I choose not to boil fruit to keep more of the fruit aroma intact. If you do boil the fruit you will set the pectin, which will result in a hazy finished beer. To break down the pectin try adding the enzyme pectinase at the end of fermentation.

For simplicity's sake, Belli suggests using a puree instead of fresh fruit. "I have used fresh fruit, and it was a lot of work," he says, recalling a time when he was colored red up to his elbows from crushing blueberries.

He warns that purees will vary from lot to lot, just as fresh fruit varies from crop to crop, and their flavors fade over time. A recent batch of Razz Wheat tasted quite different from the usual brew, because the puree wasn't as fresh as it normally is.

That beer was made at the eastside brewery. "It seemed lighter; it didn't seem as raspberry as we expected," he says, but he attributed that to the new brewing system. "Then we made a batch at the pub and it went like wildfire."

But the next batch was made at the pub with the same puree as the first one, and they discovered the puree was responsible for the difference.

"I didn't realize it until it was out of the fermenter," he says. "Then, you're kind of stuck."

Add fruit to taste as you go along. "I add it to the fermenter and let it ferment out, pull a sample, and taste it," he says. "If you keep (the fruit) clean, and it's pasteurized, you can just dump it in and the beer takes off again right away. As long as it's still warm, the fruit sugar will allow fermentation to continue.

"If you do get a stuck fermentation, don't be afraid to keep adding yeast after you've added the fruit," he says.

Once you find a fruit that works, don't stop there, Belli advises. "Don't be afraid to experiment with different fruit beers. Based on the success of Razz Wheat, I tried a cherry beer. Customers who didn't normally drink Razz Wheat like the cherry beer because the flavor was more subdued." When the cherry was gone customers were clamoring for the next fruit beer.

"Over the past four years I have tried raspberry, peach, apple, blueberry, and even plums in beer," he says. "Some brewers scoff at the fruit beer style, but when customers are making requests it's hard to say no."

That's the joy of brewing at a brewpub and later going to a micro, Belli says. "You can experiment at the pub and get customer feedback. If a beer is well received it can be brewed on a larger scale at the micro." ■

Stan Hieronymus and Daria Labinsky are authors of the Beer Travelers Guide, which lists more than 1,700 US brewpubs, bars, and restaurants that serve flavorful beer.

The Tips

- When making a fruit beer, use a neutral yeast.
- Try using a fruit puree.
- Add fruit to taste throughout the process.

director of restaurant operations for the brewery, while Fulton is director of business operations.

Oaken Barrel had expanded twice before buying Indianapolis Brewing, first opening a beer garden in 1995, then adding the Brewhouse Bar to its original bar area in 1997. Late in 1996 the brewery bought a small bottling

COOL EQUIPMENT

12 Easy Ways to Improve Your Brewery

You know how you caught a few fish by using worms off the dock before you worked your way up to fishing from that beautiful boat with twin outboards, depth finder, fighting chair, and trolling motor? And you know how it would seem a bit strange if somebody bought the ski clothing and top-flight skis, reserved the condo in Colorado, and bought a season pass before they'd ever been on the slopes?

Well, homebrewing is progressive like most hobbies. Brewers

usually start by helping a friend or getting a minimal starter kit, then adding to it bit by bit. Sometimes the items come along by luck (like the 30-quart canning pot that your father-in-law was using to wash his truck and was willing to trade for a pickle bucket) and other means to fill a homebrewer's specific needs.

At most brew supply stores, however, folks don't walk in and start with the complete top-of-the-line, stainless steel, three-vessel system. Assuming you have already

by Craig Hartinger



brewed a batch or two, here are some items that save time, reduce stress, and allow more control over the process. These items all have the significant benefit of good old-fashioned value as well.

1. A brewing journal. What made that beer so great? What went wrong? How could it be improved? If you write down everything, you'll brew better beer. Period. Put down ingredients, techniques, any detail that could have any influence. ("I was up late last night

3. An outdoor propane cooker. Another item that not only minimizes odors in the house (there are rumors of non-brewing roommates or family members who do not like the smell of brewing) but also saves time due to increased heat output. It's also useful for the huge pot of spaghetti noodles, corn on the cob, or crabs that you may wish to prepare outdoors in your large kettle when you aren't using it to brew.

4. An immersion chiller. Easy to sanitize (just throw it in the boil), easy to use, easy to buy or make.

Consisting of 25 or more feet of three-eighths-inch copper tubing wound into a loose coil that fits in your kettle, some vinyl tubing, two hose clamps, and a hose fitting, this device will save you time and reduce the risk of oxidized flavors in your beer. (Wort should be cooled to pitching temperature before


6.8-gallon carboy may be one thing that will lend a spring to your step and extra volume to your beer inventory. It can aid aeration (by leaving airspace when you stir or shake), it will add to your yield by reducing volume loss due to blowoff, and the brewer who racks to secondary in a five-gallon carboy can fill the five right to the top, leaving the sediment back in the 6.8. Put volume markings on the 6.8 with stickers or a permanent marker before you use it and put volume notes in your journal. Soon you'll know exactly how to customize your recipes with additional fermentables and how much wort to add to your 6.8. Typically, 5.25 to 5.5 gallons will allow plenty of headspace for krausen yet still allow you to yield five full gallons in secondary.

7. A beer thief. This large-diameter tube (glass is preferred for ease of sanitation) will allow you to pull samples from your fermenter to check gravity and evaluate flavor. Works just like the straw you used to put in your milk as a kid; you lower the sanitized thief into your fermenting or lagering beer, put your thumb over the hole in the top, and remove your sample. A thief is so easy to use that it may lead you to take samples more often — and get you to better understand your yeast and fermentations.

8. Ceiling hooks or clips. When you are holding a freshly sanitized racking cane or siphon hose, there is no better place to put it temporarily than a hook above your brewing/bottling area. A clip is okay, but with a hook you can hang the sanitized item with one hand.

9. A racking-cane clip. This small clip attaches to the rim of a carboy neck or edge of a bucket and holds the cane above the sediment when you are racking out of your fermenter. It works in a bucket fermenter but really shines when you use a glass carboy as a fermenter; you can see the end of your racking cane and position it with precision.

10. Clear bottles. Yes, there is no doubt that light damages beer. However, you the brewer can keep your clear bottles (known as "flint"



A simple journal will help you recreate your best beers, discover the cause of subtle flavor differences, and pass your wisdom on to posterity.

and am extremely tired" could explain a beer that didn't come out the way it did when you brewed it before.) Go back and add tasting notes as the batch conditions and ages.

2. A large kettle. Full-wort boils will improve your break and your hop utilization, and will allow you to feed huge numbers of people corn on the cob or spaghetti. (Estimated number of good-sized Dungeness crabs that fit into a 7.5-gallon kettle: 16.) Remember that you'll need about seven to eight gallons of capacity to yield five gallons of wort. You'll need room for an active boil, and there is a significant volume loss due to the length of the boil.

it is aerated.) A benefit that you may not have thought of: The water coming out has been heated by the wort and you can use it for cleanup. Efficiency!

5. A yeast-starter vessel with a stick-on liquid crystal thermometer. A large bottle or jug with the appropriate stopper and an airlock is pretty much a requirement for stepping up liquid yeast. Because it has a relatively small mass, the temperature of your starter may be fluctuating more than you think. Put a thermometer on there, and by moving the vessel to warmer or cooler spots you can keep your yeast in a temperature range where it is happiest.

6. A large primary fermenter. A

in the bottle trade) in a dark cupboard or in a case box and you won't need to worry about light damage. Filling one clear bottle in each batch allows you to watch the yeast settle and really allows you to check color and evaluate chill haze even before the first beer is ready to drink. This is particularly helpful when trying a new yeast strain or technique. You will be thinking about clarity, haze, and color from the moment you cap the last bottle.

11. Appropriate beer glassware. Whether packaged in a keg or a bottle, homebrew is consumed from a glass. Several nonik pint glasses (Imperial-style glasses with a bulge near the top) for your English-style ales, some stemmed Belgian-style glasses for your homebrewed abbey beers, and a few narrow-waisted hefe-weizen glasses for your wheat beers will really complete the homebrew-drinking experience. Many homebrewers prefer glassware that is free of beer logos,

but an assortment of glasses of different designs can help groups of imbibers keep tabs on which glass is whose when they get set down.

12. A paradigm shift of at least medium size. Do you put all your bottles into tight rectangular ranks at bottling time? If you fill each bottle in a single-file line with lots of room on either side, you can then take your wing capper and move right down the line, saving lots of time. You can pre-chill the water going into your immersion chiller by throwing your coiled hose into some ice upstream of the chiller. You can build a bottle-drying rack. You can brew beer during a party, to interest your guests and not miss the party. You can buy a garage-sale microscope and actually see yeast. You can rig up or invent an infinite number of little time savers that will make you more psyched about brewing and may improve your product as well. Next time you brew or bottle, take a step back

and analyze the way you do things.

With the exception of the large kettle and the propane burner, these items are all cheap or even free (and the burner and kettle do additional non-brewing duty in your kitchen as well). The personal touch you put on items such as a journal are priceless. Imagine your grandchildren passing on your worst-stained brewer's journal to your great-grandchildren.

Homebrewers today are lucky to have great suppliers, interesting and tricky new devices, fantastic literature, and excellent commercial beers to emulate. Roll these in with a little good old ingenuity and a fresh viewpoint. Refer to your journal. Try new methods. Teach friends to brew. And in your search for new items and new methods, you might just make a small unexpected discovery: some fresh brewer's energy that will allow you to have more fun — and to make *even better* beer.

Sure it's possible! 

St. Louis Wine & Beermaking

**BEER, WINE & MEAD
SPOKEN HERE**

IT'S OUR NATIVE TONGUE



251 Lamp & Lantern Village
St. Louis, MO 63017
(314) 230-8277
Fax (314) 527-5413
E-Mail - Stlwab@aol.com

The Complete Source for Beer, Wine & Mead Makers

PrimeTab

by Venezia & Company

With PrimeTab:

- No priming solution is needed
- No bottling bucket is needed
- No extra siphoning
- More carbonation control
- Bottling is easier and faster



The typical beer bottling procedure is tedious and often results in uneven carbonation, exposes the beer to too much air which encourages oxidation, decreases shelf-life, and risks infection. Just drop 2-5 **PrimeTabs** in each 12 ounce bottle for low to high carbonation levels, and fill bottles directly from the fermenter. Each tablet contains 500 milligrams of corn sugar and each package will prime a 5 gallon batch.

**Ask for PrimeTab at your
local homebrew supply retailer.**

Venezia & Company
6725 34th Avenue NW, Seattle, WA 98117
Phone (206) 782-1152 • Fax (206) 782-6766


• **FREE samples to dealers**

CIRCLE 47 ON READER SERVICE CARD

GAR



JOHN MARIONI



KARIE HAMILTON

Garage Vision

Why waste the largest room in

The author turned his into a

by John Marioni

your house on cars?

full-fledged homebrewery.

As a teenager it was garage bands, in college it was garage parties, and in middle age it is the garage brewery. The only criteria I had when searching for a new house was that it have a two-car garage large enough to entertain my long-held vision of building a garage brewery.

Not only did I have the support of my wife in this venture but also a sanctioned \$1,000 budget to build

the infrastructure. Sound too good to be true? Actually, after years of brewing in her kitchen, I probably could have finagled my wife for \$5,000 due to her equally passionate long-held vision to get me the heck out of her kitchen at any cost! She also got final say and dictatorial control on every other aspect of the house, a fair trade as far as I am concerned.

When we moved into our new house about a year ago, the garage was a typical, neglected, empty shell consisting of bare studded walls, bare rafters overhead, and only two electrical outlets and two light bulbs in the entire place. By taking advantage of some special buys on materials and doing the actual electrical, plumbing, and construction labor myself, I was able to complete the project on budget, have fun doing it, and end up with killer brewing digs: finished insulated walls, hot and cold running water, electrical outlets in convenient locations, good lighting, counter space, cabinets, and ventilation.

With some custom shelving on the other side of the garage, an entire attic in which to store and organize typical garage items, and other strategically placed hooks and shelves, I have plenty of non-cluttered room for my brewing on one side of the garage. I also have workbench space on the other side and still have room to put at least one car in the garage (should I ever desire to).

The reality is that with a stereo, microwave oven, fridge, easy chair, and TV also now in the garage, my wife is quickly becoming a garage widow, but at least I am out of her kitchen!

I have definitely added resale value to the house, and I have a convenient, efficient, and fun facility in which to brew beer. I highlight three of the key features below: custom sink, sparge system, and ventilation.

Custom Brew Sink

It's the water and a lot more (water). Beer is a water-intensive product to say the least. Not only is

beer itself composed of more than 95 percent water, but also gallons upon gallons of additional water are required throughout the entire brewing process to achieve the final quaffable product. Think about it: cleaning the brew space, cleaning equipment prior to brewing, rinsing equipment, rinsing equipment again, mashing grain, sparging grain, chilling the wort, cleaning equipment after brewing, soaking the labels off bottles, cleaning bottles (or kegs), rinsing bottles, and cleaning the brew space after brewing.

I roughly calculate that for each gallon of finished product, the typical homebrewer will use at least five additional gallons of water to produce it. A water source and sink facility within the brewing area are therefore of paramount importance to the homebrewer.

Most homebrewers brew in the kitchen and therefore have access to a sink. Those of us who have been kicked out of the kitchen, however, find ourselves out in the garage, down in the basement, or out on the back porch, without convenient access to a sink. The options in the latter case are: 1) to lug heavy vessels of water back and forth from the nearest sink to the brewing location, 2) to run a hose from the nearest sink to the brewing location, 3) to install a sink at the new brewing location, or 4) to find a new hobby.

Option three is the desired solution for most of us, but making it happen is the hard part. As long as you have decided to go with option three, you might as well make the most of it.

For many years of homebrewing I put up with small-capacity kitchen and bathroom sinks that can't accommodate a four-gallon brew pot (let alone a primary fermenter or carboy). The sinks had cheap plastic faucets that couldn't hold a bottle washer without stripping threads, had stubby faucets that allowed enough clearance to wash your hands but not much else (certainly not brewing equipment), and caused my spouse to threaten me with sharp objects for disrupting

her kitchen. Finally, I was able to devise a simple-in-concept and extremely practical brewer's dream sink facility. It completely eliminates all of the above noted annoyances (no guarantees with the spouse though) and creates a much more pleasant brewing experience. Three key features of the sink are described in terms of capacity, clearance, and convenience.

Capacity

Again, as brewing necessitates large and bulky equipment that must be cleaned, rinsed, and rinsed again, bigger is better in terms of sink capacity. I use and recommend a large industrial plastic utility sink. The basin of the typical utility sink is deep, wide, and large (20 gallons) in volume. To put that in brewing terms, such a sink will easily hold 75 beer bottles.

Utility sinks come in different sizes and styles. There are those that are made to install within a standard countertop (drop ins) and those that are generally used as free-standing vessels. They are lightweight yet durable, require minimal assembly, are readily available at your local hardware store, and are relatively inexpensive.

The smaller sized, lower grade utility sinks run about \$20 to \$30, and the larger, more durable ones run from \$50 to \$60. There are also double-basin utility sinks, which are double in size, volume, and price.


Clearance

Clearance refers to the distance between the basin floor of the utility sink and the overhead faucet. Typically, the faucet assembly is mounted onto the rim of the utility sink using the existing mount holes. This standard configuration will usually allow between eight and 15 inches of clearance, which is fine for hand washing but cumbersome for rinsing carboys, primary fermenters, and brew kettles.

The solution is to mount the faucet assembly higher above the sink to allow more space under it. I achieved this by installing a "shelf" on the wall against which the utility



KARIE HAMILTON



JOHN MARIOW

CUSTOM BREW SINK

When you

can use 25 gallons of water to make a five-gallon

batch of homebrew, a sink is not just a sink.



KARIE HAMILTON

sink buttresses. (See photo above). I then mounted the faucet assembly onto the shelf and ran the water supply lines directly to it.

To determine the preferred height of the shelf, I first measured the length of my longest piece of brewing equipment, which is a Cornelius keg. I therefore left a good 26 inches of space under the faucet, which allows for easy filling and rinsing of carboys, kegs, kettles, and primaries.

Convenience

Tip one. When selecting a faucet, choose one with single-lever control. It can be a hassle to have to turn on both the cold (on one side) and the hot (on the other side) valves of the dual-control faucets to get the temperature you need. The single-lever control allows you the convenience of one-handed operation, has fewer parts and less risk of operation failure, and is usually manufactured to allow both

the faucet and the lever to rotate completely out of the way when needed.

The typical single-lever faucet is more expensive than the dual control ones at \$50 on the low end and up to \$200 on the high end. As a very inexpensive alternative, I found the perfect single-lever faucet (shown) for \$10 in the discontinued-items bin at a local hardware store.

Tip two. Whether you're installing a utility sink to existing water lines or newly tapped water lines, I recommend installing dual-stop shutoff valves (also called dual outlet stops) on both the cold water line and the hot water line. This configuration will allow two lines of hot water and two lines of cold water to supply the sink.

Why do this? Well, we are talking about convenience, and this one feature provides plenty of it to the brewer. Also, it takes the same amount of time to install a dual shutoff valve as a single shutoff

valve, and the cost difference is only a few dollars.

The concept is that one pair of hot and cold supply lines connects to the faucet as standard procedure. This leaves one hot supply line and one cold supply line. The remaining hot supply line will feed a hose bib (metal faucet head) mounted on one side of the mounting rim of the sink. Run the remaining cold supply line to the other side of the sink where you have installed another hose bib (see assembly instructions below). The result is a fully functional, high-clearance faucet offering hot and cold water for everyday use, cleaning, and rinsing. In addition, on both sides of the sink and completely out of the way are two other lines of water.

In my case I installed a jet bottle washer on the spare hot water line, which is used only for bottle washing. I am now able to simply walk up to the bottle washer at any time and rinse my pint

glasses, bottles, carboys, and anything else that can use a good blast of hot water, and I do not have to hook it up to the faucet and remove it every time I need to use it. I can also use this hot water line to attach a hose and fill kettles, spray out my garage, or wash the car on a cold day.

I use the spare cold water line primarily for two purposes: 1) To

attach a hose and fill my brew kettles, and 2) to attach a hose and run my wort chiller. Again, the convenience is in the fact that the hose (or the bottle washer) can remain permanently installed where I do not have to hook and unhook it to the main faucet every time. The grand convenience in all this is that I can be chilling my wort (spare cold line), rinsing

bottles (spare hot line), and washing other brew equipment (standard faucet) all at the same time and at the same sink.

Utility Sink Components:

- One utility sink of choice, \$20-\$60
- One faucet of choice, \$10-\$200
- One P-trap assembly, \$5-\$10
- Four supply lines, \$2-\$5 each
- Two double-stop shutoff valves, \$10 each
- Two hose bibs (faucet heads, 1/2-inch female), \$5 each
- Two 1/2-inch copper elbow, 50 cents each
- Two 1/2-inch male copper adapters (male threads on one end, female receptor on other), 50 cents each
- 2 feet of 1/2-inch copper tubing, 80 cents per foot
- One laminated board (4 feet long by 1 inch high by 8 inches wide or desired) for faucet shelf, \$5-\$10

Assembly Tools:

- Copper pipe cutter, \$8
- Flux, \$3
- Solder (lead free), \$5
- Propane torch kit including propane and all of the above, \$20
- Roll of Teflon tape, 50 cents per roll
- 9/16-inch drill bit
- Wrench

Spare Faucet (Hose Bib) Assembly Step by Step:

1. Drill a 9/16-inch hole in each of the corners on the faucet mount ledge of the utility sink.

2. Cut a section of 1/2-inch copper tubing to desired length (about 3 inches) to run from the drilled hole in the ledge to the hose bib faucet so that the faucet is in a position that hangs over the sink basin.

3. Cut another length of 1/2-inch copper tubing (about 6 inches) long enough to extend from the drilled hole in the ledge down to where the supply line will reasonably connect to it under and behind the sink.

4. Sweat (weld using the torch, solder, and flux) the small length of tubing into the hose bib faucet on

How to drastically reduce the number of steps it takes to make a great bottle of wine.



Vintners Reserve™ and Selection Premium Wine Kits offer home winemakers premium quality wine without the endless number of steps. Give us a call for the dealer nearest you and start your wine cellar today!

YOUR GUARANTEE OF QUALITY

Available at specialty home brewing stores throughout the U.S. and Canada. For the dealer nearest you, contact:

Western Canada
Brew King
1636 Kebet Way,
Port Coquitlam, B.C.
V3C 5W9
(604) 941-5588


Western U.S.A.
F.H. Steinbart Co.
234 S.E. 12th Ave.,
Portland, Oregon
97214
(503) 232-8793

Ontario
Winexpert Inc.
710 South Service Rd.
Stoney Creek, Ontario
L8E 5S7
1-800-267-2016

Eastern U.S.A.
L.D. Carlson Co.
463 Portage Blvd.,
Kent, Ohio
44240
(330) 678-7733

Quebec
Distriwin Ltée.
950 Place Trans Canada
Longueuil, Quebec
J4G 2M1
(514) 442-4487

CIRCLE 8 ON READER SERVICE CARD




KARIE HAMILTON

CUSTOM SPARGE SYSTEM

Gravity is

easy to overcome when you have CO₂ pressure

pushing sparge water in an over-the-head loop.



JOHN MARIONI

one end and into a copper 90-degree elbow on the other end.

5. Sweat the longer piece of copper tubing into the remaining end of the copper elbow.

6. Slide the longer copper tubing down through the hole in the sink mount ledge where the hose bib and elbow will end up resting on top of the sink rim.

7. Carefully sweat the copper adapter (with the male threads on one end) onto the open end of the longer copper tubing (now behind the sink and under the mount ledge).

8. The hose bib assembly is now ready to connect to the supply line. Use Teflon tape on all male threads and tighten.

9. Turn on water and test for leaks.

The result is a faucet that just extends enough over the basin of the sink to connect a hose or bottle washer to it. It also will pivot (swing from side to side), allowing you to move it out of the way when necessary. Note: I found it helpful to affix

a small block of wood (also drilled with the 9/16-inch hole) to the underside of the sink mount ledge. I slid the copper tubing through the block to add stability to the spare water line faucet assembly (shown in photo, page 25).

Custom Sparge System

They say that necessity is the mother of invention. In my experience it is mothers who necessitate invention (of new brewing techniques) as was the case with my brewing partner, Brian Moulton. That is to say, Brian's wife Shelly, mother of their active two-year-old son Trevor, necessarily "influenced" Brian to devise a safer way to sparge his grain than with his typical makeshift gravity-based system that included teetering kettles of scalding water stacked on top of boxes and chairs. Using his kegging equipment, Brian came up with a very clever, safe, and effective means to create an anti-gravity sparge system driven by carbon dioxide pressure.

The concept: Use your brew kettle to bring the desired quantity of sparge water to desired temperature. Pour the hot water into a sterile five-gallon Cornelius keg. Connect the gas line in from the CO₂ tank to the Cornelius keg. Connect the line out from the Cornelius keg to the copper tubing transit line (described below). Apply enough CO₂ pressure (five pounds psi) to move the hot water out of the Cornelius keg, up through the copper tubing transit line, and out the sparge arm onto the (elevated) grain bed (which in our case sits on a countertop). Run the sweet wort out of the lauter tun into a kettle (which in our case is on the floor, a chair, or burner).

Sparge System Components:

- Three 8-foot lengths of 1/2-inch copper tubing (should be enough for most configurations), \$20
- Four 90-degree copper elbows, 50 cents each
- Two hose clamps, 50 cents each
- Three 8-foot lengths of pipe

insulation, \$10

- 6 feet of clear food-grade tubing, 3/8-inch inner diameter, \$5
- Two copper reducers from 1/2 inch to 3/8 inch, 50 cents each
- One sparge arm (we used Phil's Sparge Arm)
- One Cornelius keg
- One CO₂ tank

Assembly Tools:

- Copper pipe cutter, \$8
- Flux, \$3
- Solder (lead free), \$5
- Propane torch kit including propane and all of the above, \$20
- Wrench
- Screwdriver
- Hammer

Copper Tubing Transit Line Assembly Step by Step:

1. Determine the best locations where you will 1) place your keg and CO₂ tank, and 2) place your grain bed (lauter tun) for sparging. In our case the keg and CO₂ tank

are on the garage floor near one wall and next to a counter, and the lautertun is placed on top of the counter several feet down from the location of the keg and CO₂ tank.

2. Sweat (weld using propane torch, flux, solder) lengths of 1/2-inch copper tubing so that the tubing will start about three feet off the ground (at the keg and CO₂ tank location) and run straight up the wall to the ceiling. Note: Do all welding and assembly on the floor and mount later. You can affix the copper tubing to the walls using hooks specially made for the purpose and available with the other copper tubing supplies in the plumbing department of your local hardware store.

3. Attach a 90-degree copper elbow to run another length of copper tubing along the seam where the wall meets the ceiling to desired location (in our case a few feet down along the counter).

4. Attach a 90-degree copper

elbow and run another length of copper tubing along the ceiling to the desired location (in our case to the end just over the center of the counter top directly below).

5. Attach a 90-degree copper elbow and run another desired length of copper tubing straight down. This will likely be a short piece (2 feet) because from here you will attach clear tubing to reach the lautertun.

6. Attach a 90-degree copper elbow to the other end (the keg/CO₂ tank end — the one three feet off the ground at the wall) and attach a 2-foot to 3-foot length of copper tubing from it so that it runs out parallel to the ground.

7. Attach a 1/2-inch-to-3/8-inch copper reducer to each end (the keg/CO₂ tank end and the lautertun end) of the now-assembled copper transit line.

8. Attach the 3/8-inch inner diameter clear food-grade tubing over the ends of the copper

Life's A Batch

We have the very best to supply all your brewing needs!



- Home Brewing Kits & Equipment
- Home Wine Making Kits & Equipment
- Dispensing Systems
- Racking & Bottling
- Mashing & Lautering
- Malt Kits, Grains, Dry Malts, Hops, Yeast & Beer Improvers

Call for your **FREE** copy of our full-color 20-page catalog, The Urban Brewing Source Book™

1-800-274-9676



Worm's Way
garden center & home brewing supply

With Retail Stores In Indiana • Florida • Massachusetts • Missouri
On the Internet at www.wormsway.com - We brew gardens too.

CIRCLE 51 ON READER SERVICE CARD

SABCO INDUSTRIES, INC.

Offering a
'KEG FULL OF GREAT IDEAS'



HOME BREW EQUIPMENT SPECIALISTS

- Automated Brewing Systems
- Mash & Boil Kettles
- Fermentors & Burner Stands
- 5 Gallon Ball Lock Containers
- Parts and Components
- Custom Stainless Vessels



4511 South Ave., Toledo, OH 43615
Phone: (419) 531-5347/Fax: (419) 531-7765
email: sabco@kegs.com
Website: <http://www.kegs.com>

CIRCLE 43 ON READER SERVICE CARD



KARIE HAMILTON

reducers at both the keg/CO₂ tank end and the lauter tun end using hose clamps to secure.

9. Attach the sparge arm to the 3/8-inch clear tubing (on the lauter tun end).

10. Attach a beer pin lock to the 3/8-inch clear tubing on the keg/CO₂ end. Attach the beer pin lock to the Cornelius keg line out.

11. Insulate the copper tubing with foam pipe insulation.

The resulting picture in our case is a counter top with a plastic lauter tun sitting atop it, a Phil's Sparge Arm resting on top of the lauter tun, and the clear tubing dangling from the ceiling just reaching the top inlet of the sparge arm. The brew kettle is on the floor resting atop a propane cooker to collect the run-off and start the boil.

With the copper tubing insulated, there is very little loss of heat in the process. By adjusting the amount of CO₂, you can control the flow of water sprinkling out of the sparge arm. It is much safer than the physically unstable gravity-based system, quick and easy to hook up, and easy to clean (by running hot water or cleaning solution through it periodically), and it costs less than \$50 in parts (excluding keging equipment).

The copper tubing transit line is unobtrusive and out of the way when not in use, and it makes for a great conversation piece for brew-

ers and non-brewers alike when they give it the inevitable double-take upon first quizzical glance.

Custom Ventilation System

Garage brewing on a cold day has one drawback: condensation. If not properly vented, the steam generated from a 90-minute wort boil can literally result in dripping walls and ceilings. Of course you should always provide adequate ventilation any time you use a propane cooker to boil indoors (a garage). On a cold or windy day, however, it is easy to want to partially close the garage door for comfort, and if so, I suggest you provide a secondary means to ventilate.

The quickest and easiest way to do this is to mount an overhead hood (from a kitchen range) on the ceiling of your brew space directly above the area where your brew kettle and propane cooker sit. Overall, this is an easy project that requires four main tasks: acquiring the hood, mounting it, connecting electricity to it, and venting it to the outside. Details of the four parts will depend on individual circumstance. I describe mine below:

Ventilation System Components:

- One new or used kitchen hood, \$5-\$200
- 8 feet of ventilation ducting, \$15

- for 7 feet or \$8 for 4 feet
- One 7-inch-to-4-inch reducer, \$4 (if needed)
- One dryer vent cap, \$4
- One roll of electrical wire (50 feet), \$10
- Two eye hooks
- 20 feet of chain

Assembly Tools:

- Duct tape
- Hole saw
- Screwdriver
- Wire cutters
- Electrical tape
- Wire stripper
- Pliers

Construction Tips:

Acquiring the hood: New range hoods cost \$30 to \$200 depending on size, fan type, and construction material. The typical 30-inch or 36-inch kitchen hood runs about \$40 new. They are also easy to come by used at junk yards (where I got mine for \$5) or free from friends who are remodeling their kitchens.

Mounting the hood: I suspended my hood with chains from hooks in the ceiling instead of permanently mounting it on or into the ceiling. This allows me to adjust the height of the hood by extending or shortening the chains.

Connecting electricity to the hood: For wiring, I connected a line of standard indoor 12-gauge

CUSTOM VENTILATION

Brewing

indoors with an outdoor

cooker requires a

little air movement.



KARIE HAMILTON

SUPPORTIVE WIFE

It takes two to tango, but only one to brew. Taking it outside may be well received.

PURITY • CONSISTENCY • FLAVOR

PURITY • CONSISTENCY • FLAVOR • PURITY • CONSISTENCY • FLAVOR • PURITY • CONSISTENCY • FLAVOR • PURITY • CONSISTENCY • FLAVOR

Malt Matters.

For those whose goal is to brew the perfect pint their choice of malt really does matter. Put it this way. If the malt you use isn't up to scratch, you've lost from the outset.

Muntons from England can help you towards your goal.

We produce a range of plain and hopped malt extracts, grain malts and kits which are, quite simply, the finest that money can buy. Not only do we use the best raw materials, we also take the greatest of care to ensure we retain maximum flavor and balance in the final product.

Which probably accounts for why our friends in America are continually telling us that Muntons is giving them perfect results every time they brew.

Muntons

- GRAIN MALTS ■ LIQUID MALTS
- SPRAY DRIED MALTS ■ KITS
- PLAIN AND HOPPED MALT EXTRACTS

PURITY • CONSISTENCY • FLAVOR

electrical wire from a nearby existing wall receptacle to a light switch receptacle that I installed on the same wall. I then ran more 12-gauge wire from the light switch receptacle to the hood. This configuration allows me to turn the hood on and off from the wall switch. I therefore leave the hood's on/off switch in the on position.

As an option, you can simply run the wiring directly from the wall receptacle to the hood. In this case, you need to stand on a chair and physically turn on and off the hood each time you use it by using the hood's on/off switch.

If you are not familiar with electrical wiring, get help with this project from someone who is.

Venting the hood: I used standard aluminum ventilation ducting (and good old duct tape) to attach to the hood and ran it out through a hole cut in the wall of the garage. I used a standard dryer vent cap on the outside of the garage wall for the venting. The top venting hoods have a 7-inch hole in the top and require either 7-inch ventilation ducting or an adapter (in my case 7-inch-to-4-inch reducer) to attach 4-inch ventilation ducting to run to the wall or roof vent cap.

It is also possible to mount the outlet end of the ventilation ducting at the screened vent in the eave where the wall meets the roof. Thus, no need to cut any holes. However, this will lead to moisture accumulating in the eaves, which you may not want. Otherwise, cut the 4-inch or 7-inch hole in the roof and vent out directly through a roof cap.

LEARN HOW YOU CAN START YOUR OWN BREWPUB!



NATIONAL BREW PUB CONFERENCE & TRADESHOW

San Francisco • November 9-11, 1998

ATTEND THE ONLY CONFERENCE & TRADESHOW FOR THE EXPLODING BREW PUB INDUSTRY!

See you at the largest brewpub industry event ever — combining a conference and tradeshow. Experience three days of hands-on sessions and small workshops designed to give you the ultimate in practical knowledge — how to run your brewpub more efficiently and profitably. Period. From pros who have actually done it. Choose the workshops you like from tracks in Management, Restaurant, Brewery and Startups. Customize your coursework to fit your needs. Network with knowledgeable peers during welcome reception, beer breaks, lunches and the brewpub tour of San Francisco. All included as a conference attendee!

Three Days

35 Hands-on Workshops
& Classes

125 Exhibits

November 9-11, 1998

Topics include: **StartUps:** Market Strategies for Startups: Defining Your Customer Base • Brewing Decisions for Startups • Successful Strategies for Financing Brewpubs • Hands-on Design Workshop • Panel: Kitchen Planning Workshop • Site Selection • Working with Contractors • Panel: Brewery Installation **Brewery:** 10 Important Brewing Trends • Effective Yeast Management • Advanced Recipe Formulation • Beer Finishing & Filtration • Lines and Taps: An Insider's Guide • Make Nitrogen Work for You • Brewing Belgian-Style Beers **Management:** Anticipating Change in the Brewpub Market • When, Where, Why & How to Advertise Your Brewpub • Business Management for the Brewery Side • Planning for Expansion • Panel: My Best Promotions • Building Distribution **Restaurant:** The Cost-Efficient Restaurant: A Tactical Guide • Operations Secrets of Chain Restaurants • Staff Training Methods for Long-Term Stability • Cutting Costs: Controlling Restaurant-Side Expenses • 15 Ways to Keep Customers Coming Back • Advanced Menu Design • Fine-Tune Inventory and Purchasing Systems and much more.

Show Organized by BrewPub Magazine

YES! I'M INTERESTED IN THE BREWPUB INDUSTRY'S ONLY CONFERENCE & TRADESHOW!

☐ Send me a complete conference brochure.

☐ Send me information on exhibiting.

NAME

COMPANY (if applicable)

MAILING ADDRESS

CITY

STATE

ZIP

PHONE

FAX



Media Partner

Brew
YOUR OWN

THE HOW-TO HOMEBREW BEER MAGAZINE

Send or fax to: National Brewpub Conference & Tradeshow

216 F Street, Suite 160, Davis, CA 95616 Tel: (530) 758-4596 Fax: (530) 758-7477



Killer RIMS

Like many homebrewers, I came to a point with my partial-mash brewing that provided great beers but didn't allow for the full creative control of the process that I wanted. Of course the next logical step is all-grain brewing. There are numerous methods to choose from for this style of brewing, but which was right for me?


I already owned a propane-fueled King Kooker and a converted 15.5-gallon stainless steel boil kettle to handle 12 gallons of wort. To

avoid wasting money already spent, I wanted to incorporate these pieces with any new setup I bought.

My decision on what method to use was made for me at a homebrew club meeting in a fellow member's basement.

In that basement was a one-half barrel RIM (recirculating infusion mash) system. Natural gas was piped into the burners. Two faucets from an overhead water pipe poured water directly into awaiting vessels. Two linked boil kettles


by Colin Markham



MIKE FROIO PHOTOS



Interlocking construction in the upper corners and bolts gives the table its strength. The table can be partially or completely dismantled for transport and storage.



accepted the lauterer run-off for a true half-barrel output. Ventilation was provided by a restaurant-grade hood.


After I picked my jaw off of the floor and stopped drooling, I began gathering as much information about RIMS as I could. I talked to homebrewers and shop owners, and scoured books and magazines. I began drawing diagrams and sketches of different potential system setups. This helped me resolve questions about possible construction and operational problems before I built or bought anything else. I made a list of wants and needs. This RIM system had to be safe, strong, back saving, portable, storable, expandable, and versatile. Low cost wouldn't hurt, either.

What I finally envisioned on paper was an open-frame steel table

The Toughest Judge may be brought to his knees...

by the tiniest microbe.

And so can the finest beer you've ever brewed. Competition winners start clean... And those with the best sense use **LOGIC cleansers** to insure success!



Straight-A for tough soils and labels.
One-Step for single step cleansing.



Distributed by:
L.D. Carlson F.H. Steinbart
<http://www.ecologiccleansers.com>

Beer and wine hobby



Complete Wine and Beer Brewing Supplies

- Brew On *Your* Premises
- Ready to go Wort
- Wine Grapes In-Season
- Malt • Hops • Yeast • Grain
- Wine/Grape/Fruit Concentrate
- Food Processing Equipment, Dehydrator, Etc. For Home Production of Sausage, Cheese, Produce
- Kits, Equipment Instructions
- Consulting
- Free Catalog for Retail or Mail Order

E-mail: shop@beer-wine.com

Web Site: www.beer-wine.com

1-800-523-5423

Phone: 781-933-8818 • **Fax:** 781-933-1359

180 New Boston St., Rear
Woburn, MA 01801-6206

on which to place two kettles. Rails placed lower on the table would hold the burner and allow it to slide from under one kettle to another. A pump would first recirculate the mash liquid and then be used to transfer sparge water from the boil kettle to the mash/lauter tun. After collection, the pump would transfer the wort back to the boil kettle.

Now that the system is built, I must admit that I have achieved my goals. This system is very safe by virtue of its incredible sturdiness and strength. An engineering friend calculated that the table can hold 800 pounds in the center without flexing. He refused to be quoted because he fears somebody will make one, max the load with something hot and heavy, and get hurt in the process. He doesn't want a lawsuit, and neither do I. So don't park

your car on it. In reality, two very full 15.5-gallon kettles would weigh a maximum of 400 pounds combined. With an even weight distribution across the entire table and its low center of gravity, a tipover would be very hard to initiate (at the dimensions of my table and with similar steel).

The strength of the table actually comes from the construction of the upper corners and the bolts. In each corner three rails meet to create six joining faces. Three bolts are used per corner, yet each rail receives two bolts at each corner. This interlocking makes for an extremely rigid structure. The bolts used in my table are anti-shear bolts, the same type used in suspensions and undercarriages of large vehicles. Technically, they are termed ASTM A325 Slip Critical

Bolts. It may be overkill, but I'd rather be safe than sorry.

Using a pump to transfer liquid eliminates the height requirement found in many gravity-feed systems. When handling 10 to 15 gallons of liquid at a time, this is a back saver. The chances of a nasty liquid burn are greatly reduced, increasing the safety factor. Also, the minimal height allows the operating system to tuck under spaces a gravity feed can't, which was a major construction concern at my South Philadelphia row home.

The table can be taken apart for transport or storage in several different ways. Removing the end rails and loosening the remaining bolts allows the two separated sides to scissor to a convenient size. Complete disassembly gives me a bundle of metal 36 inches long and 6 inches high,

NORTHWESTERN

**Award
Winning,
High
Quality
and
Best Valued
Malt Products**



**Check out our wide range of
ingredients for the
commercial & home brewer.**

Malt Extract, DME, Hops, Grains, Fruit
Flavors, Soft Drink Extracts & More...




**Wholesale inquiries or
for a retailer near you.**

1-800-466-3034

<http://www.nwextract.com>

AFFORDABLE CONICAL II!



**With new added features,
our cylindro-conical
fermenter is by far the best
value in it's class!**

- Single vessel fermentation
- Easy trub removal
- Yeast harvesting
- Siphonless transfer
- Easy access for cleaning

- 6.5 gallon capacity
- 60° cone angle
- Food grade plastic
- 6" airtight lid
- Side racking port
- Molded-in gallon marks

☆ New for 1998!

**See your local homebrew retailer
or**


Call (310) 517-1841

<http://members.aol.com/aconical>

Distributed exclusively by: SOUTH BAY HOMEBREW SUPPLY



CIRCLE 2 ON READER SERVICE CARD



weighing 70 pounds. For speed and ease the entire assembled table can actually fit into the back of a standard station wagon.

The table was built with the potential to expand to a larger system, if needed. The table's height was determined by the relationship between my kettle's plumbing and the height of my fermentation bucket. I wanted gravity feed for the cool wort transfer to my buckets, so the low point of the interior plumbing needed to be higher than the bucket's top-off point. If I ever get a taller primary fermentation vessel, perhaps a demi-john, all I need to do is increase the height of my table legs. The width of my table was determined by the burners, so if they change, so can the table. It is very important to stress that structural integrity must always be

kept in mind, so any changes in dimension must be carefully thought out before the hacksaw begins its work.

The versatility of this RIM system is tremendous. Since the mash tun is heated along with the strike water, accurate resting temperatures after doughing in can be calculated. The mash tun capacity is huge. I used the parti-gyle method to make a barleywine and a Scotch ale from the same grain bill. There were 29 pounds of crushed grain and 10 gallons of water in the mash tun with room to spare. The mash didn't stick.

Temperature step infusions are handled with ease. There is a liquid volume of three cups under my mash tun's false bottom. With a low flame and the burner's baffle plate swung into place to help spread the

heat, grain scorching is eliminated during recirculation. Since a small volume of hot wort is briefly exposed to a cooler environment during recirculation, slight downward drifts of resting temperatures may occur. These drifts are eliminated with periodic applications of flame.

I like to get a lot of beer out of a brewing session. Occasionally, I will make 10 gallons of all-grain and five gallons of partial mash during the same brew day. The day can be surprisingly short if it is structured well. I start by using my boil kettle to make the partial-mash batch. While this is cooking, I prepare the mash tun for the grain batch. By the time I dough in, I am cooling the first batch. During recirculation, the cooled wort from the boil kettle is put into a fermenter. The boil kettle

Butch, the official CDC brewdog, says:



"Get your **free** copy of my latest **Brewing System Catalogue**, featuring quality stainless steel tanks and *all* the fittings, components and accessories that today's microbrewer needs for quality brewing!"

**Call
Toll-Free!**



CDC, Inc.
Brewing Equipment
& Supplies

1.888.CDC.BREW

CIRCLE 15 ON READER SERVICE CARD

Forget about washing bottles!



Get the Handy, Reusable 2 1/2 gal. Medicine Rock Keg System!

Saves time fetching and cleaning bottles. Fits right in the fridge for cold, on-tap homebrew. System includes a 2 1/2 gal. keg, keg cap assembly, extra seal and hand pump. Buy an extra keg (only \$16.99 for the keg, cap, and seal... you don't need another pump) so when you brew a 5 gal. batch, you'll be done in a flash.

Call 1 800 682-5228

Medicine Rock Division

See our web site @ www.medicinerock.com

email: medicinerock@eaglepeak.com


Dakota Supply, HCR 2 Box 2A, W. Hwy 212, Gettysburg, SD 57442

CIRCLE 33 ON READER SERVICE CARD

is cleaned, filled with sparge water, and heated. Starch conversion with RIM-ing is fast. Lauter, boil, and chill as normal and 15 gallons are done in a day. Pitch the grain batch with two different yeast strains, and three separate beers have been made. Of course 10 gallons of extract could be made, but I like the shorter heating and cooling times that a five-gallon batch provides.

This system will last a very long time for what I need. The pump is the only thing that can malfunction, and that is covered by warranty. Besides, this system can work in the manual mode if necessary. It is fabulous for ales and with experimentation could be used as a decoction system for lagers.

A system like this can be integrated with existing pieces as mine was, or it could be designed from




You can customize the table's dimensions by using different lengths of steel, but replicating this corner design and using strong, high-grade anti-shear bolts is critical to maintaining the table's structural integrity.

HOBBY BEVERAGE DOES IT AGAIN!

Mini-Brew Systems FERMENTORS

HALF BARREL

First 6.5 gallons then 12 gallons



NOW!

The Mini-Half
25 gallons of Capacity
Big 3" dial thermometer
metal stand, full top, 1/2" racking valve, 1" Ball valve
Find a comparison!

YOU CAN'T BUY GREAT TASTES
YOU GOTTA MAKE 'EM

Hot Liquor Tanks - Pumps - Racking Arm & Fillers
Keg Cooling Jacket - Hose Systems
Hop Jack - Instruments

jthomas@iinet.com - www.minibrew.com - 909-676-2337

CIRCLE 23 ON READER SERVICE CARD


Tired of cleaning bottles?

ABOVE THE REST
Homebrewing
SUPPLIES

Do you have a yeast taste in your beer?

Call Now to Order 1-800-898-MALT

Free Catalog of Quality, Low Priced Homebrew Products



Complete Kegging Kit \$139.95

New 5 lb. CO2 Tank, Regulator, Air & Beer Line, Connectors, Party Tap,
5 gal. Reconditioned Pop Keg

Fully Reconditioned Pop Kegs \$29.95

Cleaned, Seals Replaced & Pressure Checked

These are great kegs!

- Call for Wholesale Prices -

CIRCLE 1 ON READER SERVICE CARD

scratch. Sketching details, talking to fellow brewers, sourcing materials, and reading everything I could get my hands on helped me custom fit this practical and efficient RIM system to what I wanted, needed, and could afford.

The Table

When I was done diagramming my complete setup, I wrote out a shopping list: metal for the brewing table, a pump for recirculation, a 15.5-gallon converted stainless steel mash/lauter tun.

My local homebrew shop provided me with the kettle, pump, and directions to the best steel distributor in the region. My table required close to 30 feet of 2-inch by 2-inch by 3/8-inch angle steel, which they cut in lengths to size for me on a mammoth industrial pinch cutter for a nominal fee. The price for the nuts, bolts, steel, and cuts was less than \$35.

There are three important measurements to obtain before metal is cut for the table: the diameter of the kettles, the height of the burners, and the height of the collection or fermentation buckets. I allowed for a small amount of extra space around my kettles for extra stability.

Parts:

The following list of parts represents the pieces cut to size to fit my components; your sizes may vary. Remember, unlike lumber, the listed size of metal is accurate. This means that a 2-inch by 2-inch by 3/8-inch angle is 2 inches wide, 2 inches high on the outside of the angle, and 3/8-inch thick throughout. I suggest that you get your metal cut at the point of purchase. This steel is tough, heavy material, and having it cut there will make things much easier. All rails are 2-inch by 2-inch by 3/8-inch angle steel.


- Two long kettle support rails, 36 inches long
- Four short kettle support rails, 17 3/4 inches long
- Two burner support rails, 36 inches long
- Four table leg rails, 18 inches long
- Two side rails, 22 3/4 inches long
- 16 bolts, washers, and nuts, 1 1/2 inch by 1/4 inch
- One or two pieces scrap two-by-four lumber

Tools:

- Drill with 5/16-inch, high-speed steel bit
- Oil for drill bit lubrication
- Hammer

The Home Brewery™

~ Since 1984 ~



YOUR LOCAL HOMEBREW SHOP NATIONWIDE!

Call or visit your nearest full-service Home Brewery store!

MISSOURI (800) 321-2739
ARKANSAS (800) 618-9474
TEXAS (800) 817-7369

CALIFORNIA .. (800) 622-7393
NEW JERSEY .. (800) 426-2739
NEW YORK ... (800) 346-2556
MICHIGAN (888) 577-2739

Call for our
FREE CATALOG
(800) 321-BREW

Web Page - E-mail:

<http://www.homebrewery.com>
homebrew@dialnet.net



Homebrewing is fun!

Our high-quality supplies and great service help keep it that way. We manufacture many of our own products - including some things you can't get anywhere else.

We have a full line of prize-winning 5-gallon **INGREDIENT KITS**, plus top-quality refills for The Home Brewery™, Mr. Beer™, and Beer Machine™ brewing systems;

HOME BREWERY, YELLOW DOG, and BELGIAN ABBEY Malt Extract Syrups, **MASH TUNS, WORT CHILLERS**, and lots of unique gadgets. For a great homebrew supplier, visit or call your nearest Home Brewery shop. We ship everywhere.

T-Shirt Photo Contest


Send us a photo of someone wearing a Home Brewery or Yellow Dog Extract T-Shirt in some unusual or amusing activity or far-away place. Each month we pick the two best, and send a certificate for \$50 of free brewing supplies to each!

Belgian Abbey™
100% Malt Extract



MAKE YOUR OWN GREAT-TASTING WINE AT HOME — IT'S EASY!

AT LAST, A MAGAZINE FOR PEOPLE WHO MAKE THEIR OWN FINE WINES!



WineMaker magazine gives you the knowledge and expertise you need to craft world-class wine. Every story and picture supports this hands-on, step-by-step approach. The magazine is designed to help everyone from beginning winemakers working with kits to advanced winemakers who start with fresh fruit! This premier Annual Edition of *WineMaker* has all the information you need to create great tasting wine the very first time. Just \$4.95.

WineMaker is created by the same people who publish *Brew Your Own*.

READ GREAT FEATURES SUCH AS:

- Great Wine from Kits, Step by Step
- Flavor Secrets You Should Know
- Choosing the Right Kit
- Finding the Best Grapes
- 5 Keys to Identifying Wine Flavors
- Troubleshooter's Guide: Conquering Off-Flavors
- Beyond Grapes: Tips for Making Fruit Wine
- Bottling Basics and much more!





PLUS REGULAR COLUMNS AND DEPARTMENTS SUCH AS:

- Varietal Focus
- Tips from the Pros
- Must Haves
- Cellar Dwellers
- Winery Spotlight and much more!

**CALL
(530) 758-4596
TO FIND A COPY
NEAR YOU!**

AVAILABLE AT HOMEBREW & WINEMAKING SUPPLY STORES AND NEWSSTANDS EVERYWHERE!



Using a pump to transfer liquid eliminates the height requirement found in many gravity-feed systems. When handling 10 to 15 gallons of liquid at a time, it's also a real back saver.

- Center punch
- Two to four C-clamps
- Paper towels
- Permanent marker
- Measuring tape

Putting It Together


For clarity I will use the terms left, right, front, and back as if you are looking at the table from the same point at all times. I built my table on the ground, but a decent size work bench will do.

Study the photographs accompanying this article. The stability and strength of the table come from the interlocking construction of the corners. It is of great importance that this design be replicated. Of equal importance is the quality of bolt used. Use strong, high-grade anti-shear bolts with this project because its structural integrity relies on

FREE BREWING VIDEO

with any order.

Brew great beer everytime with our 90 min Video guide to homebrewing.



MIDWEST Homebrewing Supplies

32 Malt Extracts
24 Hop Varieties
33 Grain Varieties
41 Yeasts

Free 44 Page Catalog

1-888-449-2739

99% of All orders shipped within 24 hours


MIDWEST- 4528 Excelsior Blvd. Minneapolis, MN 55416

www.midwestsupplies.com

CIRCLE 34 ON READER SERVICE CARD

BREWER'S WORKSHOP 4.0

for Microsoft Windows 3.1 & Windows 95



Only \$34.95

plus \$3 S&H
TX residents
add \$2.88

Look at the features!!

Completely open database, All AHA styles, Label-maker, Automatic water calculations, Print preview, Full file management, Inventory, Plus much more!

Download a free demo!
<http://www.io.com/tko/>



TKO Software

1011 Pebble Brook Rd.
Cedar Park, TX 78613

(512) 918-9856

Dealer Inquires Welcome

The Brewer's Workshop has been refined with home brewer's input since 1992. This is the product you asked for!

CIRCLE 46 ON READER SERVICE CARD

them. They are not expensive and are easy to find.

Begin with the front left corner. Place a side rail on the ground, positioned from front to back. The interior opening of the angle should be facing down and to the left. A piece of two-by-four can be used to hold the rail in the proper position. Measure two inches in from the front end of the side rail and place a mark on the top. Place a long kettle support rail from left to right on top of the side rail, the left end of the kettle rail equal with the upper left edge of the side rail at the mark. The interior opening of the angle of the kettle support rail should be facing up and back. Clamp these two rails together.

Take a leg rail and hold it with the opening of the angle facing out and to the right. Place the leg in front of the kettle rail and to the immediate right of the side rail. The top of the leg should be flush with the top of the kettle rail, and the front edge of the leg should be flush with the front end of the side rail. Clamp the leg to either other rail. Loosen the clamps slightly and adjust the rails so everything is square, then retighten. The corner should look like what is shown in the diagram on page 37. There should be an empty space the size of a two-inch cube at the upper left front corner.

Three matching 2-inch-square areas along the rails have been created at the intersection of the side rail and kettle rail, side rail and leg rail, and the leg rail and kettle rail. The holes will be drilled here. From one side only, find and mark the center of each area with the center punch. Be sure to pick which side will be easiest for you to drill from. Using ample oil for lubrication, drill one hole. It will be a slow process. Clean out the hole and wipe away metal debris. Place a bolt and tighten down the nut. Move on to the second and third locations, repeating the process. When finished you should have a solid, uneven-length tripod.

The remaining three upper corners are completed in the same fashion, in mirror image.


The installation of the burner rail is an easier process. Decide on the clearance for your burner(s) under your kettle rail, remembering

the kettles will be approximately two inches higher than the bottom of the kettle rail when the table is complete. Combine your clearance, burner height, and three-eighths of an inch for rail thickness. Use this measurement and mark the four



Seal of Excellence

CLEAN LIKE THE PROS!



PBW™

- Safe on brewing surfaces
- Eliminates scrubbing
- Friendly to the earth
- Rinses clean easily

Star San™

- NO RINSE
- No odors or off flavors
- No staining
- Best sanitizer available

• Clean & sanitize at least 8 brews

- 9 packets of PBW
- 8 ozs of Star San
- Cleaning guide
- Quick reference card

Name: _____ Signature: _____

Address: _____

☐ Credit Card # _____

☐ Check/Money Order Enclosed Exp. Date _____

\$17.95 (\$4.95 S&H in USA)

Five Star Products and Services, LLC

6731 E. 50th Ave., Commerce City, CO 80022

FiveStarAF.com/Homebrew • Voicemail 1-303-287-0111 • FAX 1-303-287-0391

Wholesale Distributor: L.D. Carlson Co. 1-800-321-0315

CIRCLE 18 ON READER SERVICE CARD

table legs from the bottom of the kettle rail. Holding the burner rail in the same alignment as the kettle rail, place the bottom of the rail against the new marks and clamp. I suggest that you clamp both rails at the same time and try to place your burner. You want to be sure it fits before you drill. Mine was a very tight fit, which takes a bit of twisting to get in place with the table in one piece. If the table is partially assembled, burner installation is easier. You decide what you want. Make sure the top of the burner is below the bottom of the kettle rails.

Find and mark the center of the overlapped areas of the leg rail and burner support rail and drill.

Insert the bolts, tighten, and the major construction is finished.

At this point I suggest marking the rails in some permanent man-

ner to make sure all the pieces are matched from this time on. If your drill holes were not perfectly centered, marking it will make reassembly easier by tenfold.

Take the table apart to the component pieces and give the metal a good washing to remove remnant oil and metal fragments. Coat the table pieces with a high-temperature paint of your color choice. I may recoat mine with Chevy Orange or stripe it with yellow and black caution lines.

After the paint has dried, put the table back together. Install the burner(s). Take one of the four unpainted short kettle support rails and hold it like an inverted V. Place this rail from front to back across the long kettle support rail at the left end of the table. The second short kettle support rail is placed in

a similar fashion across the long kettle support rails at the right end of the table. The remaining two short kettle support rails are placed side by side across the long kettle support rails at the center of the table. There should be a four- or five-inch gap between the center short kettle support rails. These support rails were cut one-quarter of an inch shorter than the interior distance between the upper rail sides. This gives the supports more than adequate room for heat expansion.

Place your kettles on the short support rails, two rails per kettle. Adjust the short supports side to side to make a nice, stable platform on which the kettles will rest. The short rails should be spaced far enough apart so they won't block the burner's flame but not far enough

Ask for the

Phil-Mill

**Now Available with
Larger 20 lb. Hopper.**

Our revolutionary design simulates large-diameter rollers for a perfect brewery crush. Fully adjustable, incredibly sturdy, Easily motorized with electric drill.

THE PHILMILL
Brewery crush—sturdy and affordable

PHIL'S PHILLER
All metal—clearly superior

HEXTER FILTER
Clear beer quickly, efficiently

PHIL'S LAUTER TUN
Makes mashing easy

PHILCHILL PHITTINGS
Makes it easy to build your own wort chiller

Brew Better Beer for Less

And Have More Fun Doing It.

PO Box 12251 • Cincinnati, Ohio 45207 • 513-731-1130

**For information on These and Other Products,
Call (513) 731-1130. Wholesale Only**

Get Off Your CAN! And Start Brewing Great Beer

Some companies' idea of a "beer kit" is a can of malt extract with a package of yeast under the lid. Brewers know better. Our Classic Beer Styles™ ingredient kits contain 100% pure malt extract, real hops, quality yeast, and specialty grains, to create over 35 beer styles true to traditional standards.

Ask About the Beer Kit of the Month Club!



Join the ranks of award winning homebrewers nation wide brewing the WindRiver Way!

**Call 1-800-266-4677 for Your FREE
Catalog TODAY!**

Visit us at www.windriverbrew.com

CIRCLE 30 ON READER SERVICE CARD

CIRCLE 50 ON READER SERVICE CARD

away to allow a wobble in the kettle. The table is now complete.

The Pump

The pump I use for my RIM system is a March MDX-MT3. It is a magnetic drive pump that eliminates the conventional shaft seals found in most pumps. This means there is no leaking or fluid contact with metal surfaces, a plus for brewing. The pump can handle temperatures up to 200° F. This pump runs at a constant 3,000 RPM. It will pump water at eight gallons per minute (GPM) at a 1-foot head (height) and pump six GPM at a 6-foot head (height). There is plenty of power for this system.

The pump housing contains the impeller magnet assembly. The impeller spins on a ceramic spindle and pushes the fluid. The housing has one inlet and one outlet port for liquid to enter and exit.

These ports are threaded with 1/2-inch MPT threads, the same as used on a common garden hose. A trip to the home store netted the pieces I needed to reduce the ports to the 3/8-inch barbed plumbing common on my system. Because the pump runs at one speed, I placed an adjustable ball valve between the port and 3/8-inch barb on the out-flow side.

The impeller should not run for more than 30 seconds dry, or it will bind to the spindle. Placing the valve on the outflow greatly reduces the chance of the housing running dry. The impeller can spin forever with fluid, so a closed ball valve with a running pump is no concern.

Making a base for the pump is not necessary, but it makes things a lot easier to handle when all of your brew equipment is out. The possibilities of shape, size, and location are completely up to you. I created a large L-shaped wooden structure. The pump was bolted to the base of the L. An on/off switch and safety features were attached to the vertical part of the L. For carrying ease, a hinged handle was placed on the

back of the vertical L piece.

Starting and stopping the pump safely is the next issue to be addressed. The pump as purchased has only an electrical cord. It is up to the buyer what type of on/off switch and plug to use. The on/off switch I purchased has a pilot light to indicate the switch's status. This is very handy. The plug I purchased is a good quality, heavy-duty piece.

Because the pump is to be used in a very wet environment, it is of great importance to include a ground fault circuit interrupter (GFCI). The GFCI, when installed correctly, senses voltage fluctuations like those seen when the bad guy dumps a plugged-in radio into an occupied bath tub, and it stops the current in a micro-second. This device can be a life saver, and it must be used.

If you are familiar and competent with electrical wiring, this hook-up should take no more than 30 minutes to complete. If you have even the slightest doubt about what you are doing with the electrical hook-up, I advise in the strongest terms possible to let somebody who does know what he is doing complete it. Pay him with a homebrew and a promise of more to come.

The operation of the pump in a RIM system is easy, but there are some items to remember. First, think ahead about where you want your fluid to go. Second, make sure the plumbing valves are closed when they are supposed to be closed. Third, gravity still works in a RIM system. That is both a good thing and a bad thing.

I use a total of three clear, 3/8-inch hoses when I brew. Hoses are



The complete system can fit into tight spaces that a gravity-feed system can't.

CHOOSE YOUR COURSE TO BREWING SUCCESS.

Take your knowledge to the next level, the American Brewers Guild has the perfect class to make you a success!



1 WEEK CERTIFICATE PROGRAM

Grain to Glass

The Boots-On Brewing Course
Informed lectures and practical "boots-on" production of beer, in a full-size brewery provide you with the hands-on experience to really understand the brewing process.



5 WEEK DIPLOMA PROGRAM

Intensive Brewing Science and Engineering*

Essential for Working Brewers
If you have sufficient "hands-on" experience as a working brewer, yet lack a formal education, this program is for you! Successful brewers around the nation have used this course to advance their careers.

*NOW AVAILABLE IN INTERACTIVE
CORRESPONDENCE FORMAT



11 WEEK DIPLOMA PROGRAM

Craftbrewers Apprenticeship*

Fall, Winter and Summer Sessions

This program is intended for the seriously committed, aspiring craft brewer. The program's practical brewing science and engineering hands-on experience, and job placement assistance assure a fast track to craftbrewing success.

TEL: (530) 753-0497 • FAX (530) 753-0176

E-MAIL: abgbrew@mother.com

1107 KENNEDY PLACE, STE. 3

DAVIS, CA 95616

CHECK OUT OUR WEB SITE AT masterbrewer.com

ASK FOR A FREE 1998-99
COURSE CATALOG

CIRCLE 3 ON READER SERVICE CARD

attached to the plumbing with circular plastic clamps. I leave my pump in one position during the brew day, so each hose is a different length to correspond to a specific job it has in the system.

I begin my pump use with recirculation. The plumbing of my mash tun is connected by hose to the inlet port of the pump. A hose placed on the outlet pump runs up the side of the mash tun and lays coiled on top of the grain bed. I open the mash tun's valve completely. Remember, do not restrict fluid flow into the pump. The outlet valve is then opened. Fluid will flow by gravity into the pump housing and out into the outflow hose. The pump is started, and recirculation begins. Use the outlet ball valve to adjust the flow of fluid into the grain bed. A hole can be bored into the grain bed by a high flow. This will reduce the efficiency of extraction, and that is the opposite of our intentions.

When conversion is complete, the pump is stopped and valves are closed. A new hose is placed on the sparge water kettle's plumbing and then placed onto the inlet fitting of the pump. If the outflow valve is not closed, gravity will begin to siphon wort from the grain bed and deposit it onto the ground. Remember valve position! (Can you tell this happened to me?) The still-connected mash tun's hose is placed into a wort collection bucket. The hose on the outlet side of the pump is attached to a sparge arm. All valves are opened, the pump started, and sparging begins. I use a flying mash, so I am always adjusting the pump's flow to maintain an even saturation of the grain bed.

Once I have finished collection, the pump is turned off and all valves are closed. Any remaining sparge water is dumped into another bucket to clean equipment. My collection buckets have valves similar to bottling buckets. I place the bucket on a cinder block to have the fluid level higher than the pump head. I place

★ ALEXANDER'S . . . ALEXANDER'S . . . ALEXANDER'S . . . ALEXANDER'S ★

U n w i n d with an ALEXANDER'S Home Brew... for a bite that's nice

**California
Concentrate
Company**

18678 N. Hwy. 99
Acampo, CA 95220
(209)334-9112
(209)334-1311 fax

**ALEXANDER'S superior malt extracts
are packaged for your convenience in
1.5 & 4 lb. cans.**

Pale, Wheat, Amber, Dark, Lager, & Nut Brown

Custom extracts produced to brewer's specs

★ ALEXANDER'S . . . ALEXANDER'S . . . ALEXANDER'S . . . ALEXANDER'S ★

CIRCLE 12 ON READER SERVICE CARD

a hose onto the collection bucket's valve and connect it to the inlet valve of the pump. The hose is removed from the sparge arm and put into the boil kettle. All valves are opened, the pump started, and the wort transfers to the boil kettle for cooking.

Using the System

Finally, I was ready for my RIM system's test run. This system is perfect for a single-step infusion, so I chose a pale ale to start. For this first batch I also decided to make a five-gallon batch to minimize any losses from the ever lurking Mr. Murphy. I planned a thin, wet mash of 1.5 quarts of water per pound of grain to help avoid a stuck mash.

Using a calculation to determine final resting temperature from strike temperature, I doughed in to the preheated mash tun. I hit the resting temperature within a degree. Manual recirculation set the grain bed after about one gallon. I connected a short hose to the mash tun's plumbing and then to the inlet of the pump. I then connected a long hose to the outlet of the pump.

This hose snakes up and into the mash tun and rests on top of the grain bed. Opening the ball valve all the way on the mash tun and halfway on the pump, I turned on the power. Recirculation started with a rush of fluid boring a hole into the grain bed. I turned the pump's ball valve back to achieve a more gentle flow. By the time the sparge water had reached temperature over a medium flame, the mash had starch conversion.


With the pump off and valves closed, I switched hoses. The short hose was placed to collect sparge water from the boil kettle's plumbing, and the long hose was attached to a rotating sparge arm. Lautering was begun. Wort collection into a bottling bucket was easy since 45 minutes of recirculation had established a strong grain bed. Setting

my bottling bucket onto a cinder block above the level of the pump head and switching hoses again, I transferred the wort to the now empty boil kettle. I began the boil with Mr. Murphy never showing up.


A year and eight batches has

gone by, and I have hardly changed anything. The only improvements I have made were to add a second burner — no more sliding back and forth — and an additional bucket with a spigot to aid in large-volume wort collection. 


the Science behind the Art.




The Double Blast Bottle Washer
Quick-connect. Press to rinse, Lift to stop. No stress on plumbing.



The Auto-Siphon
Starts a siphon with a single stroke.



The Thief
Easy hydrometer readings. Touch tip to return sample.



The Siphon Valve
Hands-off filling. Lift to stop.

Fermtech Ltd. 2 Stewart St. #7, Kitchener, Ontario, Canada N2G 2E4
519.570.2163 (fax) 519.570.0632 visit us at www.fermtech.on.ca

Ask your favourite retailer or call one of these U.S. distributors for your nearest supplier:

Brewmaster, San Leandro, CA - 1.800.288.8922
Crosby & Baker, Westport, MA - 1.800.999.2440
Crosby & Baker, Atlanta, GA - 1.800.666.2440

L.D. Carlson Co., Kent, OH - 1.800.321.0315
F.H. Steinbart, Portland, OR - 1.800.735.8793

 **Fermtech Ltd.**



Multi-grain Brewing

by Scott R. Russell

Remember when all bread was white and squishy? Remember when all beer was light and bland? Just as consumers are clamoring for more flavorful beers, so too are better-tasting breads winning popularity. First it was wheat bread, then whole-wheat bread. One current favorite is multi-grain bread, made from a combination — often seven — different types of grains melded together to create a rich flavor.

Well, just as merging various grains creates better bread, it can



also create terrific beer. The following recipes feature seven grains, but you can mix and match to create your own multi-grain gem.

Each recipe is still based on barley malts, because barley is the ideal base malt and greatly improves the mashing and fermenting process when using other grains. But there's so much more to them. Each of the recipes requires mashing, but many of these grains can be steeped in an extract-based recipe.

Is Your Oatmeal Flaky?

Barley, wheat, and rye are readily available in homebrew shops in malted form. Malted grains are much easier to brew with than non-malted grains, so use these if you can. Other grains, including oats, rice, and corn (as well as wheat, rye, and barley), can be found in flaked form. Flaked grains can be used in the mash with no further preparation (again, check with your

homebrew supplier first). For dinkel, triticale, amaranth, buckwheat, spelt, and others you will have to deal with the hardship of pre-mashing to gelatinize. Likewise if you can't find flaked rice.

To gelatinize, simply boil one to 1.5 quarts of water for each pound of grain, add the grain, and soak it, covered, for 45 minutes. Add these precooked grains with the cooking water into the mash with the malts and flakes. If you really want to go authentic, you can try to malt these grains, but most brewers wouldn't recommend it.

So which grains should you use? Whatever you can find, of course.

Dinkel and spelt are more or less ancient forms of wheat, so they will taste similar to wheat in a mash. Triticale is a modern hybrid grain, combining the qualities of wheat and rye. If you go to a whole foods store, you should be able to track down several different varieties. Baking supply stores often

have many of them as well. You want to find whole grains, not flour, though. Cereal aisle, rice and pasta aisle, ethnic foods aisle, sprouting seeds aisle. Admittedly, some will be harder to find than others but worth it if you can find them. You can substitute almost any one of them for another, depending on what you can find. And different varieties will give slightly different results (for instance red wheat berries will be a bit different from white ones). This is not an all-inclusive list of grains. Write and let us know what other grains you've found to brew with.

Birdseed Blonde Ale (5 gallons, all-grain)

Light in color and body but with a nice complex, nutty taste.

Ingredients:

- 4 lbs. pale malted barley
- 1 lb. Munich malt
- 0.5 lb. flaked rye

Which Wine is Homemade?



Making it Impossible to Tell is Our Job!

To receive a free catalog call:

1-800-841-7404

THE LEADER IN HOMEWINEMAKING SINCE 1967.

E.C. Kraus

HOME WINEMAKING EQUIPMENT AND SUPPLIES

P.O. Box 7850-BY • Independence, Missouri 64054

CIRCLE 16 ON READER SERVICE CARD

BREWERS!



Since 1979, William's Brewing has been the leader in catalog home brewing sales. We feature a huge line of home brewing equipment and supplies.

Request your free catalog today, and find out why we are the leader!

REQUEST YOUR FREE CATALOG TODAY!

WILLIAM'S BREWING

P.O. Box 2195-BE • San Leandro • CA • 94577

Phone Requests: 800-759-6025 • Fax: 800-283-2745

See Our Web Catalog: <http://www.williamsbrewing.com>

CIRCLE 49 ON READER SERVICE CARD

- 0.5 lb. popcorn
- 0.5 lb. pre-cooked millet seed
- 0.5 lb. pre-cooked sorghum
- 0.5 lb. pre-cooked quinoa (or grain amaranth or dinkel)
- 1 lb. rice syrup solids
- 1.5 oz. Tettnanger hops (4% alpha acid): 0.75 oz. for 50 min., 0.75 for 10 min.
- German ale yeast (Alt or Kölsch strain) built up to at least a quart of slurry
- 3/4 cup corn sugar for priming

Step by Step:

Pop the popcorn in an oil-free air popper. Do not butter or salt! Pre-cook the millet, sorghum, and quinoa in about 3 qt. water. Heat 2.5 gal. water to 162° F. Add the barley malts, popcorn, and the precooked grains (with the water they soaked in), which should settle to about 152° F. Hold at this temperature for 75 min. Begin the run-off and sparge with 3 gal. of 168° F water.

Add a little water to the kettle if necessary to make 6 gal., then bring to a boil. Total boil is 50 min. Add rice syrup solids and about half of the hops. Boil 40 min. Add the rest of the hops. Boil 10 min. more, which should bring the volume down around 5.25 gal. Remove from heat and chill the wort. When cooled to 70° F, pitch the yeast.

Ferment between 65° and 68° F for 10 days. Rack to the secondary and age cool (50° F) for two weeks. Prime and bottle. Bottle condition at 50° F for three weeks.

Kashi Amber Ale (5 gallons, all-grain)

Reddish amber, because of the rye and the crystal, this is a rich-tasting beer with an intriguing blend of spicy flavors.

I must give credit where credit is due. I was talking about this article with my wife one morning when my children pointed out that the

box of cereal on the table in front of them (Honey Puffed Kashi, produced by The Kashi Co. of La Jolla, Calif.) had seven grains in it. This recipe is based on that box of cereal.

Ingredients:

- 3 lbs. pale malted barley
- 1 lb. medium crystal malt (50° to 60° Lovibond)
- 1 lb. malted wheat
- 0.5 lb. malted rye
- 0.5 lb. flaked oats
- 0.5 lb. brown rice
- 0.5 lb. buckwheat
- 0.5 lb. triticale
- 0.5 lb. red winter wheat berries
- 2 cups honey
- 2 oz. whole sesame seeds
- 1 oz. Willamette hops (4% alpha acid) for 30 min.
- 1 oz. Cascade hops (4% alpha acid) for 30 min. steep
- American Ale yeast, built up to at least a qt. of slurry
- 2/3 cup brown sugar for priming



Got Beer?

We Got Supplies!

And They're Shipped Free With Orders Over \$35

Excludes carboys, bottles, & sacks of malt

Call For Your Free Catalog

1-800-600-0033

Or visit Our Online Catalog

www.morebeer.com

Beer, Beer & More Beer, P.O. Box 4538, Walnut Creek, CA 94596

<http://www.nbrewer.com>

10,000 lakes and one kick-ass brew store



Serving Minnesota and the rest of the country.
Call or write for our free 48-page catalog.

NORTHERN BREWER, LTD.

1106 Grand Avenue • St. Paul • Minnesota 55105
nbrewer@winternet.com

1-800-681-BREW

CIRCLE 37 ON READER SERVICE CARD

BREW YOUR OWN September 1998

49

Step by Step:

Precook (as above) the brown rice, wheat berries, triticale, and buckwheat in 3 qt. water. Heat 3 gal. water to 162° F, add precooked grains (with cooking water), flaked grains, rye, wheat, and barley malts. Mash should stabilize at about 151° F. Hold at this temperature for 90 min. Begin run-off and sparge with 3 gal. 169° F water.

Add honey to kettle and bring to a boil. Boil until volume is down to about 5.5 gal. Add Willamette hops for the last 30 min. of the boil. Add Cascade hops and the sesame seeds (in a fine mesh bag to facilitate removal) as you turn off the heat. Steep 30 min., and then chill the wort. When the wort has cooled to 68° F, pitch the yeast.

Ferment at 68° F for 10 days.

Rack to secondary and condition warm (62° to 65° F) for 15 days. Prime and bottle. Bottle condition for three weeks.

Cheater's Stout (5 gallons, all-grain)

Dark and creamy-smooth, but it's cheating because it only has six different grains — unless you count malted and unmalted barley as two separate ones.

Ingredients:

- 3 lbs. pale malted barley
- 1 lb. dark crystal malt (90° to 120° Lovibond)
- 1 lb. roasted unmalted barley
- 1 lb. flaked wheat
- 1 lb. flaked oats
- 1 lb. flaked maize (corn)
- 0.5 lb. spelt
- 0.5 lb. brown rice
- 1/2 cup dark molasses
- 1 oz. Northern Brewer hops (8% alpha acid) for 65 min.
- 1 oz. Kent Goldings hops (3.5% alpha acid) for 5 min.
- English or Irish ale yeast (built up to at least a qt. of slurry)
- 2 oz. lactose (milk sugar)
- 1 cup unhopped dark malt extract for priming

Step by Step:

Precook the spelt and brown rice (as above) in about 2 qt. water. Heat 3 gal. water to 164° F. Add precooked grains (with cooking water), flaked grains, malts, and roasted barley. The mash should stabilize at about 152° F. Hold at this temperature 90 min. Begin run-off and sparge with 3 gal. 168° F water.

Bring to a boil. Total boil is 65 min. Add molasses and Northern Brewer hops, boil 60 min. Add Goldings hops, boil 5 min., and remove from heat. Chill, pitch yeast at 68° F.

Ferment two weeks at 62° to 65° F. Rack to secondary and age two weeks at 60° F. Prime with dry malt extract and add lactose to sweeten a little. Bottle and age four to six weeks in cool (50° F) and dark place.

VINOTHÈQUE U.S.A.


Over
25 years
of customer
satisfaction!

New
product
lines
introduced
and
always
available!



1/2-Liter Amber
Flexicap Bottle

Brewery
&
BOP
support!



Melvico
Pressure Bottler

Supplies

for beer & wine

- Filters, pads and accessories
- Huge assortment of hardware
- Demijohns to 15 gallons
- Largest supplier of wine concentrate
- **New Hard Cider kits**
- E-Z Brew Beer Recipes
- Better Brew Beer Recipes

Belgian items also available!

**LET US
HELP YOU
GROW!**

Ingredients

Hops:

- Pellets, Plugs, Leaf, Extract Oil

Grains:

- Harrington (Canada)
- Hugh Baird (U.K.)
- Ireks (Germany)
- DeWolf-Cosyns (Belgium)
- **Scotmalt** (Scotland)
- **Briess** (U.S.)
- **Golden Promise, Chariot, Specialties and Organic**

Fresh Malt Extracts from over 12 sources!

Sales to licensed retailers and breweries only!

VINOTHÈQUE U.S.A.

email: vinous19@idt.net • web: www.vinotheque.net

1-800-481-VINO (8466) • FAX: 1-800-635-0035 • Marlboro, MA

Call or
Email
for a retail
outlet near you!

CIRCLE 48 ON READER SERVICE CARD

Cooking With Spent Grain

by Neal Fortin

Brewing your own beer doesn't have to mean wasted malt at the end of the process. Cooking with spent grain is an economical way to create great food.

To Americans, barley brings to mind just two items, beer and soup. However, in ancient times barley was a prominent, important food. It was one of the first domesticated grains and was the chief bread grain of the ancient Hebrews, Greeks, and Romans. Barley was so significant that at times it even served as currency.

Both economical good sense and the desire for nutrition invite us to put our spent grain to good use in food recipes. Extracting malt for beer brewing removes mostly carbohydrate. The remaining spent grain constitutes a concentrated source of nutrition, high in vitamins (particularly niacin and thiamin),

high in fiber and protein, yet very low in fat. The malted barley used for beer making, in fact, is more nutritious than traditional white "pearled" barley, which has the nutritious germ removed.

The ancients were on to something good. Our spent malt is simply too good to waste. The following four recipes provide nutritious and tasty uses for your spent grain.


Hints and Tips for Spent Grain Cooking

Two of these recipes call for two parts crystal malt for each part of chocolate malt. The different malts are not kept separate in brewing, but rather this ratio comes from the mix of spent grains left from a beer recipe with a 1:2 ratio of chocolate malt to crystal malt. Don't feel locked in by this ratio; go ahead and experiment. Also, note that if you steep or partial mash, you may find you need to reduce the amount of grain, particularly in bread. That's because more sugars and nutrients are often left in these grains.

The easiest way to store spent grains is in your freezer. After you've sparged the grain, just strain it well. If you don't remove most of the surface water, the grains will freeze into an ice cube and will be difficult to divide for the recipes.

Neal's Real Barley Bread

This recipe calls for whole-wheat flour, but don't let that intimidate you. Even people who don't like whole-wheat bread do like this one enough to ask for the recipe. The whole wheat stands up better to the flavor of the barley than regular white flour. However, you can substitute white flour for the whole wheat if you prefer. The



result will still be a really fine loaf of bread. If you have trouble with the texture of the dough, consider adding more flour in the mixing bowl or reducing the amount of spent grains.

Ingredients:

- 3 cups lukewarm water
- 1/4 cup honey, molasses, or sugar
- 1 cup dry milk
- 4 cups whole-wheat flour
- 2 eggs
- 4 cups spent American crystal malt (wet)
- Yeast
- 4 tsp. salt
- 1/4 cup oil or butter
- 1 egg (optional)
- 1/4 cup water or milk (optional)
- Sesame or poppy seeds (optional)

Step by Step:

Put the malt and 1 1/2 cups of water in a blender or food processor and blend until liquefied.

In a large bowl sprinkle the

yeast over 1 1/2 cups of water and stir to dissolve. Add the sweetener, dry milk, and eggs and mix well. Add the blended grains to the bowl and mix well. Gradually add enough flour to form a thick batter. Beat 100 strokes with a spoon. Cover the bowl with a damp cloth and let the sponge rise for about an hour or until at least double in bulk.

Sprinkle the salt and pour the oil over the sponge. Fold into the sponge until well combined. Begin folding in the remaining flour until the dough pulls away from the sides of the bowl and it is difficult to manage with the spoon.

Turn the 3 to 4 cups of dough onto a well-floured board and knead. Use as much additional flour as necessary to keep the dough from sticking to the board or your hands. Continue to knead for 10 or 15 minutes, until the dough is very smooth. Place the dough in an oiled bowl, cover with a damp cloth, and let rise about an hour or until

double in bulk. Punch the dough down with your fist 25 times. Cover and let rise again until doubled. (This step may be eliminated, but the loaf will be a little heavier.)

Divide the dough into three equal pieces and shape into loaves. Place in well-oiled loaf pans. Cover and let rise until double in bulk.

Optional: Beat the egg with the water or milk. Cut slits 1/2-inch deep in the tops of the loaves and brush with the egg wash. Sprinkle the loaves with the seeds.

Bake in a preheated 350° F oven for about one hour. Remove from the pans and cool on a wire rack or across the tops of the loaf pans.

Yield: 3 loaves

Barley Pumpernickel Bread

The potatoes, molasses, and chocolate make this bread seem exotic. Prepare it in large pans or as mini-loaves. Sliced thin, it makes a good companion for a beer tasting.



Homebrew Heaven

Homebrewing!
The Ultimate
Home
Entertainment



Everett, WA

**SPECIAL
LIMITED TIME
OFFER**

**Bulk Prices on
Dry Malt Extract**
50 lb. for \$89.50!
(Light, Amber, Dark)

Award Winning Ingredient	Kits
Steadfast Scottish Ale	Death by Barleywine
Wizard's Wheat	Munich Lager
Don's Dunkelweizen	Queen's Choice Pale
	Shamrock Stout

- * Wort Chillers from \$31.95
- * Brewpots - 5 gal and up
- * Outdoor Cookers from \$49.95
- * Peak Brewing System (3-tier)
- * Equipment Kits from \$49.95
- * Kegging Systems
- * Fermentors, Carboys, etc

- * Malt Extracts (canned, bulk)
- * Grains - over 30 varieties
- * Hops - over 30 varieties
- * Varietal Wine Kits - the best
- * Party Pig Kits & Accessories
- * Test Equipment (Beer/Wine)
- * Bottles - Beer, Wine etc.


Everything for the Home Brewer - Ask for Free Catalog

(800) 850-2739

E-Mail brewheaven@aol.com

Website <http://www.homebrewheaven.com>

probably the world's finest homebrew supply



Customers in 51
countries and 50
states.

St. Patrick's of Texas
BREWERS SUPPLY
Austin, Texas

world's largest and most comprehensive
HOME BREWER'S CATALOG

800-448-4224

FREE www.stpats.com

with on-line ordering

exclusive importer and distributor of
Czech Malt

"(Czech) barleys are considered the finest
malting barleys in the world."

J. De Clerck, *A Textbook of Brewing*

CIRCLE 26 ON READER SERVICE CARD

Ingredients:

- 2 cups spent chocolate malt (wet)
- 4 cups spent crystal malt (wet)
- 1 Tbsp. salt
- 2 packages dry yeast
- 9 to 10 cups white flour
- 3 1/2 cups lukewarm water
- 1/4 cup dark molasses
- 1 Tbsp. butter
- 2 squares unsweetened chocolate
- 2 cups mashed potatoes at room temperature (fresh or instant)
- 1 Tbsp. caraway seeds

Step by Step:

Put the malt and 2 1/2 cups of water in a blender or food processor and blend until liquefied. This is easier in two batches. Pour the liquefied malt into a large bowl, add the salt and the yeast, and mix well. Mix in two cups of flour.

In a saucepan combine 1 cup water, the molasses, butter, and chocolate. Heat over low heat until the chocolate and butter melt. Gradually add this liquid to the flour, malt, and yeast mixture and stir well. Add the potatoes and another cup of flour or enough to make a thick batter. Stir well. Stir in additional flour and the caraway seed. When the dough begins to pull away from the sides of the bowl, let the sponge rest for 15 minutes.

Turn onto a floured board and begin kneading, using more flour as necessary. Knead until the dough is smooth and elastic, about 15 minutes. Place in an oiled bowl. Cover with a damp towel, set in a warm place, and let rise until double in bulk. Punch the dough down with your fist a few times. Cover and let rise again, about 45 minutes. This second rising can be skipped, but the resulting loaves will be a little heavier.

Punch the dough down and turn out onto the board. Divide into three equal pieces and shape each into a round ball. Place the dough in three greased, 8-by-9-inch cake tins. Cover and let rise until double in size. Bake in a preheated 350° F oven for about 50 minutes. Remove from the pans immediately and cool on wire racks. You can also divide the dough into smaller balls and

place in miniature loaf pans.

Yield: 3 large loaves

Barley Grain Griddlecakes

From the number of mixes, refrigerated batters, and frozen pancakes available, it seems that few people make pancakes from scratch these days. However, home-made pancakes really only take a couple of moments longer than a

mix and are worth the effort.

The robust flavor of the chocolate malt balances well with the syrup, but remember that a little bit of chocolate malt goes a long way in a recipe. You can adjust the recipe for less chocolate malt, but adding much more could be overpowering.

Ingredients:

- 2 cups all-purpose flour

TWO WAYS TO ENTER BREWING HEAVEN!



EXOTIC HERBS, SPICES AND BELGIUM SUGARS: FROM

BREWER'S GARDEN

*A complete line including
such delicacies as:*

*Curacao orange peel, sweet
orange peel, ginger,
cardamom, licorice root,
sarsaparilla, juniper berries,
paradise seed, sweet gale,
wintergreen, rose hips,
wormwood, woodruff,
mugwort, elderberries,
elderflowers, lite, amber,
and dark candi sugar.*

REAL FRUIT PUREES FROM



OREGON FRUIT PRODUCTS

*Seedless puree that is
commercially sterile.*

*Can be added directly to
your fermenter!*

Convenient three pound can size.

*Now available in raspberry,
cherry, blueberry, blackberry,
peach, and apricot.*

*All the benefit of fresh fruit
without all the hassle!*

Oregon Fruit Products web address:

<http://www.oregonlink.com/fruitbeer/>

Ask for these quality products at your local shop!

Direct wholesale inquiries to:

Steinbart Wholesale

1-800-735-8793

LD Carlson

1-800-321-0315

CIRCLE 20 ON READER SERVICE CARD



Foxx
EQUIPMENT COMPANY

JUST HB!

Foxx parts especially for the Home brewer!

Our 1998 Home Dispensing Catalog is now available summarizing Foxx pop tank parts, Foxx counter pressure bottle fillers, CO2 cylinders, regs., et al. Call for your nearest HB shop!

- WHOLESALE ONLY -
421 Southwest Boulevard
Kansas City, Mo 64108
(800) 821-2254 • Denver (800) 525-2484



CIRCLE 19 ON READER SERVICE CARD

Ball-Lock Kegs

5g. * Cleaned & Sanitized!
* Shipped w/ 20PSI for keg & seal integrity!
* No major dents/dings/defects!
* Pressure reliefs lids!

52g. Stainless Drums
* Perfect for primary or secondary tanks/mash tuns/kettles.

CALL FOR PRICE Visa/MC

RCB EQUIPMENT
WWW.RCBEQUIP.COM
Toll Free Tel/Fax: (888)449-8859

CIRCLE 11 ON READER SERVICE CARD



CANADA HOMEBREW SUPPLY

TEXAS COMPLETE HOMEBREW SUPPLY STORE

*BEER and WINE MAKING SUPPLIES
*MALTS-GRAINS-HOPS-YEASTS
*KEGGING EQUIPMENT
*SPECIALTY ITEMS
*COMPETITIVE PRICING

10% OFF FIRST ORDER

CALL OR WRITE FOR FREE CATALOG
1998-C INDUSTRIAL BLVD.
ABILENE, TX 79602
1-888-839-2739 TOLL FREE
1-915-698-5855 FAX

www.canadahomebrew.com
e-mail: william@canadahomebrew.com
YOU CAN ORDER ON LINE FROM MY SECURED WEBSITE

CIRCLE 13 ON READER SERVICE CARD



BEER GEAR

NORTH JERSEY'S MOST CONVENIENT HOMEBREW STORE

BEER GEAR
26 SHERMAN ST.
WAYNE, NJ 07470
973-694-9398

CALL FOR FREE CATALOG
TOLL FREE ORDER LINE
(PHONE/FAX) **1-888-416-7960**

CIRCLE 6 ON READER SERVICE CARD

LABELS

Finish your Brew with a Label.

...reflect your good taste!

- Minimum of 25
- Customized
- 1 to 4 color
- Removable
- Waterproof

Now Offering Neck Labels!

Label Solutions
(Formerly TLC Digital Printing)

e-mail: tothelabel@aol.com
2617 Park St. • St. Paul, MN 55117
(612) 415-9713



CIRCLE 28 ON READER SERVICE CARD

EVERYTHING YOU NEED TO KNOW TO SUCCESSFULLY OPEN YOUR BREWERY!

The new book *How to Open a Brewpub or Micro Brewery* is here! This easy to use 260-page guide takes you from feasibility analysis to the business plan; through financing to brewery operations (grain to glass) and brewhouse design, regulatory compliance and marketing to achieve success.

An exclusive American Brewers Guild publication.



Send \$159. + \$7 shipping to:
1107 Kennedy Place, Suite 3, Davis, CA 95616
or MC/Visa orders to 800-636-1331.
Call for a free course catalog

CIRCLE 4 ON READER SERVICE CARD



HOMEBREW ADVENTURES

The source for all your brewing needs... everything from canned malts to all-grain mashing equipment...bottling to kegging, base and specialty malts from Briess, DeWolf Cosyns, Gambrinus, Maris Otter and Munton & Fison...Belgian candi sugar and herbs and spices. Wine kits, fruit flavorings and specialty honey...call e-mail, or write for your free catalog.

9240 Albemarle Rd., Charlotte, NC 28227
1 (888) 785-7766 Toll-free
e-mail homebrew@homebrewadventures.com
visit our web site at
<http://www.homebrewadventures.com>

CIRCLE 25 ON READER SERVICE CARD



HoMade
Brewing Supplies

- ~ 120 Malt Extracts ~
- ~ 40 Varieties of Grain ~
- ~ 32 Varieties of Hops ~
- ~ Yeast and Equipment ~

505 Superior Street
Rossford OH 43460
888-646-6233

Call For a Free Catalog

www.primenet.com/~homade

CIRCLE 24 ON READER SERVICE CARD

ISLAND BREWING PRODUCTS



The Wort Wizard

HOT WORT VENTURI TRANSFER SYSTEM

CONVERTS HYDROPOWER INTO VACUUM POWER

EXTRACT BREWERS:
USE GARDEN HOSE & ANY WATER SOURCE


ADVANCED BREWERS:
USE RUNOFF FROM YOUR COUNTERFLOW CHILLER

\$23.95
+\$4.00 SH

IBP's innovative design defines "the way it's done", the ideal method of hot wort transfer. Simple, safe, efficient, economical and reasonably priced the patent pending Wort Wizard answers the call for easy solutions to big problems. We're IBP... finding a better way to brew!

ORDER/INFO: (800) 297-1886 ISLANDBREW@AOL.COM

2016 Fogarty Avenue, P.O. Box 1951, Key West, FL 33041
www.wortwizard.com




CIRCLE 27 ON READER SERVICE CARD

use a
Fermometer®...

because life's
too short

about Wort

High precision thermometers for monitoring fermentation temperatures.
Dealer Inquiries Welcome
Tkach Enterprises (303) 660-2297
www.sni.net/~sjtkach/index.html



FOR THE BEST SELECTION & PRICES ON
ALL YOUR HOMEBREWING NEEDS ITS ALWAYS

The Market Basket

CALL TOLL FREE!
1-800-824-5562

Malt Extract & Hop Combo
Ten - 3.3 LB. Northwestern Malt
Extract, mix/match unhopped
gold, amber, dark or weizen *plus*
8 oz. each Hallertau, Cascade, Eroica,
Williamette, Clusters & Fuggles hop pellets

\$69.95 *plus shipping*

VISIT OUR ON-LINE CATALOG at
<http://www.glaci.com/market/brewing/homepage.html>

MARKET BASKET 14835 W LISBON RD. BROOKFIELD, WI 53005



CIRCLE 32 ON READER SERVICE CARD


Everything you need for a 12-pint batch...

- GRAINS
- HOPS
- YEAST
- SANITIZERS
- INSTRUCTIONAL VIDEO
- A MUSLIN BAG
- PACKAGED IN REUSABLE BREWING EQUIPMENT
- ADDITIONAL REFILLS AVAILABLE

New York HOMEBREW
Beer Brewing System

Call for the store nearest you
1-800-YOO-BREW
Wholesale inquiries welcome


33 East Jericho Turnpike • Mineola, NY 11501
visit our website: www.yoobrew.com



CIRCLE 36 ON READER SERVICE CARD

Brew Bottle Bag

U.S. Patent Pending



Finally!
Carboy Handles - Keeps Light Out
Lift It, Pull It, Rock It With Ease
Convenient Side Strap
For Leverage or Blow-off
Safe, Attractive & Affordable!

Order Yours Today!
Information, Sizes & Orders:
(773)728-0835; Fax (773)728-0057
E-mail: BrewBBag@aol.com

CIRCLE 39 ON READER SERVICE CARD

WARMINSTER MALTINGS

Warminster Maltings

In the Heart of Malting Barley Country

The Warminster Maltings offers the opportunity to use the finest quality floor made malt. Made from hand selected local barleys with the traditional flooring process used at Warminster for over 125 years.

Available in Eastern Canada and the Northeastern United States from Vinotique.
Imported by Zymotic Imports, Ltd.
408 Park View Drive • Mount Holly, NJ 08060
Telephone or fax: (609) 702-1939



CIRCLE 52 ON READER SERVICE CARD

Advertise in

Brew

YOUR OWN
The How-To Homebrew Beer Magazine

You can reach a huge national audience of passionate homebrewers every month with an ad in the pages of

Brew Your Own

Call for details today.
(530) 758-4596

- 4 tsp. baking powder
- 1 tsp. salt
- 2 eggs
- 1 1/2 cup milk or 2 cups yogurt
- 1/4 cup oil or melted butter
- 1/3 cup spent chocolate malt (wet)
- 2/3 cup spent American crystal malt (wet)

Step by Step:

Combine all the dry ingredients in a mixing bowl.

Put the milk, oil, and eggs in a blender or food processor. Add the malt a little at a time and blend until it is all liquefied. Mix in the dry ingredients.

To bake, pour the batter on a hot, lightly oiled griddle. Turn when bubbles break on the surface and the edges seem cooked.

The batter will thicken as it stands. If this happens while you are baking, just stir in a little more milk.

Yield: 24 pancakes

Great Barley Grain Granola

Great for a morning meal or a snack any time, this granola will go fast.

Ingredients:

- 1/4 cup margarine
- 1/2 cup honey
- 2 cups oatmeal (regular or quick)
- 2 cups sunflower seeds (raw, unsalted)
- 4 cups spent crystal malt
- 3 tsp. cinnamon
- 1 cup shredded or flaked coconut (optional)
- 2/3 cup raisins

Step by Step:

In a large skillet with an oven-safe handle or 9-by-13 inch baking pan, melt the margarine and stir in the honey. Stir in all the remaining ingredients except the raisins. Bake in a preheated 350° F oven, stirring occasionally.

Bake for 25 minutes or until lightly browned. Remove from the oven and stir in the raisins. Cool completely before placing in the storage container. The granola will last for weeks in a jar or other storage container with a tight lid (if you haven't gobbled it up by then). ■

CLASSIFIEDS

SUPPLIES

DRAFTSMAN BREWING COMPANY
You'll love our prices! Call today for our FREE homebrew supply catalog. 1-888-440-BEER
www.draftsman.com

HOPS & DREAMS Homebrew and Winemaking supplies. Great prices & FREE catalogue! 1-888-BREW-BY-U
www.hopsanddreams.com

BREWING EQUIPMENT

NEW AND USED full mash brew-on-premise systems; kettles, boilers, kegs and bottle washers, filters, carbonators, recipes, expertise call Dennis at (604) 589-1057 or www.brewpro.com.

INGREDIENTS

CANNED MALT BLOWOUT - Tom Caxton, Youngs - \$18/case plus S&H. Minimum 3 case order. Call 1-800-374-BREW for details.

ORGANIC BREWER'S INGREDIENTS! No sprays, chemical residues, or additives. Organically grown malts, hops, and adjuncts. Organic beer kits. FREE CATALOG! Seven Bridges:

1-800-768-4409 Website:
www.josephson-ent.com/7bridges

PUTERBAUGH FARMS - HOPS
DIRECT 686 Green Valley Road
Mabton, WA 98935. (509) 837-3616.
Order direct www.hopsdirect.com

WINEMAKING

FREE INFORMATIVE CATALOG.
Since 1967! 1-800-841-7404.
Kraus, Box 7850-B, Independence, MO 64054.

HOMEBREW SUPPLY RETAILER

ATTENTION LAMBIC BREWERS - Aged leaf hops. Bullion 1994, Willamette 1995. \$1.75. German Hersbrucker 1994. \$2.00. Call Beer Unlimited at (610) 889-0905.

MAKE QUALITY BEER & WINE!
Supplying home beer and wine makers since 1971. FREE Catalog/Guidebook - Fast, Reliable Service. The Cellar Homebrew, Dept. BR 14411 Greenwood Avenue N. Seattle, WA 98133. 1-800-342-1871. Secure Online Ordering www.cellar-homebrew.com

THE PURPLE FOOT - big variety of quality ingredients, competitive prices, ask for FREE CATALOG (414)-327-2130, 3167 S. 92 St. Milwaukee, WI 53227.

STARTER KITS and Cajun Beers. Call for a FREE catalog. 1-800-641-3757. Alfred's Brewing Supply.

MISCELLANEOUS

LABELS MADE EASY! You make your own beer, why not your own labels? Complete instructions for Word and WordPerfect. Sample & Info. Labels, 673 Stewart Lane, Mansfield OH 44907.

For

Brew
YOUR OWN

**classified advertising
information,
call Elisa at (530) 758-4615.
Or sign up via e-mail at
ad@byo.com**

Advertiser Index

	Page No.	Circle No.
Above the Rest	37	1
Affordable Conical	35	2
American Brewer's Guild	44	3
American Brewer's Guild	54	4
Beer and Wine Hobby	34	5
Beer Gear	54	6
Beer, Beer & More Beer	49	-
Bierhaus International, Inc	3	7
Brew Bottle Bag	55	39
Brew King	26	8
Brewer's Resource	58	9
Briess Malt	Cov. IV	10
California Concentrate Co.	44	12
Canada Homebrew Supply	54	13
Cascadia/Cooper's	4	14
Crosby & Baker Ltd.	13	-
Cross Distributing	36	15
E.C. Kraus	48	16
Fermtech	45	-
Five Star Products	41	18
Fox Equipment Company	54	19
F.H. Steinbart	53	20
Grape and Granary	6	21

	Page No.	Circle No.
G.W. Kent, Inc.	10	22
Hobby Beverage Manufacturing Co.	37	23
HoMade Brewing Supplies	54	24
Home Brewery, The.	38	-
Homebrew Adventures	54	25
Homebrew Heaven	52	26
HopTech	59	-
Island Brewing Products	54	27
Label Solutions	54	28
LD Carlson Company	3	-
Liquid Bread, Inc.	3	29
Listermann Mfg. Co.	42	30
LOGIC, Inc.	34	31
Market Basket	55	32
Medicine Rock Div. - Dakota Supply ..	36	33
Midwest Homebrewing Supplies	40	34
Mosti Mondiale	8	35
Muntions p.l.c.	30	-
New York Homebrew, Inc.	55	36
Northern Brewer, Ltd.	49	37
Northwestern Extract Co.	35	-
Paulaner-North America	16	38
Polar Ware Company	6	40

	Page No.	Circle No.
Primetab	21	47
Quoin	12	-
RCB Equipment	54	11
RJ Grape Products Inc.	Cov. III	41
Rogue Ales	12	42
SABCO Industries	28	43
Siebel Institute of Technology	14	44
Spagnol's	Cov. II	45
Specialized Marketing	17	-
St. Louis Wine & Beermaking	21	-
St. Patrick's of Texas	52	-
Tkach Enterprises	55	-
TKO Software	40	46
Vinotheque U.S.A.	50	48
William's Brewing	48	49
Wind River Brewing Co., Inc.	42	50
Worm's Way	28	51
Zymotic Imports Ltd.	55	52

The index on this page is provided as a service to our readers. The publisher does not assume any liability for errors or omissions.

Equipment Basics: Buckets and Beyond

by Alison Crowe

There's a saying in the wine industry (and perhaps, less congenially, in the brewing industry as well) that "wine just makes itself." Thousands of years ago, when wine was "discovered," this was certainly true. All a nomadic hunter and gatherer had to do was to stay in one place long enough for his pit of freshly picked grapes to froth, foam, and ferment, and presto! Wine (if we can call it that) was seemingly transformed magically into existence by the then-unknown powers of wild yeast cells. No fancy barrels, bottles, or hungs needed.

These days winemaking is less of an "art" and more of a science. And with the increased ability to control the process, home winemakers can make clean, consistent, and truly outstanding products — even in their own backyards or garages.

The well-equipped winery contains the following gear, which will enable you to start making wine in five-gallon batches, the equivalent of about 24 bottles. You should be able to pick up all of these items at your local homebrewing or home wine-making supply store for less than \$100 which, if that seems steep, is less than you'd pay for a case of decent wine.

The Crush Pad

1. Large food-grade plastic bucket (capacity of at least six gallons). This container is your primary fermenter, the place where the yeast will convert sugar into carbon dioxide and alcohol. This bucket needs to be big enough to allow for expansion of the must during fermentation but should be small enough to be easily stored in a quiet corner of your "winery." Commercially available trash cans

and the like are not advisable for winemaking because they can be made with plastics that contain heavy metals. Wine is an effective solvent and might dissolve some of these dangerous compounds into your finished product.

2. Plastic sheet or cloth large enough to cover the primary fermenter. Used to keep bugs, errant pets, and the random falling tool (if you make wine in your garage) out of the primary fermenter, this covering should be secured with a bungee cord or something similar. Common sense caution: If you use a plastic cover, don't tie it down too tightly or the carbon dioxide pressure will pop it right off!

3. Small buckets. Buckets are great. Wineries never seem to have enough of them. As a mixing vessel, a yeast proofer, an ad hoc stool for those long, hot afternoons on the bottling line, buckets are certainly some of the most-used items on any winery's equipment list. Make sure yours are clean, sanitized, and free of any chemical residue they may have accumulated in a past life. Buy food-grade buckets from the wine-making supply store just to be on the safe side.

4. Long-handled stainless steel or wooden spoon. Used for mixing acid, yeast, and sugar additions into your fermenters or carboys, a long-handled spoon can give you added reach for access into tight spaces.

Though wooden spoons are okay, be wary. They're impossible to get really contaminant-free, so it's a good idea to work with cleanable, sanitizable stainless steel

tools. Do not use any other metals in winemaking; metal ions can leach into your wine and cause irreparable damage to the product and possibly to your health.

5. Siphon hoses. Without them, home winemaking (and commercial winemaking, to some extent) would be much more of a back-breaking task. They make liquid transfer operations a snap and allow you to take wine off of spent yeast cells (racking) without disturbing the unwanted sediment.

The best setup is a 5- to 6-foot length of clear, plastic tubing (about $\frac{3}{16}$ inch in diameter) attached to a 2-foot length of rigid plastic tubing at the end so you can insert it easily into carboys and bottles. Alternately, do what a lot of winemakers do and just attach the last 2 feet or so of your siphon hose to a wooden or stainless steel dowel with rubber bands — a little improvised but, well, if it works, it works.

Tools for the Lab

6. Graduated pitcher. It's always helpful to have an accurate measuring device for parceling out additions of acid, water, and sugar. Try to obtain one with imperial *and* metric measurements because you never know in what kind of units recipes will be written.

7. Hydrometer set. Hydrometers are absolutely essential for sound winemaking. They let winemakers track the progress of the fermentation and allow them to determine when the wine has reached the desired level of residual sugar.

Try to obtain a couple of hydrometers that each cover a portion of the 30° to minus-5° Brix spectrum, because they will give more accurate readings than if that entire range is covered with one hydrometer only.

8. Thermometer. Be sure to take the temperature of your fermentations each time you take a hydrometer reading, as the temperature of the juice affects the density of the solution — and the reading. Handle your thermometers carefully because they are fragile and can contaminate juice or wine with mercury if broken.

9. Acid titration kit. Litmus paper is for sixth-grade science experiments. When it comes to determining the acidity of your wine, don't mess around. These kits are easy to use, easy to understand and, more important, give you an accurate measurement of the total acidity of your wine.

Tools for the Cellar

10. Secondary fermenter. A five-gallon carboy (think glass, office water-cooler bottles) will amply serve as a secondary fermentation vessel. After the wine has completed its primary fermentation in your large food-grade bucket, rack off your wine (using your siphon hose) into a carboy to exclude air and possible contaminants. Plastic carboys suffice (and can be cheaper), but glass carboys tend to be easier to clean, less permeable to oxygen, and they allow an easy view of your new wine's color, clarity, and sediment level.

11. Fermentation locks. Available in a couple of different styles, these guys fit on top of your carboys and protect the newly fermented (or still fermenting) wine from the environment. They let carbon dioxide escape but exclude air as well as possible microbial contaminants. You should buy a couple in case one breaks or has a leak.

12. Aging vessels. Here's where you can venture into wine geek territory. Your glass carboy can serve you well as a permanent wine storage vessel, but as you dip into it the remaining wine will become

*There's one
tool no
aspiring
brewer
should be
without...*


*...it's the
Brewers Resource Catalog!*

It's the most complete catalog in the industry, and regardless of brewing experience, there's something in it for everyone. Best of all, it's free for the asking (and on-line), so call the good folks at Brewers Resource, we'll be happy to rush you a copy.

1-800-8-BrewTek (827-3983)

Don't wait for the mail, see our catalog now! www.brewtek.com

409 Calle San Pablo, Suite 104 Camarillo, CA 93012



increasingly oxidized as it's exposed to air. For this reason you should consider using the standard 750-milliliter glass wine bottles for long-term storage. For the particularly adventurous, oak barrels can be had (for a price) and will add pleasing spicy vanilla notes to your wine as well as adding nifty ambiance to your winery-cum-garage.

The Truly Tricked-Out Chateau

So you've been making wine at home for a while and are ready to invest in some more winemaking toys.

As things get more technically involved they inevitably get more expensive, but if you're willing to slap down the cash, you'll find yourself amply rewarded with increased technical and creative control over your winemaking.

Grape processing equipment.

After making wine with kits a couple of times, some home winemakers are interested in buying

and crushing their own grapes or other fruit. To do this you need a crusher/destemmer (unless you want to do whole-cluster fermentations) and a small press. The folks at your friendly neighborhood home winemaking store should know where to find these things if they don't carry them in their shops already.

Sulfite-measuring kits.

Pre-packaged kits that measure the levels of sulfites in wine are almost indispensable for the serious winemaker. Sulfites (delivered in tablet, powdered, or liquid form) act as antimicrobial and antioxidant agents in winemaking, but too much or too little can be equally disastrous. These kits are relatively easy to use and are a very good investment, especially if you don't want malo-lactic fermentation (which occurs when a strain of lactic acid bacteria is introduced to the wine either accidentally or by design) to occur in your wine or if

you have residual sugar levels that are high enough to be a re-fermentation risk.

Gram scale. Any home winery worth its grapes will have an accurate, well-maintained scale for weighing acid, sulfites, and yeast. If you like to freelance-ferment without recipes or pre-weighed ingredients from kits, scales are essential for making your own accurate additions.

Barrels. The end-all, be-all wine storage Mecca for many, barrels are nice to have if you can afford them. Keep in mind that barrels require a lot of extra maintenance and can add significantly to both your financial and hourly investments.

Winemaking is a very rewarding activity that, like many other pursuits, requires an initial investment that will pay for itself many times over as you successfully make and enjoy your very own homemade wines. ■



HopTech Homebrewing Supplies
The Homebrew Supplier with a Difference!

- ▶ **Brewing Equipment and Supplies**
- ▶ **Award Winning Beer Kits**
- ▶ **100% Natural Fruit Flavors**
- ▶ **Wide Selection of Grains (Domestic and Imported)**
- ▶ **Liquid and Dry Malt Extracts**
- ▶ **Over 19 Varieties of Hops (Domestic and Imported)**
- ▶ **CO2 Extracted Hop Oils, Essences and Extracts**
- ▶ **Mail-order & Retail Store**
- ▶ **Open Sundays!**

Call for our free, highly informative catalog

Order Line: 1-800 DRY-HOPS (379-4677)

Advice Line: 1-510 426-1450 FAX: 1-510 426-9191
Hours: M, T, Th, Sat: 11-7, Fri: 11-9, Sun: 12-4. Closed Wed.

HopTech

3015 Hopyard Rd. Ste E
Pleasanton, CA 94588

**View or request our
Catalog (and more!)
on the WEB!**
<http://www.hoptech.com>

Ever dream of starting your own brewpub?

Learn the brewing business from successful insiders. We've put together the best team of brewpub specialists ever assembled. Marketing gurus. Masterbrewers. Pub food specialists. Cost accountants. Tax experts. Site selection specialists. Insurance brokers. Merchandising pros. You name it. Columns such as:

- **StartUps:** Everything a new brewpub faces in launching a new unit. From site selection to sourcing equipment.
- **BrewMaster's Log:** Masterbrewers



reveal their trade secrets for brewing best-selling beer.
• **Marketing Strategies:** A "how-to" column of guerrilla marketing plans specific to brewpubs—cost-effective ideas that attract customers, simple tactics to boost your average check and ways to make a small ad budget do a big job.

• **After Hours:** Where we have some fun, relax and talk shop. Plus, departments for the latest federal and state regulatory news, and the newest brewpub products and services.

Yes, Start my subscription to *BrewPub Magazine*—12 full issues—at the special charter rate of \$45 a year because it's like getting an M.B.A. in brewpub management (only much cheaper and faster).

☐ My check for \$45 is enclosed.

☐ Bill me.

Name _____

Company Name (if applicable) _____

Mailing Address _____

City _____

State _____

Zip _____

Send to:

BrewPub Magazine
P.O. Box 2473
Martinez, CA 94553

**Credit Card Orders (800) 900-7594
Inquiries (530) 758-4596**

Orders outside the U.S. must be prepaid in U.S. funds. Canada/Mexico \$60 total. All other countries \$75 total.

Homebrew Directory

ARIZONA

Brew Your Own Brew

2562 North Campbell
Tucson (520) 322-5049
*Our staff is trained by the
American Brewer's Guild!*

Brewers Connection

1435 East University, #10
Tempe
1-800-879-BREW (2739)
*FREE Starter kit, catalog &
classes SECURED Web site
www.desertbrewers.com*

Homebrewers Outpost & Mail Order Co.

823 North Humphreys
Flagstaff 1-800-450-9535
FREE CATALOG!
*Over 20 years of brewing expe-
rience. www.homebrewers.com*

What Ale's Ya

6362 West Bell Road
Glendale (602) 486-8016
*Bulk LME and kegging
equipment too!*

ARKANSAS

The Home Brewery

77 W. Colt Square Drive, #2
Fayetteville 1-800-618-9474
*Top-quality Home Brewery
products.
homebrewery@arkansasusa.com*

CALIFORNIA

Beer Crafts

843 W. San Marcos Blvd.,
San Marcos (760) 591-9991
*Beer, Wine, Soda, Liqueur &
Vinegar! www.beercrafts.com*

Beer, Wine &

Cheesemaking Shop

22836-2 Ventura Blvd.
Woodland Hills (818) 884-8586
*Serving Discerning Brewers &
Winemakers Since 1972!*
www.silicon.net/~homebrew

The Beverage People

840 Piner Road, #14
Santa Rosa
(707) 544-2520
*32-page Catalog of Beer, Mead
& Wine Supplies!*
*www.imall.com/stores/The
Beverage People*

Brew Wizard

18228 Parthenia St.
Northridge 1-800-603-9275
*Discount Kegging Equipment
and More!*

Brewer's Rendezvous

11116 Downey Ave.
Downey (562) 923-6292
http://www.bobbrews.com

Chino U-Brew

5536 Philadelphia St.
Chino (909) 627-5311
Brew your own beer!
www.naomisplace.com

Culver City Home Brewing Supply

4358 1/2 Sepulveda Blvd.
Culver City
1-800-3-UBREWIT (827-3948)
*Check us out at
www.brewsupply.com*

Double Springs Homebrew Supply

4697 Double Springs Road
Valley Springs 1-888-499-2739
*Visit our Web site:
www.doublesprings.com*

Heffernan's Homebrewing Supplies

134 North 2nd Ave., Suite G
Upland (909) 949-3088
*Open 7 days a week for the
beginner to advanced!*

The Home Brewery

1506 Columbia Ave. #12
Riverside 1-800-622-7393
*Top-quality Supplies for the
Home Brewer or Vintner.
acmebrew@empirenet.com*

Murrieta Home Brew

39872 Los Alamos Road, A-4
Murrieta 1-800-879-6871
*Quality Products For Home
Brewers Serving Inland S. CA,
AZ, Nevada & You!*

Nostalgic's

2003 South Miller, Santa Maria
1-800-773-4665
Fx: (805) 934-4665
www.nostalgic-s.com.
*Homebrew club meets 1st Thurs.
of month 8 p.m.*

Original Home Brew Outlet

5124 Auburn Blvd.
Sacramento (916) 348-6322
*Open 7 Days. Questions
Answered!*

Ruud-Rick's Homebrew Supply

7273 Murray Drive #15
Stockton 1-888-333-BREW
*Fantastic selection, low prices &
FREE classes!*

South Bay Homebrew Supply

23808 Crenshaw Blvd.
Torrance
1-800-608-BREW (2739)
*Southern California's Best
Selection!*
*http://members.aol.com/south-
bayhb*

Stein Fillers

4180 Viking Way
Long Beach (562) 425-0588
*Best darn brew store in Southern
California!*

COLORADO

Beer at Home

3157 South Broadway
Englewood (303) 789-3676
www.beerathome.com
1-800-789-3677

Brew Hut

16883 East Iliff Ave.
Aurora 1-800-730-9336
*Beer, Wine, Mead & Soda —
WE HAVE IT ALL!*
www.thebrewhut.com

Carlen Company L.L.C.

2275 East Arapahoe Road, #207
Littleton (303) 730-2501
*Bottles, crowncaps, shippers
& glassware.*

The Hombrew Hut

555 I Highway 287
Broomfield (303) 460-1776
*One Stop Brewing Supply
Since 1993!*

CONNECTICUT

Appy's Homebrew Supply

7 Marion Drive
East Lyme (860) 691-1473
Quality beer and wine supplies.

The Brews Brothers

695 Foxon Road
East Haven, CT (203) 468-5451
140 Whitehall Ave.
Mystic, CT (860) 536-BREW
www.brewsbros.com

FLORIDA

BrewCrafters

11212 Blue Sage Place
Bradenton 1-800-HOT-WORT
(468-9678) *FREE CATALOG!*
www.brewcrafters.com

Brew Shack

4025 W. Waters Ave.
Tampa (813) 889-9495
Check out our website!
www.wp.com/brewshack

Heart's Home Beer & Wine Making Supply

5824 North Orange Blossom Trail
Orlando 1-800-392-8322
*Low Prices — Fast Service —
Since 1988.*
www.heartshomebrew.com

Homebrew Emporium

661 Beville Road, Ste. 117
South Daytona (904) 767-8333
Beer, Wine, Coffee & Gift Packages!

The Home Brewery

416 So. Broad St.
Brooksville 1-800-245-2739
*Top-quality Home Brewery
products.*
E-mail: chinsegt@atlantic.net

For details on listing your store in the Homebrew Directory, call (530) 758-4615.

**Worm's Way Garden Center
& Home Brewing Supply**
4402 North 56th St.
Tampa 1-800-283-9676
We brew gardens, too!

GEORGIA

Beer Necessities
9850 Nesbit Ferry Road
Alpharetta (770) 645-1777
<http://www.brewme1.com>

HAWAII

Oahu Homebrew Supply
856 Ilaniwai St. #103
Honolulu (808) 596-BREW
Call for a FREE catalog!
<http://1stpage.com/1/ohs>

ILLINOIS

**Bev Art Homebrew
& Wine Making Supply**
10033 S. Western Ave.
Chicago (773) 233-7579
*Honey, meadmaking, grains
and kegs.*

The Brewer's Coop
30 W 114 Butterfield Road
Warrenville
(630) 393-BEER (2337)
*Dupage county's LARGEST
homebrew shop!*

Chicagoland Winemakers, Inc.
689 West North Ave.
Elmhurst 1-800-226-BREW
*26 years experience & FREE
instructions!*

Crystal Lake Health Food Store
25 E. Crystal Lake Ave.
Crystal Lake 815-459-7942
*Honey - Sorghum - Maplesyrup
- Bulk Herbs!*

Home Brew Shop
307 West Main St.
St. Charles (708) 377-1338
*Complete line of beer & wine
making supplies!*

INDIANA

Beer & Wine by U
1456 North Green River Road
Evansville (812) 471-4352 or
1-800-845-1572
Call for a FREE Catalog!

The Gourmet Brewer
PO Box 20688
Indianapolis (317) 924-0747
or 1-888-860-1600 ext. 328394
www.the-gourmet-brewer.com
Free e-mail or paper catalog!
Call or e-mail gbrewer@iquest.net

Great Fermentations of Indiana
1712 East 86th St.
Indianapolis
(317) 848-6218 or toll free
1-888-463-2739
E-mail us at grtferm@iquest.net

**Worm's Way Garden Center
& Home Brewing Supply**
7850 North Highway 37
Bloomington 1-800-598-8158
FREE catalog
call 1-800-274-9676!

KENTUCKY

**New Earth Hydrogardening &
Homebrewing**
9810 Taylorsville Road
Louisville 1-800-462-5953
*Huge line of homebrew &
hydroponic supplies!*

MARYLAND

Brew Masters Ltd.
12266 Wilkins Ave.
Rockville 1-800-466-9557
Also in Baltimore!

**Four Corners Liquors
& Homebrew Supply House**
3439 Sweet Air Road
Pheonix
1-888-666-7328
Fax: (410) 666-3718
*Secure website <http://homebrewsupply.com> or e-mail:
4corners@homebrewsupply.com*

Maryland Homebrew
6770 Oak Hall Lane #115
Columbia
1-888-BREWNOW
*Mega Inventory. We ship UPS
daily. www.mdhb.com*

MASSACHUSETTS

Beer & Wine Hobby
180 New Boston St.
Woburn 1-800-523-5423
*For the most discriminating
beer & wine hobby.*
e-mail: shop@beer-wine.com
Web site: www.beer-wine.com

NFG Homebrew Supplies
72 Summer St.
Leominster
(978) 840-1955
*Great Prices! Personalized
Service!*

**Strange Brew Beer &
Winemaking Supply**
197 Main St.
Marlboro (508) 460-5050
or Toll Free 1-877-460-5050
*High Quality, Low Prices,
"We Treat You Kind!"*

**Worm's Way Garden Center
& Home Brewing Supply**
1200 Millbury St.
Worcester 1-800-284-9676
FREE catalog
call 1-800-274-9676!

MICHIGAN

Bell's General Store
427 1/2 East Michigan Ave.
Kalamazoo (616) 382-5712
*BELL'Swear, hot sauces &
cigars, too!*

The Home Brewery
49652 Van Dyke Ave.
Utica 1-888-577-2739
*Top-quality Home Brewery
products.*

Mt. Clemens Hardware
67 North Walnut
Mt. Clemens (810) 468-5451
Wyeast, Fresh & Pellet Hops!

Pete's Pipe & Barrel
305 East Mitchell St.
Petoskey (616) 347-3322
*Quality ingredients, excellent
service, and competitive prices.*

The Red Salamander
205 North Bridge St.
Grand Ledge
Ph: (517) 627-2012
Fx: (517) 627-3167
Brand New Store!
Phone or fax your order.

Things Beer
100 East Grand River
Williamston 1-800-765-9435
*Home of the Fermentation
Station!*
www.thingsbeer.com

Wine Barrel Plus
30303 Plymouth Road,
Livonia 48150 (313) 522-9463
*World's LARGEST Independent
Retail Homebrew shop!*
<http://www.winebarrel.com>

MINNESOTA

L.L. Kraemer Co.
9925 Lyndale Ave. South
Bloomington (612) 884-2039
Call us for a FREE Newsletter.
www.lkraemer.com

Semplex of USA
4171 Lyndale Ave. N.
Minneapolis (612) 522-0500
*Est. 1962 — Best Service &
Prices! FREE CATALOG!*

Von Klopp Brew Shop
Highway 52, South
Pine Island (507) 356-8336
*Winemaking & Brewing
Supplies Shipped Anywhere!*
www.hps.com/vonklopp

MISSOURI

The Home Brewery
So. Old Highway 65 (P.O. Box 730)
Ozark 1-800-321-2739
*Top-quality Home Brewery
products.*

For details on listing your store in the Homebrew Directory, call (530) 758-4615.

HOME BREW DIRECTORY

Schmitt's Brew Shoppe

408 East 63rd St.
Kansas City
1-888-333-7610
FREE 40 page catalog!
www.schmittys.com

St. Louis Wine & Beermaking

251 Lamp & Lantern Village
Chesterfield 63017
(314) 230-8277
*The Complete Source for Beer,
Wine & Mead Makers! Fax us at
(314) 527-5413*

Worm's Way Garden Center & Home Brewing Supply

1225 North Warson Road
St. Louis
1-800-285-9676
*Knowledgeable staff, great
products!*

NEW HAMPSHIRE

Red, White & Brew, Inc.

865 2nd St. -
Mallard Pond Plaza
Manchester, 03102
(603) 647-ALES
*Visit our website at
RedWhiteandBrew.com*

Stout Billy's

61 Market St.
Portsmouth (603) 436-1792
*Online catalog & recipes!
www.stoutbillys.com*

NEW JERSEY

BEERCRAFTERS, Inc.

110A Greentree Road
Turnersville (609) 2 BREW IT
*So. Jersey's COMPLETE
Homebrew Supplier.*

Cherry Hill Homebrew Supply

1845 Route 70 East
Cherry Hill
(609) 424-3636
E-mail:
njhomebrew@compuserve.com

The Home Brewery

56 West Main St.
Bogota (201) 525-1833
or 1-800-426-BREW
*Top-quality Home Brewery
products.*

WHAT'S BREWING Inc.

201 Tilton Road
Northfield
(609) 485-2021
*Bulk extract, wine supplies &
CIGARS! Wbrewing@aol.com*

NEW YORK

At Home Warehouse Distributors

1068 Main St.
Clarence 14031
(716) 685-2306 Toll Free
1-800-210-8585 or ahwd.com

Beer Necessities

71 Dove St.
Albany (518) 434-0381
*Check out our website!
www.albany.net/~homebrew*

Brewshop @ Cornell's

310 White Plains Road
Eastchester
1-800-961-2739
www.cornells.com/brewshop.htm

E.J. Wren Homebrewer Inc.

Ponderosa Plaza (behind Heids)
Liverpool (315) 457-2282
*Largest Selection in Central NY
ejwren@brew-master.com*

Homebrew & Grow/East Coast Hydroponics

439 Castleton Ave.
Staten Island (718) 727-9300
& 146-49 Horace Harding Exwy.
(Long Island Exwy. Service Rd.)
*2 locations in New York City to
better serve you!*

The Home Brewery

c/o Smith Restaurant Supply
500 Erie Blvd. E., Syracuse
1-800-346-2556
*Top-quality Home Brewery
products.*

New York Homebrew Inc.

Carle Place,
Huntington Station,
Port Jefferson
CALL 1-800-YOO BREW

Niagara Tradition

Homebrewing Supplies

1296 Sheridan Drive
Buffalo 14217
(716) 877-8767
*Try our private label extracts!
www.nthomebrew.com*

NORTH CAROLINA

Alternative Beverage

114-0 Freeland Lane, Charlotte
Advice Line: (704) 527-2337
Order Line: 1-800-365-2739
*76 recipe packages, liquid & dry
yeasts, beginner to advanced!
www.e-brew.com*

Asheville Brewer's Supply

2 Wall St., #117
Asheville (704) 285-0515
The South's Finest — Since 1994!

Assembly Required

340 North Main St.
Hendersonville 1-800-486-2592
*Your Full-Service Home Brew Shop!
www.assemblyrequired.com*

Homebrew Adventures

9240 Albemarle Road
Charlotte 1-888-785-7766
*Charlotte's best stocked store,
with low prices to match.
www.homebrewadventures.com*

OKLAHOMA

The Brew Shop

3705 North Western
Oklahoma City (405) 528-5193
*OKC's premiere supplier of home-
brewing equipment & supplies!
thebrewshop@msn.com*

Cher-Dan's SSS Wine & Beer Supplies

827 West Maine
Enid (580) 237-6880 or
(580) 237-6881
*Home of the Fermented Minds
Wine & Beer Club.*

Deja Brew

116 West Main St.
Norman (405) 447-3233
*Largest selection of beer & wine
making supplies in Oklahoma!*

OHIO

The Grape and Granary

1302 East Tallmadge Ave.
Akron (330) 633-7223
*Complete Brewing & Winemaking
Store. www.grapeandgranary.com*

HoMade Brewing Supplies

505 Superior St.
Rossford 1-888-646-6233
*Retail Store, Web Store, FREE
Catalog!
www.primenet.com/~homade*

JC Homebrewing Company

8306 State Route 43
East Springfield
1-800-899-5180
*Place your order on our
website! www.jchomebrew.com*

Leener's Brew Works

9832 Valley View Road
Macedonia, 44056
(330) 467-9870
*Your Do-It-At-Home Store!
www.leeners.com*

Shreve Home Brewing & Wine Making Supply

299 Jones St., P.O. Box 17
Shreve 44676
(330) 567-2149
*Call or write for a FREE catalog!
E-mail: bkr@bright.net*

OREGON

Bridgeview Beer & Wine Supply, Inc.

622 Main St., Oregon City
or 6432 S.E. 82nd Ave.,
Portland
Toll Free: 1-888-650-8342
*Large selection and over 1000
beers to go!*

HomeBrew Supply of Oregon

20101 N.E. Sandy Blvd #D
Fairview (503) 665-3355
or 1-800-269-BREW (2739)
www.homebrewed.com

For details on listing your store in the Homebrew Directory, call (530) 758-4615.

PENNSYLVANIA

Beer Unlimited

Route 30 & 401
Malvern (610) 889-0905
We also do wine!
Open 7 days a week.
Guaranteed fresh ingredients.

Bierhaus International Inc.

3723 West 12th St.
Erie 1-888-273-9386
World's BEST ingredient kits —
FREE catalog!

Brew By You

3504 Cottman Ave.
Philadelphia (215) 335-BREW
Visit us on the web at <http://members.aol.com/BrewByMe2>

Keystone Homebrew Supply

779 Bethlehem Pike (Rt. 309)
Montgomeryville
(215) 855-0100
Quality Ingredients and Expert Advice!

RHODE ISLAND

Blackstone Valley Brewing Supplies

407 Park Ave.
Woonsocket (401) 765-3830
Quality Products and
Personalized Service!

SOUTH CAROLINA

Happy Dog Brewing Supplies

401 West Coleman Blvd.
Mount Pleasant (843) 971-0805
or 1-800-528-9391
Everything for homebrew!
Visit us on the web
www.catalog.com/happypdog

TENNESSEE

New Earth Hydrogardening & Homebrewing

139 Northcreek Blvd.
Metro Nashville 1-800-982-4769
Huge line of homebrew &
hydroponic supplies!

TEXAS

Austin Homebrew Supply

306 East 53rd St.
Austin 1-800-890-BREW
Make your own damn beer!
E-mail: brew@onr.com

Brew Masters

426 Butternut, Abilene
Ph: 1-888-284-2039
Fx: (915) 677-1263
The BIG Country's Homebrew
Supply Store!
www.texasbrew.com

Foreman's / The Home Brewery

3800 Colleyville Blvd.
(P.O. Box 308)
Colleyville 1-800-817-7369
Top-quality Home Brewery
products. Check out our site
www.flash.net/~greg10/

Lubbock Homebrew Supply

1718 Avenue H
Lubbock 1-800-742-BREW
Check us out at
<http://door.net/homebrew>

St. Patrick's of Texas

1828 Fleischer Drive
Austin 1-800-448-4224
FREE CATALOG!
www.stpats.com

The Winemaker Shop

5356 West Vickery Blvd.
Fort Worth (817) 377-4488
FREE Catalog —
www.winemakershop.com

VIRGINIA

The Brewmeister Shop

1215-G George Washington
Mem. Highway, Yorktown
(757) 595-HOPS (4677)
The place for ALL your brewing
needs!

Roanoke Homebrew Supply

1902 D Memorial Ave. S.W.
Roanoke (540) 345-2789
Your one stop homebrew shop!

Vintage Cellar

1313 South Main St.
Blacksburg 1-800-672-9463
Ingredient kits with White Labs
Yeast, Belgian Ales &
Glassware! Complete line of
brewing supplies
www.vintagecellar.com

The WeekEnd Brewer - Home Brew Shop

4205 West Hundred Road
Chester (804) 796-9760
www.weekendbrewer.com
LARGEST variety of malts &
hops in the area!

WASHINGTON

Bader Brewing Supply

711 Grand Blvd.
Vancouver (360) 750-1551
E-mail: bader@pacifier.com
Secure online ordering available
next month!

Cascade Brewing Supplies

224 Puyallup Ave.
Tacoma (253) 383-8980
or 1-800-700-8980
[http://members.aol.com/](http://members.aol.com/greatbrew/home.html)
greatbrew/home.html

The Cellar Homebrew

Dept. BR 14411 Greenwood
Ave. North
Seattle 98133
1-800-342-1871
FREE Catalog/Guidebook,
FAST Reliable Service, 25 Years!
Secure ordering online
www.cellar-homebrew.com

Homebrew Heaven

9109 Evergreen Way
Everett
1-800-850-2739
Call for a FREE catalog.
Formerly The Home Brewery.

Larry's Brewing Supply

7405 S. 212th St. #103
Kent 1-800-441-2739
Products for Home and Craft
Brewers!

Northwest Brewers Supply

316 Commercial Ave.
Anacortes
1-800-460-7095
All your brewing needs since
1987! nwbs@fidalgo.net

WEST VIRGINIA

Ed's Beer & Wine Cellar

1015 Maddex Square
Shepherdstown
(304) 876-2930
200 Kits — 300 Beers!
Homebrew supplies & a full deli.

WISCONSIN

Homebrew Market

520 East Wisconsin Ave.
Appleton 54911
(920) 733-4294 or
1-800-261-BEER
Retail Store and Mail Order
Specialists!

The Market Basket

14835 West Lisbon Road
Brookfield 1-800-824-5562
Visit our online catalog!
[www.glaci.com/market/brewing/h](http://www.glaci.com/market/brewing/homepage.html)
omepage.html

Brew
YOUR OWN™
THE HOW-TO HOMEBREW BEER MAGAZINE

Reach 75,000
homebrewers
every month in
the Homebrew
Directory.

For details,
call Elisa at
(530) 758-4615.

For details on listing your store in the Homebrew Directory, call (530) 758-4615.

Brewing the Faith

by Judy Micou

Okay, let me just say it: You homebrew people are weird. I'm hoping it's not a cult type of thing you're all in, but it sure seems that way, since my husband is now a born-again beer lover. This is a person who wouldn't touch the stuff and once said, "The devil himself peed in a glass and named it beer." His conversion was swift; literally an overnight epiphany brought on by a Guinness stout. Now, Mark not only consumes his favorites of all types — stouts, lagers, ales, porters — but also brews his own! His day of worship, Friday night, is observed faithfully at local brewpubs, and I am invited to go along. I have tried my share but can't say I enjoy the liquid. Maybe on an extremely hot day and if there were nothing else to drink. So I remain in the ranks of the unconverted. Life has certainly changed, and I'm still wondering, what is this force that takes over an otherwise normal person?

Like any new convert, the enthusiasm is high, and beer is infiltrating almost every aspect of our lives and plans. Vacation destinations are determined by whether there is a microbrewery in the area. Mark talks about visiting my friend in Austria next summer as if it were a pilgrimage, in a Homer Simpson-like trance: "beeerrr...Austriaaa." Our kitchen isn't always for preparing meals anymore. I came home the first afternoon he brewed beer and was greeted by a strange odor, almost sweet but like rotting hay. "What is that smell?" I asked. "Oh, that's the wort boiling," he beamed. I have tentatively assisted with parts of the process, hoping to speed it along, including rocking carboys, washing bottles, and

stirring yeast starter. And then came the cleanup — thick brown sludge stuck to the sides of the stew pot. He assured me that the first batch turned out great, as evidenced by the raves he got from his fantasy football group, who drank it during their team draft last fall.

This isn't just about quenching thirst; this is devotion. Already Mark partakes in a kind of fasting. "I don't think I'll eat a lot tonight, that way I'll have room for more beer." Only because he wants to try a variety, to compare, he says. I think his blood type is now IPA+.

So is it too strong to call it a religious experience? It's like any other hobby, right? I compare beer to fruitcake: foul



I have tried to help my husband with the brewing, hoping to speed it along.


tasting but popular. What would it be like if you came home and your wife announced, "All I'm going to eat from now on is fruitcake; it's incredible!" Your eyebrows would raise and you would ask those tentative questions like a foreign tourist trying to find a street: "Why fruit...cake?" Soon, issues of *Bake Your Own* arrive in the mail. Then,

your house becomes a bakery as she tries new recipes, foil-wrapped cakes pile up on the counter, loaves are stuffed in the freezer, and dirty pans are constantly in the sink. You eventually eat a slice here and there while your wife digs in with knife and fork. But you never get to the point where you really like the fruitcake (who ever does?). You wonder how she can stand to eat just that one thing. Doesn't she ever want a bowl of cereal? But, week after week it's only fruitcake for her, all the time. It's not hurting anyone; it's just strange.


Mark is trying to convert me. So far I haven't been pulled in. He offers recipes to me: "Hey, I bet you'd like this one with raspberries!" He actually attempted a lemon pilsner, knowing my love for that citrus flavor. But when it came out tasting like furniture polish, he was dissuaded for awhile.

Again he swears to me it's nothing more than a hobby, as he runs to check the airlock on his latest concoction for the third time in an hour. I think to myself, just tell me there aren't meetings in secret where you perform ancient rites dressed in robes made of hop leaves; that there aren't dues or indulgences to be paid with batches of premium brew at some beer-stained altar; that I won't find a "Relax, don't worry, have a homebrew" bumper sticker on our car. If that happens, I might have to start baking fruitcake. ■

Do you have a 750-word story for Last Call? Mail it with a color photo to Last Call, c/o Brew Your Own, 216 F St., #160, Davis, CA 95616.



Great Expectations



Cru
SELECT

GRAND CRU

Vineyard's
CHOICE

Vineyard's
CHOICE

AUSTRALIAN

Sideways
CHARLIE

ICE WINE
STYLE


JUST THE
JUICE

QUALITY AND CONSISTENCY.

THAT IS WHAT YOU EXPECT AND DESERVE. AND THAT IS EXACTLY WHAT WE AT RJ GRAPE PRODUCTS ARE COMMITTED TO DELIVER. FROM VINEYARD TO TABLE, EVERY STEP IN THE PROCESS IS CAREFULLY AND THOROUGHLY MONITORED TO ENSURE THAT YOUR EXPECTATIONS WILL BE MET AND SURPASSED.

IT IS OUR PLEASURE AND PRIVILEGE TO ENABLE YOU TO CREATE THE FINEST QUALITY WINES FROM AROUND THE WORLD, DESIGNED TO BE CONVENIENT AND REWARDING FOR NOVICE AND EXPERT ALIKE.

CIRCLE 41 ON READER SERVICE CARD



RJ Grape Products Inc.
Telephone: 1-888-602-4444
Facsimile: 1-888-602-7777

Telephone: 1-519-743-3755
Facsimile: 1-519-743-4613
Website: www-rjgrape.com

WEISS SQUAD BRIESS BAVARIAN WHEAT

Create an unlimited lineup with Briess Bavarian Wheat. The Briess Concentrated Brewers Wort™ (CBWs®) are available in four basic types: Golden Light, Sparkling Amber, Bavarian Wheat and Traditional Dark. Briess Bavarian Wheat... for sensational natural brews.

For more than 125 years Briess Malting Company has been a leader in developing quality brewing ingredients for the domestic and overseas brewing industries.

Briess CBWs® are now available to homebrewers in new convenient 3.3 lb. reinforced bags. Malt extracts are also available in 2.5 gallon (30 lbs. or 15 kg) containers with a wide mouth for ease of pouring.

Ask for Briess at your local retailer.

BR^{ESS}



Quality Malts Since 1876

Briess Malting Company • 625 South Irish Road • P.O. Box 226 • Chilton, WI 53014-0226

Telephone 920-849-7711 • FAX 920-849-4277

CIRCLE 10 ON READER SERVICE CARD