

3 GREAT NEW ORLEANS CLONE RECIPES FOR MARDI GRAS

Brew

YOUR

JANUARY-FEBRUARY 2004, VOL.10, NO.1

THE HOW-TO HOMEBREW MAG

got stout?

tips and recipes
for brewing on
the dark side

Make Your Own
TAP HANDLE

PUMP up your
VOLUME the easy way

BATCH SPARGING
for quicker all-grain

www.byo.com

U.S. \$3.99 • CAN. \$5.99

U.K. £2.99 • EURO. €4.75

\$3.99US \$5.99CAN

02>



09281024859



Stick with Muntons!

Made from naturally grown, GM free English malted barley, Muntons malt extract doesn't come any better or purer. And it's that purity which translates to trouble-free brewing and flavoursome beer with character.

Inferior malts often include lower grade barley extract or, worse still, barley or maize syrup. When you brew with Muntons 100% pure premium malt extract, you can be confident you are brewing with the world's finest.

Don't let your retailer sell you anything less. Insist on the extract that guarantees results. Stick with Muntons.



Muntons PLC

WORLD CLASS MALT


Muntons, Cedars Maltings,
Stowmarket, Suffolk, IP14 2AG, England

Tel (+44) (0) 1449 618300

Fax (+44) (0) 1449 618332

email sales@muntons.com

www.muntons.com



A R E V O L U T I O N I N C L E A N !



www.turboscrub.com

Introducing the TurboScrubber™ A great, new product that turns your electric drill into a high-speed cleaning machine, perfect for kegs, carboys and other glassware. The TurboScrubber is designed for people who love to make wine and beer – but have always hated the clean-up. Now you can power your way through those cleaning chores in no time. Fast. Easy. Fun.

Why mess around?

IT'S TIME TO COME CLEAN™
CALL US AT 814-591-0808 TODAY!

Or visit www.turboscrub.com to see the assorted sizes available: a TurboScrubber for every need! And don't forget to order an extra pack of cleaning heads.

A & M Manufacturing
P. O. Box 174
DuBois, PA 15801


Patent Pending Formerly the Power Scrubber



TURBO
scrubber

Departments

- 6 Contributors**
Our technical editor, the two "Clonebrews" authors and our cover photographer.
- 7 Mail**
Pumps, infrared thermometers and correcting some coefficients.
Plus: how do you clone a beer?
- 9 Homebrew Nation**
A WHALE of a homebrew club and a jet engine beer cooler.
Plus: the Replicator clones Rockyard's Double Eagle Ale
- 13 Tips from the Pros**
Made from unmalted barley, roasted barley is a versatile grain used in brewing dark beers.
- 15 Help Me, Mr. Wizard!**
The culprit in an overly-dry IPA and the Wiz weighs in on plastic conical fermenters.
- 21 Style Profile**
Got your St. Patrick's Day beer brewed yet? How about brewing the same beer that they'll be drinking in Dublin — Dry Stout?
- 47 Techniques**
High gravity brewing (or blending) allows you to brew more beer without buying new equipment.
- 51 Projects**
Tap handles are a quick, easy project to add some class to your kegging setup.
- 64 Last Call**
Stout tastes great. Oysters taste great. But who would add oysters to a stout? Two Austin, Texas brewers, that's who.



51


COVER photography: Charles A. Parker

Brew

YOUR OWN

Features


- 28 Mardi Gras Clones**
Fat Tuesday is right around the corner. And, as a homebrewer, you may be in the mood for something other than a hurricane. If so, try making these clones of Louisiana-brewed beers from Abita and Dixie.
- 32 Milk Stout: It Does a Body Good**
by Glenn BurnSilver
Milk in stout? Well, not exactly. Although the origins of milk stout trace back to the practice of blending milk and beer, modern milk stouts are brewed with lactose, or milk sugar, added to the kettle or fermenter. This unfermentable sugar gives the beer some residual sweetness. **Plus:** A Blizzard of Stouts
- 38 Cheap and Easy Batch Sparging**
by Denny Conn
Getting into all-grain brewing can be simple. For little more than the cost of a picnic cooler, you can build a simple mash/lauter tun. And, if you use batch sparging, your brew days can be fast and easy. We'll show you how to build the necessary equipment and how to use it.
- 42 Lysozyme**
by Jessica Just
Stop bacteria dead in their tracks with lysozyme, an enzyme isolated from egg whites. Lysozyme kills many (but not all) common brewery contaminants. Lysozyme can be used either as a preventative method or to "clean up" contaminated wort or pitching yeast.



42



32



28

Where to find it


- 6 Recipe Index**
55 2003 Story & Recipe Index
58 Reader Service
59 Classifieds & Brewer's Marketplace
60 Homebrew Directory

THE EYES LOVE IT.

THE MOUTH AGREES.

We're talking total agreement of the senses here. Which shouldn't be surprising, given AmberBock's rich, full flavored taste and unexpected smoothness. Isn't it time for a serious beer that tastes as good as it looks? ***Rich in color. Smooth in taste.***

©2002 Anheuser-Busch, Inc. Michelob® AmberBock Dark Lager (Dark Ale in TX), St. Louis, MO



byo.com

Visit the
online home of
Brew Your Own!



- ✓ Online Guides to:
 - Hops
 - Yeast Strains
 - Grains and Other Ingredients
 - Retailers
- ✓ Question of the Week with Mr. Wizard
- ✓ Recipe of the Week from the BYO Archives
- ✓ Complete BYO Story Index
- ✓ Search the BYO Database
- ✓ Label Contest Gallery
- ✓ Downloadable Brewing Spreadsheet
- ✓ Learn How to Brew
- ✓ Online Subscription Services for:
 - Trial Issues
 - Renewals
 - Gift Subscriptions
 - Change of Address
 - Account Questions

Brew

YOUR OWN®

THE HOW-TO HOMEBREW BEER MAGAZINE

EDITOR

Chris Colby

ART DIRECTOR

Coleen Jewett Heingartner

ASSOCIATE EDITOR

Garrett Heaney

TECHNICAL EDITOR

Ashton Lewis

EDITORIAL INTERN

Michael Parker

CONTRIBUTING WRITERS

Steve Bader, Thom Cannell, Chris Colby, Horst Dornbusch, Joe and Dennis Fisher, Colin Kaminski, Ashton Lewis, Thomas Miller, Steve Parkes, Tess and Mark Szamatulski

CONTRIBUTING ARTISTS

Don Martin, Ian Mackenzie, Shawn Turner, Jim Woodward

CONTRIBUTING PHOTOGRAPHER

Charles A. Parker

CANINE ASSISTANTS

Heidi, Duff

EDITORIAL DIRECTOR

Kathleen James Ring

PUBLISHER

Brad Ring

ASSOCIATE PUBLISHER & ADVERTISING DIRECTOR

Kiev Rattee

ADVERTISING MANAGER

Michael Pollio

NEWSSTAND DIRECTOR

Carl Kopf

EDITORIAL REVIEW BOARD

Matt Cole • Rocky River (Ohio) Brewing Co.
Horst Dornbusch • Beer Author
Mark Garetz • Homebrew Consultant
Chris Graham • Beer, Beer and More Beer
Craig Hartinger • Merchant du Vin
Anita Johnson • Great Fermentations (IN)
Marlon Lang • Homebrew Consultant
John Maier • Rogue Ales
Paul Manzo • Homebrew Consultant
Kirby Nelson • Capital Brewing Co.
Greg Noonan • Vermont Pub & Brewery
Ralph Olson • Hopunion USA Inc.
Mark Szamatulski • Maltose Express
Tess Szamatulski • Maltose Express
John Weerts • Homebrew Consultant
Chris White • White Labs
Anne Whyte • Vermont Homebrew Supply

How to reach us

Editorial and Advertising Office

Brew Your Own

5053 Main Street, Suite A
Manchester Center, VT 05255

Tel: (802) 362-3981

Fax: (802) 362-2377

E-Mail: BYO@byo.com

Advertising Contact

Kiev Rattee

kiev@byo.com

Editorial Contact

Chris Colby

chris@byo.com

Subscriptions Only

Brew Your Own

P.O. Box 469121

Escondido, CA 92046

Tel: (800) 900-7594

M-F 8:30-5:00 PST

E-mail: byo@pcspublink.com

Fax: (760) 738-4805

Special Subscription Offer

8 issues for \$24.95

Web Site

www.byo.com

Brew Your Own (ISSN 1081-826X) is published monthly except February, April, June and August for \$24.95 per year by Battenkill Communications, 5053 Main Street, Suite A, Manchester Center, VT 05255; tel: (802) 362-3981; fax: (802) 362-2377; e-mail: BYO@byo.com. Periodicals postage rate paid at Manchester Center, VT and additional mailing offices. Canada Post International Publications Mail Product Sales Agreement No. 1250469. Canadian Mail Distributor information: Express Messenger International, P.O. Box 25058, London BC, Ontario, Canada N6C6A8. POSTMASTER: Send address changes to *Brew Your Own*, P.O. Box 469121, Escondido, CA 92046-9121. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write *Brew Your Own*, P.O. Box 469121, Escondido, CA 92046-9121. Tel: (800) 900-7594. Fax: (760) 738-4805. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The subscription rate to Canada and Mexico is \$30; for all other countries the subscription rate is \$40.

All contents of *Brew Your Own* are Copyright © 2004 by Battenkill Communications, unless otherwise noted. *Brew Your Own* is a registered trademark owned by Battenkill Communications, a Vermont LLP. Unsolicited manuscripts will not be returned, and no responsibility can be assumed for such material. All "Letters to the Editor" should be sent to the editor at the Vermont office address. All rights in letters sent to *Brew Your Own* will be treated as unconditionally assigned for publication and copyright purposes and subject to *Brew Your Own's* unrestricted right to edit. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.




All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in the United States of America.

Volume 10, Number 1: January-February 2004

Brew Your Own's 9th Annual Homebrew **LABEL** Contest

**WIN
GREAT
HOMEBREW
PRIZES!**

Send us your best homebrew labels and you could win some great brewing prizes from **BYO** advertisers! Enter as often as you like, but you can only win one prize. Winners will see their artwork featured in the July-August issue of the magazine. **Deadline to enter is April 15, 2004.**



Brew Label Contest Entry Form

THE HOW-TO HOMEBREW BEER MAGAZINE

Name _____

Address _____

City _____ State/Prov _____ Postal Code _____

E-mail _____ Phone _____

Daytime Phone _____

All original artwork? Y or N (circle one)

Send your entry to:
BYO Label Contest
5053 Main St., Suite A
Manchester Center, VT 05255

DEADLINE: April 15, 2004

Rules: Entrants can send labels or labels already stuck to bottles. The bottles can be full of beer. No digital or electronic files will be accepted. All other rules are made up by the editors of **BYO** as we go along. Labels are judged in one category, open to graphic artists and amateurs alike, so ultimate bragging rights are on the line. When submitting your labels, tell us a bit about the artwork and its inspiration. Is it hand-drawn? Created on a computer? Send us your best labels, tell us how you made them, and good luck!

RECIPE INDEX

Page
No.

Ernest's Red Ginger Ale	9
Rockyard Brewing's Double Eagle Ale ..	11
Dry Cork Stout (all-grain)	21
Dry Cork Stout (extract with grains) ...	22
Dry Cork Stout (extract only)	22
Abita Turbodog Clone	29
Abita Amber Clone	30
Dixie Blackened Voodoo Lager Clone ..	31
Ragnarok Imperial Stout	34
Snowblind Cherry Vanilla Stout	34
Left of Lefse Extra-Dry Potato Stout ...	34
Cactus Milk Stout	36
Watney's Cream Stout Clone	36
Mackeson's XXX Stout Clone	36
Simply Sweet Stout	37
Doug Rhoades' Milk Stout	37
Black Pearl Oyster Stout	64

BYO RECIPE STANDARDIZATION

Extract efficiency: 65%

(i.e. — 1 pound of 2-row malt, which has a potential extract value of 1.037 in one gallon of water, would yield a wort of 1.024.)

Extract values for malt extract:

liquid malt extract (LME) = 1.037
dried malt extract (DME) = 1.045


Potential extract for grains:

2-row base malts = 1.037
wheat malt = 1.037
6-row base malts = 1.035
Munich malt = 1.035
Vienna malt = 1.035
crystal malts = 1.033-1.035
chocolate malts = 1.034
dark roasted grains = 1.024-1.026
flaked maize and rice = 1.037-1.038

Hops:

We calculate IBU's based on 25% hop utilization for a one hour boil at specific gravities less than 1.050.

Contributors



Ashton Lewis is the technical editor of *Brew Your Own* magazine. Ashton began homebrewing in high school and is now the Master Brewer of Springfield Brewing Company. He studied Food Science at Virginia Polytechnic Institute, home of the famous Virginia Tech Hokies, completing his BS in Food Science in 1991. Later that year, Lewis moved to Davis, California to study beer in graduate school with Dr. Michael Lewis (no relation). Ashton also wrote the

chapter "Brewing Stouts at Home" in Michael Lewis' book, "Stout" (1995, Brewers Publications). While working on his MS in Brewing Science at UC Davis, Ashton completed the Master Brewer's program and passed the prestigious, nine-hour Associate Membership Examination of the Institute of Brewing, London in 1992. Also, like many other students at UC Davis, he worked part-time at the local brewery, Sudwerk Privatbrauerei Hübsch. Ashton has won numerous brewing awards, including a gold medal at the 2003 Great American Beer Festival (GABF) for Springfield Brewing's Mueller Unfiltered Wheat. Ashton has also won awards for beer writing. His 2001 article "Homebrew U" (cowritten with Chris Colby) won second place in the (now defunct) Quill and Tankard Awards in their brewing category. In addition, his 2001 article "Beano Brew" produced an explosion of discussion among homebrewers when it was first floated.




Tess and Mark Szamatulski are both contributing writers and members of *BYO's* review board. The Szamatulski's are also the authors of two popular homebrew recipe books, "Clonebrews" (1998, Storey Books) and "Beer Captured" (2001, Maltose Press). In this issue, beginning on page 28, they contribute recipes for Abita Amber and Dixie

Blackened Voodoo Lager to our "Mardi Gras Clones" story. Previously, the couple authored the story "Beer and Cheese" in the May-June 2003 issue of *BYO*. If this stout-themed issue of *BYO* inspires you to run out and brew one, their books have many great stout clones, including Guinness, Murphy's and Dragon Stout in "Clone Brews" and Beamish, Brooklyn Black Chocolate and Old Rasputin Russian Imperial Stout in "Beer Captured." The Szamatulskis own Maltose Express, the largest homebrew and winemaking store in Connecticut.



Charlie Parker's first *BYO* assignment required him to photograph a sheep — a big and rowdy sheep — as it peered over bottles perched on a stone ledge. From that day forward, Parker has been the man behind the lens. Charlie graduated in 1983 from the Rhode Island School of Photography and moved to Vermont to help his parents run their new inn. He never left. He and wife Meg are now settled in Quechee, close to the Killington ski slopes, with their son, Adam. Charlie established

his freelance photography business, Images Plus, in 1985. His clients now range from Fortune 500 firms to mom-and-pop shops. And, of course, he shoots the cover for almost every issue of *BYO*.



Pump Uses

Thank you for your informative article on pumps in the November issue ("Move It!" by Thom Cannell). I have been using a magnetic drive poly-sulfone impeller pump for many of the all-grain brewing uses you mentioned in the article. Can I use this same pump for non-brewing day applications, e.g., racking finished beer to kegs? What factors might one consider in buying and using a pump for cellar work in the homebrew-house?


Chris Stokes
Layton, Utah

If your pump is suitable for brewing day applications, it should be suitable for cellar work. There's no reason to get a second pump for transferring beer to kegs.

Temperature Tool

I would like to add to the article "A Matter of Degrees," by Steve Parkes (November 2003). I have found my infrared thermometer to be indispensable when brewing. These thermometers are great because the wort is never touched. Just point, press the button and get the temperature instantly. There are limitations. An infrared thermometer only measures the heat radiating from the surface and can't be used to measure the middle of things like the mash or hot liquor. Also, it can't measure things that reflect like a shiny stainless pot. During a brewing

session I first point my infrared thermometer at the wort to know if it's cool enough to pitch the yeast. Then I use it



to monitor the fermentation temperature by pointing it at the side of the carboy or bottles. Finally I use it to check how cold the bottled beer is in the refrigerator. Commercial types available at supply houses like W.W. Grainger run around \$100 and up. I got mine at Radio Shack on sale for about \$20; they are normally \$50.

Joe Miller
Raleigh, North Carolina

There are potentially a lot of applications for infrared thermometers in homebreweries. As you mention, being able to measure the surface temperature of wort or beer without physically touching it eliminates the need for sanitizing a thermometer.

Coefficient Correction



As a long-time subscriber, I was very pleased to note that you had cho-

sen to feature some good "techie" articles in the November issue. I am referring to the articles on PID controllers, pumped systems, refractometers and step mashing. But it was with great regret that I also noted an error in the second equation on page 47 in the refractometer article. The equation must be missing some exponents. Having three different constants multiply the same Brix reading with the results added is just too silly to be correct. If that were the case, the three constants would have been combined into one.

Dave Towson
Bel Air, Maryland

You're right. The exponents are missing from the equation. The equation should read:

$$SG = 1.000019 + [0.003865613(\text{Brix}) + 0.00001296425(\text{Brix}^2) + 0.00000005701128 (\text{Brix}^3)]$$

Priming Primer

I've been brewing for about 14 years now and all of a sudden the other day something struck me that I've been taking for granted for all these years. I still bottle and normally use $\frac{1}{4}$ of a cup of corn sugar to prime. I just pour the corn sugar into a measured cup container until I hit the $\frac{1}{4}$ cup mark and then boil it with water. The question is: should I be packing the corn sugar down, which of course means more sugar? What is the weight (oz/grams) of $\frac{1}{4}$ of a cup of corn sugar? It's a pretty simple thing but can make a big difference. I've never seen or read anything about this and it just always says "use $\frac{1}{4}$ cup corn sugar to prime."

Dave H. Hrdlicka
Christiansburg, Virginia

Just measure out the corn sugar without packing it down. Although measuring solids by volume allows room for some variation due to differential packing, the differences in carbonation due to measuring error will

be minor. If you are really interested in priming with precisely the same amount of corn sugar each time, you can always weigh it out. Three-quarters of a cup of corn sugar should weigh about 5.0 ounces (140 mg).

PVC Plastics

I'm interested in getting into homebrew, but I'm worried about chlorine and leeching from PVC and other plastics that most every homebrew kit seems to rely on. This stuff is not good for you. I've seen people build homebrew concoctions with what looks like automotive hosing. Makes me want to puke to think about how this affects taste, let alone how it might introduce trace toxins into things.

Are you aware of any kit suppliers that specialize in glass or stainless steel only components, or do most homebrewers just piece together their own stuff?

Paul Bramscher
via email

Automotive hosing? Who have you been hanging out with? Most homebrewers ferment in food-grade plastic buckets, glass carboys or stainless steel fermenters. Any equipment bought through a homebrew shop should be safe for use in brewing.

Recipe Reconstruction

If I find a beer at a local brewpub I enjoy, how would I go about cloning this beer?

Bill Messer
via email

Well, one option is to write our Replicator with your request. However, it looks as if you are looking for a way to do this yourself.


If you're trying to develop a clone recipe on your own, the best way to start is by asking the brewer. If you tell the brewer you're a homebrewer and you think his beer is great, he'll likely be more than happy to talk to you. If you're lucky, he might hand over the

recipe for his beer. At a minimum, he might tell you what the ingredients are and give you some idea of how much to use. Some brewers — especially those who work for chains — may be bound by confidentiality agreements, but most brewers are happy to talk to homebrewers. If you do talk with the brewer, remember that the recipe is only half of the story. Find out as much about how the beer is made — fermentation temperatures, conditioning times and etc. — as possible.

If the brewer won't talk or isn't available, take a look around the brewery and see what you can see. Many brewpubs give a brewery tour, have a website or print info about their beers on their placemats. You can glean a lot of info that way.

Finally, and most obviously, let your taste buds guide you when formulating your recipes and procedures. Taste your beer and your target beer side by side. Then take notes on your tasting and brew the beer again. ■

Retailers; Wherever you are, we're probably closer!



We proudly feature all the great stuff and super service your business needs:

- Wine kits from RJ Spagnols & Wine-Art
- Weyermann malts and extracts
- Muntions, Mountmellick, Coopers, and a great variety of other extracts and beer kits
- A complete line of beer and winemaking supplies

A note to home beer and winemakers:

You can browse the full (unpriced) Crosby & Baker catalog by visiting www.Crosby-Baker.com. Anything you see can be ordered for you by your local retailer from one of our 3 warehouses across the United States.

CROSBY & BAKER LTD

Serving the industry from:
• Westport, MA • Atlanta, GA
• **AND NOW** Salt Lake City, UT

Retailer Inquiries Only: 1-800-999-2440

brewer PROFILE

Ernest Wakukawa • Honolulu, Hawaii




PHOTO COURTESY OF ERNEST WAKUKAWA

Even though it's January, Ernest can sport tank tops like this while brewing in Hawaii.

It was the year 2000 when my good neighbor-buddy Dr. Randy Larsen got an itch to brew beer. Back then, we'd pal around the neighborhood drinking mostly light beers and occasional selections of Samuel Adams, Gordon Biersch, and Sierra Nevada. We'd toss around the idea of homebrewing every so often, but never really got started until that one day in 2000.

That summer, the local drug store had begun bringing in "Vanilla Porter" by Stoney Creek Brewery. The Vanilla Porter was so awesome, but once the supply ran out, it was never restocked. That was what really made us serious about homebrewing.

We took our first step that summer by ordering a kit and two simple extract

recipes online. It still took us two months after getting our kit to start brewing. We're always pretty busy surfing and fishing.

Finally, in October we made our first batch. We experienced all the nuisances of the novice. This included the frustrating discovery that the 10 quart (9.5 L) soup pot was not big enough to handle hop boil over. Another fun episode was when we sanitized the empty bottles with iodine then rinsed them out with high pressure garden hoses and primed each bottle with dextrose before realizing the instructions called for priming in the bottling bucket. Ferment blowouts didn't happen until later, when we got into glass carboys. Those are good days to drink to (and forget).

Since our initial October Y2K batch, we've been brewing at least a batch a month and I'm proud to say that we've never had to toss out a single batch of homebrew. We've since gotten to naming our carport brewery the *Ipu Kula* Brewery. *Ipu* is part of the name of the cul-de-sac we live in, which in Hawaiian means bottle gourd or container. *Kula* means golden. A rough translation: The Golden Beer Mug Brewery.

My buddy Randy has since moved to Florida to teach chemistry at the University of Southern Florida and has a

bunch of his undergrads brewing hard ciders, meads and beer. Since I'm left brewing by myself, I've scaled down to three-gallon (11.4-L) batches, which are much easier to carry and require fewer bottles to sanitize and cap. I don't really clone too many beers anymore. Since last fall, I've started making lots of nicely hopped, high-alcohol brews.

I am not your traditional, follow-the-recipe type of brewer. I'm always interested in finding some way of spiking my brew styles. I have found that adding a small (1.5 oz) box of raisins to the initial ferment gives the brewed batch a rather interesting kind of wine-like "high-note" to the mouth feel. The idea came from a *BYO* "Choctaw" recipe (Pot Shots, May 2001). I have also successfully used Ovaltine in place of dry malt extract. I have found that Ovaltine works well with stout styles.

Looking back, these are the things that have really helped me in my brewing: knowing an experienced beer maker (for me, this was my beer guru, Wesley Wilson), a friendly and well-stocked brew shop (like Hawaiian Style Homebrew) and *BYO* articles to spark my interest in making more beer.

To all who have helped me to brew better beer, a big *mahalo nui loa* (thank you very much)!

reader RECIPE

Ernest's Red Ginger Ale 5 Gallons (19 L)

7 lbs. (3.2 kg) liquid pale malt extract
8 oz. (224 grams) 60 °L grains
2 oz. (56 grams) roasted barley grains
2 oz. (56 grams) honey
2 oz. (56 grams) Northern Brewer
(60 minutes)
1 oz. (28 grams) Willamette (5 minutes)
1 oz. (28 grams) Willamette (0 minutes)
White Lab's California Ale Yeast
(WL 001)
32 oz. (960 mL) bottle of Santa Cruz

Organic Ginger juice (from
Santa Cruz Natural Inc.)
¼ cup priming sugar


Step by step:

Start yeast about four days prior to brewing; dissolve ½ cup light dry malt extract in 24 oz. (720 mL) preboiled H₂O. I use a 26 oz. (780 mL) apple cider bottle with a breathable silicone airlock. Cool to below 80 °F (27 °C) and pitch. Let sit at room temperature.

Steep all grains for 30 minutes at 150 °F (66 °C). Strain out grains, add extract and bring to boil for 60 minutes

with Northern Brewer hops. Add Willamette during the last five minutes and at end of boil. Cool down, pitch yeast starter and aerate. A "blow off" air lock is recommended rather than the conventional ones because the yeast starter takes off powerfully. Ferment 10–14 days, rack to secondary fermenter and add Santa Cruz Organic Ginger juice for another 7–10 days. Bottle with priming sugar. Initial coloring appears like a nut brown, but after bottle conditioned for about five weeks, it will turn a beautiful deep red. *Okole-maluna* (bottoms up)!

BREWER'S DICTIONARY



G is for . . .

gelatin: a colorless and tasteless protein used as a fining agent.

gelatinization: the transformation of starch from a solid, crystalline form to a liquid, soluble form. It occurs when starch is heated in water. Gelatinized starch can be attacked by mashing enzymes whereas ungelatinized starch cannot.

grist: crushed malt and adjuncts mixed with hot water for mashing

growler: a container like a jug used to carry draft beer purchased at local brewpubs

gypsum: hydrated calcium sulfate used to treat soft or neutral water making it hard

H is for . . .

head: the foam at the top of a poured beer

heat exchanger: equipment used to heat or cool the wort rapidly

high gravity: an original wort gravity of 1.060 or greater

hops: the flowers or cones of the female hop plant used in brewing to

impart flavor and bitterness. These can be used whole, or in form of pellets or plugs.

hop bitterness unit (HBU): This is a value assigned to a hop for the purpose of identifying bitterness. The formula, devised by Fred Eckhardt, gives the brewer the ability to calculate the amount of hops to use in order to achieve the desired bitterness.

hot break: the precipitation of protein and tannic matter when hops are added to boiling wort

hop extract: resins and oils extracted from hops by using organic solvents or liquid carbon dioxide

hydrometer: a glass instrument used to measure the specific gravity of beer by comparing it to that of water

homebrew CLUB WHALES

Edison, New Jersey


The Woodbridge Homebrewers Ale and Lager Enthusiasts Society (WHALES) was created in 1996. WHALES has developed a strong core membership over the past seven years. The club strives to educate members on all aspects of beer and brewing. Recent meetings have featured sessions on pairing food with beer, the history of Imperial Stout, recipe formulation, hop utilization, Belgian beers, lagering techniques and "beer mixology" (i.e. drink concoctions). We also have a tasting session at each meeting. Homebrews are sampled and judged for accuracy of style. Positive criticism is emphasized and brewing problems are discussed. The end result may be the best beers on the planet! Every brewer in the club has made an exceptional beer at least once, but the norm for these WHALES is to make exceptional beers each and every time!

Beer may be the beverage of choice for many WHALES members, but anything fermentable is fair game. The club

has several excellent wine makers; others make their own mead by fermenting honey. Some ferment apples into hard cider. One brewer even made batches of Kumiss by fermenting milk. Members have experimented with unique ingredients in brewing including cashew nuts, coffee, chocolate, spices, herbs and various fruits.

Some award-winning WHALES homebrews are Pilsners, Belgian Wits, and Weizenbocks. Club president Keith Seguire took best of show at the 2003 War of Worts for his velvety smooth southern brown ale. Aside from the monthly meetings, WHALES enjoys many other extracurricular activities and all things beer related. They have an annual BBQ picnic each summer, members "Pub Crawl" several times a year and sample commercial brews. "Brew Bashes" occur when the entire group brews together at one location to share techniques. Members also gather at various parties throughout the year including a summer chili cookoff, Oktoberfest and a Christmas party. Feel free to visit us online at www.whalesclub.org.

-Kenny Schrader



Edison, New Jersey is home to many great things — Number six on the list appears to be the WHALES brew.

replicator

by Steve Bader



Dear Replicator,

I recently went to a gathering where there was a Party Pig of Rockyard's Double Eagle Ale (Castle Rock, Colorado). This was a great, easy drinking beer that I thoroughly enjoyed. I was actually surprised to discover it was a wheat-based beer. The following week this beer won a gold medal at the 2003 Great American Beer Festival! It may be tough to get a clone for, but I would appreciate your effort!

*Gregg Schuster
Arvada, Colorado*

I spoke to Jim Stinson, brewmaster at Rockyard Brewing about this excellent beer. Jim is a graduate of the Siebel short course on brewing, and has been brewing professionally for over seven years. Prior to that, he was a homebrewer for two years and said BYO was part of his early brewing educational materials.

Jim described Double Eagle Ale as an American Style Wheat beer (which means it has at least 20% wheat in the grain bill). Double Eagle is a balanced beer with light to medium body, grainy sweetness from the Munich and wheat malts and a floral aroma with a bit of a crisp citrus finish.

For more information visit the Rockyard Brewing Company Website at www.rockyard.com or call 303-814-9273.

Rockyard Brewing Company — Double Eagle Ale

(5 gallons/19 L, extract with grains)

OG = 1.052 FG = 1.014

IBU = 27 SRM = 6 ABV = 4.8%

Ingredients

3.3 lbs. (1.5 kg) Briess wheat Unhopped malt extract syrup
2.25 lbs. (1.0 kg) Briess wheat dry malt extract



0.5 lbs. (0.22 kg) 2-row pale malt
0.5 lbs. (0.22 kg) Munich malt (10 °L)
0.5 lbs. (0.22 kg) wheat Malt
1 tsp. Irish moss (boil 60 minutes for clarity)
6.5 AAU Perle hops (60 mins) (bittering hop)
(1.0 oz. of 6.5% alpha acids)
4.0 AAU Hallertauer hops (aroma hop) (1.0 oz. of 4.0% alpha acid)
White Labs WLP051 (California Ale V) yeast or Wyeast 1056 (American Ale) yeast
0.75 cup of corn sugar (for priming)

Step by step

Steep the three crushed grains in 2 gallons of water (7.6 L) at 150 °F (66 °C) for 30 minutes. Remove grains from wort, add malt extracts and 1 gallon (3.7 L) of water and bring to a boil. Add Perle (bittering) hops, Irish moss and boil for 60 minutes. Add the Hallertauer aroma hops for the last 10 minutes of the boil.

When done boiling, add wort to 2 gallons (7.6 L) cool water in a sanitary fermenter and top off with cool water to 5.5 gallons (20.9 L). Cool the wort to 80 °F (27 °C), aerate the beer and pitch your yeast. Allow the beer to cool over the next few hours to 68–70 °F (20–21 °C) and hold at these cooler temperatures until the yeast has fermented completely. Bottle your beer, age for two to three weeks and enjoy!

All-grain option:

This is a two-step mash. Your grain bill will be 7 lbs. (3.2 kg) of pale 2-row malt, 3 lbs. (1.4 kg) of wheat malt, and 0.5 lbs. (0.2 kg) of Munich malt. Mash in your grains at 122 °F (50 °C) for 30 minutes, then raise the temperature to 149 °F (65 °C) for 60 minutes. Collect enough wort to boil for 90 minutes and have a 5.5-gallon (20.9-L) yield. Lower the amount of Perle boiling hops to 0.75 oz. (21 grams) to account for higher extraction ratio of a full boil. The remainder of the recipe is the same as the extract.

homebrew calendar

January 17 Extreme Beer Fest

BeerAdvocate.com's Extreme Beer Fest will feature beers that push the boundaries of brewing and the palates of beer lovers. Exotic ingredient brews, hop-monsters, high alcohol beers and rare beer styles will be judged. The fest will be held at The Cyclorama at The Boston Center for the Arts on Saturday, January 17 with two sessions, plus a special connoisseur session. The sessions are \$25 in advance or \$30 at the door, and the connoisseur session is \$35.

January 24 The Big Bend Brew Off

The annual Big Bend Brew Off will be held this year at the Homebrew Den, 1350 East Tennessee Street in Tallahassee, Florida. All beer categories will be accepted between January 5 and January 16 at the Homebrew Den. Judging begins at 9:30 a.m. For more information visit www.nfbl.org or contact Sarah Bridegroom via email at sarahbridegroom@netscape.net or telephone at (850)422-3625.

February 21 War of the Worts IX

War of the Worts IX is an American Homebrewer's Association sanctioned competition and provides you an opportunity to have your home-made beer and mead evaluated by BJCP registered judges. Prizes and awards will be given for beers placing first, second, and third in each category and for Best of Show. The competition will be held on Saturday, February 21st at the The Drafting Room, in Springhouse Pennsylvania. Judges should be there at 9:00 a.m., and winners will be announced at 4:30 p.m. This event is sponsored by Keystone Hops. Entries will be accepted between January 26th and February 24th. Entries are \$6 for the first entry, \$5 for each additional entry. For more information contact Vince Galet via email at vince_galet@merck.com or by telephone at (215) 328-2584.

homebrew **SYSTEMS** that make you **DROOL****The Jet Engine Beer Cooler****Simon Jansen** • Avondale, New Zealand

This Guinness Draught can is inscribed "serve extra cold." Upon further inspection, Simon found that 14 °C did not suffice . . . so he build himself a jet engine.

Keeping beer cold while you're out in the shed has always been a challenge. Finding the ultimate solution was a trial and error process. My first solution was to surround my beers with ice. Unfortunately that small quantity of ice would not keep multiple beers cold all day — and no, you cannot, under any circumstances, put ice into the beer.

Obviously, I had to come up with a better solution to the problem. I remembered from some old physics lecture that when a liquid expands into a gas it draws heat from its surroundings. I happened to have a source of suitable liquid in the form of liquid petroleum gas. Naturally, I could not evaporate vast quantities of flammable gas into the closed confines of my garage. That would probably be dangerous. What I needed was a way to remove the dangerous gas. The solution was obvious. The gas is flammable, so why not burn it? Burning the gas with a normal burner would not use up the gas fast enough to give me any serious cooling, so I needed a way to use a lot of fuel very, very quickly. I needed a jet engine!

Jet engines use a lot of fuel. A small one running in my shed would use enough fuel to sufficiently cool my beer. I went to work. After much investigating, designing, building and dodgy welding, I built my engine.

You can see the cooling effect on the gas tank by the layer of ice that forms. All that was left was to place the tank in a container of water, add the

cans of beer and fire this baby up!

And now the results: The experiment was a complete success. The engine itself will run up to 100,000 rpm with exhaust temperatures around 932 °F (500 °C) and noise levels in excess of 125 decibels.

The beer is successfully chilled to a nice 36 °F (2 °C). It's a good thing, because a cold beer is just what you need when you're standing in a shed with a jet engine running. Check out more background on my jet engine cooler online at www.asciimation.co.nz/beer.



A jet engine in its simplest form consists of a combustor, a turbine and a compressor. One day it dawned on Simon that this combo could also equal a beer cooler.

we want you

Do you have a system or some unique brewing gadgets that will make our readers drool? Email a description and some photos to edit@byo.com and you too may have a claim to fame in your brewing circle!

Send us your story!

If we publish your article, recipe, photos, club news or tip in Homebrew Nation, you'll get a great baseball cap (compliments of White Labs) and a BYO Euro sticker.



Roasted Barley

Get the low down on this dark grain

Tips *from* the pros

by Thomas J. Miller

From red ale to porter, stouts to your favorite holiday brew, roasted barley is a dark specialty grain with zip and pizzazz. Use it for color, added sweetness and fermentable sugar, or simply for matters of taste. It's no magic bullet, but this venerable grain is a serious weapon to add to your homebrew arsenal.



Brewer: Rich Norgrove, Jr. is the head brewer at Bear Republic Brewing Company in Healdsburg, California.

There are a lot of similarities between black malt and roasted barley

(enough to cause confusion among certain brewers). Basically, black malt is going to come across as burnt and acrid with a dry character. It is more of an additive, for color and flavor, but it does not lend sugars to impact the specific gravity of the beer.


Roasted barley has many of the same characteristics of black malt, though it is far more complex. It actually has some starch that can be converted during the mash, thus impacting the specific gravity. Roasted barley will also lend to the sweetness of a beer.

At Bear Republic, we produce beers that emphasize what I'm describing here. We make two porters:

One uses roasted barley in the mash and is sweet, the other uses black malt and is very dry. We also have a Russian imperial stout that actually uses both roasted barley and black malt. This beer starts sweet — a product of the roasted barley — and finishes dry, thanks to the black malt.

The neat thing about roasted barley is that there are plenty to choose from: 6-row, 2-row, English and American. Some of what you use might depend on what your homebrew supplier offers, but if you have a chance to shop around and experiment with different types, you might be surprised at the differences.

Typically, if 2–3% of your grist is roasted barley, you should get a very distinctive flavor. Aside from our porter and imperial stout, we have used roasted barley in our brown ale with a great deal of success.



Brewer: Peter Licht has been the master-brewer at Coast Range since its inception in 1994. Prior to that, he completed the U.C. Davis Masterbrewers program, passing the IOB Associate Members examination in June 1994.

Most brewers have some familiarity with roasted barley. It is one of the very darkest grains used and is characterized by an intense, roasty aroma. I find it to be reminiscent of French roast coffee beans. In fact, roasted barley and French roast coffee are

actually produced in a similar manner. The unmalted barley grains are churned in a roasting drum and heated nearly to the point of combustion.

Roasted barley is available in a range of colors from 350–550 Lovibond. As you might expect, the intensity and character of the grain varies with the color. The darkest of the roasted barleys — in the 550 °L range — are the classic grain for the dark character of stouts, especially Irish dry stouts.

If you want to produce a black, almost opaque beer, the minimum amount of dark roasted barley that you want to use is 7% of the grist. You can increase this up to 15% and will find that as you do so, the roastiness of the beer will also increase. Using more than 10% will give more of a smoky, burnt profile. This is a characteristic that is more common in American microbrewed stouts rather than Irish dry stouts.

Roasted barley has an acidifying

effect on the mash. Because of this, brewers tend to treat the mash with calcium carbonate to keep the pH in the proper range. The proper mash pH is about 5.2–5.5 for almost all beers. Stouts, due to the dark grains, will tend to be on the lower end.

It is no mystery why cities with naturally carbonate water (such as Dublin, London and Munich) are known for dark beers — the water keeps the pH in balance despite the acidifying qualities of the darker grains, resulting in outstanding brews.

Roasted barley can also be well employed by extract brewers. All they have to do is steep the grains in the kettle. If I were making an extract brew that would benefit from a fresh roasted barley character, I would steep the whole grains in the kettle prior to to the boil for 5–15 minutes in a sack, or nylon stocking. I would recommend keeping the water between 160 and 175 °F (71–79 °C).



THE SPIRIT OF THE ISLAND

Brewer: Harley Smith is the head brewer at Longwood Brewpub in Nanaimo, British Columbia.

There are three basic types of roasted grains: chocolate malt, black patent malt and roasted barley. Roasted barley is unlike the other two grains because it is made from unmalted barley.

Raw barley goes directly into the roaster and is heated to temperatures as high as 446 °F (230 °C). The length of roasting time determines the

darkness of the grain. This can vary from 250–600 °L. It is during this roasting process that all the unique flavor profiles of roasted barley are produced. The most predominant characteristic is nutty and coffee-like.

Of the three dark malts, roasted barley produces the lightest colored head. This is one of the characteristics that makes roasted barley an excellent choice for brewing dry Irish stouts.

In dry stout, the focus of flavor is roasted barley. It is rumored, for example, that the Guinness (James Gate) brewery uses a combination of pale ale malt, flaked barley (30%) and roasted barley (10%) to achieve its legendary flavor. Simplicity is bliss!

A more balanced, dark malt attack should be used when making porter. Mix black patent and chocolate with your roasted barley. If the recipe calls for 9% dark malts, 3% chocolate, 3% black patent and 3% roasted barley will give you a good starting point for flavor comparison.

Another unique characteristic of roasted barley is the deep red mahogany color that it imparts in beer. For this reason, it is excellent when combined, in small quantities, with medium Lovibond caramel malt to produce red ales.

The rule of thumb for using any dark malt is “a little dab will do ya.” For nut brown ales, this means 2–4% of the total grist. For stouts and porters, use no more than 10%. If you overdue it, a sharp acrid and acidic flavor, not to mention a tar-like quality, will definitely challenge the consumer. It will also make balancing the hops difficult.

If you are not into all grain brewing, any specialty malt can be used in a steeping bag. Steep the grain at a ratio of 1 lb. (0.45 kg) to 1.5 quarts (1.4 L) of water at 150–160 °F (66–71 °C) for 20 minutes. This may not seem like a lot of water, but diluting the grain too much can leach tannins and acids into the water. Wringing out the bag will also have the same leaching affect. ■

ANNAPOLIS HOME BREW

Great Beer Recipes!

We specialize in tested & proven beer recipes.

Using the finest ingredients, each recipe kit is measured & packaged by our brewmasters.

OUR RECIPE KITS INCLUDE:

Live Yeast Culture (Ready-To-Pitch is available)
Pre-Measured, UV & Oxygen Sealed Hops
Steeping Grains, Crushed & Sealed
Custom Packaged Malt Extract
Grain Steeping Bag
Bottling Sugar & Caps
Step-By-Step Instructions
(some have fruit, honey, etc.)



CHOOSE YOUR RECIPE:

We have over 60 different recipes - see them all on our website!
We can also take your order & answer questions over the phone.

CHOOSE YOUR FORMULA:

Each is available as Malt Extract w/ Steeping Grains (standard)
or as Partial-Mash recipe w/ 5 lb. grains, or in All-Grain formula.

Our instructions explain everything in step-by-step, color-coded format.

Your first batch of beer will turn out as if you've been brewing for years!

www.annapolishomebrew.com

800-279-7556

WE HAVE:

BEER BREWING STARTER KITS
WINEMAKING STARTER KITS
GREAT BEER RECIPE KITS
NO-BOIL BEERMAKING KITS
FULL LINE OF BEER INGREDIENTS
BREWING & BOTTLING EQUIPMENT
QUALITY WINEMAKING KITS
DRAFT BEER EQUIPMENT

A Champagne Kick

Polymer piping, timing your O₂, conicals and more

*"Help Me,
Mr. Wizard"*

It's so dry I could cry

I have attempted to make an imperial IPA and added Champagne yeast after primary fermentation to give it some extra kick. The extra kick that I got was more like a kick in the head. The brew is now in the secondary and I can already tell that it is far too dry for my liking. How can I give some malty sweetness back to my brew without starting all over? Is it possible to make a late addition of extract and pray, or will this cause pressure problems when it is transferred to bottles?

Phil Williams

Lock Haven, Pennsylvania

Your problem in a nut shell is yeast selection. Champagne yeast is one of those yeast strains that tends to be highly attenuative and creates a very dry finished product. I am not a huge fan of extremely strong beers and typically brew with an original gravity of 18 °Plato (1.072) or lower. I have never had fermentation problems with these beers using my brewery's standard ale and lager strains. In fact, we brewed a barleywine last year with an original gravity of 25 °Plato (1.100) and it fermented to completion with our standard ales yeast without problem.

My point is that I really have never understood why Champagne yeast seems so popular for strong beers. Most brewing strains can ferment strong worts as long as the yeast is healthy and you pitch enough, the importance of which really cannot be stressed enough! Some of the whacked out, super-strong beers being brewed cannot rely on this advice because they are simply too strong for conventional methods. Brewers must do things such as change their yeast strains and slowly feed their fermentations to successfully make their odd tipples. Imperial IPA's, however, do not fall into this category of beers and the Champagne yeast is not a requirement.

So you have this really dry, fairly bitter beer and wish it had more balance to it. There are several things you can consider here and they involve adding something "sweet" to add back what the Champagne yeast took out. One method I like is adding a different beer and doing a little blending. Blending is a really great tool used by winemakers, distillers and a few brewers to take two or more products whose sum is greater than the individual pieces. When most brewers talk about blending the thought of mixing several batches of the same beer to improve consistency comes to mind. That's not the kind of blending you need. With this beer you could blend in some sweet stout to create a weird beer that may not have an identifiable style, but may have a satisfying flavor — maybe you could call the concoction Imperial Brown Ale and invent a new style. You could add extract to the beer for sweetness, but you probably would be jumping from the pan into the fire. You might end up wanting to get rid of the warty flavor in your new creation.

Of course both of these methods have one problem — Champagne yeast. If your beer still contains viable Champagne yeast cells, which it probably does and will continue to for quite some time, the added beer or wort will be dried out like your original beer. Depending on the population of viable Champagne yeast this can happen relatively quickly or take a very long time.

This is somewhat of a double-edged sword. If you are able to correct the dryness issue and drink the beer before the Champagne yeast dries it out again, you'll be in good shape. However, if you bottle your new creation and let it sit around too long, you will begin to see over-carbonated bottles of beer and quite possibly explosions. Kegging your beer and keeping it very cold is a possible alternative to bottling and eliminates the explosion

issue. The cold storage temperatures will also slow down the yeast action. I give a lot of answers to a wide array of questions and often discover that the questions I am best equipped to answer relate to problems that I myself have encountered. An experienced and knowledgeable brewer is one who has made his share of mistakes and taken the time to understand what occurred — i.e. they've learned their lesson! This process of trial and error can be frustrating at times, but if you have the right attitude it can be one of the best ways to really hone your brewing skills. If I were in your brewery boots I would try to salvage this beer just to gain the experience. If you're lucky, you'll end up with a tastier and more gratifying batch of beer!


What to know about CPVC

I am looking to expand my homebrewery and was wondering if there are any issues with using CPVC pipes instead of copper to move my wort around. Minus the top service temperature of 200 °F (93 °C), are there any other issues that I should be aware of with using CPVC?

Chad Ostram

Genesee Depot, Wisconsin

The most important thing to consider when evaluating materials of construction is product compatibility. CPVC or chlorinated polyvinyl chloride



"Help Me, Mr. Wizard"

is a heat resistant type of PVC and is rated for continual exposure to water at 190 °F (88 °C). The main use for CPVC is hot water lines in new homes. The advantages of this type of piping are that it is easy to cut and "weld" together with liquid PVC bonding agents; it stands up to high temperatures; CPVC is a food-grade polymer; and it stands up to a wide range of brewery cleaning solutions including strong bases like caustic and acids like phosphoric acid.

I prefer rigid piping or tubing, such as copper or stainless steel, for permanently installed wort lines because these lines just feel tougher. With this personal opinion aside, I can't think of any red flag issues concerning CPVC in the homebrewery other than the obvious — you don't want to use this plastic with boiling wort as it's not rated for temperatures that high. Another thing to be mindful of is keeping this material away from the flame under your wort kettle or hot water tank.

Punctual aeration

I read that the best time to introduce oxygen into wort is on the second day of fermentation. Is this a fact, or is aeration better immediately after cooling the wort, just before pitching?

*Sergio Petriu
Bariloche, Argentina*


Wort aeration timing is one topic that is widely agreed upon by commercial brewers and is a widely repeated rhetoric. When I give tours of the small brewery where I work, I usually say something like "... and after the wort is cooled, it passes through the wort aerator. Wort aeration is the only time we intentionally add oxygen to the process."

The conventional view on wort aeration is, and has been for decades, that it should be performed immediately after wort cooling, prior to yeast pitching. The reason for this belief is very pragmatic. Oxygen is more soluble in cool wort than it is in hot wort,

therefore we aerate after cooling (aerating hot wort also leads to wort darkening). Yeast require oxygen to synthesize cell membrane compounds, like sterols and unsaturated fatty acids, used as building blocks for new yeast cells. Because yeast growth occurs in the early stages of fermentation, it makes sense to have oxygen in the wort for the yeast.

Some brewing researchers have actually been investigating the effect of aerating yeast prior to pitching and not adding any air to the wort. The objective here is to get oxygen to the yeast where it is needed and expose the wort to as little oxygen as possible.

The general consensus on oxygen and air is that exposure later in the process is much more deleterious to the finished product. In a nut shell, my advice to you is to play it safe and aerate immediately after wort cooling. After this crucial brewing step, do everything possible to keep air out of the beer.



WHEN IT COMES TIME TO BUY THE BEST, REMEMBER LARRY'S IS YOUR ONE STOP BREW SHOP.

FEATURING THE FULL LINE OF
TOP QUALITY PRODUCTS FROM
THE BRIESS MALTING
COMPANY.

BREWERS GOLD DRY MALT 3-142 LOT # MB25-A-A		WHITE WHEAT MALT 3-142 LOT # MB25-A-A		FLAKED RYE 3-142 LOT # MB25-A-A	
SPECIAL BRIESS 3-142 LOT # MB25-A-A		CBW TRADITIONAL DARK 3-142 LOT # MB25-A-A			
RICE HULLS 3-142 LOT # MB25-A-A		PILSEN MALT 3-142 LOT # MB25-A-A		MUNICH MALT 10 L 3-142 LOT # MB25-A-A	
AROMATIC MALT 3-142 LOT # MB25-A-A		CARAMEL VIENNA MALT 20 L 3-142 LOT # MB25-A-A		CBW BREWERS GOLD 3-142 LOT # MB25-A-A	
PALE ALE MALT 3-142 LOT # MB25-A-A		BREWERS 2 ROW 3-142 LOT # MB25-A-A		SPARKLING AMBER DRY MALT 3-142 LOT # MB25-A-A	
SPECIAL ROAST 3-142 LOT # MB25-A-A		ASHBURNE MILD MALT 3-142 LOT # MB25-A-A		CARAMEL MUNICH MALT 60 L 3-142 LOT # MB25-A-A	
DARK CHOCOLATE MALT 3-142 LOT # MB25-A-A		CARAMEL MALT 20 L 3-142 LOT # MB25-A-A		FLAKED RICE 3-142 LOT # MB25-A-A	
FLAKED WHEAT 3-142 LOT # MB25-A-A		ROASTED BARLEY 3-142 LOT # MB25-A-A		CARAMEL MALT 60 L 3-142 LOT # MB25-A-A	
CARAPILS 3-142 LOT # MB25-A-A		CBW BAVARIAN WEIZEN 3-142 LOT # MB25-A-A			
BLACK MALT 3-142 LOT # MB25-A-A		PILSEN LIGHT DRY MALT 3-142 LOT # MB25-A-A		CARAMEL MALT 80 L 3-142 LOT # MB25-A-A	
VIENNA MALT 3-142 LOT # MB25-A-A		RED WHEAT MALT 3-142 LOT # MB25-A-A		FLAKED CORN 3-142 LOT # MB25-A-A	
CARAMEL MALT 40 L 3-142 LOT # MB25-A-A		EXTRA SPECIAL MALT 3-142 LOT # MB25-A-A		FLAKED BARLEY 3-142 LOT # MB25-A-A	
MUNICH MALT 20 L 3-142 LOT # MB25-A-A		CBW SPARKLING AMBER 3-142 LOT # MB25-A-A			
BLACK BARLEY 3-142 LOT # MB25-A-A		BONLANDER MUNICH MALT 3-142 LOT # MB25-A-A		FLAKED OATS 3-142 LOT # MB25-A-A	
CARAMEL MALT 120 L 3-142 LOT # MB25-A-A		BAVARIAN WEIZEN DRY MALT 3-142 LOT # MB25-A-A		RYE MALT 3-142 LOT # MB25-A-A	
CHOCOLATE MALT 3-142 LOT # MB25-A-A		CARAMEL MALT 10 L 3-142 LOT # MB25-A-A		VICTORY MALT 3-142 LOT # MB25-A-A	
CBW PILSEN LIGHT 3-142 LOT # MB25-A-A		TRADITIONAL DARK DRY MALT 3-142 LOT # MB25-A-A			

The Micro Brewery Range



Taste the difference!

EDME

PREMIUM MALT PRODUCTS SINCE 1884 • www.edme-homebrew.com

In the event of
a major world disaster,
you'll be a lot more popular
than some guy
who collects stamps.

Home brew starter kits, pitchable wyeast, tubes, fresh malt extract, thirty hop varieties, keg equipment, glassware and so much more. Northern Brewer is the supplier you can trust with the finest products and ingredients. Stop in our store, visit northernbrewer.com or call 1-800-681-2739.



Northern Brewer - 1150 Grand Avenue - St. Paul, MN 55105

**"Help Me,
Mr. Wizard"**

Quizzical on conicals

I've been kicking around the idea of purchasing a conical fermenter for some time now. I see that they come in two varieties — stainless steel (which cost upwards of \$450.00) and plastic (which go for about \$100.00). My questions are, what is the downside to fermenting in a plastic fermenter and does a conical fermenter really help create better beers?

*Jason from Alaska
via email*

I'll keep this answer short and to the point so as not to confuse the topic. Plastic fermenters work fine for fermentation, but really should be avoided for prolonged aging. A longer-term aging should occur in either stainless steel or glass containers.


With this being said, let me elaborate a little. This opinion stems from the fact that most plastics, including the types used to make most buckets and fermenters, have extremely poor gas barrier properties (i.e. permeability). This means that oxygen can cross from outside into the beer in a plastic fermenter. The same thing happens with carbonated beverages stored in plastic bottles. Sodas, for example, will lose carbonation over time when packaged in plastic bottles. The new plastic beer bottles are made from very special polymers that have better gas barrier properties. This is a recent development that has taken years of research and many trial versions to make commercial brewers feel comfortable using.

The advantage to stainless steel and glass vessels is that these materials allow no gas transfer. Also stainless steel and glass are more difficult to scratch if treated with a modicum of care. Plastic, on the other hand, is easier to scratch.

Scratches are the sort of crevices that bacteria love and make sanitizing that much more difficult. Even without scratching the plastic surface, it is often the case that heavy-wall plastics are rougher on a microscopic level than steel or glass. In practical terms, this means that yeast may not slide as freely from a plastic cone as a stainless steel cone.

E.Z.Cap

The manufacturer
of 16 oz.
& 32 oz.
flip-top
containers
in three
popular
colors



E.Z.Cap
Calgary, Alberta
Canada
(403)282-5972
Fax (403)220-1336
www.ezcap.net

L.D.Carlson Co.
Kent, OH 44240
(330)678-7733
www.ldcarlson.com

Steinbart Wholesale
Portland, OR 97218
(503)281-3941
www.steinbart.com

I would not say that conical fermenters alone make better tasting beer, but I would agree that they are the ideal shape for a multi-purpose vessel. The real advantage of conicals is that yeast will settle in the cone and can be removed from the fermenter with minimal beer loss. Most commercial brewers will reuse some of the yeast harvested from the cone of a fermenter and will discard yeast that is either not suitable for reuse (the first and last layers off the cone, for example) or yeast that is in excess of what is needed. This use of the cone comes early in the process, typically within a few days of the fermentation's end.

Another use of the cone comes later in the process during aging. In order to use the cone during aging, you need to age the beer in the fermenter. If you buy into my gas barrier argument, this means you are aging in stainless steel. During aging, more yeast will continue to settle from the beer. Over time this yeast will begin to die and autolyze or decay.

Yeast autolysis is bad for two reasons. For starters, yeast autolysis imparts off-flavors to beer. The other thing that happens with autolysis is an increase in amino acid concentration in the area surrounding the dead yeast. Most beer spoilage bacteria do better in high amino acid environments and the bottom of a fermenter full of autolyzing yeast is a perfect environment for bacteria growth.

When beer is aged in a conical fermenter, this layer of dead and decaying yeast is very easily removed from the bottom. Also, the off-flavors associated with yeast autolysis and the potential for bacterial growth can be greatly reduced if not eliminated.

The last real advantage to fermenting and aging in one vessel is that the number of beer transfers is reduced to one. This means you have only one fermenter to clean per brew and the chance of contamination and air pick-up encountered during racking is reduced. All-in-all, the conical fermenting (and aging) vessel, often referred to as a "unitank," is really a great tool.

How light is light

I bought a 55-lb. bag of dry malt extract that was labeled "extra light." When I brewed a helles lager for my first batch from the DME, it was not straw colored, but more like an amber. I don't think I caramelized the malt when boiling the wort, I used 2.5 gallons of water for a three gallon batch. At my homebrew shop, I was told that different DME manufacturers have

different colors for light DME and it would "settle" out to a nice golden color. It cleared but has not become a nice golden color. Can an extra light DME change color, or was it something that I did in brewing?

*Jim Forbes
Delafield, Wisconsin*

Malt syrups can indeed change color over time if they are stored at



www.northcountrymalt.com

Thomas Fawcett
& Sons LTD.



The World's Finest
Malt, Cleaning Products,
& Hops Are Now Available In
Smaller Lot Sizes To
Home Brewers Everywhere!!!!



MALTERIES
FRANCO-BELGES

HUGE SELECTION

UNBEATABLE PRICES

FRESHEST MALT *aia* GILBERTSON & PAGE

LOT SPECIFIC ANALYSIS

Because we are also a wholesaler
and the North American distributor
for several European Maltsters
we can offer our products
at unbeatable prices.



Please visit the newly redesigned
Home Brew section of our web site
www.northcountrymalt.com

**Canada
Malting Co.**



Prairie Malt Limited

North Country Malt Supply, LLC
716 Route 9
Champlain, NY 12919
Phone/Fax: 888-368-5571
Local/International: 518-298-8900



Weissheimer
Malz

"Help Me, Mr. Wizard"

high temperatures or simply at room temperature for too long. This problem in dried products is uncommon since water is needed for most of the chemical reactions involved in darkening. I think the problem you have experienced is simply old-fashioned poor communication. Your expectation of color is something you have in your mind and the ingredient sold to you failed to meet your expectation.

The clearest method of communicating color is through some sort of color scale. Although color scales, such as SRM, Lovibond and EBC have their weaknesses, they do allow brewers to have some reference of color. I have always thought it odd that almost all grains sold in homebrew stores indicate color, yet many malt extracts — both liquid and dried — use vague terms like "amber," "light" and "dark."

These terms are useful in describing colors in very broad terms but cannot be used for the type of accuracy needed to select the right DME to produce a helles lager.

I agree with the answer given at your homebrew store about different suppliers using the same color descriptor for different DME colors. I am in the process of finding a replacement for a certain brand of 55 °L crystal malt and have been surprised by fairly radical flavor differences between crystal malts with approximately the same color rating. I like to taste and smell malt before using it because you can really glean a lot from evaluating your grains. While DME is easy to taste in the dry form, it is difficult to evaluate its color. You may want to consider making up small liquid samples to evaluate the color before purchasing enough for a full brew.

One thing to keep in mind when considering how a finished beer will appear is that wort becomes lighter after fermentation. Once fermentation is complete, the color remains constant although the beer appearance will radically change (depending on how much yeast and haze particles are in suspension). Some filtration methods, such as membrane filtration, can cause beer color to lighten after fermentation. I don't think you are asking too much for a golden colored beer made from DME; I do think it is asking too much to get what you want when vague terms like "extra pale" DME and "golden colored" beer are used to communicate topics as seemingly complex as color. I would evaluate ingredients more thoroughly in the future to get a better idea of what you are buying. Good luck! ■

NEXT TIME SHE ASKS YOU TO BREW SOMETHING FOR HER...

DO YOU REALLY THINK SHE WANTS A STOUT?



SURPRISE HER WITH A WHITE ZINFANDEL...
OR A CABERNET... OR A CHARDONNAY...

**START YOUR OWN WINE TODAY WITH ONE OF
BREW KING'S PREMIUM WINEMAKING PRODUCTS.**

**TO FIND THE DEALER NEAREST YOU, CLICK
'FIND A RETAILER' ON WWW.BREWING.COM, OR CONTACT
ONE OF BREW KING'S EXCLUSIVE DISTRIBUTORS.**



LD Carlson
1-800-321-0315
WWW.LDCARLSON.COM



Your Guarantee
of Quality.



1-800-735-8793
WWW.MAKEWINENOW.COM



*Do you have a
question for Mister Wizard?
Write to him c/o Brew Your
Own, 5053 Main Street, Suite
A, Manchester Center, VT
05255 or send your e-mail
to wiz@byo.com. If you sub-
mit your question by e-mail,
please include your full name
and hometown. In every issue,
the Wizard will select a few
questions for publication.
Unfortunately, he can't respond
to questions personally. Sorry!
Who is Mr. Wizard?
Stay tuned!*

Dry Stout

The Brew of the Irish

StyL^e profile

by Horst D. Dornbusch

It is sometimes difficult, in a blind taste test, to distinguish certain dry stouts from such brews as Scotch ales, Scottish ales or porters. In theory, of course, the distinctions are clear: A Scotch ale should be fairly dry, like a dry stout, but its roasted chocolate notes should be much more subdued. The leading mass-produced brands of Scotch ales and dry stouts, at least by my pallet, seem to converge on this point. A Scottish ale, on the other hand should be much more alcoholic than the average stout, although this is not always the case when you encounter modern mass-market Scottish ales. A dry porter should have just a little less body than a dry stout, but the difference is not always perceptible — depending on what brand, microbrew or homebrew you are comparing.

In practice, therefore, your palate may say porter when the label says stout, or it may say stout when the label says Scotch ale. In spite of these taste ambiguities, there are a few brew-technical characteristics without which a dry stout just wouldn't be a dry stout. These traits relate mostly to malt choices and mash temperatures.

Simple Sugars Make Dry Beers

The key to making a dry stout — or a dry beer in general, be it an ale or a lager — is the choice of malt you purchase and the temperature at which you mash it. The basic rule that applies is that a beer will ferment to a dry finish if the wort you produce (or purchase in a can) contains very few complex, unfermentable, residual sugars. Because ale yeasts can ferment only simple sugars — that is, single-mole-

cule and two-molecule sugars — you must purchase grains that have not been malted to contain a great deal of unfermentable sugars (*Hint: avoid crystal malts*). Likewise, you must create an environment in the mash tun that favors the enzymatic conversion of grain starches into simple sugars only. This means that you must also avoid a mash environment that favors the production of complex sugars.

First, some quick and heavy-duty terminology: The single-molecule sugars, or monosaccharides, in wort are mostly fructose and glucose. (Fructose, however, is not found in significant levels in all-malt beers or beers using rice or corn). The two-molecule sugar, or disaccharide, in wort is mostly maltose. The three-molecule sugars, or trisaccharides, in wort are mostly maltotriose and raffinose. All sugars of four or more molecules are called oligosaccharides . . . and there are hundreds of them. Certain oligosaccharides, called polysaccharides, can be split enzymatically in the mash to yield fermentable monosaccharides. Any leftover unfermentable polysaccharide fractions are called dextrins.

Armed with this information, we know that we must compose our dry stout grain bill to obtain mostly mono and disaccharides. This means we should avoid all sweet caramel or crystal malts that are especially formulated by the maltster to create nutty-sweet richness and a full-bodied mouthfeel. For this reason, Munich or Vienna malts are out. Also forbidden are any brewer malts that are labeled Carapils or dextrin malt. All these otherwise wonderful specialty malts contain too many unfermentable sugars for our purposes. These often appear in the form of hardened glassy crystalline sugars that were formed during the malt's pre-cooking and steaming in the maltster's roasting drum.

The base malt for a dry stout, therefore, should be a top-quality pale malt. Most purists would argue that the

RECIPE

Dry Cork Stout

(5 gallons/19 L, all grain)

OG = 1.040 FG = 1.008

IBU = 30 SRM = 42 ABV = 4.1%

Ingredients

- 6.7 lbs. (3.0 kg) pale malt (2–4 °L, such as Briess pale ale or Weyermann Pils)
- 10 oz. (280 grams) roasted barley (275–325 °L, such as Briess)
- 3 oz. (84 grams) chocolate malt (325–375 °L, such as Briess)
- 3 oz. (84 grams) black patent or similar malt (such as Briess at 475–525 °L or Weyermann dehusked Carafo III at 490–560 °L)
- 1 lb. (0.45 kg) pregelatinized flaked barley (1.5 °L, such as Briess Brewers Flakes)
- 1 tsp. Irish moss
- 6.63 AAU Fuggles (bittering) (1.3 oz. of 5.1% alpha acids)
- 1 oz. (28 grams) East Kent Goldings (flavor hops)
- 1 package of Irish ale yeast such as Wyeast 1084 or White Labs WLP004
- 1 cup DME or corn sugar (for bottling)

Step by Step

Mix the unmilled pregelatinized barley flakes with the milled grains and mash for a single infusion mash at 148 °F (64 °C). Let rest for at least an hour. Start lautering while sparging with near-boiling water to raise the grain-bed temperature as quickly as possible to 172 °F (78 °C). Then reduce the sparge water temperature to hold this grain bed temperature through the entire sparge. Continue the sparge until the kettle gravity is about 1.036 (9 °P). Assuming a 10% evaporation loss during a 75-minute boil, the OG at the end of the boil should be at the target gravity. If not, extend the boil for a few minutes or liquor down the wort with cold water.

There are two hop additions, the first about 15 minutes into the boil, the second about 15 minutes before

dry stout by the numbers

OG1.038–1.042 (9.5–10.5 °P)
FG1.008–1.010 (2–2.5°P)
SRMapproximately 40–80
IBU30 ± 5
ABVusually 4–4.5%

continued on page 22

dry stout recipe continued

continued from page 21

shutdown. Add Irish moss 5 minutes before shutdown. Heat-exchange to 60 °F (16 °C), pitch the yeast and hold the brew at that temperature throughout the entire fermentation and conditioning period. Rack the brew once after about 10 days and a second time after another 20 days. Prime and package your brew and it should be ready after another week of conditioning.

Dry Cork Stout

(5 gallons/19 L, extract with grains)

OG = 1.040 FG = 1.008

IBU = 30 SRM = 42 ABV = 4.1%

Ingredients

- 4.1 lbs. (1.9 kg) pale ale or pils liquid malt extract (such as Alexander's, Briess, Coopers, Glen Brew, John Bull, Muntons or Weyermann)
- 10 oz. (280 grams) roasted barley 275–325 °L (such as Briess)
- 3 oz. (84 grams) chocolate malt 325 – 375 °L (such as Briess)
- 3 oz. (84 grams) black patent or similar malt (such as Briess at 475–525 °L or Weyermann dehusked Carafa III at 490–560 °L)
- 0.8 lb. (0.36 kg) brewers corn syrup (such as Briess)
- 1 teaspoon Irish moss
- 6.63 AAU Fuggles hops(bittering)
1.3 oz. of 5.1% alpha acid)
- 1 oz. (28 grams) East Kent Goldings (flavor hops)
- 1 package of Irish ale yeast such as Wyeast 1084 or White Labs WLP004
- 1 cup DME or corn sugar (bottling)

Step by Step

Crack the 1 lb. (0.45 grams) of specialty grains (roasted barley, chocolate malt, and black/roasted malt combined) and place them in a muslin bag. Immerse the bag in 1–2 gallons (3.8–7.6 L) of cold water. Heat slowly for 30 minutes to about 180 °F (82 °C). Steep for another 30 minutes before lifting out the bag. Rinse the bag slowly with 2–3 cups of cold water, but do not squeeze it. Discard the bag. Combine the grain tea and enough water in the kettle to

make three gallons. Bring to a boil. Turn off the heat to avoid scorching and add the LME and the syrup. Stir and bring to a boil. Add the bittering hops. Continue to boil for about one hour. Add the flavor hops and boil for another 15 minutes. Add Irish moss about 5 minutes before shut-down. Top the kettle off with enough cold water to reach the target gravity of approximately OG 1.040 (10 °P). Follow all-grain instructions for heat exchanging, fermenting and bottling.

Dry Cork Stout

(5 gallons/19 L, extract only)

OG = 1.040 FG = 1.008

ABV = 4.1%

Ingredients

- 4.0 lbs. (1.8 kg) Mountmellick hopped Irish stout malt extract
- 0.66 lbs. (0.3 kg) plain dark malt extract for ales (such as Alexander's, Briess, Coopers, Glen Brew, John Bull, or Muntons)
- 0.8 lb.(0.36 kg) brewer's corn syrup (such as Briess)
- 4 fl.oz. (120 mL or 140 grams) SINAMAR liquid malt color
- 1 teaspoon Irish moss
- 2.55 AAU Fuggles hops (bittering)
0.5 oz. of 5.1% alpha acid)
- 1 oz. (28 grams) East Kent Goldings (flavor)
- 1 package of Irish ale yeast such as Wyeast 1084 or White Labs WLP004
- 1 cup DME or corn sugar (bottling)

Step by Step

Heat 3 gallons (11.4 L) of water and turn off heat to avoid scorching. Add two LMEs, syrup and liquid malt color. Stir and bring to a boil. Add bittering hops. Continue to boil for an hour. Add flavor hops and boil for another 15 minutes. Add Irish moss about 5 minutes before shut-down. Top kettle off with enough cold water to reach the target gravity of about OG 1.040 (10 °P). Follow the all-grain instructions for heat exchanging, fermenting and bottling.

pale grist be an ale malt (such as Briess pale ale malt), but I have also made delicious dry stouts with pale lager malts (such as Weyermann Pils malt). For the opaque color of the dry stout, skip all malts in the middle of the color spectrum and go straight for the darker chocolate and black patent malts. I like Briess chocolate malt for a nice roasted, chocolate flavor as well as Briess roasted malt for a hint of coffee. There are also great malts from the U.K. like Crisp, Hugh Baird and Simpsons. If you like a touch of burnt flavors, Briess black malt works well. If you are like me and enjoy the deep color of black patent malt but not some of the bitter notes that are normally associated with such heavily roasted malts, try Weyermann de-husked Carafa Special Type III malt. Any of these malts, individually or in combination, contribute plenty of darkness and complexity of flavor, even in small quantities, without adding excessive amounts of residual sweetness.

The importance of a high proportion of fermentable sugars in dry stouts explains why the most common commercial Irish stouts also contain a significant portion — perhaps as much as 20 to 30 percent — of unmalted adjuncts. These may be based on barley, rice, corn or a combination of the three. Once subjected to a vigorous and prolonged boil in a cereal cooker, adjunct starches break down and change mostly to simple, fermentable sugars, which in turn promote a dryer finish. (The boiling does not actually hydrolyze the starch, it gelatinizes the starch so that malt enzymes can break the molecules down.)

Fortunately for the all-grain homebrewer, who may not wish to mess with cooking cereals, there are un-malted, pregelatinized barley products (such as Briess Pregelatinized Barley Brewer's Flakes) on the market. Such products are made by steam-cooking the raw grains until the starches are gelatinous and soft. The adjuncts are then rolled and dried into flakes. Because flakes of barley, rice or corn lack enzymes, they need to be mashed with enzyme-rich pale malt. However, they must not be milled! Cooked, dried adjunct flakes

can become overly powdery when milled and cause lautering and extract efficiency complications. Briess insists that their adjuncts not be milled.

A Few Tips For Extract Brewers

Dry stouts are more identified with Ireland than any other place in the world. This simple generalization is important for the extract brewer who usually does not know from which malt variety the liquid in the can is made. The safest guideline for selecting a liquid malt extract for a dry extract stout, therefore, is to pick one that is explicitly marketed for Irish stouts. Unfortunately, all the canned stout extracts that I know of come pre-hopped. This requires a compromise. For authenticity's sake, I suggest using an entire can of Mountmellick hopped Irish stout malt extract, augmented by some Briess brewer's corn syrup for dryness and some unhopped dark malt, such as Coopers, Glen Brew, Briess, John Bull, or Muntions (for quantities see our recipe). This gives you a chance to keep control over at least some of the hopping in this brew. The hop quantities specified in the all-extract recipe, therefore, may strike you as low, but they take into account that you are already getting part of your bittering from the can.

As for adjuncts, there are syrup preparations for extract brewers that are made from rice or corn and serve the same function as adjunct flakes in the mash tun. Use them in the kettle like liquid malt extract. These syrups are very pale though, and thus lighten the beer. The color of a dry stout made from our combination of extracts and adjunct syrup will be much lighter than the target 70 SRM that we prefer to achieve — especially in the absence of the dark and black malts that are part of the all-grain brewer's mash. Given the variability of the color values of dark LMEs, and given the fact that extract manufacturers rarely disclose the color values on their labels, any assessment of the true color is more of an educated guess. I suspect that the beer made with our recipe has a color value of approximately 45 ± 10 SRM. You can either accept this


"brightening" of your stout or you can use a completely natural preparation called SINAMAR made by Weyermann. SINAMAR is a liquid malt coloring agent made exclusively from de-husked roasted malt. It darkens beer without affecting its flavor. To figure the quantity of this liquid malt color, let's assume we want to darken the beer by 20 SRM. To make five gallons of beer 1 SRM darker, you need

approximately 0.2 fluid ounces or 0.25 ounces avoirdupois of this liquid malt color. For those who "think metric," these values are 6 mL or 7 grams for 19 liters.

Lower Mash Temperatures Make Simpler Sugars

The all-grain brewer has a certain control over the types of sugars that are produced in the mash tun,

Better-Bottle bottles ARE better



Think *flexible* glass

Unbreakable, unique plastic

- No tastes or odors
- No plasticizers

Impermeable to air

Convenient racking outlet

- Professional results
- No need for siphons or pumps

Amazingly light (about 1.5 lbs)

- Easier to handle and store

Non-porous surfaces

- Easier to clean and sanitize
- Non-staining

Wide, strong neck

- Easier filling
- Designed for safe use of handles

Precision closures & fittings

DryTrap™ air lock cannot go dry

And much more . . .

Now
3, 5 & 6
Gallon



Ask Your Dealer

www.better-bottle.com
sales@better-bottle.com
800-435-4585



provided there are not too many dextrin, caramel and crystal malts in the grain bill. The key process variable in this context is the diastatic conversion temperature.

For dryness in the finished beer, it is essential that you select a sugar rest temperature that favors beta-amylase activity. Beta-amylase produces only fermentable sugars but leaves behind non-fermentables that the alpha-amylase must break down (in concert with the beta-amylase) to produce the driest beers.

Alpha-amylase, by contrast, produces complex sugars that are either not fermentable or need to be reduced to become fermentable. The activity levels of these diastatic enzymes are tied to temperature as well as mash viscosity (thickness of mash) and pH-levels.

Here are the relevant temperature thresholds that we must keep in mind for activating the correct amylase during the mash:

At 104 °F (40 °C) beta-amylase show the first signs of activity.

At 140 °F (60 °C) alpha-amylase show the first signs of activity.

At 149 °F (65 °C) beta-amylase show peak activity.

At 158 °F (70 °C) beta-amylase are denatured.

At 162 °F (72 °C) alpha-amylase show peak activity.

At 176 °F (80 °C) alpha-amylase are denatured.

This means that, if we keep our mash temperature roughly between 140 and 150 °F (60–65 °C), there will be mostly simple-sugar production and very little complex-sugar production. Many brewers, therefore, prefer to make a dry stout using a single-infusion mash at a temperature of only 148 °F (64 °C). Alpha-amylase reach their peak level of activity at a higher temperature than beta-amylase, but there is an overlap in activity between beta and alpha-amylase in the temperature range between 140 °F and 158 °F

(60–70°C). Any complex sugars produced by alpha-amylase in that range, therefore, still has a chance to be reduced to fermentable sugars by beta-amylase. Some 80% of amylase activity occurs during the first 15 minutes when the mash is at the correct temperature. During that time we want to give beta-amylase enough time to break down the sugars produced by alpha-amylase and must give the dry-stout mash a long saccharification rest of at least one hour.


Once we leave our saccharification rest temperature of 148 °F (64 °C), however, and start pushing the mash past 158 °F (70 °C) on our way up to the mash-out temperature, we must ensure that the temperature rise is quick so as not to create unfermentables by alpha-amylase. You want to get through the main active temperature band for beta-amylase as quickly as possible to avoid the generation of dextrins. By reaching the temperature plateau for denaturing alpha amylase

Hobby Beverage Equipment

The small batch equipment company

A billion dollar pharmaceutical company uses our fermentation tanks for blood plasma separation. Their former material was stainless steel! Need we say more about our plastic or bacteria?

Fermenters



5 sizes - 2 Brands
6.5 gal to 1 barrel
Affordable Conical
---- MiniBrew ----

Why MiniBrew?

- Primary & Secondary — All In One
- No More Hard to Clean Carboys
- No Siphons — Move Dead Yeast Not The Beer
- Closed System Reduces Exposure To Bacteria
- Extract or Grain — Ferment Like a Pro!

**EVERYTHING INCLUDED
READY TO BREW**

MiniMash Lauter Tun



Uses up to 35 pds of grain. Flat false bottom will not float or leak. Sight glass & RIMs threads. Designed for mashing and lautering.

Call 909-676-2337 or e-mail john@minibrew.com or www.minibrew.com for a free catalog

rapidly (at the temperatures indicated) you achieve this objective. Initiate a sparge with near-boiling water to send the mash as rapidly as possible to about 172 °F (78 °C) and then reduce the sparge water temperature to about 180 °F (82 °C) to maintain the mash-out temperature. (The reduction in sparge water temperature may vary with the thermal characteristics of your mash setup.)

Maintaining the mash at about 172 °F (78 °C) during sparging retards (though it does not stop) alpha-amylase activity. However, you do NOT want to push the mash past 176 °F (80 °C), the temperature at which alpha-amylase are denatured.

Hops and Yeast

You need a soft hop to provide a gentle note to the slightly astringent maltiness of a dry stout, but you should never over-hop a stout just to create a contrast to the brew's roastiness. If you stick with tradition, you cannot go wrong. The combination of Fuggles for bittering and East Kent Goldings for flavor works very well. Using Galena for bittering and Willamette for flavor yields an interesting American variation on the dry stout theme.


Because we want a dry but complex brew, select a yeast that is known as a good work horse to the finish and leaves a slightly buttery note, such as Wyeast 1084 Irish or White Labs WLP004 Irish.

Quantity Calculations


The amounts in our all-grain recipe for dry stout have been calculated for a system with an extract efficiency of approximately 65%. If your system's efficiency is different, our recipe will give you proportionally more or less wort at the specified target gravity. In this case you must also adjust all hops amounts proportionally to your actual yield. Knowing your system's efficiency, you can adjust the grain amounts proportionally up or down in advance to obtain a yield of exactly five gallons. ■

Horst Dornbusch writes the Style Profile column in every issue of Brew Your Own.

BREW A TASTE OF IRELAND



Celebrate St. Patrick's Day with White Labs



To celebrate the great brews of Ireland, we're giving away two award-winning Irish beer recipes, perfectly suited to our authentic, pure White Labs Yeast. Ask for your free recipes at your favorite Home Brew shop, or get them online by visiting us at www.whitelabs.com.



MIDWEST HOMEBREWING SUPPLIES

Call for our new
44 page Catalog
1-888-449-2739

All of your homebrewing and winemaking
supplies in one huge catalog

- Same Day Shipping
- Friendly Advice
- Kegging Systems and Equipment

Recommended by
www.about.com

Check Out
"Best Way to get Started"
at the Beer/Homebrew Site

FREE Video with any Purchase

New video covers Malt Extract to All Grain Brewing Techniques and includes winemaking instruction.

Expanded line of
All Grain Supplies

Midwest 5701 W. 36th St. Minneapolis, MN 55416
Monthly Specials - www.midwestsupplies.com

BYO BACK ISSUE SALE!

Buy 5 Issues...Get 5 More Issues **FREE!**



We are offering readers a very special deal on our limited quantities of back issues. Buy any 5 issues for \$25 (plus \$10 shipping) and receive 5 more issues for **FREE!** Buy 5 and get 5 **FREE!** Choose from these collectible classics still in stock from 1995, 1996, 1997, 1998, 1999, 2000, 2001 and 2002.

HURRY! OFFER EXPIRES 5/31/04 OR UNTIL SUPPLIES LAST.

AUG. 95

- Catch Perfect Hot Flavor
- Summer Brewing Tips

OCT. 95

- Low-Alcohol Brewing
- \$100 All-Grain System

NOV. 95

- Build a Counter Pressure Bottle Filter
- Mashing Made Easy

DEC. 95

- Controlling Beer Color
- Winter Brew Recipes

JAN. 96

- Beer Clarification
- Build a Sparge System

APR. 96

- Apartment Brewing
- Lager & Kegs

MAY 96

- Lautering Tips
- Troubleshooting Guide

JUNE 96

- Partial Mash Tips
- 15 Great Extract Recipes

JULY 96

- Big Batch Brewing
- Scotch Ale

AUG. 96

- Build a Draft Box
- Build a 3-Tier Stand

SEPT. 96

- Brewing with Wheat
- Grain Milling Tips

OCT. 96

- Hard Cider Recipes
- Extract Brewing Tips

NOV. 96

- Medieval Beer Recipes
- Build a Mash Stirrer

DEC. 96

- Hop Aroma Tips
- Mead Recipes

FEB. 97

- Lager Tips
- Microwave Mashing

MAR. 97

- Build Tap Handles
- Growing Backyard Hops

APR. 97

- Low-Alcohol Recipes
- American Pale Ale Recipes

MAY 97

- Build a Beer Engine
- Cask-Conditioned Tips

AUG. 97

- Make Your Own Malt
- Dry Hopping Tips

SEPT. 97

- Build a Keg Cleaner
- Tips from Sierra Nevada Brewing

OCT. 97

- Extract Kit Guide
- Decoction Mashing

NOV. 97

- Refining Your Mash
- Brewing with Adjuncts

DEC. 97

- Clone Recipes
- Keg Tips

JAN. 98

- English Bitter Recipes
- Infusion Mashing Tips

FEB. 98

- Belgian Lambic Tour
- Belgian Abbey Ale Recipes

MAR. 98

- Super Hoppy Recipes
- Lautering Guide

APR. 98

- Scotch Ale Recipes
- Choosing the Right Yeast

MAY 98

- Hefeweizen Tips & Recipes
- No Fridge Lagering

JUNE 98

- Hop Profiles and Tips
- Malt Cooler Recipes

JULY 98

- 15 Clone Recipes
- 3 Beers, 1 Mash

AUG. 98

- Easy Beer Calculations
- Yeast Pitching

SEPT. 98

- Build a Garage Brewery
- RIMS System Tips

OCT. 98

- Great Bock Recipes
- Choose the Right Kit

NOV. 98

- Kegging Techniques
- Using Liquid Yeast

DEC. 98

- Cask Conditioning Tips
- Convert Freezer to Beer Chest

JAN. 99

- Aging in Wood
- Figuring Hop Bitterness

FEB. 99

- Malta Yeast Starter
- Organic Homebrewing

MAR. 99

- Imported Clone Recipes
- Build an Electric Brew Stove

APR. 99

- Kegging Guide
- Understanding Brewing Water

MAY 99

- Perfecting Pale Ales
- Nitrogen Homebrews

JUNE 99

- Nut Brown Ale, Pilsner Recipes
- Experimenting w/ Grains

JULY 99

- Summer Homebrew Recipes
- Hempfen Ale Recipe

AUG. 99

- Wit, Kölsch Recipes
- American Lager Clones

SEPT. 99

- Build a \$50 Mash Tun
- Lager Techniques

OCT. 99

- Homebrewing Soda Pop
- Doppelbock Recipes

NOV. 99

- Hop Flavor Chart
- Easy Partial Mashing

DEC. 99

- Cutting Edge Equipment
- Increasing Batch Size

JAN. 00

- 7 Czech Beer Recipes
- Your First Brew

FEB. 00

- High-Gravity Brewing
- Foreign Clone Recipes

MAR. 00

- Master Beer Conditioning
- Beer Tasting Lessons

BUY 5 ISSUES... GET 5 MORE ISSUES FREE!

APR. 00

- Making Smoked Beers
- Your First Keg

MAY 00

- Your First Mash
- Understanding Your Water

SUMMER 00

- 4 British Clone Recipes
- Put a Spigot in Your Brew Kettle

SEPT. 00

- Rogue's Big Beer Tips
- Converting Kegs to Kettles

OCT. 00

- 20 Autumn Extract Recipes
- Build a Counterflow Wort Chiller

NOV. 00

- 6 Belgian Clone Recipes
- Expert Belgian Brewing Tips

DEC. 00

- Brewing Lagers
- Homebrew Lab Gizmos

JAN. 01

- Brew Indigenous Beers From 4 Continents
- Making Root Beer

FEB. 01

- 5 German Clone Recipes
- Decoction Step-by-Step

MAR. 01

- Growing Yeast Strains at Home
- Brew Low-Carb Beer with Beano®

APR. 01

- Grow Your Own Hops
- Strong Ales

MAY 01

- 20 Extract Recipes for Spring
- Build a Counter-Pressure Bottle Filler

SUMMER 01

- 5 Clone Recipes for Summer
- Build a Big-Batch Mash Tun

SEPT. 01

- Learn to Brew with No-Boil Kits, Extract with Grains, Partial Mash, Single-Infusion Mash and Step Mash

OCT. 01

- 15 Classic Extract Recipes for Different Beer Styles
- Build a Hopback

NOV. 01

- Using and Building With Stainless Steel
- Build a Draft Jockey Box

DEC. 01

- Brewing Scotland's Classic Beers
- Build an Easy RIMS

JAN./FEB. 02

- 8 Ski Town Clone Recipes
- Thomas Jefferson's Homebrew

MAR./APR. 02

- Understanding Malt
- Computer Brewing Software

MAY/JUNE 02

- Faster Brewing Tips
- Big Batch Brews

JULY/AUG. 02

- 21 Regional U.S. Recipes
- Brewing with Fruit

SEPT. 02

- Homebrew Troubleshooting Guide
- Build a Draft Beer Fridge

OCT. 02

- Better Extract Techniques
- One Batch, Two Beers

NOV. 02

- 4 Dream Homebrew Set-ups
- Indoor Brewing Systems

DEC. 02

- Monster Holiday Beer Recipes
- Oatmeal Stout, Coffee Beer

**BACK BY
POPULAR
DEMAND!**



Brew

YOUR OWN

**BUY 5
GET 5 FREE**

**Mark your
10 choices below.**

Qty.	Issue	Qty.	Issue
_____	August 95	_____	December 98
SOLD OUT!	September 95	_____	January 99
_____	October 95	_____	February 99
_____	November 95	_____	March 99
_____	December 95	_____	April 99
_____	January 96	_____	May 99
SOLD OUT!	February 96	_____	June 99
SOLD OUT!	March 96	_____	July 99
_____	April 96	_____	August 99
_____	May 96	_____	September 99
_____	June 96	_____	October 99
_____	July 96	_____	November 99
_____	August 96	_____	December 99
_____	September 96	_____	January 00
_____	October 96	_____	February 00
_____	November 96	_____	March 00
_____	December 96	_____	April 00
SOLD OUT!	January 97	_____	May 00
_____	February 97	_____	Summer 00
_____	March 97	_____	September 00
_____	April 97	_____	October 00
_____	May 97	_____	November 00
SOLD OUT!	June 97	_____	December 00
SOLD OUT!	July 97	_____	January 01
_____	August 97	_____	February 01
_____	September 97	_____	March 01
_____	October 97	_____	April 01
_____	November 97	_____	May 01
_____	December 97	_____	Summer 01
_____	January 98	_____	September 01
_____	February 98	_____	October 01
_____	March 98	_____	November 01
_____	April 98	_____	December 01
_____	May 98	_____	Jan./Feb. 02
_____	June 98	_____	Mar./April 02
_____	July 98	_____	May/June 02
_____	August 98	_____	July/Aug. 02
_____	September 98	_____	September 02
_____	October 98	_____	October 02
_____	November 98	_____	November 02
		_____	December 02

5 copies\$25 \$ _____
5 BONUS copiesFREE **\$ FREE**
Shipping/Handling\$10 \$ _____
(Canadian orders: shipping/handling \$12)
BYO Binders ____ x \$15 each = \$ _____

Total \$ _____

Name _____

Address _____

City _____ State _____ Zip _____

E-mail _____

☐ Check Enclosed ☐ MasterCard ☐ Visa

Card# _____

Exp. Date _____

Signature _____

MAIL ORDER FORM TO:
BYO Back Issues
5053 Main St., Suite A
Manchester Center, VT 05255

FAX FORM TO:
802-362-2377
or CALL:
802-362-3981



mardi gras CLONES

The season of Carnival is upon us. The celebration begins January 6th and stretches to the height of Mardi Gras, Fat Tuesday, on February 24th. Unfortunately, not everyone can catch the infamous krewe parades of New Orleans or share in the festivities on Bourbon Street, but that doesn't mean we have to miss out on all the favorite New Orleans microbrews. Thanks to authors Mark and Tess Szamatulski, and former *BYO* columnist Dawnell Smith, you can now clone Abita Amber, Abita Turbo Dog and Dixie Blackened Voodoo Lager — and hey, isn't sitting back with a good Louisiana-themed homebrew sporting your purple, green and gold beads really the next best thing to the French Quarter? *Laissez Les Bon Temps Rouler* (let the good times roll)!

ABITA TURBODOG

(5 gallons/19 L, extract with grains)

OG = 1.054 FG = 1.014 IBU = 32–34

Ingredients:

5 lbs. (2.25 kg) Muntons unhopped light dry malt extract
1.25 lbs. (0.56 kg) crystal malt (Schreier crystal 100 or Muntons crystal dark)
0.50 lbs. chocolate malt (Schreier chocolate or Muntons chocolate)
7 AAUs Chinook hop pellets (0.6 oz. of 12% alpha acid)
5 AAUs Willamette hop pellets (1.25 oz. of 4% alpha acid)
6 AAUs Willamette (1.5 oz. at 4% alpha acid)
White Labs WLP004 (Irish Ale) or Wyeast 1084 (Irish Ale) yeast
 $\frac{3}{4}$ -cup corn sugar or 1 cup unhopped dried malt extract

Step by step

Heat specialty grain in 2.5 gallons (9.5 L) of water at 152 °F (52 °C) for 45 minutes. Remove grains, add dry malt extract, bring to a boil and add 1 oz. (28 grams) Chinook hops.

Boil for 85 minutes and add 1.25 oz. (35 grams) Willamette hops. Boil five minutes and remove from heat. Hold wort on the stove without heat for a rest, then add 1.5 oz. (35 grams) Willamette hops. Boil five minutes and remove from heat. Hold wort on the stove without heat for a rest, then add 1.5 oz. (35 grams) Willamette hops and let the wort settle for 15 minutes. Bring up to 5.25 gallons (20 L) with chilled, preboiled water.

Cool to 60 °F (15.5 °C), add yeast, aerate and let ferment for five to six days at 55–58 °F (13–14 °C), or at the lower end of your yeast

manufacturers recommended fermentation temperature (at about 1.016). Cool to around 45 °F (7 °C) and age for one week before racking into bottles or kegs.

All-grain option:

Cut out DME and use 7.5 lbs. (3.4 kg) pale malt (Schreier special pale or Muntons pale). Heat 2.5 gallons (9.5 L) to 160 °F (71 °C) in a brew pot and slowly mix in milled malt. Hold at 152 °F (67 °C) for 45 minutes, then heat the thick mash to 172 °F (78 °C) and hold for five minutes. Transfer to lautering unit and run-off first wort (should hit 1.070). Sparge with 3.75 gallons (14.25 L) at 172 °F (78 °C). Bring wort to boil and proceed as above.

– Dawnell Smith





ABITA AMBER

(5 gallons/19 L extract with grains)

OG = 1.043 FG = 1.010

SRM = 11 IBU = 18 ABV = 3.4%

Ingredients:

8 oz. (226 g) U.S. 40 °L Crystal malt

4 oz. (113 g) Munich malt

1 oz. (28 g) U.S. chocolate malt

4 lbs. (1.8 kg) Alexander's pale malt extract syrup

1.75 lbs. (793 g) Muntions extra light dried malt extract

⅓ oz. (9 g) Chinook at 12 % AA (4 HBU) (bittering hop)

¼ oz. (7 g) Crystal (flavor hop)

1 tsp. (5 mL) Irish Moss

¼ oz. (7 g) Perle (aroma hop)

Wyeast 2308 (Munich lager) yeast (ferment at 47–52 °F/ 8–11 °C for four weeks then at 57–62 °F (14–17 °C) for the remainder of fermentation.)

Wyeast 2206 (Bavarian lager) yeast (ferment at 47–52 °F/8–11 °C)

1.25 cups (300 mL) Muntions extra light dry malt extract (for bottling)

Step-by-step

Heat 1 gallon (3.8 L) of water to 155 °F (68 °C). Add Crystal, U.S.

40 °L Munich and U.S. chocolate malts. Remove the pot from the heat and steep at 150 °F (66 °C) for 30 minutes. Strain the grain water into the brew pot. Sparge the grains with ½ gallon (1.9 L) of 150 °F (68 °C) water. Bring the water to a boil, remove from the heat and add Alexander's pale malt extract syrup, Muntions extra light dried malt extract and Chinook bittering hops. Add water until the total volume in the brew pot is 2.5 gallons (9.5 L). Boil for 45 minutes then add: Crystal flavor hops and Irish Moss. Boil for 10 minutes and Perle aroma hop. Boil for five minutes. Remove the pot from the stove and chill the wort for 20 minutes.

Strain the cooled wort into the primary fermenter and add cold water to obtain 5½ gallons (19.5 L). When the wort temperature is below 80 °F (26.6 °C) pitch the yeast. Keep the primary fermenter at 60–62 °F (16–17 °C) until fermentation begins (approximately one day). Move the primary fermenter to 47–52 °F (8–11 °C) and ferment for seven days or until fermentation slows. Siphon the wort into the

secondary fermenter (5 gallon glass carboy). Bottle when fermentation is complete, target gravity is reached and beer has cleared (approximately five weeks) with the 1.25 cups (300 mL) Muntions extra light dry malt extract (boiled for 10 minutes in 2 cups (473 mL) of water). Let prime at 70 °F (21 °C) for approximately four weeks until carbonated, then store at cellar temperature.

Partial-mash Method:

Mash 2.25 lbs. (1.02 kg) U.S. 2-row pale malt and the specialty grains at 150 °F (65.6 °C) for 90 minutes. Then follow the extract recipe omitting 1.75 lbs. (0.79 kg) Muntions extra light dry malt extract at the beginning of the boil.

All-Grain Method:

Mash 7.5 lbs. (3.4 kg) U.S. 2-row pale malt with the specialty grains at 122 °F (50 °C) for 25 minutes then at 140 °F (65.1 °C) for 90 minutes. Add 3.3 HBU (18 % less than the extract recipe) of bittering hops for 60 minutes of the boil. Add the flavor hops, Irish Moss and Aroma hops as indicated by the extract recipe.

DIXIE BLACKENED VOODOO LAGER

(5 gallons/19 L, extract with grains)

OG = 1.056 FG = 1.013 IBU = 25

SRM = 27 ABV = 5.4%

Ingredients:

0.5 lbs. (0.23 kg) U.S. 80 °L
crystal malt

1 oz. (28 g) U.S. black malt

2 oz. (56 g) U.S. chocolate malt

4 lbs. (1.8 kg) Alexander's pale
malt extract syrup

2.75 lbs. (1.25 kg) Muntons
light DME

0.33 lbs. (0.15 kg) rice solids

1.5 oz. (42 grams) Mt. Hood 4.3%
AA (6.5 HBU) (bittering hop)

0.25 oz. (7 grams) Cascade
(flavor hop) at 45 minutes

0.25 oz. (7 grams) Mt. Hood (flavor
hop) at 45 minutes.

1 tsp. (5 mL) Irish moss

0.25 oz. (7 grams) Cascade (aroma
hop) at 55 minutes

0.25 oz. (7 grams) Mt. Hood (aroma
hop) at 55 minutes

Wyeast 2035 (American lager) or

Wyeast 2007 (Pilsen lager) yeast

0.75 cup (180 mL) corn sugar

Step by step:

Crush and steep crystal, black and chocolate malt in ½ gallon (1.9 L) 150 °F (65.5 °C) water for 20 minutes. Strain the grain water into your brew pot. Sparge the grains with ½ gallon (1.9 L) water at 150 °F (65.5 °C). Add water to the brew pot for 1.5 gallons (5.7 L) total volume. Bring the water to a boil, remove the pot from the stove, and add Alexander's pale malt syrup, Muntons light DME, rice solids, and of Mt. Hood hops for bittering. Add water until total volume in the brew pot is 2.5 gallons (9 L). Boil for 45 minutes and add flavor hops, and Irish moss. Boil for 10 minutes then add aroma hops. Boil for five minutes, remove pot from the stove and cool for 15 minutes. Strain the cooled wort into the primary fermenter and add cold water to obtain five gallons (18.9 L). When the wort temperature is under 80 °F (26.6 °C), pitch your yeast. Ferment in the primary fermenter five to seven days or until fermentation slows, then siphon into the secondary fermenter. Bottle when fermentation is complete with corn sugar.

Partial mash:

Mash 2.5 lbs. (1.1 kg) U.S. 2-row pale malt and the specialty grains at 122 °F (50 °C) for 30 minutes and 150 °F (65.5 °C) for 60 minutes. Then follow the extract with grains recipe, omitting the 2 lbs. (0.9 kg) DME at the beginning of the boil.

All-grain method:

Grind ½ lb. (0.23 kg) rice, then boil for 20 minutes until soft. Mash 7.25 lbs. (3.3 kg) British 2-row lager malt and 2.5 lbs. (1.13 kg) U.S. 6-row ale malt with the specialty grains at 122 °F (50 °C) for 30 minutes and 151 °F (66 °C) for 60 minutes. Add 4.7% HBU (31% less than the extract with grains recipe) of bittering hops for 90 minutes of the boil. Add the flavor hops and Irish moss for the last 15 minutes of the boil and the aroma hops for the last five minutes. ■

The recipes for Abita Amber and Dixie Blackened Voodoo Lager were adapted from Mark and Tess Szamatulski's books, "Beer Captured," and "Clone Brews," respectively.






PHOTO BY CHARLES A. PARKER/IMAGES PLUS

Milk It Does A Body Good Stout

by Glenn BurnSilver

WE BEGIN with that age-old question of which came first, milk or stout?

While that answer may be obvious, what actually remains a mystery is exactly who first came up with the idea of adding milk to beer. This was actually a common practice — adding whole milk to beer and stouts in particular — that began in the United Kingdom during the 1800s, back when stouts were actually called “stout porters.” Milk beers were served at lunchtime to laborers for added strength to get through the day. As strange as it seems, it actually makes perfect sense as many cultures, such as the Maasai in Kenya, rely on milk as a staple food. The beer in this case was an added bonus.

In time, brewers began experimenting by adding milk directly to the fermentation stage and began touting these “milk stouts” as restorative beverages. Many claimed that every glass contained “the energizing carbohydrates of 10 ounces of pure dairy milk,” according to British historical records. By the turn of the 20th century, doctors even went so far to prescribe milk stouts as the cure for various ailments including to nursing mothers to increase their milk production.

However, the British government banned use of the term milk stout in 1946 to stem such unproven claims and to prevent any chance of the sweet beer finding its way into children’s hands. By that time there was not actually any milk in milk stouts as brewers had discovered how to produce and use lactose — or milk sugar — in the beer. One of the few survivors of that era is Mackeson’s XXX Stout, which has been produced since 1907. Mackeson’s XXX Stout was originally called Mackeson’s Milk Stout before regulations were enacted. A milk churn still adorns the label.

A simple definition

The characteristics of milk stouts, also called cream stouts, are only subtly different from a more traditional dry stout, such as Guinness. There are the rich, chocolate roasted essences with hints of coffee and caramel present in both

styles, but the milk sugar also balances the hoppy, and sometimes, roasted bitterness inherent in stouts. Since lactose is unfermentable by brewers yeast, it is used primarily to create a fuller-bodied product with heightened mouthfeel as well as add sweetness. The result is a silky smooth, creamy and slightly sweet — depending on the lactose content — brew that is very palatable, even for non-stout drinkers.

“It is an easier drinking beer than a dry stout,” says Lancaster (Pa.) Brewing Company Brewmaster Christian Heim of his brewery’s award-winning Milk Stout. “Use Guinness as an example. A lot of people are afraid of Guinness because it is dry, a little bit astringent. We’ve had a lot of success with women drinking the beer. We ask: ‘Do you drink coffee? Then think of this as a new coffee flavor sensation.’ I mean, if you like coffee, you’d like stout, and if you put milk or sugar in your coffee you’re going to really like milk stout. The flavors are similar and are going to appeal to similar people.”

Scott Christoffel, brewmaster at Lefthand Brewery in Longmont Colorado agrees, noting their milk stout began as a seasonal experiment, but has become one of the brewery’s best selling products.

“A lot of people get scared when they see a beer that dark,” he says, “but milk stout is an exceptionally smooth version of stout. It has to do with that lactose thing that adds body to the beer. It also takes the bitter edge off because with roasted barley a lot of people who don’t like a real big stout will definitely like this beer because it is rounder and not too bitter.”

Milk stouts are not too common in the United States, or the world really, with only a couple handfuls being produced. It takes a sharp eye to spot them among the hundreds of beers being marketed these days. Some examples of this traditional English-style sweet stout available in the United States include Watney’s Cream Stout, Samuel Adams Cream Stout, Tennent’s Milk Stout, Bell’s Special Double Cream Stout, Castle Milk Stout, Saranac Mocha Stout, Hitachino Nest Beer Sweet Milk Stout and, of course, those stouts mentioned above.

A Blizzard of Stouts

With all of their flavor, stouts are a great platform for other beer flavors. If milk stout is not your bag, try one of these:

Ragnarok Imperial Stout

(5 gallons/19 L, partial mash)

OG = 1.111 FG = 1.028

IBU = 25 SRM = 38 ABV = 10.7%

In Norse mythology, Ragnarok is the final confrontation between the gods and the giants. When the apocalypse arrives, this beer — big as Thor, great as Odin — is what they will be selling in the stands. Skoll!

Ingredients

2.0 lbs. (0.91 kg) 2-row pale malt
1.33 lbs. (0.60 kg) roasted malt
3.75 lbs. (1.7 kg) Briess
dried malt extract
7.0 lbs. (3.2 kg) liquid malt extract
(step 2)
1.5 lbs. (0.68 kg) liquid malt extract
(for "kicker")
10 AAU Fuggles hops (bittering)
(2.0 oz./57 g of 5% alpha acids)
Wyeast 1728 (Scottish Ale) or White
Labs WLP028 (Edinburgh Ale)
yeast (1–2 qt./~1–2 L starter)
Wyeast 3787 (Trappist High Gravity) or
White Labs WLP099 (Super High
Gravity Ale) yeast
(for secondary fermentation)
0.75 cups corn sugar (for priming)

Step by Step

Brew using (a variant of) the Texas Two-Step method (BYO, October 2003).

Step 1: Partial mash crushed grains in 1.25 gallons (4.7 L) of water at 150 °F (66 °C) for 45 minutes. Rinse grains with 1.25 gallons (4.7 L) of water at 168 °F (76 °C). Add dried malt extract and water to make 2.6 gallons (9.8 L) of wort. Bring wort to a boil and add bittering hops. Boil for 60 minutes, yielding 2.33 gallons (8.8 L) of wort. Chill wort, aerate and pitch yeast. Ferment at 68 °F (20 °C) overnight. **Step 2 (16–24 hours later):** Heat 2.33 gallons (8.8 L) of water to a boil and add 7 lbs. (3.2 kg) liquid malt extract. Maintain wort at 170 °F (77 °C) or above for 15 minutes. Chill wort to 68 °F (20 °C) and blend with previous

wort. Aerate full, mixed wort thoroughly and continue fermenting at 68 °F (20 °C). **Add "kicker:"** After primary fermentation is complete, rack beer to secondary and add secondary yeast and "kicker." (Make kicker by dissolving 1.5 lbs. (0.68 kg) of liquid malt extract in 0.33 gallons/42 oz. (1.2 L) of water. Heat to 170 °F (77 °C) and hold for 15 minutes. Cool before adding to beer.) Let beer condition for one month before bottling. Let bottle condition for at least another two months.

Snowblind Cherry Vanilla Stout

(5 gallons/19 L, extract with grains)

OG = 1.064 FG = 1.016

IBU = 22 SRM = 53 ABV = 6.2%

Each year, the August Schell Brewery (New Ulm, Minnesota) releases their holiday seasonal under the label "Snowstorm." This beer is an amped up version of Schell's offering.

Ingredients

5.33 lbs. (2.4 kg) Muntons dried
malt extract
0.66 lbs. (0.30 kg) chocolate malt
0.75 lbs. (0.34 kg) roasted barley
0.13 lbs. (58 g) black patent malt
6.1 lbs. (2.8 kg) cherry puree
(two 49 oz. cans of Oregon Fruit
Products Cherry Puree (23 Brix))
2–4 vanilla beans
6.4 AAU Northern Brewer hops
(0.85 oz./24 g of 7.5% alpha acids)
Wyeast 1968 (London ESB) or White
Labs WLP002 (English Ale) yeast
0.75 cup corn sugar (for priming)

Step by Step

Steep grains in 1 gallon (3.8 L) of water at 153 °F (67 °C) for 45 minutes. Rinse with 0.5 gallons (1.9 L) of water at 168 °F (76 °C). Stir the dried malt extract into the grain tea, add water to make 3 gallons (11 L) and bring to boil. Add bittering hops and boil for 60 minutes. At knock out, add the cherries to the hot wort. Hold wort at 160–170 °F (71–77 °C) for 20–25 minutes. Chill wort to 75 °F (24 °C) and transfer to fermenter. Add water to make 5 gallons (19 L) of wort. Aerate and pitch yeast. (You should make a 0.5–2 qt.

(~500–2000 mL) starter for this yeast strain.) Let ferment at 70–72 °F (21–22 °C) for 5–7 days, then rack to secondary for a week of conditioning. Add two vanilla beans (sliced down the center) at this point and let sit for three days. Sample beer and add more vanilla, if desired. Bottle with corn sugar and condition for three weeks.

All-grain option:

Replace DME with 9.88 lbs. (4.48 kg) of 2-row pale malt. Mash at 152–154 °F (67–68 °C) for 60 minutes.

Left of Lefse Extra-Dry Potato Stout

(5 gallons/19 L, all-grain)

OG = 1.038 FG = 1.008

IBU = 25 SRM = 27 ABV = 3.9%

A great, dry session stout made with potatoes as an adjunct. When mashed, the potatoes contribute sugars — but no flavor — to the beer. Don't know what lefse is? Uff da!

Ingredients

5.25 lbs. (2.4 kg) 2-row pale malt
0.75 lbs. (0.34 kg) flaked barley
0.88 lbs. (0.39 kg) roasted barley
4.66 lbs. (2.1 kg) Russet or Yukon
Gold potatoes
6.7 AAU East Kent Goldings hops
(1.33 oz./38 g of 5.0% alpha acids)
1/4 tsp yeast nutrients (15 min)
Wyeast 1028 (London Ale) or White
Labs WLP005 (British Ale) yeast
0.75 cup corn sugar (for priming)

Step by Step

Prepare potatoes: Peel potatoes and cut into medium-sized cubes. Boil for 15 minutes until softened, then drain water and mash potatoes with a potato masher until they are of an even consistency. **Brew beer:** Stir mashed potatoes into crushed grains and mash in to 148 °F (65 °C). Mash for 60 minutes, stirring every 15 minutes. Recirculate for 10 minutes. Collect 4 gallons (15 L) of wort, add 1.75 gallons (6.6 L) of water and boil for 90 minutes. Add bittering hops with 60 minutes left in boil. Chill wort, aerate and pitch yeast. Ferment at 70 °F (21 °C). Bottle with corn sugar.

Make it yourself

But don't worry about finding it on store shelves. Creating milk stouts at home is "about as easy as it gets," says Christoffel. He recommends beginning with a sweet stout recipe, though a dry stout could also be used. The lactose will add body, but with an even more pronounced palate and fullness.

"(Milk stouts) are typically not very bitter, so you need to put in a portion of roasted barley, but make sure the portion of chocolate malt is twice as big," he explains. "The roast will be subtle and you'll get plenty of color. If you go heavy on the barley, it will actually be bittersweet. It is better to have more chocolate malt and just a nuance of roasted barley. I also think it works out really well when there is a decent amount of caramel in the beer which is probably going to lead you to this style anyway."

As for the lactose — which is a fine, granulated sugar — Christoffel is hesitant to say exactly how much Lefthand adds to their brew, but recommends a range between 5% and 13%. "I find it is best to stay within 5–13% lactose. Thirteen percent is extreme and 5% is a nuance," he says. "But I don't want to stop anyone from experimenting ... you could still use 2% and it would create an interesting nuance. It really is an interesting ingredient that could be an interesting additive, but I'd shoot for somewhere more to center."

Heim also recommends going easy on the lactose, at least at the beginning. While there is not a specific amount of lactose that would "ruin" a brew, too much sweetness can make any beer a little difficult to drink.

"I would caution about using too much lactose, which is easy to do," he says, noting that at Lancaster he adds approximately 5.5% lactose to his batches. "Lactose is one-sixth the sweetness of sucrose, which is table sugar, so it's not real sweet, but it definitely can overpower if you put in too much. The lactose is subtle, but it might become a little over the top in sweetness."

There are two schools of thought for adding the lactose, adding to the boil or during the primary fermenta-

tion. While both brewers agree that adding at either stage should provide the needed results, both add their lactose in the later stages of the boil. However, as with any homebrew, experimentation is in order. Some homebrew recipes add the lactose for the entire boil or just before the end of the boil. A few even add the lactose right before bottling.

Low in alcohol

The common misconception is that if a beer is a stout, it must be high in alcohol. Yet most, with the exception of imperial stouts, are actually in the 4–6% alcohol by volume (ABV) range. (Lancaster Milk Stout is 5.2%; Lefthand Milk Stout lands at 5.3% while Samuel Adams Cream Stout falls to 4.7%.) Higher gravity beers might not work

Strike Real Gold at the end of the Rainbow!



Make Your own Spirits and Liqueurs From Scratch*



* Still Spirits products can be used without the need to distill at home. Home distillation of alcohol is not currently legal in the U.S.



For a dealer near you go to:
www.stillspirits.com/usa.htm

well with the lactose, Christoffel says. Adding lactose will not change the alcohol content, only the beer's character and "I wouldn't recommend using it in an imperial stout recipe," he says. "There will be a conflict of flavors. The imperial stout has a rich body to begin with. The Plato is high already so there will be some residual extract. It would make the beer a little too sweetish because of the starting gravity. I'd say your really good results are going to be with a stout that has a gravity between 14–16 °Plato (SG 1.056–1.064). I wouldn't go much higher."

As mentioned, the lactose — though a sugar — is unfermentable by brewer's yeast, but can be consumed by certain strains of bacteria. Good hygiene and cleanliness of fermenters and equipment is essential to prevent contamination. The bacteria will certainly consume the lactose, drive up the alcohol content and eliminate most of the benefits to be gained by adding the lactose in the first place — plus it just might ruin the beer anyway.

Of course, the original question doesn't need to be answered, and we are no closer with the second, but one thing is clear — the combination of the milk and stout makes for a fine beer that is rich and creamy, easy on the palate and low enough in alcohol content to enjoy more than one.

And it just might be the cure for what ails you.

Cactus Milk Stout

(5 gallons/19 L, extract with grains)

OG = 1.065 FG = 1.022

IBU = 30 SRM = 53 ABV = 5.5%

Ingredients

5.6 lbs. (2.5 kg) amber liquid malt extract
1.0 lb. (0.45 kg) dark liquid malt extract
0.25 lb. (0.11 kg) wheat malt
0.50 lb. (0.22 kg) flaked barley
0.50 lb. (0.22 kg) flaked oats
0.75 lb. (0.34 kg) Paul's stout malt
0.25 lb. (0.11 kg) American crystal malt (90 °L)
0.25 lb. (0.11 kg) Carapils malt
0.25 lb. (0.11 kg) Belgian Special B
0.50 lb. (0.11 kg) chocolate malt

0.25 lb. (0.11 kg) roasted barley
0.25 lb. (0.11 kg) black patent malt
1.0 lb. (0.45 kg) lactose
10 AAU Phoenix hops
(1 oz./28 g of 10% alpha acids)
5 AAU Willamette hops
(1 oz./28 g of 5% alpha acids)
1 tsp. gypsum
1 tsp. Irish moss
White Labs WLP001 (California Ale) yeast
0.75 cup corn sugar (for priming)

Step by Step

Put crushed grains in grain bag. Heat 2 gallons of water with gypsum to 165 °F (74 °C). Turn off heat and add grain bag. (Do not add grains to water above 165 °F (74 °C). Let temperature rest down to 155 °F (68 °C) stirring grain bag gently from time to time. Leave pot uncovered during this time and rest for 25 minutes. Slowly heat back up to 165–170 °F (74–77 °C) degrees and hold 5 minutes. Turn off heat. Remove grain bag and let drain. Do not squeeze grain bag! Rinse grains by slowly pouring 1 quart of hot tap water over top of grain bag. Add 1.5 gallons (5.7 L) of water, or 3.5 gallons (13 L) if you are doing a 5-gallon (19-L) boil. Add malt extracts, including lactose and bring to boil. Add 0.5 oz. (14 g) Phoenix hops. After 30 minutes add second 0.5 oz. (14 g) of Phoenix hops and Irish Moss. After 50 minutes add Willamette hops. Boil for a final 10 minutes. Cool wort to 80 °F (27 °C) or cooler and pitch yeast. Ferment 10–14 days at 68–72 °F (20–22 °C). You can also go from primary to secondary after four days and leave in secondary 10 days.

Watney's Cream Stout Clone

(5 gallons/19 L, extract with grains)

OG = 1.063 FG = 1.020

IBU = 37 SRM = 39 ABV = 5.5%

Ingredients

3.3 lbs. (1.5 kg) John Bull unhopped dark extract syrup
3.0 lbs. (1.4 kg) Laaglander Light dried malt extract
0.5 lbs. (0.22 kg) Belgian Special B malt
0.5 lbs. (0.22 kg) Belgian Cara-

Munich malt

0.5 lbs. (0.22 kg) Belgian roasted barley
0.5 lbs. (0.22 kg) Belgian roasted malt
0.5 lb. lactose (at bottling)
0.25 tsp. Burton water salts
9 AAU Cascade hops
(2.25 oz./64 g of 4% alpha acids)
4.6 AAU BC Goldings hops
(1.15 oz./33 g of 4% alpha acids)
Wyeast 1056 (American Ale) yeast
0.5 cup corn sugar (for priming)

Step by Step

Crush the grains, place in a grain bag and steep them in 2.5 gallons (9.5 L) of 168 °F (76 °C) water for 20 minutes. Remove grain bag and bring grain tea to a boil. Stir in malt extract and resume boil, add Cascades hops once boil resumes. After 45 minutes, add the Goldings hops. (60 minute total boil.) Ferment at 68 °F (20 °C)

Mackeson's XXX Stout Clone

(5 gallons/19 L, extract with grains)

OG = 1.068 FG = 1.022

IBU = 36 SRM = 65 ABV = 5.9%

Ingredients

7.0 lbs. (3.2 kg) Coopers light syrup
1.0 lb. (0.45 kg) chocolate malt
1.5 lbs. (0.68 kg) black patent malt (uncracked)
12 oz. (0.34 kg) crystal malt
12 oz. (0.34 kg) lactose
10 AAU Kent Goldings hops (leaf)
(2 oz./57 g at 5% alpha acids)
1 tsp. salt (15 mins)
1 tsp. citric acid (15 mins)
2.5 tsp. yeast nutrient (15 mins)
English Ale yeast
0.75 cup dried malt extract (for priming)

Step by Step

Place crushed crystal and chocolate malt — and uncrushed black patent malt — in a grain bag. Steep grains at 150 °F (66 °C) for 30 minutes. Add water and malt extract to the grain tea to make 3 gallons (11 L) and bring to a boil. Add bittering hops and boil for 60 minutes. Add lactose at knockout. Chill wort and pitch yeast. When fermented, prime with ¼ cup of dried malt extract and bottle.

Simply Sweet Stout

(5 gallons/19 L, all-grain)

OG = 1.041 FG = 1.015

IBU = 27 SRM = 29 ABV = 3.4%

Ingredients

6.5 lbs. (2.9 kg) pale malt
8 oz. (0.22 kg) crystal malt (80 °L)
6 oz. (0.17 kg) roasted black
unmalted barley
7 AAU Kent Goldings hops
(1.4 oz./40 g of 5% alpha acids)
12 oz. lactose
(boiled for 10 minutes,
added at keggings)
Wyeast 1028 (London Ale) yeast

Step by Step

Mash in with 2.5 gallons (9.5 L) of 170 °F (77 °C) water, aiming for 152 °F (67 °C) strike temperature. Hold 2 hours for conversion. Raise to 168 °F (76 °C) for mashout. Hold 10 minutes. Sparge with about 5 gallons (19 L) of water. Boil 1.5 hours. Add hops at 45 minutes. Ferment at 65 °F (18 °C), rack to secondary then age for several weeks. Keg with lactose.

Doug Rhoades' Milk Stout

(5 gallons/19 L, all-grain)

OG = 1.072 FG = 1.023

IBU = 47 SRM = 30 ABV = 6.3%

Ingredients

7.9 lbs. (3.6 kg) 2-row pale malt
1.1 lbs. (0.5 kg) wheat malt
1.5 lbs. (0.91 kg) crystal malt (90 °L)
1.0 lbs. (0.45 kg) Carapils malt
5 oz. (0.14 kg) black patent malt
0.75 lbs. (0.34 kg) roasted barley
1.0 lbs. (0.45 kg) flaked oats
0.5 lb. (0.22 kg) flaked rye
1 lbs. (0.45 kg) lactose (30 min.)
1 tsp. Irish moss (15 min.)
11 AAU Galena hops (90 min.)
(1 oz./28 g at 11% alpha acids)
2 AAU Willamette hops (10 min.)
(0.5 oz./14 g of 4% alpha acids)
Irish Ale yeast
0.75 cups corn sugar (for priming)

Step by Step

Mash at 122 °F (50 °C) for 20 minutes, 152 °F (67 °C) 60 minutes and 167 °F (75 °C) for 10 minutes. Boil for 90 minutes. Ferment at 68 °F (20 °C). Bottle with corn sugar. ■



Call
1-800-466-3034

What's in a Name? A Lot!

NORTHWESTERN EXTRA LIGHT is the **LIGHTEST** malt extract in the industry - ask for it by name! We're a proud name in the beverage industry for 85 years and counting. Here at Northwestern our customers rate our service #1. Tradition, Integrity, and Trust ...the names say it all!

85th
ANNIVERSARY
1918-2003

NORTHWESTERN...

we improve your product mix.™

3590 N. 126th Street, Brookfield, WI 53005

(262) 781-6670 • Fax (262) 781-0660


www.nwextract.com

They're back!

- Gold-stamped logo on front and spine
- Opens flat for easy use
- Leather-grained in royal blue
- Each binder holds 10 issues

**BYO
BINDERS**

Only \$15 each (includes shipping)



YES! I want **BYO** custom-made binders!

Quantity	Amount	Total
_____ x	\$15	= _____

Vermont residents add 6% sales tax
Canadian residents add \$1 per binder

☐ Check enclosed ☐ Visa ☐ MC

Name _____

Address _____

City _____ State _____ Zip _____

Credit Card # _____

Signature _____ Exp. Date _____

Send your order to:

Brew Your Own
5053 Main Street, Suite A
Manchester Center, VT 05255
or call (802) 362-3981
or fax (802) 362-2377

CHEAP



PHOTOS COURTESY OF PAULA CONN

and easy batch sparging

by Denny Conn

Get big
results on a
small budget
by building a
simple mash
tun and
learning how
to batch
sparge

Some homebrewers aspire to go pro. Some like to use professional style systems and techniques for their homebrewing endeavors. Some get their kicks from designing fancy automated systems for their brewing. Not me; I take a simple, hands-on approach with my brewing. For me, it's cheap and easy batch sparge brewing. In this article, I'll show you the technique and explain how to build an inexpensive mash/lauter tun for batch sparging.

What is Sparging and How Do You Do It?

Sparging is rinsing the grain bed with water to extract as much of the sugar as possible. For our purposes, we'll specify that sparging begins only after the runoff of the sweet wort from the mashtun has begun. There are several different forms of sparging.

Fly Sparging Most brewers practice continuous sparging. This is also called on the fly or fly sparging. In this method, after recirculation the wort runoff is begun and water is added to the lauter tun at the same rate as wort is runoff. With fly sparging, it's important to collect wort slowly to extract the maximum amount of sugar. For fly-sparging homebrewers, wort collection typically takes 60–90 minutes. Lauter design is also highly important in fly sparging. Your lautering system must allow no channeling or the sparge liquor will “drill” straight down through the grain bed in only one or two locations and leave the rest of the mash unrinsed.

Because the runoff may take an hour or more, many brewers do a mashout — an addition of near-boiling water to raise the temperature of the grain bed to around 168 °F (76 °C). The mashout reduces wort viscosity to improve run-off, but also denatures the enzymes and prevents further conversion from taking place while fly sparging is proceeding.

No Sparge Brewing As described by John Palmer in “Skip the Sparge” (May-June 2002), a no sparge brew has the entire volume of “sparge” water added to the mash and stirred in before any runoff has taken place. Since the additional water has been added to the mash before the runoff has begun, we can more properly think of it as a mash infusion, rather than a sparge addition — hence the name “no-sparge.” Wort collection consists of just draining the mash tun and usually takes less than 10 minutes.

Batch Sparging Batch sparging is similar to partigyle brewing. In partigyle brewing, progressively weaker worts are run off from the lautertun and each wort is made into a different beer.

With batch sparging, the runoffs (usually the first two) are combined into a single batch. After conversion, the sweet wort is recirculated as normal and the mashtun is completely drained as quickly as possible. This usually takes about 3–5 minutes. Next, an addition of sparge water is added. This water is stirred into the mash, allowed to rest for a few minutes, thoroughly stirred again and — after recirculation — is once more drained as quickly as the system will allow. The second batch usually takes about 3–5 minutes to collect. There are several advantages to batch sparging. A

lautering setup that is inefficient when fly sparging will be more efficient when batch sparging because there are no “dead” spots in the grain bed. A mashout is seldom necessary (although it may be desirable) when batch sparging because the wort will be in the kettle more quickly and enzymes denatured by boiling. Batch sparging takes more time than no-sparge brewing, but less time than fly sparging.

Formula

It is relatively simple to figure out how much water to add for each batch. Most of the following is drawn from and builds on the work of Ken Schwartz and Bob Regent. The main concept to understand is that, for the best efficiency, the runoff volumes from your mash and batch sparge should be equal. In order to do that, it's sometimes necessary to infuse your mash with extra water before the first runoff. To figure out the amount for your system, both of the following relationships must be satisfied:

$$R1 + I + S(1) + S(2) + \dots + S(X) = V$$

AND

$$R1 + I = 0.5V$$

In the equations, R1 is the initial runoff volume. This equals the mash water volume minus the water absorbed by grain. (In my brewery, with my mill, this is 0.1 gallons of water per pound of grain. Your value may be different.) “S” is the batch sparge water volume; “V” is total boil volume (amount needed in kettle for boil) and “I” is the volume of water infusions for a step mash.

Assume a recipe with 10 lb. (4.5 kg) of grain, and that you need to collect 7 gallons (26 L) of preboil wort. A mash ratio of 1.25 qt./lb. (0.68 L/kg) would require 12.5 qt. or 3.125 gallons

(12 L) of strike water. Based on an absorption of 0.1 gallons/lb., the mash would absorb 1 gallon (3.8 L) of water so we'd get 2.125 gallons (8.0 L) of water from the mash. Since we want to collect 3.5 gallons (13 L, or 50% of the boil volume), after the mash is complete we'd add 1.375 gallons/5.5 qt. (5.2 L) of water to mash tun before the first runoff. Stir the additional water in, let it sit for a few minutes, then vorlauf (recirculate the wort through the grain bed) until clear and start your runoff. After the runoff, we add 3.5 gallons (13 L) of batch sparge water. Stir it in, rest 10–15 minutes, stir again, then vorlauf and runoff as before. These two runoffs will give our preboil volume of 7 gallons (26 L) of sweet wort. Now, let's take a look at how to build the equipment and do a brew session!

Building the Mashtun


For the mashtun, you'll need a cooler. I prefer the rectangular ones. You'll also need a rubber bung for a minikeg, some ½ inch OD x ⅜ inch ID food grade vinyl tubing — long enough to reach from whatever you set your cooler on to the bottom of your kettle plus 6 inches. Finally, you'll need an inline nylon valve, and a length of water supply line (with a stainless steel braid for a jacket), and 3 hose clamps. The length of the water supply line doesn't really matter. I use one that's long enough to run the length of the cooler, but my experiments have shown that shorter ones seem to work as well.

Step by Step

1. Remove the spigot from the cooler. Usually, there's a nut on the inside of the cooler holding the spigot on. Unscrew that and the spigot should pop right out.



A stainless steel braid (picture at right) separates the wort from the grains. It is made from a water supply line. A valve on the outside of the cooler (above) regulates the outflow of wort.



2. Remove the plastic insert from the hole in the minikeg bung and insert the bung into the spigot hole from the inside of the cooler. The beveled edge of the bung goes in first and the flange of the bung should end up flush with the cooler wall.

3. Cut off a 6-inch piece of the vinyl tubing and, from the inside of the cooler, insert it into the hole in the minikeg bung. Let a couple inches of tubing protrude from each side of the cooler.

4. Cut the threaded fittings off the water supply line. Pull the tubing out from the braid, leaving you with a hollow length of hose braid. Flatten the last inch or so of one end of the braid. Fold it over on itself 3 times to seal the end. Squeeze the fold with a pair of pliers to crimp it closed.

5. Slip a hose clamp over the end of the braid, and slip the braid over the end of the vinyl tubing inside the cooler. Tighten the clamp until snug, but don't squeeze the tubing shut!

6. Insert one end of the valve into the tubing on the outside of the cooler and secure it with a hose clamp. Slip another hose clamp over the end of the long piece of tubing, connect the tubing to the output side of the valve, and secure with the hose clamp.

That's it! You've built your cheap and easy mash/lauter tun! Now, let's brew some beer!

Your First Batch Sparge Beer

Let's walk through an actual brew session. This is from a 8-gallon (30 L) batch of althier I brewed recently. Remember that the method can be used with any brewing system or equipment. The equipment you'll need is: your converted cooler mash tun, a pot to heat water in (5 gallons/19 L minimum recommended), a 1-2 qt. heatproof pitcher (preferably unbreakable), your regular brewing equipment — thermometer, boil kettle and whatever else you normally use.

The things that you need to know to figure your water volumes are: Total grain weight, in this case, 19.3 lb.; strike water volume, in this case, 1.24 qt./lb or 6 gallons; absorption of water by grain, for me 10 lbs. (4.5 kg) of grain absorbs 1 gallon (0.45 L) of

water. If you don't know your absorption volume, measure your first runoff volume the first few brews. By knowing how much water you put in and how much wort you got out, you can easily figure your absorption. Finally, we need to know our preboil volume — how much sweet wort you need to start with. For this batch, we want 10 gallons (38 L), which on my system will yield 8 gallons (30 L) of post-boil wort. OK, we're ready to brew!

1. Mash in with 6 gallons (23 L) of water for 1.25 qt./lb. I use the pitcher to pour water from the 7 gallon (26 L) kettle until the kettle is light enough to lift and pour the rest of the water in. I predict that the grain will absorb 1.9 gallons (7.2 L), so I should get just about 4 gallons (15 L) out of the mash.

2. Since I'd like to get 5 gallons (19 L) out of this runoff, I infuse with 1 gallon (3.8 L) of water at the end of the mash, before the first runoff. I add boiling water to get as close to the 168 °F (76 °C) mashout temperature as I can and stir it in.

3. After 10 more minutes, I begin to recirculate the mash by draining into the pitcher. I only open the valve partially at first, then as the runoff clears I open it up fully. With the hose braid, I usually only have to drain about a quart or so until it's clear. Keep draining and recirculating until the runnings are clear and free from pieces of grain.

4. Once the runnings clear, direct the runoff to your kettle, and slowly pour the contents of the pitcher back over the top of your mash.

5. Completely drain the mash tun as fast as your system will allow.

6. As the first runoff progresses, start heating your batch sparge water. In this case, we're going to heat 5 gallons (19 L) to about 185 °F (85 °C) to try to get to a grain bed temperature in the 165-168 °F (74-76 °C) range.

7. When the first runoff is done, add your second addition of sparge water. Stir the grain thoroughly, close the cooler, and let it rest for a few minutes.

8. After the rest, open the cooler and thoroughly stir the grain once again. Yep, you read that right! We want to get all the sugar into solution.

9. Go through the recirculation and draining process again, once more draining the cooler as fast as your system will allow.

10. Continue the brewing process as you usually do.


Congratulations . . . you've batch sparged! Like anything else in brewing, it may take a couple tries before you get everything figured out completely. But with batch sparging, you can brew all grain beers with a minimal investment in equipment and a pride in the hands-on fun of homebrewing. ■

Denny Conn lives near Eugene, Oregon with his IPA-loving wife, Paula.



The stainless steel braid is attached to a tube inserted through the bung placed in the drain hole of the cooler (left). With batch sparging, water is added in stages then drained (above).





Lysozyme

PROTECT
YOUR BEER
FROM
LACTIC ACID
BACTERIA

The enzyme lysozyme disrupts the cell walls of the certain types of bacteria — including *Lactobacillus* and *Pediococcus*, common brewery contaminants. Once the cell walls are ruptured (or lysed), the bacterial cells burst open and spill their contents.

Nearly every homebrewer I know has had the disheartening experience of having a batch of beer go bad. I wish I could say that after 13 years of homebrewing (and a couple of degrees in food science) that every beer I brew is perfect, but I'd be lying. The truth is, potentially harmful microorganisms are everywhere and some of them may get into your beer despite your best efforts to keep them out.

A homebrewer's first line of defense against spoilage microorganisms will always be cleaning and sanitizing their equipment thoroughly and taking steps to minimize opportunities for airborne contaminants to fall into their wort or beer. There is, however, one new step a homebrewer can take to minimize the risk of contamination and spoilage — adding lysozyme.

Bacterial contamination can turn beer into a sensory nightmare. Bacteria cause turbidity, off odors and aromas, stuck or sluggish fermentation, acid production and even "ropiness" — the presence of gelatinous strands or blobs in beer.

Gram staining


Bacteria can be separated into two groups based on whether or not they react with Gram stain. Cells are classified as either "negative," if the bacteria is not stained by the Gram stain, or "positive" if it is.

In brewing, the most notable member of the Gram negative bacteria is

Acetobacter, which is known for its ability to produce large amounts of acetic acid from alcohol.

The most common group of Gram positive bacteria associated with beer are collectively referred to as the lactic acid bacteria. Members of this group include *Lactobacillus* and *Pediococcus* and are called lactic acid bacteria because of their ability to produce lactic acid from sugar. Some lactic acid bacteria strains can also produce large amounts of acetic acid.

In general, the lactic acid bacteria ferment wort sugars and their growth is favored by anaerobic conditions. The most common off odors



This bacteria, from the genus *Lactobacillus*, is magnified 1000 times. These and other lactic acid bacteria can be destroyed by lysozyme. Other types of bacteria, such as *Acetobacter*, and yeast are not effected by this enzyme.

associated with these bacteria are sweet, butterscotch or honey notes created by diacetyl and related vicinal diketones. They grow optimally at a pH of 5.5 and can survive at a pH as low as pH 3.0. (The pH of wort is typically 5.2–5.6; finished beer usually has a pH of 4.0–4.4.) They can grow over a wide range of temperatures and are alcohol tolerant. Hop resins can inhibit the growth of lactic acid bacteria but, because of adaptation, lactic acid bacteria strains encountered in the brewing environment are often resistant to hops. In short, wort and beer provide an ideal growth environment for lactic acid bacteria and can contaminate beer at nearly every turn.

The presence of bacteria is not always an unwanted occurrence. Indeed, beers such as lambics and other sour beers are dependent on the action of lactic acid bacteria as well as other microorganisms to develop a distinctive flavor profile. Additionally, bacterial growth can be used to brewers' advantage to naturally raise the acidity of the mash. If mash temperatures are held below 140 °F (60 °C), certain strains of heat tolerant lactic acid bacteria will produce lactic acid to effectively lower the mash pH. In winemaking, the growth of certain lactic acid bacteria is actually encouraged to carry out the "malolactic fermentation" which lowers wine acidity and provides microbial stability. The lactic acid bacteria are also responsible for food products as varied as sauerkraut, yogurt, cheese, salami and Thai fish sauce.

Lysozyme

Lysozyme is a well studied enzyme that can provide protection against a broad spectrum of Gram positive bacteria. It is used as a preservative in many food products including wine, tofu, cheese and saké. The use of lysozyme in beer has only recently garnered attention and the applications in brewing, especially to the homebrewer, are numerous.

Alexander Fleming discovered lysozyme in 1922 when the scientific pioneer had a cold. He found that nasal drippings, which had dripped onto an agar plate, dissolved bacterial colonies. Fleming quickly determined that the antibacterial action was due to an enzyme effective against certain bacteria. Lysozyme is found abundantly in nature and is produced by bacteria, fungi, plants, birds, and mammals. Some viruses even contain the genetic code for lysozyme. Although lysozyme is found in high concentrations in human tears, commercial lysozyme is made from hen egg whites. (It takes over 3,000 pounds (1,360 kg) of egg whites to make 1 pound (4.5 kg) of lysozyme!)

Lysozyme

Frequently Asked Questions:

How long does it take for lysozyme to work?

The rate of activity depends on many factors including temperature, pH, bacterial load and bacterial resistance. Even though lysozyme starts working immediately, it doesn't necessarily kill all the bacteria immediately.

At what temperature is lysozyme most active?

Lysozyme has optimal activity between 104–113 °F (40–45 °C), but will remain active up to 144 °F (62 °C). If the lysozyme is added at lower temperatures, the rate of activity will be dramatically slowed (but not stopped).

At what pH is lysozyme most active?

Lysozyme activity is highest from pH 3.5 to 7.0, although lysozyme is active over a pH range of 2.0–10.0.

Is lysozyme effective against all lactic acid bacteria?

No. A few lactic acid bacteria strains have shown resistance to lysozyme.

How long does lysozyme remain in beer?

The amount of residual lysozyme activity depends on the type of beer, timing of addition, initial bacterial population and the addition rate. Activity loss is greatest in darker beers, which contain more polyphenols. Research has shown that lysozyme is relatively stable in beer and will maintain at least 50% of its activity over a six month period when added to the final bottled product.

Does lysozyme affect the properties of beer?

According to research conducted by Dr. Mark Daeschel at Oregon State University, lysozyme has minimal effects on the physical and sensory properties of beer. Daeschel has shown that using lysozyme at a maximum rate of 200 ppm did not cause chill haze and did not affect foam stability. Lysozyme also has been shown to have no impact on the flavor or aroma of beer. Two sensory studies (also at OSU) were performed by both a regular consumer panel and a brewing industry professional panel. Neither panel could detect a difference in lysozyme treated beers from untreated beers.

Which fining agents react with lysozyme?

Lysozyme is a protein and will be removed by any fining agent that removes protein.

If I add the lysozyme before the boil will it still be active in the fermenting wort or in the final package?

No. Lysozyme loses all activity at 144 °F (62 °C) and so will be inactivated during the boil.

What is the shelf life of lysozyme?

When stored in a closed container at room temperature in a dry environment, the powder form of lysozyme retains 95% activity after five years. A rehydrated 22% stock solution lysozyme kept in the refrigerator at 39–41 °F (3.8–5.0 °C) has been shown to retain 90% activity after 12 months.

THE HOME BREWERY

20 Years Old and Still Fermenting

OZARK



MISSOURI

See why we are the best
in the brewing business!

- ❖ Friendly Hometown Service
- ❖ Low, Low Prices
- ❖ BEER - WINE - SODA - MEAD - MUCH MORE

CALL or CLICK to check out
The 20th Anniversary Sale

JANUARY
Wort Chiller
\$25

1-800-321-BREW WWW.HOMEBREWERY.COM

the Science behind the Art.



**The Double
Blast
Bottle Washer**
Quick-connect.
Press to rinse.
No stress on
plumbing.



**The Auto
Siphon**
Starts a
siphon
with
a single
stroke.



**The
Thief**
Easy
hydrometer
readings.
Touch tip
to return
sample.

**The Blast
Bottle
Washer**

Press to
rinse.
Also rinses
siphon.
Easy on
Plumbing



Fermtech Ltd. • 2 Stewart St. #7 • Kitchener • Ontario • Canada • N2G 2E4
519.570.2163 • (fax) 519.570.0632 • visit us at www.fermtech.ca

 **Fermtech Ltd.**

Ask your favourite
retailer for these products

Lysozyme is effective against Gram positive bacteria (all lactic acid bacteria) due to its ability to specifically break down the cell wall structure of those microorganisms. Once the cell wall is broken, the cell breaks open and dies. Because the lysozyme is structure specific, yeast and Gram negative bacteria are completely unaffected by this antimicrobial.

The most appropriate places to include lysozyme in the brewing process are also the points where lactic acid bacteria have the opportunity to infect and spoil your beer.

Mashing

Certain heat-loving lactic acid bacteria associated with malt can contaminate the mash. However, the thermophilic bacteria (most often members of the genus *Bacillus*) are sensitive to hops and will not survive in hopped wort. All other lactic acid bacteria introduced in the mash should be killed in the boil. In a standard 60-90 minute mash in which wort separation occurs immediately after the mash, any bacterial growth will be inconsequential. However, if a mash is allowed to sit overnight and the temperature drops to around 140 °F (60 °C), the mash can become soured due to the action of lactic acid bacteria. Overnight mashers might wish to protect their mash with lysozyme. However, they would have to wait until the temperature dropped to 144 °F (62 °C) to add it, which probably would not be practical.

Wort cooling

As wort cools, it is vulnerable to contamination. For this reason, it is very important to cool wort rapidly and pitch with clean, active yeast as soon as possible. Perhaps the best time to add lysozyme is when the yeast is pitched (as pitching yeast is often the biggest source of contaminating bacteria). For this reason, it may not make sense to add lysozyme during wort cooling. If however, the wort is going to stand awhile before the yeast is pitched, lysozyme can be added to the cooling wort at a rate of 0.75 teaspoons per 5 gallons (19 L) once the temperature falls below 144 °F (62 °C).

Pitching

Pitching yeast, in terms of the number of contaminants introduced into the process, is the most significant reservoir of contamination. So, it stands to reason that this is one of the most opportune times to add lysozyme.

Yeast contamination is especially critical when using active dried yeast. Even though there have been huge advances in dried yeast technology, dried yeast is not produced under sterile conditions and there is great potential for introducing lactic acid bacteria into the fermentation via the yeast preparation.

A clean, active yeast slurry is also an excellent way to minimize spoilage. Many, perhaps most, homebrewers rely on using new cultures of liquid yeast with every brew. The yeast from liquid yeast producers should be free from contamination and safe to pitch. With appropriate care taken with cleaning and sanitation, homebrewers can make a healthy yeast starter with a minimum of unwanted microbial growth. Many homebrewers even report success in reusing yeast used for one or more fermentation cycles.

If yeast to be used (or reused) is suspect, lysozyme can be added to kill any lactic acid bacteria that are present. Lysozyme can be added to either active dried yeast or fresh yeast cultures. By mixing powdered lysozyme with active dried yeast, contaminating lactic acid bacteria can be inhibited upon yeast rehydration. Additions to both dried and fresh yeast will result in the presence of residual lysozyme activity in the fermenting wort. Just "a pinch" of lysozyme in a 2 qt. (~2 L) yeast starter or 1 cup yeast sample should do the trick.

There is one other way to clean up pitching yeast — acid washing. Acid washing is a technique used by some professional brewers to clean up yeast prior to pitching. It is a process whereby phosphoric acid is added to the yeast slurry to drop the pH. The intent is to kill off contaminating bacteria and weak yeast cells leaving only the strong viable yeast for pitching. However, acid washing can sometimes harm the yeast culture and fail to kill all the bacterial




BeverageFactory.com

Largest Online Source of Custom Kegulators and Conversion Kits



Summit SBC-500B Kegerator
Special Brew Your Own Price:
Only \$599.00!



Kegerator Conversion Kit
Special BYO Price:
Only \$150.00!



Beverage-Air BM23 Kegerator
Special BYO Price:
Only \$875.00!



HomeBrew Party Kit
Special Brew Your Own Price:
Only \$59.00! (keg not included)



**Huge Online Selection
of Draft Beer Equipment**




Build Your own Jockey Box Kit
Many Custom Kits Available

View all of our Products Online or Call us Toll Free

www.BeverageFactory.com (800) 710-9939

8451 Miralani Drive, Ste H - San Diego - 92126 • Hours: Monday-Friday 8-6, Saturday 12-4 PST

<http://www.GrapeandGranary.com>



**"Your Hometown
Brewshop on the Web"**

Family Owned • Friendly Service
Quality Products • Mail Order Prices
Same Day Shipping • Bulk Pricing

Visit our online store and catalog or call us
at **1-800-695-9870** for a
free catalog and ordering. You'll be glad ya did!



**Beer
Dispenser**

Keg beer without a keg! Just PRESS, POUR & ENJOY!

- Easier to fill than bottles - No pumps or CO2 systems.
- Holds 2.25 gallons of beer - Two "Pigs" perfect for one 5 gal. fermenter.
- Patented self-inflating Pressure Pouch maintains carbonation and freshness.
- Perfect dispense without disturbing sediment.
- Simple to use - Easy to carry - Fits in "fridge".
- Ideal for parties, picnics and holidays.

Ask for the **Party Pig®** Beer Dispenser at your local homebrew supply shop and at your favorite craft brewer.

QUOIN (pronounced "coin")
401 Violet St.
Golden, CO 80401

Phone: (303) 279-8731
Fax: (303) 278-0833
<http://www.partypig.com>

Brew YOUR OWN and BBQ Recipe contest!



Rubs, smears, bastes, marinades, injections...

Send us your best grilling-with-beer recipes and you could win sizzling homebrew prizes!

- Recipes must be original
- Enter as many recipes as you like, but you can only win one prize
- Winning recipes will be featured in the May/June 2004 issue
- Entries must be received in our offices by **March 1, 2004**

Send recipes with your contact info to:
Brew and BBQ Recipe Contest
5053 Main Street, Ste. A
Manchester Center, VT 05255
or Fax (802) 362-2377

cells. This technique merely reduces the bacteria in number and should not be considered a cure. The practice of acid-washing yeast is probably out of reach for most amateur brewers. (And, for what it's worth, many professional brewers really dislike yeast washing).

Lysozyme addition to fresh yeast cultures can be used in place of acid-washing to "clean-up" the preparation. Keep in mind however, that — unlike acid washing — lysozyme only targets certain types of bacteria.

During fermentation

If microbial contamination is suspected, use lysozyme to prevent further growth of lactic acid bacteria. If lactic acid bacteria are present in fermenting wort, they probably originated in the pitching yeast rather than in the sweet wort. However, if open-fermentation vessels are used or equipment is not thoroughly cleaned, contamination at this stage can occur.

Also, if the primary fermentation stops or slows prematurely, use lysozyme to stabilize the wort while the fermentation is being restarted. Use 0.75–1.0 teaspoons of powder per 5 gallons (19 L) of wort.

In finished beer

Lysozyme can be added to the final product. Research has shown that a lysozyme addition of 150 ppm is high enough to inhibit sensitive bacteria and achieves good maintenance of activity over time with very little physical changes to the beer. The addition rate here is around 0.75 teaspoons of powder per 5 gallons (19 L) of beer.

In the prevention of unwanted microbial growth in wort and beer, nothing replaces brewhouse cleanliness and sanitation. With proper techniques, it is possible to brew clean, unspoiled beer batch after batch. However, microorganisms are everywhere and homebrewers frequently worry about the possibility of contamination. Lysozyme is another tool for the control of microorganisms previously unavailable to the homebrewer. ■

Jessica Just is a representative of Scott Labs.

Blending

Brew High. Serve Low.

Story by Chris Colby

Quick Dilution Guide

(for 5-gallon (19-L) batches of beer)

Amount expanded (percent)	volume water added (gallons)	total volume (gallons)	extra bottles of beer (12 oz./355 mL)
5%	0.25	5.25	2.67
10%	0.50	5.50	5.33
15%	0.75	5.75	8.00
20%	1.00	6.00	10.67
25%	1.25	6.25	13.33
30%	1.50	6.50	16.00
35%	1.75	6.75	18.67
40%	2.00	7.00	21.33
45%	2.25	7.25	24

One of the greatest thrills in homebrewing is supplying the beer for a special event. You probably won't be brewing for too long before someone asks — or you volunteer — to supply beer for a large gathering. My wife and I are both homebrewers and when we got married we wanted the homebrew to flow freely. At the time, however, we didn't have a lot of time or fermenter space. In order to increase the output of our homebrewery, we turned to high-gravity brewing — brewing a strong beer and diluting it to its target strength when the beer is bottled or kegged. This practice is also called standardization or blending.

High-gravity brewing (or blending) is a technique the big US brewers use. American Pilsners are brewed with an original gravity (OG) around 14–16 °Plato (SG 1.056–1.064). After fermentation, the strong beer is diluted to a virtual OG of around 10–11 °Plato (1.040–1.044). The big breweries brew this way because they can produce more beer with high-gravity brewing than if they brewed it all at working strength. A fermenter that holds 500 barrels of beer will end up producing 700 barrels of beer. For homebrewers, a 5-gallon (19-L) batch of strong beer can easily be diluted to yield 6–6.5 gallons (23–25 L) of finished beer, more if you're careful.

The beer is not “watery”

In order to successfully practice high-gravity brewing, you need to be

able to produce a decent strong beer as the base beer. If you can do that, the dilution technique itself is very simple.

Contrary to popular homebrewing wisdom, high-gravity brewing does not produce “watery” or thin-bodied beers. In fact, many craft breweries (New Belgium, for one) use this technique to produce “full-bodied” beers. Simple math can demonstrate why this is.

Let's say you wanted to brew 5 gallons (19 L) of beer in the usual manner at an original gravity of 12 °Plato (SG 1.048). If you use a yeast strain with an attenuation of 75%, it will finish at a final gravity (FG) of 3 °Plato (SG 1.012). Now let's say you wanted to brew the same beer using high-gravity techniques. You brew 5 gallons (19 L) of base beer at 15 °Plato (SG 1.060) and then dilute it to 6.25 gallons (24 L), corresponding to a virtual OG of 12 °Plato (SG 1.048). If you used the same yeast — with the same 75% attenuation figure — your pre-dilution base beer would finish at 3.75 °Plato (SG 1.015). Upon dilution, your diluted FG would be 3 °Plato (SG 1.012) — same as it was with the normally-brewed batch. Because strong beers finish at higher FGs, diluted beers end up at the FG they would have obtained had they been brewed at their virtual OG using normal brewing procedures.

Of course, U.S.-style Pilsners do not exhibit much body. These beers are brewed with 30–40% corn or rice as an adjunct. As a result, there are fewer nonfermentable carbohydrates in them

compared with all-malt beers. The rate of adjunct usage, not the blending technique, causes the low body of U.S.-style Pilsners.

Easy recipe calculations

The easiest way to formulate a high-gravity brewing recipe is to take a recipe for one volume and expand it to the larger target volume. However, you should brew the beer at the original volume. To calculate how much to expand the recipe, divide the larger volume of target beer by the smaller volume of strong beer.

For example, let's say you have a 5-gallon (19 L) pale ale recipe with 10 lbs. (4.5 kg) pale malt, 1 lb. (0.45 kg) crystal malt and 2 oz. (56 g) of bittering hops. If you want to end up with 6 gallons (23 L) of beer, multiply all the ingredients by 6 divided by 5, or 1.2. You'd end up with 12 lbs. (5.4 kg) pale malt, 1.2 lbs (0.54 kg) and 2.4 oz (68 g) of hops. Brew 5 gallons (19 L) of this beer and dilute it to 6 gallons (23 L).

A drawback to this simple calculation method is that hop utilization slightly decreases at higher wort gravities. Thus, using proportionally more hops in your high-gravity base beer may lead to an underhopped diluted beer. However, in most cases, this discrepancy will be minimal.

Complete recipe calculations

To completely master high-gravity brewing calculations, all you need to know is one simple formula:

$$C_1V_1 = C_2V_2$$

where C is concentration and V is volume. The subscripts refer to the initial strong beer and resulting blended beer.

For calculating gravity, use “gravity points” — the decimal portion of specific gravity as an integer. For example, a specific gravity of 1.045 equals 45 “gravity points.” If you had 5 gallons (19 L) of wort at a specific

gravity of 1.064, what would the gravity become if you diluted it to 7 gallons (26 L)? Substituting the values into the equation, we get $64(5) = X(7)$. Solving for X, we get $64(5)/7 = 45.7$, or a specific gravity of almost 1.046. You can also use degrees Plato for these calculations.

You can use IBUs and SRM values as a concentration (C) in these equations for calculating bitterness and color values. For example, if your 5-gallon (19-L) batch of beer had 50 IBUs, the equation $50(5) = X(7)$ would give you the resulting IBUs in your 7-gallon (26-L) final beer. (It would be 35.7 IBUs.)

Using brewing software, such as ProMash, you can calculate your OG, IBUs and SRM for your strong beer. Then, you can calculate the values for the diluted beer using the "CV" formula. This way, the influence of wort gravity on bitterness will be taken into consideration.

Brewing the base beer

Brew your base beer as you would any strong beer. The quality of your final beer will depend primarily on how well the fermentation of your strong beer went. For general tips on brewing strong beers, see my article "Monster Beers" (December 2003) or Bill Pierce's article "Brewing the Big Ones" (December 2003).

Fermentation byproducts, such as esters and higher alcohols (fusel oils), are produced at a disproportionately greater rate in "thick" worts than in "thin" ones. At higher dilution rates, you may notice that your finished beer is a bit more estery than it would have been had you brewed it normally. If your final beer tastes too estery, has fusel notes or other unwanted fermentation byproducts, you've pushed the technique too far. At higher dilution rates, you may also need to tinker with your recipe a bit to get the beer to taste as you want it.

The big breweries typically do not exceed 16 °Plato (SG 1.064) when brewing their strong beer for dilution. Above this gravity and the resulting blended lager is too estery. For most lagers to be blended, 16 °Plato (SG

1.064) is a reasonable maximum starting gravity for the strong base beer.

When brewing ales, the amount of esters in the beer can be manipulated not only by practicing good fermentation practices but also by picking an appropriate yeast strain. A neutral yeast strain — like Wyeast 1056 or White Labs WLP001 — will ferment cleanly at high gravities and yield acceptable finished beers. I've had good results brewing ales up to 21 °Plato (SG 1.084) and diluting them to 16 °Plato (SG 1.064). The upper gravity limit for ales depends on your own tolerance of the final ester levels in your beer.

Whether brewing a lager or an ale, let your beer ferment completely and condition for an appropriate amount of time. The dilution step occurs when the beer is ready to be bottled or kegged. Whether bottling or kegging your beer, you will prepare your dilution water the same way.

Preparing the dilution water

Your dilution water should taste good and be free of chlorine or chloramines. As when you prepare your brewing liquor, carbon filtering your tap water should yield acceptable dilution water. There is no need to add calcium or other "brewing salts" to your dilution water.

Under most normal circumstances, water has some oxygen dissolved in it. At 68 °F (20 °C), pure water that is exposed to air will have 9.0 parts per million (ppm) oxygen at equilibrium. This amount decreases at higher temperatures.

When you dilute your beer, you don't want to introduce oxygen into it. Oxygen will cause the beer to go stale faster than it normally would, resulting in cardboard-like aromas or sherry-like flavors. So, you need to remove the oxygen from your dilution water.

One way commercial breweries remove oxygen from their water is by heating it and spraying it into a vacuum chamber. The resulting water contains less than 50 parts per billion (ppb) oxygen. Obviously, you probably don't have the specialized equipment for this lying around your home

brewery. Fortunately, there's an easier way to deaerate water.

To reduce the oxygen content of your dilution water, boil it vigorously for 15 minutes. I usually measure out the amount of water I need for dilution plus about 5% to account for evaporation. After boiling, cool the water as quickly as possible. Putting your pot in an ice bath works well for this. Be careful not to splash or agitate the water while chilling as you will reintroduce oxygen into the water. Unless you have a way of storing your dilution water under CO₂, you should prepare it immediately prior to use. Immediately after boiling, your water will contain less than 1 ppm oxygen.

If you are paranoid about oxygen, you can also add an antioxidant to the dilution water. A quarter teaspoon of ascorbic acid (vitamin C) added to 5 gallons (19 L) of just-blended beer will do the trick.

For bottle conditioned beers, adding ascorbic is absolutely unnecessary. The active yeast that condition the beer in the bottle should quickly take up any oxygen that might be in the brew. For force carbonated kegs, adding a pinch of yeast is also an option. (Keep in mind that, unless you filtered it, your beer already has a small amount of yeast in suspension.)

If you boil your water, quickly cool it and use it immediately, you shouldn't need to take any additional steps to reduce your beer's oxygen content. I've never used ascorbic acid, or added yeast to my kegged beers, and I've never had a problem with premature staling in my blended homebrews.

Diluting when bottling

If you are bottling your beer, begin by quietly transferring your dilution water to your bottling bucket. Siphon the water or pour very carefully, don't just dump it in. Next, add your bottling sugar then rack your beer on top of the water and sugar. (Note: you can boil your bottling sugar in your dilution water to save a step.) Siphoning the beer into the water should be sufficient to mix it thoroughly. However, it never hurts to stir the beer quietly (slowly and without splashing) to be sure.

Once you've mixed the water and beer, bottle and condition as you normally would.

Many bottling buckets hold over 5 gallons (19 L) of beer, so you will probably be able to handle at least 6 gallons (23 L) of blended beer. If your bottling bucket is not large enough to hold all the diluted beer, you have two options. The first is simply to bottle the batch in two shifts. The second is to bottle some beers as undiluted base beer first, then siphon in the dilution water when there's enough room in the bucket. (To make things easy, use PrimeTabs or Coopers carbonation drops for the bottled strong beer.) If you do this, remember to adjust your dilution calculations accordingly.

Diluting when kegging

If you are kegging your beer, begin by filling the keg with CO₂. To do this, fill the keg with water and push all the water out with CO₂. At this point, you've replaced the water in the keg

with CO₂. Next, vent the excess pressure and open the keg lid. Rack the dilution water into the keg followed by the base beer. Finally, replace the keg lid, turn on the CO₂ and force carbonate. (You may want to vent the keg a couple times with the CO₂ on to blow off any oxygen in the headspace.)

If you brew 5-gallon (19-L) batches and keg your beer in the standard 5-gallon (19-L) Cornelius keg, you will always have beer left over if you plan on diluting it. There are a couple possible solutions to this problem. The simplest is to split the beer into two kegs. Another is to force carbonate the keg, then bottle off some of the strong base beer with a counter-pressure bottler. Once you've bottled a volume of beer equal to the planned amount of dilution water, add the water to the keg.

If you frequently dilute high-gravity beers and have a kegging system, there is one "trick" you can use to make the diluting step fast and easy.

Prepare an entire keg of de-aerated water by boiling 5 gallons (19 L) of water, cooling it and siphoning it to a keg. Force carbonate the keg so you have 5 gallons (19 L) of carbonated water. When you brew your base beer, keg it and force carbonate. When it comes time to dilute the beer, use a "jumper" to move the (carbonated) water into the (carbonated) beer keg. A "jumper" is just a normal beer line with "beer out" connections on both ends. Connect the "beer out" side of the water keg to the "beer out" side on the receiving beer keg. Release the pressure on the beer keg and open the lid. Push water from the water keg to the strong beer keg though the dip tubes on both kegs. Once the correct level is reached in the receiving keg, disconnect the "beer out" line from the water keg.

There are two advantages to using a carbonated water keg for dilution. Beer diluted this way is ready to serve since both the beer and water are

BREWING & WINEMAKING EQUIPMENT

SODA POP - LIQUEURS - DISTILLATION SUPPLIES

HAPPY NEW YEAR SALE

Indoor or Outdoor Wort Chillers

\$24.95 thru 2/29/2004



6 & 9 gallon Brewpots



Shamrock Stout Ingredient Kit



while supplies last

Only \$24.75 thru 2/29/2004
Brew Now for St. Paddy's Day

Call or email us for your Free Catalog, or download from website
homebrewheaven.com
Email: brewheaven@aol.com
(800) 850 - BREW (2739)

BEER - WINE - MEAD INGREDIENT KITS

SUBJECT BOOKS

YOUR HOMEBREW HERE.



YOUR WORDS HERE.

Custom labels for your custom brew.
No minimum, easy ordering!

myownlabels.com

www.myownlabels.com

Techniques

carbonated before you blend them. Secondly, you can always quickly "expand" your existing kegged beer supplies if you need to.

Applications

High gravity brewing can be used for making many styles of beer, although it is most commonly associated with American Pilsners. It works best when you are planning to make a low to moderate-strength beer.

The first time you try this technique, consider using about 10–20% dilution water. Adding dilution water at a volume of less than 10% of your beer's volume — in my opinion — does not yield enough extra beer to be worthwhile.

For a 20% dilution, you could make 5 gallons (19 L) of beer at a specific gravity of 1.058 (14.4 °Plato) and dilute it to 6 gallons (23 L) of beer at 1.048 (12 °Plato). If you bottle, this will result in almost 11 more 12 oz. (355 mL) bottles than a standard 5-gallon (19-L)

batch. (See the chart on page 47 for the amount of water to add for various dilution rates.)

For beers diluted at a 10–20% rate, you should be able to simply scale up any beer recipe and brew it slightly stronger. The diluted beer should not taste noticeably different from the same beer brewed in the normal way.

If you try high gravity brewing and like it, you can try adding more dilution water to yield more finished beer. It's not too hard to brew a good beer with 30% dilution water. And, if you really want to push it, you could try going to 40%. At 40%, you'd end up with 7 gallons (26 L) of beer from your 5-gallon (19-L) base batch. The biggest drawback to keep an eye out for is unacceptably high ester levels in your finished beer.

The second problem to watch out for in high-gravity brewed beers is early staling. With increasing amounts of dilution water, you are introducing more oxygen into your beer. I wouldn't

recommend large dilutions if you are planning to store your beer for long periods (over, say, 6 months). Conversely, if you are diluting fresh beer for a big party in which you expect all the beer to be consumed, you can attempt to maximize your amount of beer as it takes awhile for staling products to develop. Use some sense when diluting, however. Always remember that 6 gallons (23 L) of good homebrew is better than 7 gallons (26 L) of undrinkable swill.

I brew most of my beers the normal way. However, I'll use high gravity brewing when I'm low on beer or if I want to make two beers — a strong one and a regular one — from the same batch. Don't let the fact that this technique is mostly used to produce "fizzy yellow water" dissuade you from adding this useful technique to your set of brewing skills. ■

Chris Colby, editor of BYO, prefers more beer to less beer.

Beer and wine hobby

BEER WINEMAKING

Equipment & Supplies

**YOUR MOST COMPLETE
ONE STOP SHOPPING FOR:**

Homebrewing • Winemaking
Cordial • Cider • Vinegar and Cheese Making
Grapes • Grapevines & Hop Rhizomes

155T New Boston Street, • Woburn, MA (Retail Outlet)
(800) 523-5423 (orders) • 781-933-8818 (consulting)

Visit our on-line catalog at:

www.beer-wine.com

LIVE THE DREAM!

...at the
American Brewers Guild



Contact us today
about our diploma programs.
Learn brewing science and
gain an industry respected
qualification while studying at
your own home.

Working brewers can stay at
their brewery while working toward
gaining that all important education.



Our next course begins February 2nd, 2004.
Take the Leap!

Call us or email for more information (800) 636-1331
www.abgbrew.com • email: info@abgbrew.com

Tap Handles

Give your kegs some character

Projects

story and photos by Thom Cannell

Every few issues we get a request for something easy enough to build on a Saturday afternoon. Tap handles are just such a project and I built one in less time than it took for the University of Michigan football team to defeat my hometown Michigan State Spartans.

Why would you make your own tap handle when there are so many available? Because tap handles actually belong to the brewery (unless legitimately purchased) and because having your own tap handle, unique in every way, is totally cool.

Tap handles can be incredibly complex or blindingly simple. I researched tap handles at my local homebrew store, where a collection of 100 tap handles greets patrons of The Red Salamander. All had several things in common, whether made of wood, cast in acrylic, or some odd combination of the two. All were more than 6 inches (15 cm) long; all had a tapered ferule and all had the ferule attached via a "hanger" bolt.


At its most basic, a tap handle is a wooden stick with two pieces of hardware. Sticks I know about. But where to get the hardware? MoreBeer.com offers both hanger bolts (easy to find and cheap at under \$1) and more difficult to find ferules. Ferules are \$3.25, exclusive of shipping.

Now for the stick. The long stick is simply a wooden spindle meant for constructing new stairs. It suits our purposes precisely. While making logs into sticks is a very fun task involving saws, lathes, chisels and everything in the woodworking toy chest, it is best left to woodworking hobbyists. Most home stores stock rails and spindles, so why do the work? You are trying to get in and out of this project in an afternoon aren't you? I bought a single oak spindle for a few bucks (USD). It was roughly 2 inches square (50 mm) and had a long spindle and multiple turnings




(Top) The long stick is the type of wooden spindle meant for constructing banisters. As fun as staircases are, you'll enjoy making tap handles even more.

(Right) The wooden tap handle shown here is the perfect Saturday afternoon project for the homebrewer without a lot of time on his hands.



(Left) A close up of the ferule and hanger bolts.



Shown here is the spindle cut into two tap handles and the ornamental finial placed in position. The ferule and hanger bolts are loosely assembled and will be fit into the thin edge of the spindle. Add sand paper and paint or varnish to complete the supply list.

near each end. So for about \$12 I had enough materials for two tap handles!

What to buy

The following is a list of supplies that you will need to purchase for this project: one spindle, one or two ferules, one or two hanger bolts. You'll also need a drill, sand paper, a


decorative object or two and some paint or varnish to finish the wood.

Step by Step

One: Decide on the length of your tap handle, choosing a separating point near one of the turnings. Cut there, and remove some of the square length (assuming you

have extra) to create your ideal length. For this project, I wanted a decorative finial to adorn the top of my tap handle. You may prefer a wooden plaque holding your own custom label like Redhook places atop their distinctive yellow handles.

Two: Sand the wood lightly. Oak, the wood I chose, is open grained and should be sealed. Any imperfections should be sanded out or filled and sanded. If you will be painting your tap handle, multiple coats are required to recreate shining, glossy tap handles. Sand lightly between coats. If you appreciate wood like I do, choose a stain and a clear finish and follow the manufacturers' directions. Other options for decoration include wood burning, application of custom labels under clear finish (decoupage) or applying metallic objects. I chose a mushroom-shaped drawer pull.



America's Hobby House

We carry a complete line of wine and beer
making supplies and equipment

We also carry crafts such as candle and soap
making supplies and equipment

4220 State Route 43
Kent, Ohio 44240
330-678-6400
www.americashobbyhouse.com



Conveniently located at the intersection of
Interstate I-76 (Exit # 33) and State Route 43 in Kent

www.bulkhomebrew.com

ATTENTION HOMEBREW CLUBS!

Enjoy

Deep Discounts
on Beer and Wine Supplies:

Grain*Hops*Extracts*Honey
***Wine Kits*Beer & Wine Chems**
***Cleaners & Sanitizers*More!**

Moravian Pils 55 Lb \$24.75!

**Get Together
With Your Buddies:
Order By The Pallet!**

Order Online Now!

www.bulkhomebrew.com

Three: Insert the hanger bolt. Hanger bolts have a wood screw on one end and a typical bolt on the other. Find the absolute center of your tap handle's end and mark it, then use a sharp prick punch to start a pilot hole. Drill a pilot hole, $\frac{1}{8}$ of an inch in my case, then enlarge it to fit the hanger bolt. In the U.S. hanger bolts suited to tap handles are $\frac{7}{16}$ -inch by two inches. I do not know what the metric world has to offer — sorry. Your final hole should be $\frac{1}{4}$ -inch, or you will, as I did, split the wood. Drilling a $\frac{1}{4}$ -inch pilot hole for a $\frac{7}{16}$ -inch screw leaves just the threads cutting into the wood. Another tactic for preventing splitting is to wrap the end with several turns of wire while inserting the wood screw.

As there is no slot for your screwdriver, use a technique called double nutting to turn the screw. Run one

$\frac{7}{16}$ -inch nut onto the shaft of the screw, then another, and tighten the two together, then use the nuts to drive in the screw. Remove the nuts and screw on the ferule.

Four: Adding a finial to enhance the handle is equally as easy. The procedure is similar. The drawer pull I chose, and most drawer pulls, have a shaft on them. If there wasn't you couldn't get your fingers underneath.

Drawer pulls come with their own hardware. This will enable you to discover the size of the mounting bolt. Mine was 8-32. Hanger bolts are available in 8-32 size and many lengths. A one inch (25 mm) length might be a bit short.

Five: I wanted the mushroom end to mate flat to the top of the tap handle. This required sinking the shaft of the pull below the top. Again, predrill a $\frac{1}{8}$ -inch pilot hole, perfectly centered, into the top. For this size hanger bolt



Sanding the wooden tap handle makes for a smooth finish. Sand lightly between coats of paint or varnish. You can clamp the tap handles in your vice, but be sure to use pieces of scrap wood to prevent marring the finish.

Are you looking for that one good book to get you started in homebrewing?

Are you looking for that second good book to get started in all-grain brewing?

Look no further!

"To sum it all up, this is an excellent book which should be the first homebrew book that anyone purchases." Alan McKay— www.bodensatz.com


"The giant step that most homebrewers encounter in their progression is the leap to all-grain brewing. Palmer makes the transition easy."

K. Florian Klemp — *All About Beer magazine*

Find *How To Brew* at your local homebrewing supply shop or check it out online at www.howtobrew.com

How To Brew

Ingredients, Methods, Recipes, and Equipment For Brewing Beer at Home



John J. Palmer

PROMASH™

Brewing Software for the Discriminating Brewer

Try it for **FREE** at www.promash.com



- Recipe formulation
- Brewing sessions
- Mash designer
- Water profiler
- Modifiable databases
- Inventory control
- American/Metric units
- Extensive help system

"...This is simply the best brewing software package on the market today..."

-Jim Wagner, Brewmaster
DuClaw Brewing Co.,
Bel Air, Maryland

Only \$24.95

Powerful, flexible, easy to use and much, much more!
Don't take our word for it,
try it completely free at www.promash.com
Purchase online, or call us at (805) 252-3816.
Dealer inquiries welcome.



(Left) You must center the pilot and final holes precisely and use the correct drill size or the thin wood will surely crack. Double nutting permits driving the hanger bolt into the the predrilled shaft hole.

(Right) This is *not* the project you will be completing in an afternoon, rather a taste of what our future tap handle project has to offer. Stay tuned!



you'll need a $\frac{1}{32}$ -inch final hole. Drill a larger hole to conceal the shaft of your drawer pull; mine was $\frac{3}{8}$ -inch in diameter and $\frac{1}{2}$ -inch deep.

When inserting the hanger bolt into the finial (drawer pull), I'd suggest using some kind of liquid thread locker like Loctite to keep the hanger bolt secure — you might want to remove the drawer pull later. A liberal application of nail polish can also do the trick.

Six: With all the mechanical preparation complete, it's time to complete the finish. Be sure your surfaces are sanded smooth and apply your sealant. Sand again and reapply sealant or stain (according to directions) and then the final finish. Please, send us photos of your completed tap handles and if we compile enough, we will run a special showing in a future issue!

Thom Cannell writes Projects in every issue of BYO. He also enjoys writing about cars for a living. ■

beercooler.com introduces

SUDSBUDDY

- **Versatile . .**

Cools commercial keg beer or can be used for homebrewing.

- **Lightweight . .**

Durable, molded, polyethylene plastic. Weighs less than 60 lbs.

- **Stylish . .**

Custom shape. Comes in a variety of colors.

order online!
for more info go to:
beercooler.com
order by phone:
(877) 229-SUD S (7837)
or (609) 264-SUDS



- **Portable . .**

Built-in, recessed hand grips. Optional cigarette adapter.

- **High Tech . .**


Units cooled using solid state, reliable, thermoelectric modules.

- **Affordable . .**

Cooler pays for itself over time from the savings of NOT having to buy cans and bottles.

The Ultimate Portable Beer Keg Cooler

BREWERS!



Since 1979, William's Brewing has been the leader in direct home brewing sales. We feature a huge line of home brewing equipment and supplies. Our large web site features a comprehensive brewing questions database, so you can get your questions answered quickly.


Request your free catalog, or browse our extensive web site (and get on our e-mail specials list), and find out why we are the leader!

CHECK US OUT TODAY!

www.williamsbrewing.com

Free Catalog Requests: 800-759-6025

2594 Nicholson St. • San Leandro • CA • 94577



All-Grain Brewing

- Calculate your
"brewhouse efficiency?": MW Oct 03
Pros and cons of
batch sparging? :MW May 03
Your First Infusion Mash: Tech Mar 03

Beer Styles

- Beer Styles: Sep 03
Between Theory and Practice Oct 03
Braggot: Style Profile Dec 03
Brewing the Big Ones Jan 03
Brewing Stout: Tips Dec 03
Cask Conditioned Real Ale: Tips Sep 03
Dunkelweizen: Style Profile Dec 03
Eisbock Sep 03
Hard and Easy Homebrews: MW Jan 03
Irish Red Ale: Style Profile May 03
Kolsch: Style Profile Jul 03
Lawnmower Beers Nov 03
Mild Ale: Style Profile Mar 03
Märzen: A Beer By Any Jul 03
Other Name Sep 03
Oktoberfest: Tips Jan 03
Pale Ale Jan 03
Perfect Porter Jul 03
Sour Cherry Ale: Syle Profile Oct 03
Trappist Ale

Boiling

- Wort Boiling: Tech Jul 03

Brewing History

- Colonial Ale Jan 03

Brewing Science

- Flavor Maturation: Sci Jan 03
Oxidation: Sci Jul 03
Temperature Management: Sci Nov 03
The Role of pH: Sci Sep 03

Build It Yourself

- Adding a Sight Glass: Projects Jan 03
Build 2 Easy Keg Gadgets: Projects Jul 03
Build a Bottleswasher: Projects Sep 03
Build a Carboy Dryer: Projects Nov 03
Build a Hose Cleaner: Projects Mar 03

- Motorize Your Grain Mill: Projects Oct 03
Put a Spigot in a Glass Carboy: Projects May 03

Carbonation

- Carbonation: Sci Mar 03
Carbonation Problems: MW Sep 03

Clarity

- Beer Clarity: Tips Oct 03
Chill Haze: MW Dec 03

Cleaning/Sanitation

- Beer Minus Bacteria Jan 03
Bleach and Iodine: MW Jan 03
Can iodophor be used as a no-rinse sanitizer? MW Jan 03
Cleaning and Sanitation: Sci May 03
Scorched Stainless Steal: MW Nov 03
When to use bleach: MW Jan 03

Cloning

- BJ's Millennium Ale: Replicator Jan 03
Butte Creek Winter Ale: Replicator Nov 03
Carolina Brewing's Nut Brown Ale: Replicator Dec 03
Crooked River ESB: Replicator May 03
New Belgium's La Folie Ship Yard's Export Ale: Replicator Oct 03
TableRock Nut Brown Ale: Replicator Mar 03
Terrapin Rye Pale Ale: Replicator Jul 03
Total Disorder Porter: Replicator Sep 03

Color

- Raise the Colors! May 03

Competitions

- 8 Novelty Beers of the Dixie Cup Dec 03
Test Your Mettle Jul 03
The Dixie Cup Sep 03
The Heavy Medal Man Jul 03

Equipment

- 4 Dream Homebrew Systems Nov 03
Brewing on Autopilot with PID Controllers Nov 03
Counter-pressure Bottler: MW Jan 03
Pump it Up! Nov 03
Refractometers Nov 03

Extract Brewing

- 17 Foolproof Extract Recipes Oct 03
The Texas Two-Step Method Oct 03

Fermentation

- Fermentation 101: Tech Jan 03
Forced Fermentations: MW Sep 03
Lagging Lager: MW Dec 03
Stuck Fermentations: Tech Oct 03

Food Recipes

- Beer and Cheese May 03

2003 Story index

- Scotch Ale Ice Cream Sep 03

Grains

- Bugs in the Brew: MW Nov 03
Dark Grains Turn to Dust: MW Jul 03
Steeping vs. Partial Mashing Nov 03

Hops

- Bagging Hops: MW Dec 03
Dry Hopping: Tech Sep 03
Homegrown Hop Calculations: MW Dec 03
Hop Oils: MW Jan 03
Hop to Style! Mar 03
Using American Hops: Tips Sep 03

Ingredients

- Beano brau: MW Jul 03
Spice it Up Dec 03
Sweetgrass Ale May 03

Kegging

- Keg Your Beers! Mar 03

Label Contest

- 2003 Label Contest Winners! Jul 03

Lautering

- Lautering: Tech May 03

Malt

- Using Munich & Vienna malts: Tips May 03

Mashing & Sparging

- Mashing Through the Night: MW Mar 03
Sparge Water pH: MW Jan 03
Step Mashing: Tech Nov 03

Miscellaneous

- 2002 BYO Story and Recipe Index Jan 03
Bread Flavor in Hefweizen: MW Jul 03
Dastardly DMS: MW Mar 03
DMS in Light Beer: MW Nov 03
Hot Starting Lager: MW May 03
Over a Barrel May 03
Water Treatment: MW Oct 03

Recipe Calculations

- Recipe Formulation: Tips Mar 03

Specific Gravity

- Off Gravity: MW Oct 03

Turning Pro

- See You at Brew School! Oct 03

Yeast

- Beauty and the Yeast Sep 03
Dead Liquid Yeast: MW Mar 03
Harvesting Yeast: Tips Nov 03
Is it possible to aerate your yeast too much? MW May 03



American Malt Liquor

Rewarding Malt Liquor Dec 03

American Pale Ale and Amber Ale

Terrapin Rye Pale Ale Jul 03
Classic American Pale Ale Sep 03
BAR Pale Ale Sep 03
Dad's Day Pale Sep 03
Austin Extra Pale Ale Oct 03
HBS American Pale Ale Oct 03
Amarillo Amber Ale Oct 03

American Pilsner

Nothing Runs Like a Beer Jul 03
Knee High Fourth of July Jul 03

Asian Lager

Toro Toro Lager (Dry Beer) Jul 03

Belgian and French Ale

La Folie Barrel-Aged Beer May 03
Belgian Blonde Ale May 03
Bastrop Schwartz Wit Oct 03

Belgian Strong Ales

Rick Norton's Belgian Tripel Jan 03
BJ's Brewery Millenium Ale Jan 03
Silent Tripel Oct 03
Halo Dubbel Oct 03
Dallas Dubbel Oct 03

Bitter and English Pale Ale

Crooked River ESB May 03
I Fought the Lawn Ordinary Bitter Jul 03
English Strong Bitter Sep 03
Wright's Shifting Balance Bitter Sep 03
Fisher's Fundamental ESB Sep 03
Classic English Pale Ale Sep 03
Ballpark Red Oct 03
End Run Mild Ale Nov 03
Ceres Comes Early ESB Dec 03

Brown Ale

Table Rock Nut Brown Ale Mar 03
Good Olde Brown Ale Oct 03

Carolina Brewing Nut Brown Ale Dec 03
Texas Imperial Brown Dec 03

English and Scottish Strong Ale

BYOB English Old Ale Oct 03
Wee Hottie Dec 03

European Dark Lager

Munich Malt Doppelbock May 03

European Pale Lager

CW Bohemian Pilsner Oct 03
Vandervecken's Netherlands Export Jul 03

Fruit Beer

Tom's Cherry Ale Jul 03
PumpHouse Raspberry Stout Oct 03
Panther Pee Dec 03

German Amber Lager

Princess Theresa's Oktoberfest Mar 03
Michigan Märzen-Oktoberfest Jul 03

India Pale Ale

Haldane's Select IPA Sep 03
Seven Bridges Organic IPA Oct 03

Brew like a Professional
12.2 Gallon

Stainless Conical Fermenters

6.8 Gallon

24 Gallon

BREW4LESS.com

15 Gallon

8 Gallon

6.5 Gallon

25 Gallon

40 Gallon

MiniBrew™ & Affordable Conical™ Fermenters
Stand, Valves and Instructions Included
www.Brew4Less.com

LISTERMANN'S

now offers (while it lasts)
-FREE SHIPPING-

For e-tail orders over \$35 east of the Mississippi

Seen the latest from our New Toy Dept.?

Phil's Pseudo Burton-Union

Psystem for carboy fermentations...it's cool!

Check it out!

Visit our site at

LISTERMANN.COM

or call (513) 731-1130



LISTERMANN MFG. CO., INC.

1621 Dana Ave., Cincinnati, OH 45207

Round the Cape IPA	Oct 03	Standard Brown Porter	Jan 03	Red Hot Blond	Dec 03
24 Carrot IPA	Dec 03	Standard Robust Porter	Jan 03		
Imperial Stormtrooper IPA	Dec 03	Presumptuous Porter	Jan 03	Spice, Herb & Vegetable Beer	
		1822 Porter	Jan 03	Sweet Holiday Stout	Dec 03
Irish Ale		Brown Malt Porter	Jan 03	Christmas Ale	Dec 03
Smiling Eyes Irish Red Ale	Jan 03	Total Disorder Porter	Sep 03	Holiday Ale	Dec 03
		El Paso Porter	Oct 03	Peppershot Stout	Dec 03
Kölsch and Altbier		Positive Perspective Porter	Oct 03	24 Carrot IPA	Dec 03
Modern Eau de Kölsch	May 03	Saint Paul Porter	Oct 03		
Traditional Cathedral Kölsch	May 03	St. Carolus Honey		Stout	
Vienna Malt Pale Alt	May 03	Imperial Porter	Dec 03	Navish's Oatmeal Stout	Jan 03
Homelite Kölsch	Aug 03			Tony Capocelli's StoutWeizen	Mar 03
Epicurean Kölsch	Oct 03	Scottish Ale		Sam Houston Stout	Oct 03
00's Checkered Flag Altbier	Nov 03	Scotch Ale	May 03	AHS Dry Stout	Oct 03
		San Antonio Scottish Ale	Oct 03	Crème de la Stout	Oct 03
Light Ale		Flying Barrel Scottish Ale	Oct 03	Fat Spider Stout	Nov 03
Gruesome Foot Lawnmower Beer	Mar03	Wee Hottie	Dec 03	Whopper Stout	Dec 03
Craftsman Cream Ale	Jul 03				
Gritty Gardener Australian		Specialty & Experimental Beer		Wheat Beer	
Sparkling Ale	Jul 03	Mrs. Cary's Good Ale	Jan 03	Weed Whacker Wheat	Jul 03
Old Dutch Ale	Jul 03	Jolly Rancher Apple Lambic	May 03	Red Dawn American Wheat	Jul 03
Shipyard Export Ale	Oct 03	Sweetgrass Ale	May 03	Dunkelweizen Symphony	Sep 03
Green Zinger	Oct 03	Fest Ale	Oct 03	Kennywood Bavarian Wheat	Oct 03
Cinco de Mayo Cerveza	Oct 03	Bragging Braggot	Oct 03		
		Chili Head Fred	Dec 03	Winter Beers	
Porter		Whopper Stout	Dec 03	Butte Creek Winter Ale	Nov 03

SABCO INDUSTRIES, INC

Homebrew Equipment 'Specialists'

Great Brew-kettles
like our new
'Universal Kettle'



Great Kegs
'Brand New'
or 'Like New'



Great
Equipment ...
Like the amazing RIMS
'Brew-Magic' Brewing System



AND ...

A 'KEG-FULL' OF GREAT IDEAS TOO!

VISIT OUR STORE AT ... www.kegs.com
or email at ... sabco@kegs.com
(419) 531-5347 (KEGS)

Young's
One of the
World's largest distributors
of beer and wine making products

**Delivering
quality
through
service**

Young's Home Brew Ltd
Unit A, Cross Street
Bradley, Bilston
West Midlands WV14 8DL
England

Telesales: +44 (0)1902 353352
Admin: +44 (0)1902 353053
Fax: +44 (0)1902 354852
enquiries@youngshomebrew.co.uk

www.youngshomebrew.co.uk



	pg.		pg.		pg.
America's Hobby House52		Cooper's Brew Products Cov. IV		Muntions p.l.c.Cov. II & 17	
1-877-578-6400		1-888-588-9262 & Recipe Cards		001-441-449618333	
www.americashobbyhouse.com		www.cascadiabrew.com		www.muntions.com	
sales@americashobbyhouse.com		mark@cascadiabrew.com		andy.janes@muntions.com	
American Brewers		Crosby & Baker Ltd.8		My Own Labels49	
Guild Brewing School50		508-636-5154		www.myownlabels.com	
1-800-636-1331		www.crosby-baker.com		info@myownlabels.com	
www.abgbrew.com		info@crosby-baker.com			
info@abgbrew.com				North Country Malt Supply, LLC19	
Annapolis Home Brew14		Defenestrative Publishing Co.53		1-888-368-5571 or 518-298-8900	
1-800-279-7556		626-374-1875		www.northcountrymalt.com	
www.annapolishhomebrew.com		www.howtobrew.com		sales@northcountrymalt.com	
email@annapolishhomebrew.com		john@howtobrew.com			
Asheville Brewers Supply59		E.Z. Cap18		Northern Brewer, Ltd.18	
828-285-0515		403-282-5972		1-800-681-2739	
www.ashevillebrewers.com		www.ezcap.net		www.northernbrewer.com	
allpoints1@mindspring.com		ezcap@ezcap.net		info@northernbrewer.com	
Beer and Wine Hobby50		Fermtech Ltd.44		Northwestern Extract Co.37	
1-800-523-5423		519-570-2163		www.nwextract.com	
www.beer-wine.com		www.fermtech.on.ca			
shop@beer-wine.com		derek@fermtech.on.ca		Party Pig / Quoin Industrial46	
Beer, Beer & More BeerCov. III		Foxx Equipment Company59		303-279-8731	
1-800-600-0033		1-800-221-8254		www.partypig.com	
www.morebeer.com		www.foxxequipment.com		info@partypig.com	
sales@morebeer.com		salesfoxx@foxxequipment.com			
BeerCooler.com54		Grape and Granary45		ProMash53	
609-264-7837		1-800-695-9870		805-252-3816	
www.beercooler.com		www.grapeandgranary.com		www.promash.com	
neilw@beercooler.com		info@grapeandgranary.com		sales@promash.com	
Better-Bottle division of High-Q, Inc. ...23		Hobby Beverage Equipment24		SABCO Industries, Inc.57	
1-800-435-4585		909-676-2337		419-531-5347	
www.Better-Bottle.com		www.minibrew.com		www.kegs.com	
sales@better-bottle.com		john@minibrew.com		sabco@kegs.com	
BeverageFactory.com45		Home Brewery (MO)44		Steinbart Wholesale35	
1-800-710-9939		1-800-321-2739 (BREW)		503-281-3941	
www.BeverageFactory.com		www.homebrewery.com		www.steinbart.com	
sales@BeverageFactory.com		brewery@homebrewery.com		sales@steinbart.com	
Brew King Ltd.20		Homebrew Heaven49		Stout Billy's59	
604-941-5588		1-800-850-2739		1-800-392-4792	
www.brewking.com		www.homebrewheaven.com		www.stoutbillys.com	
info@brewking.com		brewheaven@aol.com		info@stoutbillys.com	
Brew4Less56		Hops and Dreams59		Tote-A-Keg59	
760-591-9991		1-888-BREW-BY-U		773-491-0792	
www.Brew4Less.com		www.hopsanddreams.com		www.tote-a-keg.com	
byo@Brew4Less.com		brewit@hopsanddreams.com		tim@tote-a-keg.com	
BulkHomebrew.com52		Larry's Brewing Supply16		TurboScrub.com1	
www.bulkhomebrew.com		1-800-441-2739		814-591-0808	
bulkhomebrew@sbcglobal.net		www.larrysbrewing.com		www.TurboScrub.com	
BYO Back Issues26-27		customerservice@larrysbrewing.com		info@TurboScrub.com	
802-362-3981		Listermann Mfg. Co.56		White Labs Pure Yeast & Fermentation .25	
www.byo.com/backissues/index.html		513-731-1130		1-888-5-YEAST-5 & Recipe Cards	
backissues@byo.com		www.listermann.com		www.whitelabs.com	
BYO Label Contest4		dan@listermann.com		info@whitelabs.com	
Cellar Homebrew59		Michelob.com3		William's Brewing54	
1-800-342-1871		Midwest Homebrewing and		1-800-759-6025	
www.cellar-homebrew.com		Winemaking Supplies25		www.williamsbrewing.com	
staff@cellar-homebrew.com		1-888-449-2739		service@williamsbrewing.com	
		www.midwestsupplies.com		Young's Homebrew Ltd.57	
		info@midwestsupplies.com		+44 (0)1902 353352	
				www.youngshomebrew.co.uk	
				enquiries@youngshomebrew.co.uk	

CLASSIFIEDS

BREWING EQUIPMENT

CrankandStein

Hand-crafted grist mills for the homebrewer. 6 models to choose from including our massive 3-roller. www.crankandstein.com

The Barley Crusher MaltMill

"Homebrewer's best friend." Mills for the homebrewer, brew shop and microbrewer. www.barleycrusher.com

GIFTS

Your Brewery Glass

Serve your beer in your own brewery glass with your label/logo. For more information and examples, please visit our website: Homebrewerspride.com

HOMEBREW SUPPLY RETAILERS

MAKE QUALITY BEER & WINE!

Supplying home beer- and winemakers since 1971. FREE Catalog/Guidebook — Fast, Reliable Service. The Cellar Homebrew, Dept. BR, 14411 Greenwood Ave N., Seattle, WA 98133. 1-800-342-1871. Secure Online Ordering: www.cellar-homebrew.com

MAGAZINE BACK ISSUES

Round out your Brew Your Own collection! Download the back issue order form at www.byo.com/backissues/index.html or call 802-362-3981 to order.

SUPPLIES

DRAFTSMAN BREWING COMPANY

You'll love our prices! Call today for our FREE homebrew supply catalog. 1-888-440-BEER www.draftsman.com

WINEMAKING

FREE INFORMATIVE CATALOG.

Since 1967! 1-800-841-7404 Kraus, Box 7850-BY, Independence, MO 64054.

BREWER'S MARKETPLACE

STOUT BILLY'S

All the fixins for beer, wine and mead

115 Mirona Road
Portsmouth, NH 03801

online
FREE CATALOG
stoutbillys.com

1-800-392-4792



Make your own beer!

Start with the best ingredients. Let us show you how!

Now on the Web!
www.ashevillebrewers.com

ASHEVILLE BREWERS SUPPLY

828-285-0515

ASHEVILLE, NORTH CAROLINA
SINCE 1994 • SOUTH'S FINEST



JUST HB!

Foxx parts especially for the Home brewer!

Our 2004 Home Dispensing Catalog is now available summarizing Foxx pop tank parts, Counter pressure bottle fillers, CO2 cylinders, regs., et al. Call for your nearest HB shop!

-WHOLESALE ONLY-

www.foxxequipment.com
fax: 800-972-0282
(800) 821-2254 • Denver (800) 525-2484



MAKE BEER & WINE

- Complete selection of beer and winemaking equipment
- Soda, vinegars and liqueurs

FREE CATALOG

1-800-342-1871
or www.cellar-homebrew.com
downloadable catalog, secure online ordering

THE CELLAR HOMEBREW
14320 Greenwood Ave. N.
Seattle, WA 98133

THE MINI-TOTE



Now serving five liter mini-kegs. Tote-a-keg is an all-in-one draft beer system that lets you enjoy your cold draft homebrew anywhere.

www.tote-a-keg.com

Cheap Fast Friendly

What else matters?

www.brewbyu.com
www.hopsanddreams.com
www.homebrewnh.com
888-brew-by-u

HOME BREW directory

ALABAMA

Werner's Trading Company
1115 Fourth St. S.W.
Cullman 1-800-965-8796
www.wernerstradingco.com
The Unusual Store.

ARIZONA

Brew Your Own Brew
2564 N. Campbell Ave., Suite 106
Tucson (520) 322-5049 or
1-888-322-5049
www.brewyourownbrew.com
Where the art of homebrewing starts.

**Homebrewers Outpost
& Mail Order Co.**
801 S. Milton Rd., Suite 2
Flagstaff
1-800-450-9535
www.homebrewers.com
*Secure on-line ordering.
FREE CATALOG! Over 20
years of brewing experience!*

What Ale's Ya
6363 West Bell Road
Glendale
(623) 486-8016
www.whatalesya.com
*Great selection of beer &
wine making supplies.*

ARKANSAS

Fermentables
3915 Crutcher St.
North Little Rock 72118
(501) 758-6261
www.fermentables.com
*Complete homebrew &
winemakers supply*

The Home Brewery
455 E. Township St.
Fayetteville 1-800-618-9474
homebrewery@arkansasusa.com
www.thehomebrewery.com
*Top-quality Home Brewery
products.*

CALIFORNIA

**Beach Cities
Homebrewer's Supply**
2131 Placentia Ave., #B
Costa Mesa 92627
(949) 642-7300
www.beachcitieshomebrew.com
*"ORANGE COUNTY'S PREMIUM
BEER AND WINEMAKING
SUPPLIES"*

**Beer, Beer & More Beer
Riverside**
1506 Columbia Ave. #12
Riverside 92507
1-800-622-7393
www.morebeer.com
*Top-quality Supplies for the
Home Brewer or Vintner.*

The Beverage People
840 Piner Road, #14
Santa Rosa 1-800-544-1867
www.thebeveragepeople.com
*32-page Catalog of Beer,
Mead & Wine Supplies.*

Brewer's Rendezvous
11116 Downey Ave.
Downey (562) 923-6292
WWW.BOB BREWS.COM
*Secure online ordering
1-800-827-3983
Authorized Zymico Dealer
Free Shipping on qualified orders*

Brewers Discount
8565 Twin Trails Dr.
Antelope 95843
1-800-901-8859
rcb@lanset.com
www.brewersdiscount.com
Lowest prices on the Web!

BrewMaxer
843 West San Marcos Blvd.
San Marcos 92069-4112
(760) 591-9991
fax (760) 591-9068
www.brewmaxer.com
*Serving the fermenting
community since 1971.*

Doc's Cellar
855 Capitolio Way, Ste. #2
San Luis Obispo
1-800-286-1950
*Largest beer & wine supplier on
the central coast.*

HopTech Homebrewing
6398 Dougherty Rd. #7
Dublin 94568
1-800-DRY-HOPS
www.hoptech.com
*Beer, Wine, Root Beer-Kits &
Brew Supplies!*

IwantMYbeer
Cameron Park
(530) 672-2591
fax (703) 991-5360
www.iwantmybeer.com
*Beer & Wine supplies, Worldwide
shipping, 10% off for Brew Your
Own subscribers. Promo code:
byos*

Napa Fermentation Supplies
575 3rd St., Bldg. A (Inside Town
& Country Fairgrounds)
P.O. Box 5839
Napa 94581 (707) 255-6372
www.napafermentation.com
*Serving your brewing needs since
1983!*

Original Home Brew Outlet
5528 Auburn Blvd., #1
Sacramento (916) 348-6322
*Check us out on the Web at
http://go.to/homebrew_outlet*

O'Shea Brewing Company
28142 Camino Capistrano
Laguna Niguel (949) 364-4440
www.osheabrewing.com
*Providing southern California
with great beer!*

The Pickle Barrel
22500 Parrotts Ferry Rd.
Columbia 95310
(209) 533-9080
fax (209) 533-8303
www.thepicklebarrel.net
Beer & Wine Supplies

San Francisco Brewcraft
1555 Clement Street
San Francisco 94118
(800) 513-5196 or 415-751-9338
www.sfbrewcraft.com
Low Prices, Large Selection

**Seven Bridges Organic
Homebrewing Supplies**
325 A River St.
Santa Cruz 95060
1-800-768-4409
fax 831-466-9844
www.breworganic.com
Certified Organic Ingredients

Stein Fillers
4160 Norse Way
Long Beach (562) 425-0588
www.steinfillers.com
brew@steinfillers.com
A nonprofit public benefit company.

COLORADO

Beer and Wine at Home
1325 W. 121st. Ave.
Westminster 720-872-9463
www.beerathome.com
Opening Soon!

Beer at Home
4393 South Broadway
Englewood (303) 789-3676
1-800-789-3677
www.beerathome.com

The Brew Hut
15108 East Hampden Ave.
Aurora 1-800-730-9336
www.thebrewhut.com
*Beer, Wine, Mead & Soda —
WE HAVE IT ALL!*

**My Home Brew Shop
& Brew on Premise**
1834 Dominion Way
Colorado Springs 80918
(719) 528-1651
www.myhomebrew.com
*Taking Homebrewers to
the next level*

Old West Homebrew Supply
229 East Pikes Peak Ave.
Colorado Springs (719) 635-2443
www.oldwestbrew.com
*FREE Shipping for
orders over \$49.99!*

Stomp Them Grapes
2563 15th Street, Unit 101
Denver 80211
(303) 433-6552
Your needs are our specialty.

CONNECTICUT

B.Y.O.B. Brew Your Own Beer
847 Federal Rd.
Brookfield 1-800-444-BYOB
www.brewyourownbeer.com
*Beer, Cider, Mead, & Wine
Supplies. Huge Selection! Great
Prices! Kegging & Bar Equipment.*

Maltose Express
391 Main St. (Route 25)
Monroe 06468
In Ct.: (203) 452-7332
Out of State: 1-800-MALTOSE
www.maltose.com
*Connecticut's largest homebrew
& winemaking supply store. Buy
supplies from the authors of
"CLONEBREWS" and "BEER
CAPTURED"!*

FLORIDA

**Heart's Home Beer
& Wine Making Supply**
6190 Edgewater Dr.
Orlando 1-800-392-8322
*Low Prices ---Fast Service---
Since 1988.*
www.heartshomebrew.com
www.heartshomedraft.com

The Shady Lady
208 S. Alcaniz St.
Pensacola 32502 (850) 436-4436
www.theshadylady.net
*From bottles to books, from kits
to chemicals - We have every-
thing to brew your own!*

HOME BREW directory

GEORGIA

Marietta Homebrew Supply, Inc.
1355 Roswell Road, Ste. 660
Marietta 1-888-571-5055
www.mariettahomebrew.com
Low prices, high quality, great service!

ILLINOIS

Bev Art Brewer & Winemaker Supply
10033 S. Western Ave.
Chicago (773) 233-7579
www.bev-art.com
*Mead supplies and advice.
Winemaking and classes on
Premise.*

The Brewer's Coop
30 W. 114 Butterfield Road
Warrenville 60555
(630) 393-BEER (2337)
www.TheBrewersCoop.com
*DuPage County's
LARGEST homebrew shop!*

Chicagoland Winemakers Inc.
689 West North Ave.
Elmhurst 60126
Phone: 1-800-226-BREW
E-mail: cwinemaker@aol.com
www.cwinemaker.com
Personal Instruction!

Crystal Lake Health Food Store
25 E. Crystal Lake Ave.
Crystal Lake (815) 459-7942
*Honey - Sorghum -
Maple Syrup - Bulk Herbs!*

Home Brew Shop
225 West Main Street
St. Charles 60174
(630) 377-1338
www.homebrewshopltd.com
*Full line of Kegging equipment,
Varietal Honey*

INDIANA

The Brewers Art Supply
1520 N. Wells Street
Fort Wayne 46808
(260) 426-7399
e-mail: francie.brew@verizon.net
www.brewersartsupply.com
*Friendly, Reliable service in house
and on-line*

Co-op Corner General Store
5015 N. St. Joe Ave.
Evansville 47720
1-800-398-9214 or
(812) 423-6481
*Beer & Wine. Brew supplier for
southern Indiana.*

Great Fermentations of Indiana
853 E. 65th St.
Indianapolis
(317) 257-WINE (9463)
or toll-free 1-888-463-2739
*E-mail us at
anita@greatfermentations.com*

Kennywood Brewing Supply
Crown Point
(219) 765-BREW
www.kennywoodbrew.com
*Visit us online. Fresh homebrewing
ingredients and more!*

KANSAS

Bacchus & Barleycorn
6633 Nieman Road
Shawnee (913) 962-2501
www.bacchus-barleycorn.com
*Your one stop home
fermentation shop!*

Homebrew Pro Shoppe, Inc.
2059 E. Santa Fe
Olathe (913) 768-1090 or
Toll Free: 1-866-BYO-BREW
*Secure online ordering:
www.brewcat.com*

MARYLAND

Annapolis Home Brew
53 West McKinsey Rd.
Severna Park 21146
(800) 279-7556
Fax (410) 975-0931
www.annapolishomebrew.com
*Friendly and informative personal
service; Brew on Premise, Online
ordering.*

The Flying Barrel
103 South Carroll St.
Frederick
(301) 663-4491 or
Fax (301) 663-6195
www.flyingbarrel.com
*Maryland's 1st Brew-On-Premise;
winemaking and homebrewing
supplies!*

**Four Corners Liquors and
Homebrewsupply.com**
3927 Sweet Air Rd.
Phoenix 21131
(888) 666-7328
www.homebrewsupply.com

Maryland Homebrew
6770 Oak Hall Lane, #115
Columbia 1-888-BREW NOW
www.mdhb.com
We ship UPS daily.

MASSACHUSETTS

Beer & Wine Hobby
155 New Boston St., Unit T
Woburn 1-800-523-5423
E-mail: shop@beer-wine.com
Web site: www.beer-wine.com
*One stop shopping for the most
discriminating beginner &
advanced beer & wine hobbyist.*

**Beer & Winemaking
Supplies, Inc.**
154 King St.
Northampton (413) 586-0150
or Fax (413) 584-5674
www.beer-winemaking.com
27th year!

Modern Homebrew Emporium
2304 Massachusetts Ave.
Cambridge 02140
(617) 498-0400
fax (617) 498-0444
www.modernbrewer.com
*The Freshest Supplies, In Business
for 13 Years!*

NFG Homebrew Supplies
72 Summer St.
Leominster 01453
(978) 840-1955 or
Toll Free: 1-866-559-1955
www.nfghomebrew.com
Email: nfgbrew@aol.com
Great prices! Personalized service!

**Strange Brew Beer &
Winemaking Supply**
331 Boston Post Rd. E. (Rt. 20)
Marlboro 1-888-BREWING
E-mail: dash@Home-Brew.com
Website: www.Home-Brew.com
*We put the dash back in
Home-Brew!*

**West Boylston Homebrew
Emporium**
Causeway Mall, Rt. 12
West Boylston (508) 835-3374
www.wbhomebrew.com
*Service, variety, quality.
Open 7 days.*

Witches Brew, The
12 Maple Ave.
Foxborough (508) 543-0433
thewitchesbrew@att.net
*You've Got the Notion,
We've Got the Potion*

MICHIGAN

Adventures in Homebrewing
23439 Ford Road
Dearborn (313) 277-BREW
Visit us at www.homebrewing.org

Cap'n' Cork Homebrew Supplies
16812 - 21 Mile Road
Macomb Twp. (586) 286-5202
Fax (586) 286-5133
www.geocities.com/capandcork/
e-mail: cap_n_cork@netzero.net
*Wyeast, White Labs, Hops & Bulk
Grains!*

EarthWorks Brewing
P.O. Box 140226
Grand Rapids 49514-0226
(616) 813-2784
fax (269) 740-5912
www.earthworksbrewing.com
"Better Beer ...for a Better World"

Kuhnhehn Brewing Co. LLC
5919 Chicago Rd.
Warren 48092 (586) 979-8361
fax (586) 979-2653
*Brew on Premise, Microbrewery,
Homebrewing Supplies*
www.brewingworld.com

The Red Salamander
205 North Bridge St.
Grand Ledge (517) 627-2012
Fax: (517) 627-3167
Phone or fax your order.

Siciliano's Market
2840 Lake Michigan Dr. N.W.
Grand Rapids 49504
(616) 453-9674
fax (616) 453-9687
www.sicilianosmkt.com
*The largest selection of beer and
wine making supplies in west
Michigan.*

things BEER
2582 N. M52
Webberville 1-800-765-9435
www.thingsbeer.com
*Your Full-Service Homebrew Shop
With A Home Town Feel!*

MINNESOTA

Baker's Hobby & Framing
2738 Division St. W.
St. Cloud 56301
(320) 252-0460
fax (320) 252-0089
*Wine and Beer supplies shipped
anywhere*

Homebrewersupply.com
Minneapolis 55413
(612) 788-6160
e-mail: info@homebrewersupply.com
www.homebrewersupply.com
*Large Selection, low prices. Free ship-
ping on orders over \$60*. Most
orders shipped within 24 hours.*

HOME BREW directory

Northern Brewer, Ltd.
1150 Grand Ave.
St. Paul 55105
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Semplex of USA
4171 Lyndale Ave. N.
Minneapolis (888) 255-7997
www.semplexofusa.com
Est. 1962 — Best Service & Prices! FREE CATALOG!

WindRiver Brewing Co., Inc
7212 Washington Ave. S.
Eden Prairie 55344
1 (800) 266-4677
www.windriverbrew.com
FREE catalog. Fast nationwide shipping.

MISSOURI

Home Brew Supply
3508 S. 22nd St.
St. Joseph (800) 285-4695
or (816) 233-9688
www.thehomebrewstore.com

The Home Brewery
205 West Bain (P.O. Box 730)
Ozark 1-800-321-BREW (2739)
brewery@homebrewery.com
www.homebrewery.com
The original Home Brewery products.

Homebrew Pro Shoppe, Inc.
531 SE Melody Lane
Lee's Summit 64063
(816) 524-0808 or
Toll-free 1-866-BYO-BREW
support@brewcat.com
www.brewcat.com
Secure On-line shopping - Complete line of beer & wine making supplies & equipment.

St. Louis Wine & Beermaking
251 Lamp & Lantern Village
St. Louis 63017
1-888-622-WINE (9463)
www.wineandbeermaking.com
The complete source for Beer, Wine & Mead makers!
Fax us at (636) 527-5413

NEBRASKA

Fermenter's Supply & Equipment
8410 'K' Plaza, Suite #10
Omaha 68127 (402) 593-9171
Fax: (402) 593-9942
www.fermenterssupply.com
Malt, grain, hops & grapes. Beer & winemaking supplies since 1971.

NEVADA

Beer & Brew Gear
4972 S. Maryland Pkwy., #4
Las Vegas (877) 476-1600
Your Beer, Wine & Soda Making Headquarters in Southwest USA.

NEW HAMPSHIRE

Hops and Dreams
P.O. Box 914
Atkinson 03811
1-888-BREW-BY-U
www.brewbyu.com
Great prices & FREE catalog!

Stout Billy's
115 Mirona Rd.
Portsmouth (603) 436-1792
Online catalog & recipes!
www.stoutbillys.com

NEW JERSEY

BEERCRAFTERS
110A Greentree Road
Turnersville 08012
(856) 2-BREW-IT
E-mail: drbarley@aol.com
www.beercrafters.com
NJ's Leader in Home Wine & Beer Supplies

Brewer's Apprentice
179 South Street
Freehold 07728
(732) 863-9411
www.brewapp.com
Where you are the brewer.

NEW YORK

Bottom of the Barrel
1736 Mt. Hope Ave.
Oneida 13421
(315) 366-0655
fax (315) 363-0670
Best Little Homebrew Store Around

E.J. Wren Homebrewer, Inc.
Ponderosa Plaza,
Old Liverpool Rd.
Liverpool 13088
1-800-724-6875
E-mail: ejwren@twcny.rr.com
www.ejwren.com
Largest homebrew shop in Central New York

Hennessy Homebrew Emporium
470 N. Greenbush Rd.
Rensselaer 12144
(800) 462-7397
www.beerbrew.com
Huge Selection, Open 7 days a week, Est. 1984

Niagara Tradition Homebrewing Supplies
1296 Sheridan Drive
Buffalo 14217
(800) 283-4418
Fax (716) 877-6274
On-line ordering. Next-day service. Huge Inventory.
www.nthomebrew.com

Party Creations
345 Rokeby Rd.
Red Hook 12571
(845) 758-0661
www.partycreations.net
Everything for making beer and wine

NORTH CAROLINA

Alternative Beverage
114-E Freeland Lane
Charlotte
Advice Line: (704) 527-2337
Order Line: 1-800-365-2739
www.ebrew.com
29 years serving all home brewers' & winemakers' needs! One of the largest suppliers in the country

American Brewmaster Inc.
3021-5 Stoneybrook Dr.
Raleigh (919) 850-0095
www.americanbrewmaster.com
Just good people to do business with!

Asheville Brewers Supply
2 Wall Street #101
Asheville 28801
(828) 285-0515
www.ashevillebrewers.com
The South's Finest Since 1994!

Assembly Required
1507D Haywood Rd.
Hendersonville 1-800-486-2592
www.assemblyrequired.com
Your Full-Service Home Brew Shop!

Homebrew.com
209 Iverson Way
Charlotte 28203
1-888-785-7766
www.homebrew.com
The Southeast's best-stocked store with excellent low prices!

OHIO

America's Hobby House
4220 State Route 43
Kent 44240
Toll Free: (877) 578-6400
(330) 678-6400
fax (330) 678-6401
www.americashobbyhouse.com
Specializing in winemaking/homebrew supplies & equipment.

The Epicurean, Inc.
696 Sandstone Dr.
Wooster 44691
1-877-567-2149
(330) 345-5356 telephone/fax
www.epicureanhomebrewing.com
FREE catalog! "Brew Card" Discount

The Grape and Granary
915 Home Ave.
Akron 44310 (800) 695-9870
www.grapeandgranary.com
Complete Brewing & Winemaking Store.

The Homebrew Company
1335 W. Main St., P.O. Box 862
Kent 44240
(888) 958-BREW (2739)
fax (330) 677-7169
www.homebrewcompany.com
Beer and wine making extravaganza.

Leener's Brew Works
142 E. Aurora Rd.
Northfield 44067 1-800-543-3697
www.leeners.com
Supplies for beer, wine, mead, cheese, hot sauce, sausage...

Listermann Mfg. Co.
1621 Dana Ave.
Cincinnati 45207 (513) 731-1130
fax (513) 731-3938
www.listermann.com
Full line of beer/wine equipment and supplies.

The Pumphouse
336 Elm Street
Struthers 44471
1(800) 947-8677 or
(330) 755-3642
www.thepumphouse.cjb.net
Beer & winemaking supplies & more.

VinBrew Supply
8893 Basil Western Rd.
Canal Winchester 1-800-905-9059
www.vinbrew.com
Serving greater Ohio.

The Winemakers Shop
3377 North High Street
Columbus 43202 (614) 263-1744
www.winemakersshop.com
Serving Beer and Winemakers since 1974

PENNSYLVANIA

Brew By You
20 Liberty Blvd., Ste. A-4
Malvern 1-888-542-BREW
www.brewbyyou.net
Secure online ordering!

HOMEBREW directory

The Brew Company of Carlisle
152 South Hanover St.
Carlisle (717) 241-2734
www.brewcompany.com
A Little Store With a Lot of Knowledge!

Country Wines
3333 Babcock Blvd.
Pittsburgh 15237-2421
(412) 366-0151 or
FAX (412) 366-9809
Orders toll-free 866-880-7404
Online catalog at:
www.countrywines.com

Keystone Homebrew Supply
779 Bethlehem Pike (Rt. 309)
Montgomeryville (215) 855-0100
E-mail: sales@keystonehomebrew.com
www.keystonehomebrew.com
Quality Ingredients and Expert Advice!

Pennsylvania Homebrew & Tobacco Outlet
2476 Brodhead Rd.
Aliquipp 15001 1-800-688-1902
fax (724) 378-8978
www.pahomebrew.com
Wine, Beer, Cigars and Cigarettes at lowest prices.

Triangle Homebrewing Supply
2100 Smallman St.
Pittsburgh (412) 261-4707
www.ralph.pair.com/triangle.html
Bringing you the BEST for less!

Wine, Barley & Hops Homebrew Supply
248 Bustleton Pike
Feasterville 19053
(215) 322-4780
fax (215) 322-4781
www.winebarleyandhops.com
Your source for premium beer & winemaking supplies

RHODE ISLAND

Blackstone Valley Brewing Supplies
407 Park Ave.
Woonsocket (401) 765-3830
Quality Products and Personalized Service!

SOUTH CAROLINA

Bet-Mar Liquid Hobby Shop
736-F St. Andrews Rd.
Columbia 29210
(803) 798-2033 or
1-800-882-7713
www.liquidhobby.com
Unmatched Value, Service & Quality Since 1968

TENNESSEE

All Seasons Gardening & Brewing Supply
3900 Hillsboro Pike, Ste. 16
Nashville 1-800-790-2188
Nashville's Largest Homebrew Supplier!

TEXAS

Austin Homebrew Supply
8023-B Burnet Rd.
Austin 1-800-890-BREW
(512) 467-8427
www.austinhomebrew.com
Free Shipping on orders over \$60.00!

The Brew Stop
16460 Kuykendahl #140
Houston 77068 (281) 397-9411
Fax: (281) 397-8482
www.brewstop.com
Your complete brewing & wine-making source!

DeFalco's Home Wine and Beer Supplies
8715 Stella Link
Houston 77025
(713) 668-9440
fax (713) 668-8856
www.defalcos.com
Check us out on-line!

The Empty Stein
5625 Third Street
Katy 77493
(281) 391-9111
e-mail: sales@theemptystein.com
www.theemptystein.com
For all of your homebrewing needs!

Foreman's / The Home Brewery
3800 Colleyville Blvd.
(P.O. Box 308)
Colleyville 1-800-817-7369
www.homebrewerysupply.com
Top-quality Home Brewery products. Check out our site.

Homebrew Headquarters
300 N. Coit Rd., Suite 134
Richardson 75080
(972) 234-4411
fax (972) 234-5005
www.homebrewhq.com
Dallas' only home beer and wine making supply store!

Lubbock Homebrew Supply
1718 Buddy Holly Ave.
Lubbock 1-800-742-BREW
www.yourhomebrewstore.com
Check out our award winning recipes on our new site!

The Winemaker Shop
5356 West Vickery Blvd.
Fort Worth (817) 377-4488
brew@winemakershop.com
http://winemakershop.com
FREE catalog

UTAH

The Beer Nut
1200 S. State
Salt Lake City 84111
(888) 825-4697
fax (801) 531-8605
www.beernut.com
"Make Beer not Bombs"™

VIRGINIA

ManorFest HomeBrewing
5852-A Washington Blvd.
Arlington 22205 (703) 536-8323
www.manorfest.com
"Waiting is the hardest part!"

Vintage Cellar
1340 South Main St.
Blacksburg 1-800-672-9463
www.vintagecellar.com
Ingredient kits with White Labs Yeast, Belgian Ales & Glassware! Complete line of brewing supplies.

Virginia Beach Homebrew Hobbies
3700 Shore Dr., Suite #101
Virginia Beach 23455
(757) 318-7600
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

WASHINGTON

Bader Beer & Wine Supply, Inc.
711 Grand Blvd.
Vancouver, WA 98661
1-800-596-3610
Visit our Web site at
www.baderbrewing.com

The Beer Essentials
2624 South 112th St., #E-1
Lakewood 98499
(253) 581-4288 or
1-877-557-BREW (2739)
www.thebeeressentials.com
Mail order and secure on-line ordering available

The Cellar Homebrew
Make your own beer & wine
14320 Greenwood Ave. N.
Seattle 98133
1-800-342-1871
FREE Catalog/Guidebook, FAST Reliable Service, 30 Years! Secure ordering online
www.cellar-homebrew.com

Larry's Brewing Supply
7405 S. 212th St., #103
Kent 1-800-441-2739
www.larrysbrewing.com
Products for Home and Craft Brewers!

Mountain Homebrew & Wine Supply
8520 122nd Ave. NE, B-6
Kirkland 98033 (425) 803-3996
www.mountainhomebrew.com
The Northwest's premier home brewing & winemaking store!

Northwest Brewers Supply
316 Commercial Ave.
Anacortes 98221
(800) 460-7095
www.nwbrewers.com
All Your Brewing Needs Since 1987

Rocky Top Homebrew & Beer Emporium
3533 Mud Bay Rd. SW
Olympia 98502 (360) 956-9160
www.rockytopbrew.com
"We see things from a different pint of brew."

WISCONSIN

BrewCitySupplies.com
The Market Basket
14835 W. Lisbon Road
Brookfield 53005-1510
1-800-824-5562
Fax (262) 783-5203
www.BrewCitySupplies.com
Secure On-Line Catalog, Superb Service, Superior Selection & Unbeatable Prices

Homebrew Market
1326 North Meade St.
Appleton 54911 (920) 733-4294
or 1-800-261-BEER
www.homebrewmarket.com
Beer & Wine Supply Retail Store

Life Tools Adventure Outfitter
930 Waube Lane
Green Bay 54304
(920) 339-8484
www.lifetoolsusa.com
Complete homebrew and wine supplies

Wine & Hop Shop
1931 Monroe Street
Madison 53711
1-800-657-5199
www.wineandhop.com
Southern Wisconsin's largest selection of beer & winemaking supplies.

Oyster Stout

A seaworthy stout experiment

by Joe Walton

PHOTOS COURTESY OF JOE WALTON



Here's Jim adding oysters to a perfectly good stout (and a close up of the oysters in the wort). By the end of the boil, only two oysters of the 24 oysters could be identified. Although the idea was "fishy," the beer wasn't.



MY FRIEND JIM

Michalk is the kind of homebrewer you love to hate. He thinks of an extreme or strange beer to brew, comes over to your house to brew it and somehow makes you do all the work. Then, when the beer comes out wonderful, he gets all the credit for it.

This summer Jim wanted to brew an oyster stout. What would possess someone to throw a bunch of oysters into a perfectly good stout? I'm not sure, but Jim felt that he had to. We researched oyster stout, but there is not a lot of information out there. One brewery used the crushed shells as finings and another used the juice from oysters. Some made oyster stouts without any oyster. We brought the subject up at our monthly homebrew meeting and the only usable information we received was that Jim

was insane. After the meeting, we stopped by a grocery store. Jim has a philosophy that if an ounce or two is good, a pound is better. This idea extended to oysters and we bought a large jar of 24 raw oysters in brine.

The next day was a drizzly cold day in Austin, Texas. What better day to brew a beer from the sea that should not exist? With fifteen minutes left in the boil, Jim added the oysters — brine and all. However, after we ran the wort through the chiller, there were only two oysters left in the pot. We ate them (they were terrible), but where did the others go? We didn't see any oysters in the fermenter. However, after three days, little grey fatty nodes appeared in the krausen.

The finished product was tasty. It did have a slight briny taste to it, but was actually one of the smoothest stouts I have ever had. If we did not tell people that there were oysters in it, they would not have noticed. Jim wants to brew The Black Pearl again . . . this time with more oysters.

Black Pearl Oyster Stout

(5 gallons/19 L,

all-grain with bivalve mollusks)

OG = 1.052 FG = 1.013

IBU = 37 SRM = 60 ABV = 5.0%

Ingredients

9.0 lbs. (4.1 kg) 2-row pale malt
0.5 lb. (0.22 kg) flaked oats
1.0 lb. (0.45 kg) roasted barley
0.5 lb. (0.22 kg) chocolate malt
0.25 lb. (0.11 kg) black patent malt
10 oz. (283 g) raw oysters and brine
1 tsp. Irish moss (15 mins)
8.6 AAU Fuggles hops (60 mins)
(1.5 oz./43 g of 5.7% alpha acids)
4.3 AAU Fuggles hops (20 mins)
(0.75 oz./21 g of 5.7% alpha acids)
Wyeast 1084 (Irish Ale) yeast

Step by Step

Mash grains for 45 minutes at 152 °F (67 °C). Boil wort for 120 minutes. ■



Brewing Sculptures™

Designed & Manufactured By MoreBeer™

Make the Ultimate Upgrade for any HomeBrewer —
A MoreBeer!™ Professional-Grade BrewSculpture™
All-Grain Brewery System.



Professional-Grade Home Brewery Systems

9 Models • 5 to 93 Gallons • From \$895 to \$14,500 Delivered
Pictured above is MoreBeer's™ BrewSculpture™ Model #1550
connected to a MoreBeer!™ Stainless Conical Fermenter



1-800-528-4056

- Huge Homebrew Website - MoreBeer.com
- Industry's Largest, 80 page color, Homebrew catalog
- Free Shipping over \$49



Two Retail
Showrooms!

www.MoreBeer.com

995 Detroit Ave, Unit G, Concord, California 94518
1506 Columbia Ave, Suite 12, Riverside, California 92507

Your Brewing Just Got Easier!



Coopers Carbonation Drops are designed to make bottling a breeze for all levels of homebrewers. Simply add one Coopers Carbonation Drop to each 12 oz bottle (2 drops if using 22 oz bottles) prior to filling. No more measuring, racking or uneven carbonation levels.

Available at fine specialty retailers nationwide. Suggested retail: \$3.99. For more information on Coopers Carbonation Drops, visit us at www.cascadiabrew.com.

COOPERS
BREW PRODUCTS