

BRITISH CHAMPION
CLONE RECIPES

AWARD-WINNING
HOMEBREW LABELS

BREWING HISTORIC
BEERS WITH BRETT

Brew

THE HOW-TO HOMEBREW BEER MAGAZINE

YOUR OWN

JULY-AUGUST 2010, VOL.16, NO.4

GRAIN TO GLASS

your first all-grain
batch made easy

BEAT THE
HEAT WITH
AMERICAN
WHEAT

**BIRTH OF A
STYLE:** MAKE A
CASCADIAN
DARK ALE

www.byo.com

\$4.99US \$4.99CAN



0 09281 02485 9



NORTHERN BREWER'S CIVILIAN BREWING DIVISION

YOU CAN HELP BEER SURVIVE THE APOCALYPSE...



\$7⁹⁹
FLAT-RATE
SHIPPING*

*Some heavy and bulky products, such as sacks of grain, glass bottles, carboys, bulk DME, oak barrels, are excluded from flat-rate shipping.



BUILD A BREW SHELTER!



ARTISANAL MEAD KITS

Via funky Berlin and over hop-fogged flutes of bright Pilsner, we bring you the Limited Edition: THE NORTH GERMAN SERIES

THE WEEKLY FERMENTER



HYDROMEL #U075
STANDARD SEMI-SWEET #U077
STANDARD DRY #U076
SACK SWEET #U078



Kinderweisse
extract: #0310
all-grain: #0314



(Pseudo-Pils)
Victorious Primo
extract: #0320
all-grain: #0324



SIGN UP AT:
www.northernbrewer.com
WEEKLY NEWSLETTER WITH
A NEW SALE EVERY WEEK

NORTHERN BREWER


HOME BREWING & WINEMAKING SUPPLY
(800)681-2739 www.northernbrewer.com

CONTENTS

July-August 2010 Volume 16 Number 4



24



features

24 Birth of a New Style: Cascadian Dark Ale

A new style of beer is emerging from the breweries of the Pacific Northwest. Dark like a porter, but hoppy like an IPA. Some call it Cascadian dark ale. Others call it Black IPA. We've got three clone recipes you'll call delicious.

by Marc Martin

32 2010 Label Contest Winners

Many bottles of homebrew are lucky to get a number written on their cap. The winners of this year's label contest, in contrast, are decorated with the best works of art to spring from the minds of homebrewers.

38 From Grain to Glass: Your First All-Grain Beer


All-grain brewing can be a complex subject, but the basic idea is straightforward. And, you can dive in and learn the practical aspects of all-grain brewing at home before tackling the more technical stuff. We'll show you how.

by Chris Colby

48 CAMRA Champion Clones

Every year, CAMRA — the UK's Campaign for Real Ale — give the best traditional British ales its Champion Beers of Britain award . . . we've cloned six for you to brew.

by Les Howarth



departments

5 Mail

You have questions. We have answers.

8 Homebrew Nation

A Poplar Bluff, Missouri homebrewer and his recipe for "Common Nudity," and The Replicator clones Surly Brewing Company's Furious.

13 Tips from the Pros

Three US brewers discuss brewing a style that is all about the USA: American wheat.

15 Mr. Wizard

Should you taste your beers throughout the brewing and fermentation process? The Wiz thinks so.

19 Style Profile

American wheat owes some of its heritage to German wheat beers, but this style is decidedly New World.

55 Techniques

Historically, porter was transferred in oak casks, which very likely contributed *Brettanomyces* to the brew. Can that phenomenon be recreated?

59 Advanced Brewing

Whirlpooling separates the trub from the wort, but how does it work?

72 Last Call

Go green in your brewhouse — check out solar brewing.

where to find it

64 Reader Service

65 Classifieds & Brewer's Marketplace

66 Homebrew Supplier Directory

RECIPE INDEX

Community Nudity.....	8
Surly Brewing Company's Furious clone.....	12
American Wheat.....	20
American Rye.....	20
W-10 Pitch Black IPA clone.....	29
Turmoil Cascadian Dark Ale clone.....	30
Secession Black IPA clone.....	31
Maiden Voyage Pale Ale.....	47
Bateman's XXXB Bitter clone.....	50
Mauldron's Black Adder clone.....	50
Coach House Post Horn Premium Ale clone.....	51
Timothy Taylor Best Bitter clone.....	51
Rudgate Viking clone.....	53
Holden's Black Country Bitter clone....	54

BYO RECIPE STANDARDIZATION

Extract efficiency: 65%

(i.e. — 1 pound of 2-row malt, which has a potential extract value of 1.037 in one gallon of water, would yield a wort of 1.024.)

Extract values for malt extract:

liquid malt extract

(LME) = 1.033–1.037

dried malt extract (DME) = 1.045

Potential extract for grains:

2-row base malts = 1.037–1.038

wheat malt = 1.037

6-row base malts = 1.035

Munich malt = 1.035

Vienna malt = 1.035

crystal malts = 1.033–1.035

chocolate malts = 1.034

dark roasted grains = 1.024–1.026

flaked maize and rice = 1.037–1.038

Hops:


We calculate IBUs based on 25% hop utilization for a one hour boil of hop pellets at specific gravities less than 1.050.

Brew Wheat Beers With A Real **BAVARIAN ACCENT!**

Now you can brew great wheat beer styles reliably & conveniently with premium Munich Wheat Beer yeast from Danstar. Munich wheat beer yeast is true brewing yeast, selected for proven performance and superior flavor. Every batch of Danstar yeast is tested to insure it meets the most stringent standards of quality and purity, giving brewers the unmatched consistency and ease-of-use that only dry yeast can provide.

Bring out the best in your beer. Visit us at Danstar.com for the complete line of Danstar brewing products.

Get *The Dry Yeast Advantage* with Danstar.



www.DANSTAR.com



Weyermann : Superb German Malts

Weyermann is Germany's oldest and finest maltster, producing a wide range of barley, wheat and rye malts to optimize every beer!

- Superb quality Pilsner, Pale Ale, Vienna and Munich base malts
- Specialty malts to match just about any recipe
- Weyermann crystal and roast malts are produced in rotary roasting drums rather than in the usual flatbed kilns, producing a more consistent, high quality end product
- NEW authentic Bavarian Pilsner malt
- SINAMAR® Liquid All-Malt beer coloring extract now available in 4 oz. bottles for the homebrewer!

Distributed in the United States by Crosby & Baker,
from wholesale (strictly!) warehouses in:

- | | |
|---------------------------|--------------------------|
| • Westport, Massachusetts | • Baltimore, Maryland |
| • Atlanta, Georgia | • Sacramento, California |
| • Salt Lake City, Utah | |

Websites for more information Specs & other great stuff:

www.WeyermannMalt.com www.Crosby-Baker.com Email: Info@Crosby-Baker.com

CROSBY & BAKER LTD

Call us for great products and prices: 1.800.999.2440

what's happening at BYO.COM

Label Winners Past & Present

If you enjoy designing your own homebrew labels, including this year's winners on page 32, check out our online gallery of past winners. The best of the best from our annual contest!

www.byo.com/photos/category/



Brew Gluten Free

Brewing all-grain - or even extract, is possible for celiac-intolerant beer lovers. Read about some grains and extracts that are suitable for gluten-free fanatics.



www.byo.com/component/resource/article/702

Go Easy

If you're just starting your first batches of homebrew, check out this list of the ten easiest beer styles to get started.

www.byo.com/component/resource/article/1491



Cover Photo: Charles A. Parker

Brew

THE HOW-TO HOME-BREW BEER MAGAZINE
YOUR OWN

EDITOR
Chris Colby

ART DIRECTOR
Coleen Jewett Heingartner

ASSOCIATE EDITOR
Betsy Parks

TECHNICAL EDITOR
Ashton Lewis

ART INTERN
Elizabeth Clare

CONTRIBUTING WRITERS
Jon Stika, John Palmer, Marc Martin, Terry Foster,
Glenn BurnSilver, Kristin Grant, Forrest Whitesides, Jamil Zainasheff

CONTRIBUTING ARTISTS
Shawn Turner, Jim Woodward, Chris Champine

CONTRIBUTING PHOTOGRAPHERS
Charles A. Parker, Les Jørgensen

CANINE ASSOCIATES
Heidi, Louie

PUBLISHER
Brad Ring

ASSOCIATE PUBLISHER & ADVERTISING DIRECTOR
Kiev Rattee

ADVERTISING SALES COORDINATOR
Dave Green

BOOKKEEPER
Faith Alberti

SUBSCRIPTION CUSTOMER SERVICE MANAGER
Linda Marlowe

NEWSSTAND DIRECTOR
Carl Kopf

EDITORIAL REVIEW BOARD

Tomme Arthur • Port Brewing/Lost Abbey Steve Bader • Bader Beer and Wine Supply
David Berg • August Schell Brewing Co. John "JB" Brack • Austin Homebrew
Horst Dornbusch • Beer Author Greg Doss • Wyeast Laboratories
Chris Graham • MoreBeer! Bob Hansen • Briess Malt & Ingredients Co.
Anita Johnson • Great Fermentations (IN) John Maier • Rogue Ales Paul Manzo • Homebrew Consultant
Ralph Olson • Hopunion USA Inc. Mitch Steele • Stone Brewing Co.
Mark & Tess Szamatulski • Maltose Express John Weerts • Homebrew Consultant
Chris White • White Labs Anne Whyte • Vermont Homebrew Supply David Wills • Freshops

SUBSCRIPTIONS ONLY
Brew Your Own P.O. Box 469121 • Escondido, CA 92046
Tel: (800) 900-7594 • M-F 8:30-5:00 PST
E-mail: byo@pcspublink.com • Fax: (760) 738-4805
Special Subscription Offer
8 issues for \$28.00

EDITORIAL & ADVERTISING OFFICE
Brew Your Own
5515 Main Street
Manchester Center, VT 05255
Tel: (802) 362-3981 Fax: (802) 362-2377
Email: BYO@byo.com

ADVERTISING CONTACT: Kiev Rattee (kiev@byo.com)

EDITORIAL CONTACT: Chris Colby (chris@byo.com)

FACEBOOK: www.facebook.com/BrewYourOwn

TWITTER: @BrewYourOwn

Brew Your Own (ISSN 1081-826X) is published monthly except February, April, June and August for \$28.00 per year by Battenkill Communications, 5515 Main Street, Manchester Center, VT 05255; tel: (802) 362-3981; fax: (802) 362-2377; e-mail: BYO@byo.com. Periodicals postage rate paid at Manchester Center, VT and additional mailing offices. Canada Post International Publications Mail Agreement No. 40025970. Return undeliverable Canadian addresses to Express Messenger International, P.O. Box 25058, London BC, Ontario, Canada N6C6A8. POSTMASTER: Send address changes to *Brew Your Own*, P.O. Box 469121, Escondido, CA 92046-9121. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write *Brew Your Own*, P.O. Box 469121, Escondido, CA 92046-9121. Tel: (800) 900-7594. Fax: (760) 738-4805. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The subscription rate to Canada and Mexico is \$33; for all other countries the subscription rate is \$45.

All contents of *Brew Your Own* are Copyright © 2010 by Battenkill Communications, unless otherwise noted. *Brew Your Own* is a registered trademark owned by Battenkill Communications, a Vermont corporation. Unsolicited manuscripts will not be returned, and no responsibility can be assumed for such material. All "Letters to the Editor" should be sent to the editor at the Vermont office address. All rights in letters sent to *Brew Your Own* will be treated as unconditionally assigned for publication and copyright purposes and subject to *Brew Your Own's* unrestricted right to edit. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.

All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in the United States of America. Volume 16, Number 4: July-August 2010.



The decimal point was "just a bit outside"

The recipe for Zea Mays Hayes step by step calls for "0.5 oz. (14 g) of 6-row malt" but the article says "roughly 10% of the grits mixture is malt by weight." Since your recipe uses "3 lb. 6 oz. (1.5 kg) corn grits", I suspect you intended to say "5 oz. of 6-row malt." (Either that, or you really meant to say "roughly 1% of the grits . . .")

Excellent article, by the way.

David Burton
via email

In the recipe for Zea Mays Hayes (from the story "True Grits," in the May-June 2010 issue), the amount of 6-row to mix with the grits is indeed off by a factor of 10. It should have been 5 oz. (0.14 kg), but it somehow got changed to 0.5 oz (14 g). Thanks for pointing this out and sorry for the confusion.

The point of adding crushed 6-row to the grits is so amylase enzymes from the malt can degrade some of the starches from the corn as they are heated to a boil. Remember however, until the grits are past their gelatinization temperature — which is above normal mash temperatures — much of the starch will be inaccessible to the enzymes. So, at the stage where the grits are cooked, only some of the starch is degraded. But, it can be enough to reduce the viscosity of the grits mixture. In a commercial brewery, this is important because the grits are cooked in a separate vessel and pumped to the main mash. On a homebrew scale, the grits are usually cooked in a pot and dumped into the main mash. So, you'd be better off using 5 oz. (0.14 kg) of 6-row, but — fortunately — if you follow the recipe, you'll simply end up with slightly more viscous grits, which shouldn't cause any major league problems at our scale.

Cartoonish coffee comments

I greatly enjoyed Chris Colby's Duncan Hills Brutal Coffee Porter recipe in the most recent *BYO* (May-June 2010). I would like to add a clarification, for all you folks who like coffee. Real coffee. I suggest using coffee from the hills of Colombia. This will lend the most brutal, albeit intangible, flavors to the beer, as well as being the most "metal."



Jamil Zainascheff is a "stylish" guy. He has brewed every single style of beer described in the Beer Judge Certification Program's (BJCP's) Style Guidelines, hosted a style-related brewing podcast on the Brewing Network and co-wrote, with John Palmer, the homebrew recipe collection "Brewing Classic Styles" (2007, Brewers Publications). So, it's logical that he is *Brew*

Your Own's "Style Profile" columnist.

In this issue, on page 19, he explores two related styles — American wheat and American rye. These are clean, dry, thirst-quenching brews and Jamil explains the ingredients and techniques you need to get just the right balance and character in them. And if you want more on American wheat, check out "Tips from the Pros" on page 13 — three pros discuss this refreshing beer style.



Marc Martin lives in the Pacific Northwest — or, as some call it, The People's Republic of Cascadia — and is the "Primary Fermenter" of the Washington homebrew club Plato Republic. The region is home to the two biggest hop growing regions in the US, Yakima Valley and the Willamette Valley. And, as if he doesn't have enough access to American-style hops,

Marc also grows his own at his house. Martin is also *BYO's* "Replicator" columnist. So, when a hoppy new beer style — called Cascadian dark ale or black IPA — arose from the breweries of the Pacific Northwest, who better to get the scoop on the new style? On page 24, Marc describes the symposium he attended, where a draft of the style guidelines was produced and gives three Cascadian clones, based on information he received from style pioneering brewers.



Les Howarth is an industrial research and development scientist from Liverpool, England. His first attempt at an all-grain brew was back in 1979, without the proper equipment, and ended with grain, water, hops and wort spread out all over his mother's kitchen. He resumed brewing extract beers for two years after this, but eventually got the equipment he needed and resumed all-

grain brewing. In 2002, he published "The Home Brewer's Recipe Database," a compilation of known ingredients for thousands of commercial beers. The second, updated, edition was released in 2009. Les is also a lifetime member of CAMRA, Britain's Campaign for Real Ale.

On page 48 of this issue, he gives six homebrew clone recipes of CAMRA Champion Beers of Britain based on information from his book.

For those of you who scream for your cream, I suggest adding a pound of lactose. This will make a sweeter beer, but no less brutal, that can be named Wartooth Coffee Porter.

Jason Rich
Kosciusko Kettleheads
Claypool, IN

BYO Editor Chris Colby responds: "You could indeed add lactose and add a sweet edge to the beer, if desired. However, if you are prone to slipping in and out of diabetic comas, you should avoid this."

[To BYO readers who may be wondering what this letter is about, watching the cartoon Metalocalypse (or searching for "Duncan Hills Coffee" on the internet) will shed some light on the subject.]

What kind of spruce, bud?

In the recipe for Fort George's Spruce Budd Ale (November 2009), are the weights given for the spruce buds dry weights or should I use fresh spruce tips?

Terry Baier
via email

BYO's Replicator Marc Martin responds: "Regarding your question on the weight (dry or wet) of the spruce tips; I contacted the brew-

er and he reports that they used the tips within a few hours of picking, so the 13 oz. quantity is 'wet weight.'


Thanks for the question — it helps me improve future articles and recipes. Also, any feedback regarding your results with this — or any Replicator batch — would be helpful, too. We are always interested in this type of information."

New to brewing, would like to lager

I am brand new to brewing (two partial grain kit batches under my belt) and have basic equipment. I have been trying to learn as much as possible about brewing as well but there is tons of info out there. I want to brew a light summer beer for the wife and found that most recipes like that are lagers. My basement is unheated and stays between 55 (winter) to 65 (summer). If I brewed a lager beer in the coming month, would the slightly higher than optimal degrees effect the beer greatly? I don't want to purchase a ton of equipment at this point just to brew lagers until I have several batches under my belt.

Tim,
Chicago

If your basement temperatures range between 55 and 65 °F (13 and 18 °C) all year, you'd be better off brewing any lager beers while the temperatures are near their lowest point. Fermenting a lager at higher temperatures will alter the character of the beer.



BREWERS!

Since 1979, William's Brewing has been a pioneer in innovative, quality home brewing equipment and supplies.

From our renowned William's Brewing Kits and Malt Extracts to our extensive line of unique brewing equipment, we have everything you need. All backed by our huge inventory, same-day shipping, and great customer service and support.


Check our website and request our catalog, for our full line of home brewing, winemaking, and coffee roasting supplies.



Free Catalog Requests: 800-759-6025

2594 Nicholson St. • San Leandro • CA • 94577

www.williamsbrewing.com



THE GRAPE AND GRANARY

**YOUR HOMETOWN BREW SHOP
ON THE WEB**

**FEATURING
EXTENSIVE SELECTION
FAST SHIPPING/ EXPERT ADVICE
WE CATER TO NEW BREWERS!**

Visit our online store or call to request a catalog. You'll be glad you did!

800-695-9870

WWW.THEGRAPE.NET

AKRON OHIO USA

Specifically, higher temperatures will lead to the production of more fruity esters — aromas that are desired in ales, but preferably kept at low levels in lagers, which are supposed to smell “clean.”

You don't need a bunch of extra equipment to brew lagers. You can adjust your fermentation temperature downwards by using the wet T-shirt method of cooling. To do this, simply drape a wet T-shirt over the carboy or bucket, and dip part of the shirt into a reservoir of water (for example, a mason jar filled with water). Water will evaporate from the shirt, cooling the fermenter. The degree of cooling will depend on the relative humidity of your basement. Best case, you might lower your fermenter temperature by 10 °F (5 °C). Water will wick up the shirt from the reservoir, replacing the water that has evaporated. (When using the wet T-shirt method, replace the T-shirt every few days, to prevent the growth of mold.)

Keep in mind you can also get lager-like results by using a clean ale yeast — such as Wyeast 1056 (American Ale), White Labs WLP001 (California Ale) or Fermentis Safale US-05 — or a “hybrid” yeast, such as Wyeast 2112 (California Lager) or White Labs WLP810 (San Francisco Lager).

Pilsner

Hi, I am a subscriber to your magazine. I have some questions about your Pilsner Urquell clone recipe (liquid malt version). [This recipe can be found in our new 250 Classic Clone Recipe

special issue.] This is where I'm at — Primary fermentation (bubbling in airlock) ceased after about 4 days, but I let it go for a week and a half just to be safe. Then racked to secondary, let it sit for another week. All between 55–60 degrees. Just added the corn sugar and bottled today. I had a quick taste before bottling and the Pilsner tasted a little watery. I'm a little worried I screwed something up. A few questions: How long do I let it age in the bottle? Do I keep at 55 degrees? Is it normal for it to be a little watery before aging in the bottle?

Not much I can do at this point, but I'm wondering if I'm looking at a lost batch? The instructions were a little vague, in that it just says rack to secondary, wait til beer clears, and bottle. Doesn't really say how long in secondary or how long to bottle. So I'm a little lost especially since this my first attempt at a Pilsner. Any insight would be greatly appreciated.

Doug
via email

Nothing in what you relate indicates that you have a lost batch. You should take the bottles and move them somewhere fairly warm — room temperature or slightly above — and let them carbonate for a week or two, then move them back to 55–60 °F (13–16 °C). Since you bottled after a few weeks, you should condition (lager) them for at least 6 weeks at this temperature. Good luck with your Pilsner Urquell clone. (BYO)

BLICHMANNTM
engineering

pa-shan

Pas·sion noun : the drive to succeed where others have failed.



TopTierTM
Modular Brewing Stand

BoilerMakerTM
Brew Pots

FermenatorTM
Stainless Fermentor



HopBlockerTM
Impervious To Pellet Hops!

FILTERS UP TO 95%

BeerGunTM
Bottle Filler

www.BLICHMANNENGINEERING.com
or visit your local Home Brew Retailer

homebrew nation

BREWER PROFILE



Brewer: James Cumberworth

Hometown/State: Poplar Bluff, Missouri

Years Brewing: 11 (mead and beer combined)

Type of brewer: All-grain

Homebrew Setup (volume, style, efficiency): 70-qt (60-L) dyi modified cooler

mash tun, one 7.5-gal. (28-L) kettle, one 4-gal. (15-L) kettle, a kitchen stove, and a coil chiller. Batch sparging. 73 to 75% efficiency. Multiple primary and secondary vessels.

Currently fermenting: Red Horse Rainbow (honey red)

What's on tap/in the fridge: Too much to list.

How I started brewing:

I wanted to make my own mead, which turned into wanting to add malt to my mead, which turned into making my own beer and braggot. I'm not really a beer styles person. In fact, most of my brews usually get about 45 to 60 percent of their fermentables from honey. Unless I am throwing something totally off the wall together, I just cut the base grain of particular kind of beer I like and make up the difference in honey. I really like the taste of honey and I feel it works well with a lot of different beer style flavors. It also gives my brews a unique twist. I also like most of my brews to be big on flavor and alcohol. Besides the honey, I use a lot of spices, fruits and vegetables, and other miscellaneous sugars. Right now I have a big honeyed, spiced, citrused, golden ale going, a honey ale with some rye and caraway, a butternut squash ale, another version of the recipe to the right and another honey red ale going.



byo.com brew polls

How do you most often package your homebrew?

Bottles 57%
Kegs 43%



PROFILE RECIPE

Community Nudity

(5 gallons/19 L, all-grain)

OG = 1.058 FG = 1.015

IBU = 24 SRM = 7 ABV = 5.6%

Ingredients


5 lbs. (2.27 kg) Clover honey
5 lbs. (2.27 kg) 2-row malt
0.42 lbs. (0.19 kg) Carapils® malt
0.10 lbs. (0.05 kg) extra dark crystal malt
4.8 AAU Cascade hops 0.83 oz./24 g
5.75 alpha acids (60 min.)
4.8 AAU Cascade hops 0.83 oz./24 g
5.75 alpha acids (10 min.)
Wyeast 1056 (American Ale) or White Labs WLP001 (California Ale) yeast
Bottle with honey as the primer if bottling.

Step by step

This is a single infusion mash at 154 to 155 °F (68 °C). Add hops to the boil as per the ingredients. Add 2.5 lbs. (1.13 kg) of honey for 60 minutes in boil. Add the other 2.5 lbs. (1.13 kg) of honey after the burner is turned off.

Extract option

Replace 2-row and Carapils® malts with 2.75 lbs. (1.25 kg) light liquid extract and 0.83 lb. (0.37 kg) light dried extract. Steep crystal malt for 30 minutes at 158 °F (70 °C). Add extract to the boil and follow the same boil schedule as the all-grain recipe.





calendar

July 3

Athens, Ohio

Deadline: Ohio Brew Week Homebrew Competition

Ohio Brew Week invites homebrewers to enter beers in this year's AHA/BJCP certified homebrew competition taking place Saturday, July 10th. Entries will be accepted between June 26 and July 3. The registration deadline is June 26. The entry fee is \$7 for the first beer, \$5 for each additional beer. Register at: www.HordsOffFun.Com/hbc.rw/regwiz.aspx?w=0305111B19. More information is available at www.ohio-brewweek.com/homebrew.html

July 31

Fox, Alaska

E.T. Barnette Homebrew Competition

Entries for the 14th annual E.T. Barnette competition will be accepted from July 12 through July 28. Judging will take place on Saturday, July 31st. Entry fee is \$5 per entry. More information as well as entry and bottle ID forms may be found at www.mosquitobytes.com/Den/Beer/Events/Events.html. Any questions or those interested in judging can contact Scott Stihler at stihlerunits@mosquitobytes.com or (907) 474-2138.

August 20

St Paul, Minnesota

Minnesota State Fair Home Brewed Beer, Mead and Cider Competition

The Minnesota Home Brewer's Association (MHBA) and the St. Paul Homebrewer's Club are pleased to announce the annual AHA/BJCP sanctioned homebrew, mead and cider competition in conjunction with the Minnesota State Fair. Online registration takes place between July 21 and August 13. Registrations after August 13 will not be accepted. For additional info, please visit the MHBA website, www.mnbrewers.com.

what's new?

New Malt from Briess



MALTSTER'S RESERVE SERIES

The second malt in Briess' Maltster's Reserve Series, Carabrown® Malt (55 °L) is available now through mid summer.

Carabrown® is a smooth and clean tasting malt that begins with a slightly sweet malty flavor and finishes with toasted flavors. It contributes light brown and orange colors.


www.BrewingWithBriess.com/Products/SeasonalMalts.htm

Brewing TV Premieres

Brewing TV is a weekly webcast, presented by Northern Brewer, covering home-

brew culture coast to coast. Devoted to presenting homebrewing as fun, accessible, and interesting, BTv's approach is to be newsy, humorous, and lightly technical and the focus will be on "who, what, why" and not "how."

www.brewingtv.com



BREWINGTV

“As the level gets low I spray some more water in the bucket so I don't miss any of that good sugar! (If I don't, the pump will go dry and I will lose about a cup of wort . . .”

homebrew drool systems

RIMS System

edwin farr • blakeslee, pennsylvania



The main component of Edwin's system that makes it different is that it only has two vessels, can be continuously sparged and works off one pump for the whole system.

The system has a backwash function in the event of a stuck mash. The whole setup cost about \$800 in materials to design and build (although he already had the pots and burner).

"I mash by adding heated water in kettle and preheat the mash tun. Then I add grains, stir and start recirculation with a PID controlled heat stick. You can step mash but you can only go up 2 °F (1 °C) per min with my current heat stick," he said.

The pump is a March and can be restricted with the shut off valves on the output side of the pump. "Once all the sparge water is in the mash tun, I turn off the PID and pump and drain the rest of the wort into a bucket."

"I use pump and hoses going into brew bucket to pump wort back into the kettle. As the level gets low I spray some more water in the bucket so I don't miss any of that good sugar! (If I don't, the pump will go dry and I will lose about a cup of wort — not a big deal but I like to get it all)."

hop profile



WILLAMETTE

Willamette hops are a triploid seedling of the English Fuggle variety of hops that were developed in the United States and released in 1976. They have a mild and pleasant aroma that is slightly spicy, fruity and earthy. They range in alpha acids from 3.5 to 6% and are most often used as aroma hops.

Willamette actually has the most acreage grown in the US for an aroma variety. Great for pale ales, ESBs, Bitters and English-style ales, as well as porters and stouts. Possible substitutes include Styrian Golding, US Fuggle and US Tettnanger.

we WANT you



Share your tips, recipes, gadgets and stories with *Brew Your Own*. If we use it, we'll send you some *BYO* gear!

Email our editors at edit@byo.com

beginner's block

STEEPING MALTS

by betsy parks

After a few basic brews, many homebrewers move on to more complex recipes. And when recipes get more advanced, the practice of steeping grains inevitably comes up. Not all brewing grains can be steeped, however. Learn the difference between steepable grains and grains that need to be mashed.



Steep vs. mash

Extract brewers steep grains to add complexity to their beers that cannot be achieved with extract alone. For instance, adding caramel malts for sweetness, or dark roasted malts for bitterness. The steeping process is simply adding grains (sometimes crushed) to water to extract the flavors and colors of the grains.

Mashing, in contrast, is a process of soaking grains in hot water to activate their starch-converting enzymes, which provides the main supply of sugars for your yeast to ferment.

The category of steeping malts includes both grains that have been stewed during the malting process, as well as grains that have been kilned at high temperatures. For example, crystal malts are the most commonly steeped grains. Crystal malts are steepable because they are stewed during malting and then kilned to colors ranging from 10 to 180 °Lovibond, which converts most of the starches in the grain.

Some grains, on the other hand, are not stewed or highly kilned. These grains must typically be crushed and then soaked in hot water to convert the starch to sugar — the process known as mashing. If these grains don't go through this process, the starches will be released into the wort and cause haze, starchy flavor and can encourage bacteria or wild yeast strains. These grains are also commonly known as base malts.

How to steep

In his book, *How to Brew*, John Palmer describes steeping grains much like making tea. Soak the grains in hot water — usually in the 150 to 170 °F (65 to 77 °C) range for about thirty minutes, or according to your recipe's instructions. The best way to do this is to use a mesh or muslin grain bag, which is available at most homebrewing suppliers. When you are finished steeping, take the grain bag out of the water and let the excess water drip back into the pot — don't squeeze the bag as it can add excess tannins from the grain husks. You will then add the steeping liquid to your extract wort according to your individual recipe.

Here is a breakdown of which grains to steep and which should be mashed:

Steeping grains

Crystal malt (10-180 °L)
Caramel malt (10-120 °L)
Biscuit/Victory malt
Dextrin malt
Special B malt
Chocolate malt
Black patent malt
Aromatic malt
Melanoidin malt
Coffee malt
Honey malt
Debittered black malt
Roasted barley
Roasted wheat
Roasted rye

Mashing grains

2-row or 6-row pale malt
2-row or 6-row pale ale malt
2-row British pale ale malt
Amber malt
Rye malt
Wheat malt
Pilsner malt
Vienna malt
Munich malt
Rauchmalz

homebrew nation

by marc martin

DEAR REPLICATOR,

Growing up and attending college in Minnesota my main exposure to beer was brands like Grain Belt, Schmidt, Schlitz and Pabst. I thought all beers tasted pretty much the same and wasn't particular about which one to drink. In the early 90s a job offer relocated me to southern California and I made two big discoveries — beers could have marvelous flavors (I've become a hop head) and you could brew them at home! This winter a buddy of mine came out to visit to escape the cold winter and brought four cans of a beer called Furious from the Surly Brewing Co. Whoever the brewer is he must have come from the West coast because this beer is hopped higher than many of the IPAs out here. Wow, what a beer! It's a "hop fix" in a can. I am hoping you can talk to someone at Surly and get the recipe so I can duplicate this wonderful brew.

STEVEN PETERSON
SAN DIEGO, CALIFORNIA

Steven, your request is one of the easier ones I have had to fulfill. Coincidentally, I flew to Minneapolis to visit a friend this past September. He shares my love of good beers and we devoted a day to touring three of the local breweries. I was familiar with the Surly Furious and made sure that brewery was one of our stops. There we met the owner, Omar Ansari, and the head brewer, Todd Haug. This made for an easy follow-up phone contact to get the details on Furious.

Omar gave me the background of his experience plus the origins of the brewery and then routed the call to Todd for the brewing information.

Omar's infatuation with flavorful beers began at age 14 during a trip to Munich and the Hofbräuhaus with his mother. This experience stuck with him and he vowed that some day he would make good beer too. He received a homebrewing kit as a gift in 1994, which became the start of his dream. His first batch of extract red ale was a success and he was hooked. With two major suppliers (Northern Brewer and Midwest Supply) in his backyard, quality supplies were readily available. He graduated to brewing all-grain batches and purchased larger equipment. Soon he had outgrown his garage and needed more room. His parents owned an industrial abrasives company in a warehouse district and this spot became the new home for his 1/2-barrel system. He began to envision a full-fledged brewery and decided that he needed an advanced brewing education. After attending the American Brewers Guild, he spent a week at the Otter Creek Brewery in Vermont and an apprenticeship at New Holland Brewing in Michigan.

Omar met Todd Haug at the 2004 Craft Brewers Conference. Todd was brewing for the Minneapolis Rock Bottom Brewery and had a lot of brewing experience, including completing some Siebel Institute courses, brewing for five years at Summit Brewing and for ten years at Rock Bottom. Omar related his vision of a new brewery and soon convinced Todd that he should be a part of it. After a year of converting the industrial space and adding an office and tasting room, the facility was ready. They located a 30-barrel system in the Dominican Republic, and after much international paperwork wrangling it arrived. Soon after, in February of 2006, the first beer was produced. Since then growth has been phenomenal. Last year's production was 9,000 barrels and projections are for 13,000 this year. Current distribution of kegs and cans is limited to Minnesota, western Wisconsin, Chicago and Sioux Falls, South Dakota.

Todd reports that Furious is a hybrid recipe that originated from a more subdued IPA. This is definitely a hop forward beer with an aroma of fruit and pine. The aggressive dry hop additions create a rush of intense hoppiness as soon as the top is popped. A dense, rocky head sits atop a beautiful dark amber brew with garnet highlights. Todd claims that the blend of four hops adds to the complexity of the bitterness profile. This is definitely a hoppy IPA but drinks more smoothly due to a residual caramel sweetness.

Now Steven, you can get your Furious "hop fix" because you can "Brew Your Own". For further information about the Surly Brewery and their other fine beers visit the Web site www.surlybrewing.com or call them at 763-535-3330. 



Surly Brewing Company Furious - IPA Clone (5 Gallons/ 19 L, extract with grains)

OG = 1.060 FG = 1.014

IBUs = 99 SRM = 15 ABV = 6 %

Ingredients

6.6 lbs. (3 kg) Muntons light, unhopped liquid malt extract
1.5 lbs. (0.68 g) Hugh Baird or Simpson Golden Promise malt
10 oz. (0.28 kg) Belgian aromatic malt (25 °L)
12 oz. (0.34 kg) crystal malt (60 °L)
2 oz. (57 g) roast barley (480 °L)
3 AAU Ahtanum hop pellets (first wort hop) (0.5 oz./14 g of 6% alpha acid)
20 AAU Warrior hop pellets (60 min.) (1.25 oz./35 g of 16% alpha acid)
4.8 AAU Warrior hop pellets (2 min.) (0.3 oz./8.5 g of 16% alpha acid)
1.5 AAU Ahtanum hop pellets (2 min.) (0.25 oz./7 g of 6% alpha acid)
2.5 AAU Amarillo hop pellets (2 min.) (0.25 oz./7 g of 10% alpha acid)
3.2 AAU Simcoe hop pellets (2 min.) (0.25 oz./7 g of 12.8% alpha acid)
0.25 oz. (7 g) Ahtanum whole leaf hops (dry hop)
0.25 oz. (7 g) Amarillo whole leaf hops (dry hop)
0.25 oz. (7 g) Simcoe whole leaf hops (dry hop)
0.1 oz. (2.8 g) Warrior whole leaf hops (dry hop)
1/2 tsp. yeast nutrient (last 15 min.)
1/2 tsp. Irish moss (last 30 min. of the boil)
White Labs WLP 007 (Dry English Ale) or Wyeast 1335 (British Ale II) yeast
0.75 cup (150 g) of corn sugar for priming (if bottling)

Step by step

Steep the crushed grain in 2 gallons (7.6 L) of water at 153 °F (67 °C) for 30 minutes. Remove grains from the wort and rinse with 2 quarts (1.8 L) of hot water. Add the liquid malt extract plus the first wort hop addition and boil for 60 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. Now add the wort to 2 gallons (7.6 L) of cold water in the sanitized fermenter and top off with cold water up to 5 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer and add the dry hops. Allow the beer to condition for one week and then bottle or keg. Allow the beer to carbonate and age for about two weeks and enjoy your Furious IPA.

(Visit byo.com/component/resource/article/2061 for an all-grain option.)

All American Wheat

Brewing wheat beers in the USA

tips from the pros

by Betsy Parks



WHAT MAKES A WHEAT BEER "AMERICAN?" THERE ARE OTHER BEER STYLES AROUND THE WORLD THAT MAKE THE MOST OF WHEAT MALT, BUT AMERICAN WHEAT STANDS ON ITS OWN AS A TASTE OF THE STATES. IN THIS ISSUE, THREE BREWERS DISCUSS THE MALTS, HOPS, YEASTS AND TECHNIQUES THAT DEFINE AMERICAN WHEAT BEER.

american hefeweizens or wheat beers usually carry no clove characteristics and can have low levels of banana and other fruity esters. American wheat can also run the gambit when it comes to hopping; low to moderate levels of bitterness and aroma, from either American or noble hops.

We use pale two-row barley malt, wheat malt and a touch of Extra Special malt for color in Widmer Hefeweizen. Wheat malt makes up a little less than half of our grain bill. We use a northwest soft white wheat variety called Madsen, which is grown in the Palouse region of Eastern Washington. The barley malt is a blend of three different varieties of two-row, Metcalfe, Kendal and Copeland.

I would recommend a fairly neutral

yeast strain in regards to ester and phenol profile for an American wheat. I would keep the temperature of fermentation in the mid to upper 60s Fahrenheit (18 to 20 °C) to dampen ester production.

We use Alchemy (hop blends made for Widmer) for bittering, and Cascade and Willamette hops for aroma. We have been playing around with Citra hops. The Citra hop has an amazing grapefruit aroma. I would also consider Chinook or Crystal.

If you want to make an American wheat at home, there are some other tips to keep in mind. First, use non-flocculent yeast. Second, don't be afraid to grind the wheat finer than the pale malt. Keep your grain bed shallow for lautering and you should be able to get by without rice hulls.

american brewers have learned to use the American wheat style as somewhat of a platform for innovation. From my experience, the best way to stamp the ol' Stars-n-Stripes on a beer style is simply go big, go clean and add copious amounts of Washington-grown hops.


Our American wheat consists of Canadian 2-row malted barley base malt, along with 20–50% American soft white winter wheat, and no more than 5% 60 °L caramel malt. Most of your fermentable sugar will come from the base, while the wheat will provide that "breadly" flavor and dry texture. The caramel gives the finished beer that moderate malt back to balance everything out a bit.

Most American ale yeast strains should be suitable for brewing American


wheat. I typically prefer strains similar to Chico or PacMan, that is to say a strain with a high rate of attenuation, moderate fruity ester production, with the capacity to clean up any diacetyl production.

I love American wheat brewed and dry hopped with a single variety of American hops. Being a true hophead, I use the Southern Tier Hop Sun to showcase one of my all time favorite hops, Centennial. I would recommend using any dual hop with an aroma that you are fond of — dry hop to let those hops shine!

Good sanitation should go without saying. Keep in mind that American wheat is one of the lightest of all ale styles, and any beer spoiling critters are going to be really easy to taste. Use this style to show off your favorite fruit and spice combination, or spotlight your favorite hop.




Doug Rehberg, Lead Brewer at Widmer Brothers Brewing Co., Portland, Oregon. After graduating from the University of Washington, started dabbling in homebrewing. He started working for Widmer Brothers sixteen years ago as a cellarman and worked his way up to Lead Brewer. He has also completed brewing courses at UC-Davis.



Paul Cain, Director of Brewing Operations at Southern Tier Brewing Company in Lakewood, New York. Paul started out at Southern Tier six years ago on the packaging line and is now in charge of their 25-barrel brewhouse and 2,000 barrel cellar.

tips from the pros



Ashton Lewis, Master Brewer at Springfield Brewing Company and Process Engineer for Paul Mueller Company in Springfield, Missouri. Ashton is also BYO's own "Mr. Wizard" columnist, and has answered hundreds of brewing questions in his popular column since the magazine launched in 1995. He holds a master's degree in brewing science from UC-Davis.

The primary difference between German weizens and American wheat is the yeast strain used. While Bavarian weizen beer is fermented using an ale strain noted for aromas like banana and clove, American wheat beer is usually fermented with a rather neutral yeast strain. Some brewers use a lager yeast for American wheat, although most consumers assume that all wheat beers are ales. American wheat can also be contrasted to Belgian wit and Berliner Weisse. American wheat has no spices, like Belgian wit beers, and is not sour as is the case with Berliner Weisse.

When I drink our best selling beer, Mueller Wheat, I find that it is extremely refreshing, clean and balanced. To me those are the key attributes of a great American wheat beer. For this style I like a dry beer with a little acidity and a very clean breadly aroma flavor from the yeast that remains in the beer.

In order to get the dry, slightly acidic palate we use a blend of 2-row pale malt (50%), malted wheat (40%) and raw wheat (10%). The raw wheat is very easy to use in infusion or step mashes since the starch gelatinizes at nor-

mal mash temperatures; in other words boiling is not required to use this adjunct. We use a step mash profile with rests at 50 °C (122 °F), 60 °C (140 °F), 68 °C (154 °F) and a mash-off temperature of 76 °C (169 °F). This gives us very fermentable wort with a gravity of 11.25 °Plato that typically ferments down to 1.8 °Plato.

We use WLP001 from White Labs as our stock ale yeast for most of the ales we brew, including our wheat. I like this strain for several reasons; it ferments reliably, it is very clean, is happy in our brewery and is not too flocculent. Although our wheat is not really turbid it does have a consistent cloud and this yeast helps with the impossible goal of defying gravity. I think other clean strains with medium to high attenuation work well for this beer style.

I don't like American wheat beers that are over-hopped. We shoot for about 14 IBU using Northern Brewer or Perle for bitterness. I like a subtle hop spiciness to complement the slight acidity of our wheat and we use Hallertau Tradition or Liberty for the second and third hop additions. The result is a balanced bitterness and nice spicy note in the nose. (BYO)

The Region's Largest Home Beer & Winemaking Stores

SOUTH HILLS BREWING SUPPLY

2212 Noblestown Rd.
Pittsburgh, PA 15205
(412) 937-0773

www.southhillsbrewing.com

NEW STORE!

2526 Mossdale Blvd.
Monroeville, PA 15146
(412) 374-1240

www.southhillsbrewing.com

SOUTH HILLS BREWING SUPPLY

COUNTRY WINES
Since 1972

3333 Babcock Blvd.
Pittsburgh, PA 15237
(412) 366-0151

www.countrywines.com

Manufacturer of...

Superferment[®], Yeast Bank[®] & The Country Wines Acid Test Kit
WHOLESALE INQUIRIES WELCOME



American Brewers Guild Alumni Spotlight



"The American Brewers Guild Craftbrewers Apprenticeship program more than opened the door for me into the craft brewing industry. I was hired at Bohemian Brewery in Midvale, UT to brew double decocted lagers before I had even finished the program, and have been Head Brewer here since shortly after. The Guild was able to provide me with everything I needed from fundamental knowledge to experience, backed up with a substantial alumni network. My career in the brewing industry would not be where it is today if it had not been for the American Brewers Guild."

— Bobby Jackson
Head Brewer, Bohemian Brewery
Midvale, Utah

TRAINING THE BREWERS OF TOMORROW TODAY!

Check our website for announcements regarding classes in 2012.

Intensive Brewing Science & Engineering (IBS&E, 23 weeks)
FULL January 24th-July 1st, 2011 OR June 13th-November 18th, 2011 FULL

Craftbrewers Apprenticeship (CBA, 28 weeks)
FULL January 24th-August 5th, 2011 OR June 13th-December 23rd, 2011 FULL

Call us or email for more information (800) 636-1331
www.abgbrew.com • email: info@abgbrew.com

Tasting Fermentation

Higher alcohols, bulk aging

help me mr. wizard

by Ashton Lewis



Q Would you recommend tasting your home brew towards the end of fermentation to see where it's at in the process to ensure quality? Do professional brewers taste along the way?

ZACK ROWLAND
BOISE, IDAHO

A Hmmmm, let me think about this for a nanosecond . . . yes and yes! I absolutely recommend tasting beer while "in process" and professional brewers certainly taste their beer as it moves through the brewery. I could write a book on tasting throughout the process but don't have the space or time for such an endeavor. I will give you a few reasons for tasting while beer is transformed from wort to beer.

The first basic reason for tasting beer before bottling day is to spot problems that can be fixed. For example, if you taste your beer during aging and smell diacetyl or acetaldehyde you can easily respond to this by extending your aging process (assuming that you don't want diacetyl or acetaldehyde in the finished beer).

In contrast, if you filter this hypothetical batch of beer and do so prematurely there is no remedy. Let's say you're brewing a batch of IPA and you have really beefed up the bitterness in the kettle and plan to balance the hop bitterness with a big hop punch from dry hopping. But you messed up and did not add enough hops during aging to get the aroma you desire. The brewer who tastes during the process easily spots the deficiency, adds more hops and ends up with a really nice beer. These are pretty obvious examples; brewing is not so complicated, and if you think of how to use your senses to monitor brewing you will discover all sorts of really good uses, including the application of the most useful of senses . . . common sense.

Another check during process that I like to remind new brewers to keep an eye on is specific gravity. Too, too many homebrew recipes are written in such a way

that implies that fermentation happens like clockwork. "Ferment for seven days and transfer to the secondary" — these types of directions really should not be followed literally. If you follow a recipe without doing any tasting along the way your chances of disappointment increase with every key point that is not checked.

Brewers also want to taste along the way to spot problems that cannot be solved. Whether you are a homebrewer or a professional brewer there is no sense in shepherding a batch of beer through the entire process if it isn't good. You want to spot the certain loser as soon as possible and cut bait.

Another consequence of not spotting errant batches is the potential that the cause of the problem was more than bad luck. If you have a systematic problem, like bad yeast, or a problem with your cleaning regimen that recently popped up, you really want to identify the problem and get it solved before you end up with lots of bad beer. This attention to in-process detail is diligently practiced by the world's best brewers — from Anheuser-Busch to Sierra Nevada.

One very real note of caution is not to contaminate your batch by using poor sampling methods. Another thing to be careful about is the temptation to over sample, especially for those batches that are really showing promise. You don't want to wake up to bottle that great batch of IPA only to realize that your yield is a case short!

In conclusion, yes, do taste your beer during fermentation and throughout the brewing cycle and use the data you collect to make decisions to move the beer through the process.

“If you follow a recipe without doing any tasting along the way your chances of disappointment increase with every key point that is not checked.”



help me mr. wizard

Q I recently started drinking mead that I brewed and have been aging for about a year. Some friends that I have let try it have mentioned that it smells like nail polish remover. As far as taste goes it tastes good and I would love to keep drinking it, however, I read an article in BYO that mentioned higher alcohols. I understand this process and it is quite possible this is the reason why my mead smells like nail polish remover. So my real question is can I safely keep drinking this mead or is it something I should pour down the drain? More directly, are fermented drinks that have higher alcohols safe to drink?

MATT MILLWARD
TUCSON, ARIZONA

A Before you dump your mead down the drain, please read my answer! The aroma you describe is the distinctive scent of ethyl acetate. This nail-polish smelling compound is the most common acetate ester found in beer for one very simple reason; ethyl acetate is formed during fermentation when ethanol is enzymatically coupled with the acetate moiety of acetyl-CoA (a key intermediate in the EMP Pathway). In general, an ester results when an organic acid and an alcohol combine in a condensation reaction. In fermentation, ester production is catalyzed by enzymes.

Esters are normal to fermented beverages and are responsible

for much of the aroma derived during fermentation. Many people do not like beer, wine, mead, sake, etc. that has very strong ester notes. Certainly nail-polish remover is not something I want to take note of when I want to enjoy one of my beers. Other esters include isoamyl acetate, ethyl hexanoate and ethyl heptanoate just to name a few. These compounds contribute fruity aromas such as banana, pear drop, apple and cherry to the nose of fermented beverages. Most people associate esters with fruitiness and not solvents.

Higher alcohols, also called fusel oils, are totally different than esters. The name "higher" alcohol comes from the fact that these

2010 National Organic Brewing Challenge!

4th annual BJCP/AHA Competition... just for organic beers!
The Challenge: Brew excellent beers without resorting to chemically sprayed hops & malt or chemical additives. Brew organic and help support farmers of organic hops & malt! Details & rules: www.breworganic.com/competition

Sponsors



Prizes!
Awarded in every category: organic ingredients, T-shirts, & special prizes (TBA)!

www.breworganic.com

We are homebrewers with a passion for excellent beer and we are dedicated to earth friendly brewing... without sacrificing quality or freshness! Our ingredients are USDA certified organic and GMO free. Check out our great selection of organic brewing ingredients plus Fair Trade green coffee for home roasting.

800-768-4409
325A River Street
Santa Cruz, CA 95060
Retail Store Hours:
Mon- Sat 10 am to 6 pm
7bridges@breworganic.com

Organic!.... since 1997



Hobby Beverage Equipment

FERMENTERS - MASH TUNS
HOT LIQUOR TANKS - THERMOMETERS

A major medical company and now
a major brewery have purchased
our plastic fermenters

Fermenters



What kind of recommendation do you need?

Box 1387 Temecula CA 92593 - 951-676-2337 - minibrew.com

compounds have a higher molecular weight than ethanol, which is the most common alcohol formed during alcoholic fermentation. While ethanol is the result of glucose fermentation by yeast, higher alcohols are primarily the by-products of amino acid metabolism. Higher alcohols are often described as spicy, vinous and alcoholic.

One reason people speak ill of higher alcohols is because when they are present in high levels they lead to headaches and hangovers. During the distillation process it is desirable to remove higher alcohols by controlling which cuts from the still are collected. White distillates, like vodka, should be very pure, and anything collected except ethanol and water is pretty much avoided, although pure ethanol and water mixtures are usually not what you find in most bottles of vodka. Brown spirits like whiskey get much of their aroma from higher alcohols, and producing a super clean distillate is not the goal of these types of distillation operations. Indeed the equipment used, such as pot stills, Armagnac stills and Cognac stills, are not designed to produce pure distillates. So even if your mead was chock full of higher alcohols it still would not be cause for sending it to the sewer.

Higher alcohols can react with organic acids and their metabolic cousins that are attached to coenzyme-A to form esters other than ethyl acetate. Long chain fatty acids (a type of organic acid) are involved in lipid metabolism. When yeast cells are growing they must synthesize fatty acids

for the production of cell walls and there is a ready supply of fatty acids attached to coenzyme-A in the cell (coenzyme-A helps move fatty acids through metabolic pathways and catalyzes chemical reactions involving fatty acids). The result is that there is a wide spectrum of esters in beer.

I personally don't like beers that are too rich in esters or higher alcohols. If you study the biochemistry of fermentation you will learn that these compounds are formed when certain pathways become backed up. Without geeking out on pathways, the key thing to note is that it is fairly easy to influence the production of esters and higher alcohols by changing wort oxygen levels, changing yeast pitching rate, changing wort amino acid concentrations, accelerating fermentation rate by increasing temperature and changing wort lipid concentrations; this brief list just scratches the surface of how biochemical pathways can be influenced by the brewer. Meads are known to suffer from nutrient deficiency and this can certainly cause higher than normal ester levels. Many mead makers add yeast nutrients in order to have healthier fermentations. The next time you make mead, consider using a yeast nutrient blend.

My point is that having an understanding of yeast biochemistry has a real practical use when brewing and fermenting. If you want to have a lower ester profile you can help achieve this goal by increasing aeration before fermentation, increasing yeast pitching rate and keeping the fermentation from getting too warm.

Q I have gotten into a habit of aging my beer for two to four weeks after fermentation is finished and the flavor has been good. I brew brown ale, Irish stout and porters. Is this necessary to achieve mellow (not green) flavor?

JESSE CAREY
CONSTANTINE, MICHIGAN

A In my humble brewer's opinion, I believe that aging for extended time periods makes perfect sense if it has a quantifiable affect on beer.

You brew ales that are not real high original gravity styles. Depending on the

yeast strain you choose one of the most important things that will happen during the aging of these styles is the reduction of acetaldehyde and diacetyl that form during fermentation. Some British ale strains are noted for their production of diacetyl and their relative difficulty in reducing diacetyl

Hazed & Confused?

Let Clarity-Ferm do the work.

Made with Brewer's Clarex by DSM


White Labs Fermentation Enzymes
for your brewing needs:

- Clarity-Ferm
- Ultra-Ferm
- Amino-Quik

Made with Technology from DSM

DSM 

For more information
contact your local
homebrew store



www.whitelabs.com

help me mr. wizard

during aging. My experience with these strains indicates that much of the difficulty with reduction of diacetyl is caused partly by the strong flocculation characteristics of many British ale strains. Since many of these strains are used to produce unfiltered ales that are normally fairly clear, it makes sense that brewers have selected flocculent yeast strains over the years for unfiltered ales.

A good rule of thumb is to keep your ale fermentation at around 68 °F (20 °C) for at least three days following the termination of primary fermentation. After this rest period the beer is moved forward in the process. If you are using a yeast strain that does not reduce diacetyl quickly, however, then you may need a longer rest after fermentation is complete.

By the way, the phrase "diacetyl reduction" is batted about very frequently and new brewers may get the impression that time is responsible for mellowing this flavor. The same impression is tied to acetaldehyde (green apple) reduction. Time alone does not polish the rough notes out of your beer's flavor landscape. Rather, reduction is a biochemical term describing how yeasts metabolize diacetyl and acetaldehyde. Both of these flavor active compounds are found in the liquid beer after fermentation; yeast cells transport these compounds across the cell wall and into the cell. Acetaldehyde is reduced by converting it to ethanol and diacetyl is reduced by converting it to 2,3 butanediol. In the process of reducing these compounds, $\text{NADH} + \text{H}^+$ is oxidized to NAD^+ and 2 hydrogen atoms are added to each molecule of acetaldehyde and diacetyl, respectively. These reactions regener-

ate NAD^+ and allow for more carbon to flow through myriad metabolic paths.

While it may seem odd for brewers to focus so much attention on what seems to be a simple reaction, acetaldehyde and diacetyl reduction is arguably the most important reaction that occurs during beer aging as measured in a modern brewery; one that brews beers with typical alcohol levels and that uses some sort of beer clarification device, such as a centrifuge (also called a separator) and/or a filter or filters.

The styles you currently brew could easily be fermented, aged and packaged in three weeks. Add another one to two weeks for carbonation to occur in the bottle and you are ready to drink your beer. If you are in a real pinch you could probably ferment and age in two weeks and keg using force carbonation and be drinking two-week-old beer with a big smile on your face. This is a common time period for many brewpubs. For instance, our number one seller at Springfield Brewing Co. is our unfiltered wheat and it is usually about two weeks old when it goes on tap. Pale ale is our number two seller and it is usually about two and a half weeks old when it goes on tap since we filter it and allow a few extra days for yeast to settle before filtration. **BYO**



Brew Your Own Technical Editor Ashton Lewis has been answering homebrew questions since 1995. Do you have a question for the Wizard? Send it to wiz@byo.com.



BREWINGTV

A NEW VIDEO WEBCAST
FOR, BY, AND ABOUT HOMEBREWERS

NEW EPISODES EVERY FRIDAY

www.brewingtv.com

LET US HELP YOU MAKE YOUR OWN Beer • Wine • Soda

We offer one stop shopping for

- Equipment
- Ingredients
- Friendly, Knowledgeable Advice



Since 1984 • Ozark, Missouri
1-800-321-BREW(2739)

Call Today to Receive a FREE Catalog!
www.homebrewery.com

American Wheat/Rye

style profile

Refreshing and easy drinking

by Jamil Zainasheff



The other day, my neighbor stopped by and as usual, I offered him a beer. He asked for something "light and refreshing," so I offered him a bottle of a fine commercial American wheat beer. Even though it is an American-style wheat beer, the label says "hefeweizen" and my neighbor balked, "I don't like hefeweizen. I don't like all those weird wheat beer flavors."

I used to try to explain the differences between wheat beer styles and how wheat adds little flavor. Most of the flavor in other wheat-based styles, such as German hefeweizen and Belgian witbier, come from fermentation and other ingredients. Of course, my explanation left most folks with a glassed over look. I think it adds to the confusion when breweries label American wheat beer as hefeweizen. Labeling a beer hefeweizen may even scare some consumers away if they do not care for the characteristic flavors of a hefeweizen. American wheat beer is vastly different from traditional hefeweizen. Yes, the grist is similar, but fermentation and hopping are dramatically different. American wheat has none of the spicy phenols and fruity esters of a hefeweizen and it often has more hop character as well.

Some brewers make the same mistake as many consumers, by assuming that American wheat beer should be similar to German hefeweizen. While this style can have a light fruity character (up to a moderate level of fruitiness), the fruitiness should never be pronounced and banana-like as in a German hefeweizen. As for the spicy phenolic note of a German hefeweizen, there should be none in American wheat. American rye can have a very slight spicy note from the rye, but it is never as strong or clove-like as that which comes from German hefeweizen yeast. Some commercial examples of American wheat include Widmer Hefeweizen from Widmer Brothers Brewing and Mueller Unfiltered Wheat from Springfield Brewing Company in Springfield, Missouri.

American wheat or rye beer should always be easy drinking and refreshing.

This is a moderate alcohol beer (4 to 5.5% ABV) with medium-light to medium body and medium to high carbonation.

Appearance ranges from straw to light gold and from clear to hazy. Good examples can vary widely from sweet to dry, but they all exhibit some grainy wheat or rye character reminiscent of crackers. The hop flavor and aroma are also variable, with some versions having no hop character, while others have a noticeable citrus, spice or floral flair. While some examples might feature prominent hoppiness, it should not overwhelm the wheat or rye character to the point where the beer drifts into the world of India pale ale.

American wheat and rye should be even more balanced, easier drinking, light and refreshing.

The grist for this style is very simple: a blend of domestic two-row, wheat, and sometimes rye. You want the beer to have a subtle bready note, similar to crackers or white bread. One trick that I find useful in this style is replacing a portion of the domestic two-row with continental Pilsner malt (around 1/4th of the total grist). Pilsner malt lends a slightly sweet, grainy malt character to a beer. If you are an extract brewer, use a wheat extract that uses Pilsner malt for the non-wheat portion. A beer like this does not have specialty malts to hide behind, so little tricks like this can stand out in a crowd. When all the other beers at the table have the same malt note, one with a touch of grainy flavor and aroma stands out as more "wheaty." I would not use something like British pale ale malt, but I would consider replacing some of the domestic two-row with domestic pale ale malt. The pale ale malt is kilned a little darker and adds some biscuit notes. If you go this route, keep it to less than 1/4th of the total grist. That is all you need for American wheat. If you are making a rye version, you can swap out rye for wheat in whatever portion you feel is right. I like to replace about half of the wheat with rye, for a subtle spicy rye note and a touch of silkiness to the mouthfeel. If you really want the rye character to stand out, use rye for 50% of the total grist.

Continued on page 21

american wheat/rye by the numbers

OG:	1.040–1.055 (10–13.6 °P)
FG:	1.008–1.013 (2.1–3.3 °P)
SRM:	3–6
IBU:	15–30
ABV:	4–5.5%



American Wheat

(5 gallons/19 L, all-grain)

OG = 1.052 (12.8 °P)

FG = 1.012 (3.0 °P)

IBU = 20 SRM = 4 ABV = 5.3%

Ingredients

- 5 lb. 5 oz. (2.4 kg) Great Western wheat malt (or similar) (2 °L)
- 2 lb. 10 oz. (1.2 kg) Great Western American two-row malt (or similar) (2 °L)
- 2 lb. 10 oz. (1.2 kg) Durst continental Pilsner malt or similar (2 °L)
- 4.15 AAU Willamette pellet hops (0.83 oz./24 g of 5% alpha acids) (60 min.)
- 2.25 AAU Centennial pellet hops, (0.25 oz./7 g of 9% alpha acids) (0 min.)
- 1.25 Willamette pellet hops, (0.25 oz./7 g of 5% alpha acids) (0 min.)
- White Labs WLP320 (American Hefeweizen), Wyeast 1010 (American Wheat) or Fermentis Safale US-05 yeast

Step by Step

Mill the grains and dough-in targeting a mash of around 1.5 quarts of water to 1 pound of grain (a liquor-to-grist ratio of about 3:1 by weight) and a temperature of 152 °F (67 °C). Hold the mash at 152 °F (67 °C) until enzymatic conversion is complete. Infuse the mash with near boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168 °F (76 °C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 6.5 gallons (24.4 L) and the gravity is 1.040 (10 °P).

The total boil time will be 90 minutes. 30 minutes after the wort starts boiling, add the bittering hops. Add Irish moss or other kettle finings with 15 minutes left in the boil. Add the last hop additions just before shutting off the burner. Chill the wort rapidly to 65 °F (18 °C), let the break material settle, rack to the fermenter, pitch the yeast and aerate thoroughly.

Use 9 grams of properly rehydrat-

ed dry yeast, two liquid yeast packages, or make a starter. Ferment at 65 °F (18 °C). When finished, carbonate the beer to approximately 2.5 volumes.

American Wheat

(5 gallons/19 L, extract)

OG = 1.052 (12.8 °P)

FG = 1.012 (3.0 °P)

IBU = 20 SRM = 5 ABV = 5.3%

Ingredients

- 7 lb. (3.2 kg) Briess wheat liquid malt extract or similar (3 °L)
- 4.15 AAU Willamette pellet hops (0.83 oz./24 g of 5% alpha acids) (60 min.)
- 2.25 AAU Centennial pellet hops, (0.25 oz./7 g of 9% alpha acids) (0 min.)
- 1.25 Willamette pellet hops, (0.25 oz./7 g of 5% alpha acids) (0 min.)
- White Labs WLP320 (American Hefeweizen), Wyeast 1010 (American Wheat) or Fermentis Safale US-05 yeast

Step by Step

Mix enough water with the malt extract to make a pre-boil volume of 5.9 gallons (22.3 L) and a gravity of 1.044 (11 °P). Stir thoroughly to help dissolve the extract and bring to a boil.

Once the wort is boiling, add the bittering hops. The total wort boil time is one hour after adding the bittering hops. Add Irish moss or other kettle finings with 15 minutes left in the boil. Add the last hop additions just before shutting off the burner. Chill the wort rapidly to 65 °F (18 °C), let the break material settle, rack to the fermenter, pitch the yeast and aerate thoroughly. Follow the fermentation and packaging instructions for the all-grain version.

American Rye

(5 gallons/19 L, all-grain)

OG = 1.055 (13.6 °P)

FG = 1.013 (3.4 °P)

IBU = 26 SRM = 5 ABV = 5.5%

Ingredients

- 5.5 lb. (2.5 kg) Great Western

American two-row malt or similar (2 °L)

3.75 lb. (1.7 kg) Briess rye malt or similar (4 °L)

3 lb. (1.4 kg) Great Western wheat malt or similar (2 °L)

3.25 AAU Simcoe pellet hops (0.25 oz./7 g of 13% alpha acids) (60 min.)

3.5 AAU Amarillo pellet hops, (0.35 oz./10 g of 10% alpha acids) (15 min.)

4.55 AAU Simcoe pellet hops (0.35 oz./10 g of 13% alpha acids) (15 min.)

5 AAU Amarillo pellet hops (0.5 oz./14 g of 10% alpha acids) (0 min.)

White Labs WLP320 (American Hefeweizen), Wyeast 1010 (American Wheat) or Fermentis Safale US-05 yeast

Step by Step

Mill the grains and dough-in targeting a mash of around 1.5 quarts of water to 1 pound of grain (a liquor-to-grist ratio of about 3:1 by weight) and a temperature of 152 °F (67 °C). Hold the mash at 152 °F (67 °C) until enzymatic conversion is complete. Infuse the mash with near boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168 °F (76 °C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 5.9 gallons (22.3 L) and the gravity is 1.047 (11.7 °P).

Once the wort is boiling, add the bittering hops. The total wort boil time is one hour after adding the bittering hops. Add Irish moss or other kettle finings and the 15 minute hop additions with 15 minutes left in the boil. Add the last hop addition just before shutting off the burner. Chill the wort rapidly to 65 °F (18 °C), let the break material settle, rack to the fermenter, pitch the yeast and aerate thoroughly.

Use 10 grams of properly rehydrated dry yeast, two liquid yeast packages or make a starter. Ferment at 65 °F (18 °C). Carbonate the beer to approximately 2.5 volumes.

Many brewers want to add specialty grains to this style, such as crystal, biscuit, aromatic malts. You should avoid the urge to add specialty grains, as they can add too much sweetness or too much malt character for this style. If you are not getting enough malt character from just domestic two-row and wheat/rye, then you should review your fermentation. Poor fermentation will result in a beer that is "flabby" and it masks the character of the grain. High quality malt is only apparent when you have high quality fermentation. Keep in mind this beer is more about the clean wheat/rye malt character and fermentation flavors so don't hide that with specialty malts. Almost any specialty grain is too much in this style.

American wheat/rye has a medium to medium-light body. All-grain brewers

“While hop character in American wheat is usually restrained, it can range up to moderate levels with a floral, spicy or citrus hop aroma and flavor.”

should target a mash temperature around 152 °F (67 °C), which strikes a nice balance between fermentable and non-fermentable sugars. For extract brewers, most light colored extracts will ferment out to the right level. If your extract does not attenuate enough, you should first review your fermentation parameters. Some brewers worry about protein rests when using wheat, but I do not find it necessary. Keep in mind wheat and rye malt is huskless, so if your equipment is prone to stuck mashes, you might want to add a volume of rice hulls equal to the volume of wheat and rye used.

While hop character in American wheat is usually restrained, it can range up to moderate levels with a floral, spicy or citrus hop aroma and flavor. While it is not required, most brewers tend to use less hop

character in wheat versions and more hop character in rye versions. You can stick with citrusy American hop character (e.g., cascade, Amarillo, Centennial), but almost any pleasant hop flavor and aroma will work well. My friend Mike McDole likes to use American wheat as a testing ground for new hops. Whatever the hop variety, the clean and easy background of American wheat beer allows the hop character to come through. This is sometimes a problem in making a great American wheat/rye beer. It can be too easy to overwhelm the malt and fermentation character with hops. You want the drinker to still get at least a hint of the wheat or rye character, balanced in there with the hop bittering, flavor

Learn How At:
WWW.SIERRABeerCAMP.COM
Sierra Nevada Brewing Co., Chico, CA. 95928

NO PURCHASE NECESSARY
NO ENTRY FEE REQUIRED

style profile

and aroma. A bittering addition at the beginning of the boil is all that is required. If you want more hop character, you can follow it with one or two small additions later in the boil. One or two ¼ to ½ ounce (7 to 14 g) additions per 5 gallon (19 L) batch is plenty. While you can dry hop this beer, be careful that it doesn't send it over the top. Remember, this is not a West Coast pale ale or an IPA. When making this as a rye version, you can go with a bit more hop character. I'm not sure why, but the idea of rye tends to make everyone go with more of everything.

Bittering ranges from subtle to firm. Remember, the goal is to keep the beer refreshing and highly drinkable. If you are making a

rye version, the drier the finish, the more the rye character will stand out. Too much or too little bitterness or sweetness can impact drinkability and send the beer into a different style. The bitterness-to-starting gravity ratio (IBU divided by OG) ranges widely, between 0.3 and 0.7, although most brewers will want to shoot for 0.4.

The right fermentation character for this style is clean and neutral. While esters are present, they should not be over the top. Any American-type strain should give acceptable results and even lager yeasts will perform adequately. However, the best choice is the American wheat strains from White Labs (WLP320 American

Hefeweizen Ale) and Wyeast (1010 American Wheat). These yeasts provide the right balance of attenuation, have a restrained ester production and give a light crispness to the finish. I have heard that these strains are derivatives of Kölsch yeast and if you cannot source them, a Kölsch strain is an excellent choice. Other American-type yeasts like White Labs WLP001 California Ale, Wyeast 1056 American Ale or Fermentis Safale US-05 provide a decent result, but they tend to lack the subtle fruitiness and refreshing crispness that the American wheat and Kölsch yeasts provide. Whatever yeast you use, remember that your fermentation conditions affect what flavors and aromas the yeast produce. Pitching rate, oxygen level, nutrients, and temperature are like dials on your control panel of fermentation flavor. Starting with a healthy pitch of yeast, aerating or oxygenating, and controlling temperatures is key to getting a well attenuated beer that allows the subtle malt flavors to shine through. With these American wheat yeasts I like to ferment in the mid-60s Fahrenheit. You may find a higher or lower temperature gives you the ideal result, so do not be afraid to tweak the parameters until you get it right. (For some tips from commercial American Wheat brewers, read "Tips from the Pros" on page 13 of this issue.) (BYO)

Jamil Zainasheff is host of Can You Brew It, a show about cloning your favorite commercial beers and Brew Strong. Both can be found on the Brewing Network (www.thebrewingnetwork.com).

Web extra:

For more information about brewing different beer styles, visit BYO online:

www.byo.com/stories/beer-styles

Brew Like a Pro!!

Rebel Brewer



HOMEBREW MEGA-MART

125 Varieties of Yeast
135 Different types of Grain (from 85¢/lb.)
60 Varieties of Hops (from 89¢/oz.)
Equipment from Beginner to Insane

Lowest Prices
Fastest Shipping

for a Limited time
FREE SHIPPING
on all **BLICHMANN** products
*mainland US only

Order Online:
RebelBrewer.com

Make Better Beer

ROAST YOUR OWN COFFEE

We are a leading supplier of home coffee roasters, equipment and unroasted coffee.



Roasting your own will save money and provide you with the freshest coffee around. It's also fun.

Top brands of home roasters including the popular Behmor 1600 and Hottop. Extensive selection of unroasted, green coffee including numerous microlots, award winners and other hard to find varieties.



ROASTMASTERS
.com

888-950-0888


Mention BYO Mag in 'comments' during checkout and we'll include a free gift!

Noontime Labels

At Noontime labels we produce labels with dynamic imagery, vibrant colors, and the highest level of design. We welcome large and small orders, and promise fast order fulfillment.




We have many pre-designed label templates to choose from, and offer custom design services.



Give us a call at 561-699-0413 to discuss your custom label needs, and come see our quality designs and affordable prices at:

www.noontimelabels.com

LISTEN TO BEER RADIO ONLINE, ANYTIME. OR DOWNLOAD THE SHOWS AND TOPICS YOU WANT AND TAKE THEM WITH YOU AS MP3'S OR PODCASTS.



LIVE BEER RADIO FOR BREWERS AND THEIR CRAFT



Tune in live to The Sunday Session every week at 5 pm PT and hear brewers from around the globe teach us the tricks of the trade.

THE JAMIL SHOW
CAN YOU BREW IT?

Listen to BYO's style editor and two time Ninkasi winner Jamil Zainasheff attempt to clone your favorite commercial brews on Can You Brew It.



Listen to author and brewing guru John Palmer cover all things brewing on Brew Strong.

[HTTP://WWW.THEBREWINGNETWORK.COM](http://www.thebrewingnetwork.com)

Homebrew Heaven

#1 in Serving the Pacific Northwest
For 15 Years



- BEER & WINE EQUIPMENT & SUPPLIES -

- Over 18 Styles of BEER INGREDIENT KITS -
23 DIFFERENT RECIPE KITS (and counting)
(or we can fill your recipe)

- SODA POP - LIQUEUR ESSENCES -

- BOOKS - MAGAZINES - VIDEOS -



- GIFT CERTIFICATES - NOVELTY ITEMS -





Let Us Help You Do It Right The First Time !

brewheaven@aol.com (800) 850 - BREW (2739)
HOMEBREWHEAVEN.COM

by MARC MARTIN

BIRTH OF A NEW STYLE CASCADIAN DARK ALE



BREWMASTERS' RELEASE: 2010

CRAFTED BY W.B.C.
W'10
PITCH BLACK IPA

Variety is the spice of life. For hundreds of years, wine drinkers have enjoyed many different wine varieties and a vast array of vintages. Beer aficionados, especially those in the US, have not been so lucky. It has only been since the late 70s and early 80s that a wider variety of beer styles have become readily available. We are now blessed with 78 beer styles, many with sub-categories, recognized by the Great American Beer Festival (GABF). Most of these have been around for many years, with fewer styles being recent additions. That is what makes the birth of a new beer style exciting.

This brings us to the great Pacific Northwest, home to vast fields of barley and, of course, the two largest hop producing regions in North America — the Yakima Valley and the Willamette Valley. With the most breweries of any city in the world, it is easy to understand why beer-loving residents refer to Portland, Oregon as "Beervana." What better place for the beginnings of a flavorful new beer style?

On January 23rd, I was fortunate to be invited to a beer symposium to discuss Cascadian dark ale. Seven other beer writers and thirteen brewers gathered at one of the most famous bottle shops in the northwest, Belmont Station, to discuss this new style. The meeting was lead by Abram Goldman-Armstrong, a local beer writer and volunteer point man for promoting this new beer style. Nineteen examples of the proposed new style were present for a tasting and to serve as a basis for evaluating the limits of the style parameters. Industry leaders like Rob Widmer of Widmer Brewing were among the attendees to offer their support and feedback. The plan was to finalize the style descriptors and basic recipe guidelines. Once completed, this information would be forwarded to the Brewers Association (BA), organizers of the GABF, and also to the Beer Judge Certification Program (BJCP) for their consideration.

“Nineteen examples of the proposed new style were present for a tasting and to serve as a basis for evaluating the limits of the style parameters.”




Photo courtesy of Marc Martin

Sculpt the perfect six-pack ...



... for less than a gym membership.

BREW BETTER BEER

Join the AHA's community of 20,000+
homebrewers for only \$38 a year.

HomebrewersAssociation.org



American Homebrewers Association®

American Homebrewers Association
A Division of the Brewers Association
www.BrewersAssociation.org



NEW **Brew** YOUR OWN WORK SHIRT!



Perfect for brewdays and beer fests. This charcoal grey button-up shirt has the BYO logo over the front left pocket and a large **BYO** Euro Sticker logo across the back. A classic work shirt that lives up to your classic homebrews. Only \$40 (includes shipping)!

Order at www.brewyourownstore.com
or call 802-362-3981 ext. 106

The proposed beer name was Cascadian Dark Ale. The term "Cascadia" is derived from the Cascade Mountain Range. It is used to describe a self-designated region that encompasses British Columbia, Washington, Oregon, western Idaho and northern California. This area, also known as "The Peoples Republic of Cascadia," has been the source of many stories and rumors. There has been talk of seceding from the union in order to protect the hop supply. A Cascadian flag has even been created featuring a tall evergreen tree and three colors, blue, white and green representing blue sky, white capped mountains and green forests.

Who brewed the first version of this style is a point of great debate. Some say Greg Noonan of Vermont brewed one in the early 90s, but this can't be substantiated. What we do know is that the first two widely-known examples came from the Northwest. In 2003, John Maier of Rogue Brewing in Newport, Oregon made Skull Splitter, a black interpretation of his Brutal Bitter strong IPA. About that same time Matt Phillips, owner of Phillips Brewing in Victoria, British Columbia brewed Black Toque which he labeled an India Dark Ale. (Dogfish Head's Indian Brown Ale, a beer with a similar mix of dark grains and extensive hops, has been available since 1999.)

Since then, many dark brown to black beers of IPA proportions have been brewed by Northwest breweries, usually as a specialty beer for a festival. The style gained greater exposure when Widmer Brewing's W-10, also known as Pitch Black IPA, won a gold medal in last year's Great American Beer Festival (GABF). Now this beer is part of their bottled line up and distributed in several states. Probably the biggest indicator of the popularity of this style was that nineteen breweries produced the examples we tasted for this symposium. So, what is so special about this beer?

A quick review of the specifications we proposed will provide your first clue:

Color = 30+ SRM
Original gravity = 1.060-1.080
Final gravity = 1.010-1.016
Bitterness = 50-90 IBU
Alcohol by volume = 6.0-8.5%

Your second clue is a list of the proposed style descriptors:

Aroma – Prominent Northwest variety hop aromas – resinous pine, citrus, sweet malt, hints of roast malt, chocolate and/or Carafa®, can include mild coffee notes, dry hopped character is often present.

Appearance – Deep brown to black with ruby highlights. Head varies from white to tan/khaki.

Flavor – A balance between citrus like and spicy Northwest hop flavor, bitterness, caramel and roast, chocolate, or Carafa® type malts. Any roast character should be subdued. Black malt is acceptable at low levels but should not be astringent. Any burnt character is not appropriate. The finish should be dry with caramel malt as a secondary flavor. Diacetyl should not be present. The main emphasis should be on hop flavor.

Mouthfeel – Light to medium, hop bitterness and tannins from roast malts combine to create a dry mouthfeel. Resinous character from high levels of dry hopping may create a tongue coating sensation.

Comments – Some brewers prefer to cold steep the dark grains to achieve a very dark beer without the tannin contribution of adding these grains to the mash. The use of Sinamar® color extract to enhance the color is common.

What differentiates Cascadian dark ale from a hoppy porter or stout? There are really three main differences. The first would be the basic hop profile. These beers are brewed using traditional IPA bittering, flavor and aroma hops with citrus, spice and floral characteristics. Typical hop selections would be Columbus, Centennial, Chinook, Amarillo, Simcoe and Cascade or hybrids of these like Warrior or Magnum. The second would be the vastly reduced roast malt flavor contributions. The use of debittered Carafa® malts instead of black patent or roast barley. This provides color without the harsher, burnt flavor profiles of robust porters or stouts. And finally, the third is the much drier finish. This is achieved through the use of very little light caramel malts and highly attenuative yeasts.

It should be easy to see that this is a big, dark, hoppy beer of proportions that certainly puts it in a classification of its own. The 19 examples we evaluated had interesting names such as Dark Days Black, Arctic Apocalypse, Black Sheep, Hop In The Dark, and Chaos Imperial Dark. After tasting each one, our panel discussed the

Have you heard the news?

Midwest has a new website with tons of new features!



- Create Personal Accounts
- View Order History
- Quick Order Forms
- Wishlists
- Videos
- Product Reviews



Free How-To DVD with any purchase.

Call for your free 88 page catalog.

Toll Free: 1-888-449-2739
MidwestSupplies.com



High Gravity

Homebrewing & Winemaking Supplies

Build Your Own Beer

All the ingredients to create your own beer on one convenient page.

Online Live-Chat during Store Hours

BYOB!


Build Your Own Brewing System
(Can be based on Blichmann's new TopTier™ Brew Stand)

Make your system all electric.

Now you can turn it up to 11 with our new EBC II featuring ∞ power control.


No Fine Print Shipping
Order all you want.
Pay \$9.99

Our mascot, Pippin



918-461-2605

www.highgravitybrew.com



BREW-MAGIC™ SYSTEM by Sabco

Amateur Professional?

or are you a

Professional Amateur?

Discover the amazing Brew-Magic System!
Designed by brewing science professionals,
not by Home-Brewers!

Globally used for pilot recipe development,
teaching brew science, and small batch
perfection with astounding repeatability
and unmatched brewer control.. Laptop
interface, recorded brewing sessions,
and color touch screen simplicity!



Discover **MagicSoft™**
Technology!



Discover Chill-Wizard!™
an amazing component
system with pump, plate
chiller, temp. gauge,
SS 2 micron oxygen
diffusion stone. All
with ball-valve flow-rate
control. Totally CIP
'Clean-In-Place' Smart!

Tired of making 'Snowflake' Unrepeatable Brews?
Introducing: RIMS-WIZARD™

Sabco now combines pro-level, Brew-Magic methodology,
tri-clamp, SS heat exchanger, the Unitronics V130 PLC, and
pilot proven Magic-Soft-Lite programming to offer a portable,
upgrade that will turn your 3 kettle
system into a precise, recipe makin'
machine! Time for some **MAGIC!**



SABCO
KEGS.COM
(419) 531-5347

Get to Know MoreBeer!

Product Recommendations from the MoreBeer!™ Staff

Rob's Favorite MoreBeer!™ Product:

The MoreBeer!™ Grain Gobbler 4" Mill



Rob Arbagey

Riverside Showroom Manager

About Rob:

Years Brewing: 8

Favorite Style: IPA

Brewing Setup: B3-1550
BrewSculpture™

Employee For: 8 Years



“My Grain Gobbler gives me a
stable, fast, and consistent crush
every time allowing me to have total
control over my brewing process. It's
big enough for 10 gallon batches and
clamps on to a bucket!”

— Rob Arbagey

BYO Readers Save \$15 Off – MILL400 Grain Gobbler 4" Mill

- Use Coupon Code: **BYOJA70** at checkout • Limit: one per customer • Expires: 8/30/2010
- Visit our website monthly for more of our staff's favorite products and great deals!

**Rob Also Recommends
These Four Brewing Tools**

1



Perlok Faucet - Stainless
D1218.....\$34.95 (with discount)

2



Stainless Counter Top Drip Tray
D1460.....\$49.95 (with discount)

3



Jim Baumann's Milk Stout
Ingredient Kit
KIT737.....\$23.60 (with discount)

4



Basco Homebrew Draft System
KEG400.....\$160.99 (with discount)

www.MoreBeer.com • Home Brewing Supplies • 1-800-600-0033

flavor profile to see how they compared. It was agreed that one of the key characteristics of this style was that the dark malts are so subdued that, if you closed your eyes during a sip, you would not suspect that the beer was black. We also noted that the interaction of the debittered dark malts and citrusy Northwest IPA hops like Cascade, Simcoe and Amarillo exposed unsuspected flavors. Some picked up a minty flavor while others used descriptors of herbal and rosemary-like. The professional brewers all agreed that a neutral yeast of the American ale variety was advisable to use.

By the end of the tasting, the guidelines were finalized and Abram forwarded these to the BA and BJCP. In a letter dated February 11th sent from Chris Swersey, competition manager of the GABF, the good news was received. Charlie Papazian had completed the style update for 2010 and included this new style. The name “Cascadian” was deleted as it was felt that non-Northwestern brewers may be turned off to the style if it hinted of regional exclusivity. The accepted name is American-Style India Black Ale. The style descriptors remained relatively unchanged but some of the basic specifications were scaled back. Here are the finalized GABF numbers:

Color = 25+ SRM

Original Gravity = 1.056–1.075

Final Gravity = 1.012–1.018

Bitterness = 50–70 IBU

Alcohol by volume = 6–7.5%

The BJCP does not update their style guidelines yearly, as the GABF does, and Cascadian dark ale has not been accepted as an official BJCP beer style. Unofficial feedback from BJCP officials indicates that, if examples of this beer start showing up at homebrew contests at a reasonable frequency, it could be included in the next style guideline revisions. (If you choose to compete with this style, enter it in Category 23 and describe the beer as a Cascadian dark ale, an India Black Ale or Black IPA.)

Now that you understand the origins of the style, take a look at the recipes to see how to brew one. Remember that you were present for the birth of a new style and now you can be the first in your area to “Brew Your Own” Cascadian dark ale.

Three Cascadian dark clone recipes
follow starting on the next page.

RECIPES

Widmer Brewing Co. Portland, Oregon — W-10 Pitch Black IPA

Rob and Kurt Widmer were local Portland, Oregon homebrewers with a big dream. Brew lots of good beer and make money with their favorite hobby. The year was 1984. The brothers, along with other local breweries like Bridgeport and Portland Brewing, helped to start a grassroots brewing revolution that has swept the country. In 2005 they began to brew a special annual beer called the W series. Test batches of several different beers were brewed so Widmer brewers and employees could vote for their favorite. In the spring of 2009, the popular vote went to what would later become the Pitch Black IPA.

Since it is local for me, I stopped down at the brewery to get the details first hand. Rob Widmer was my contact and I discovered that he is still very much in tune with the homebrew scene. Each year they participate in a "collaborator competition" and the winning homebrewer's recipe is brewed on their pilot system as one of the seasonal beers. Rob referred me to two of his lead brewers, Doug Rehberg and Ben Dobler. Both have been with Widmer for over fourteen years and, like Rob, were homebrewers prior to starting at Widmer.

They were happy to share the recipe details and information. This has been the most successful beer of the W series beers. Since its release in January, they have brewed twenty five batches of 230 barrels (7,100 gallons/27,000 L) each. It has become so popular that it will now become a year round product without the W-10 designation. There are plans to enter it in the 2010 GABF.

Ben reports that they use the Sinamar® black extract as a source for some of the color in this beer. For the homebrew recipe, however, he offered a slight recipe modification in which only dark grains are used. They also use a proprietary hop blend called "alchemy," but helped with a very close substitution for homebrewers. Both brewers also recommend a longer boil for full flavor development.

I found this beer to be well-balanced, but with a nod toward the hop side. The roast and dark malt character are well hidden behind a caramel finish. A citrus lemon and orange aroma dominates the nose and a tight tan head hangs to the bottom of the glass.

W-10 Pitch Black IPA clone

(5 gallons/19 L,
extract with grains)
OG = 1.064 FG = 1.014
IBU = 65 SRM = 30 ABV = 6.5%

Ingredients

7.75 lbs. (3.5 kg) Briess light,
unhopped, liquid malt extract
1.5 lbs. (0.68 kg) caramel malt (10 °L)
12 oz. (0.34 kg) Weyermann
dehusked Carafo® II malt (450 °L)
10 oz. (0.28 kg) Briess special
roast malt (50 °L)
16 AAU Warrior hops (75 mins)
(1.0 oz./28 g of 16% alpha acid)
1.4 AAU Cascade hops (2 mins)
(0.25 oz./7.1 g of 5.8% alpha acid)
12 AAU Warrior hops (2 mins)
(0.75 oz./21 g of 16 % alpha acid)
0.25 oz. (7.1 g) Warrior hops
(dry hops)
0.50 oz. (14 g) Cascade hops
(dry hops)
½ tsp. yeast nutrient (15 mins)
½ tsp. Irish moss (30 mins)
White Labs WLP001 (California Ale),
Wyeast 1056 (American Ale) or
Fermentis US-05 yeast
0.75 cup (150 g) corn sugar
(for priming)

Step by Step

Steep the crushed grain in 2.0 gallons (7.6 L) of water at 150 °F (66 °C) for 30 minutes. Remove grains from the wort and rinse with 2.0 quarts (1.8 L) of hot water. Add the liquid malt extract and boil for 75 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. During the boil, use this time to thoroughly sanitize a fermenter. Now add the wort to 2.0 gallons (7.6 L) of cold water in the sanitized fermenter and top off with cold water up to 5.0 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer and add the dry hops. Allow the beer condition for 1 week and then bottle or keg. Allow the beer to carbonate and age for 2 weeks and enjoy your W-10 Pitch Black Ale.

W-10 Pitch Black IPA clone

(5 gallons/19 L, all-grain)
OG = 1.064 FG = 1.014
IBU = 65 SRM = 30 ABV = 6.5%

Ingredients

10.5 lbs. (4.8 kg) 2-row pale malt
1.5 lbs. (0.68 kg) caramel malt (10 °L)
12 oz. (0.34 kg) Weyermann
dehusked Carafo® II malt (450 °L)
10 oz. (0.28 kg) Briess special roast
malt (50 °L)
12.8 AAU Warrior hops (75 mins)
(0.8 oz./23 g of 16% alpha acid)
1.4 AAU Cascade hops (2 mins)
(0.25 oz./7.1 g of 5.8% alpha acid)
12 AAU Warrior hops (2 mins)
(0.75 oz./21 g of 16 % alpha acid)
0.25 oz. (7.1 g) Warrior hops
(dry hops)
0.50 oz. (14 g) Cascade hops
(dry hops)
½ tsp. yeast nutrient (15 mins)
½ tsp. Irish moss (30 mins)
White Labs WLP001 (California Ale),
Wyeast 1056 (American Ale) or
Fermentis US-05 yeast
0.75 cup (150 g) corn sugar
(for priming)

Step by Step

This is a single step infusion mash using 10.5 lbs. (4.8 kg) of 2-row pale malt to replace the liquid malt extract in the first recipe. Mix the crushed grains with 4.0 gallons (16 L) of 161 °F (72 °C) water to stabilize at 150 °F (66 °C) for 60 minutes. Sparge slowly with 170 °F (77 °C) water. Collect approximately 6.5 gallons (25 L) of wort runoff to boil for 75 minutes. The 75-minute Warrior hop addition is reduced to 0.8 oz. (23 g) (12.8 AAU) to allow for the higher utilization factor of a full-wort boil. The remainder of this recipe and procedures are the same as the extract with grains recipe.

Barley Brown's Brewing Co. Baker City, Oregon — Turmoil Cascadian Dark Ale

This was easily my favorite of the nineteen samples as I am a fan of big, hoppy beers. If you want an example of the style that goes to the extreme, this is the one to brew. If you want a brewer that consistently stretches the limits of any beer style, it is brewmaster Shawn Kelso.

Founded in 1998 by Tyler Brown, Barley Brown's is located in far eastern Oregon. He has found that in order to compete with all the Portland breweries, you have to brew big and unusual beers. In spite of the remote location and relatively small brewing system, they consistently crank out some outstanding beers. In fact, their Shredders Wheat beer just received a gold medal

in the American-style wheat beer category at the 2010 World Beer Cup.

Like many professional brewers, Shawn began his beer odyssey as a homebrewer five years prior to coming to Barley Brown's. With no formal brewing education, he has honed his skills and developed recipes to maximize the quality from their four-barrel (120-gallon/454-L) brew house. Many of his bigger beers can only be three-barrel (93-gallon/350-L) batches due to the size limitations of the mash tun. Currently he produces five standard beers in combination with several seasonal and specialty beers. It is not uncommon to find ten of their beers on tap at the brewpub.

Shawn designed his black IPA to exhibit noticeable hop forward qualities. It is easy to see from the aggressive and massive hop bill that he has achieved that goal with five different hops being added at seven separate stages. At 7.9% alcohol by volume and 94 IBU, it pushes some of the style guidelines making Turmoil the extreme example to brew at home.

During my sampling, I noted that even though the numbers are high, it was a smooth, easy drinking beer. In a blind tasting, you would not suspect that this beer is so dark. Any roast notes are so light they are barely noticeable. The nose is dominated by the citrus and spicy profile of the dry hops. While the hop bitterness does dominate, it is not overpowering and gives way to a solid malt backbone. Overall, a prime example of a big India Black Ale to age for a year or two.

Turmoil Cascadian Dark Ale clone (5 gallons/19 L, extract with grains)

OG = 1.070 FG = 1.010
IBU = 94 SRM = 35 ABV = 7.9%

Ingredients

6.6 lbs. (3.0 kg) Muntons light,
unhopped, liquid malt extract
1 lb. 2 oz. (0.51 kg) Briess light
dried malt extract
18 oz. (0.51 kg) Weyermann
dehusked Carafo® II malt (450 °L)
18 oz. (0.51 kg) Munich malt
8.0 oz. (0.23 kg) crystal malt (40 °L)
12 oz. (0.34 kg) wheat malt
3.0 AAU Columbus hops
(first wort hops)
(0.2 oz./5.7 g of 15% alpha acid)
1.3 AAU Simcoe hops
(first wort hops)
(0.1 oz./2.8 g of 12.8% alpha acid)
9.8 AAU Magnum hops (60 mins)
(0.7 oz./19.8 g of 14% alpha acid)

6.4 AAU Simcoe hops (60 mins)
(0.5 oz./14 g of 12.8% alpha acid)
5.0 AAU Amarillo hops (30 mins)
(0.5 oz./14 g of 10% alpha acid)
2.6 AAU Cascade hops (15 mins)
(0.5 oz./14 g of 5.25% alpha acid)
2.6 AAU Cascade hops (2 mins)
(0.5 oz./14 g of 5.25% alpha acid)
3.9 AAU Cascade hops (0 mins)
(0.75 oz./21 g of 5.25% alpha acid)
1.25 oz. (35 g) Amarillo hops
(dry hops)
½ tsp. yeast nutrient (15 mins)
½ tsp. Irish moss (30 mins)
White Labs WLP001 (California Ale),
Wyeast 1056 (American Ale) or
Fermentis US-05 yeast
0.75 cup (150 g) corn sugar
(for priming)

Step by Step

Steep the crushed grain in 2.0 gallons (7.6 L) of water at 152 °F (67 °C) for 30 minutes. Remove grains from the wort and rinse with 2.0 quarts (1.8 L) of hot water. Add the liquid and dry malt extract and boil for 60 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. Add first wort hops (FWH) to your brewpot as you are first heating it to a boil. Now add the wort to 2.0 gallons (7.6 L) of cold water in the sanitized fermenter and top off with cold water up to 5.0 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68° F (20 °C). Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer and add the dry hops. Allow the beer condition for 1 week and then bottle or keg. Allow the beer to carbonate and age for 3 weeks.

Turmoil Cascadian Dark Ale clone (5 gallons/19 L, all-grain)

OG = 1.070 FG = 1.010
IBU = 94 SRM = 35 ABV = 7.9%

Ingredients

11.5 lbs. (5.2 kg) 2-row pale malt
18 oz. (0.51 kg) Weyermann Carafo®
II malt (450 °L)
18 oz. (0.51 kg) Weyermann
dehusked Carafo® II malt (450 °L)
18 oz. (0.51 kg) Munich malt
8.0 oz. (0.23 kg) crystal malt (40 °L)
12 oz. (0.34 kg) wheat malt
3.0 AAU Columbus hops
(first wort hops)
(0.2 oz./5.7 g of 15% alpha acid)
1.3 AAU Simcoe hops
(first wort hops)
(0.1 oz./2.8 g of 12.8% alpha acid)

7.0 AAU Magnum hops (60 mins)
(0.5 oz./14 g of 14% alpha acid)
6.4 AAU Simcoe hops (60 mins)
(0.5 oz./14 g of 12.8% alpha acid)
4.0 AAU Amarillo hops (30 mins)
(0.4 oz./11 g of 10% alpha acid)
2.6 AAU Cascade hops (15 mins)
(0.5 oz./14 g of 5.25% alpha acid)
2.6 AAU Cascade hops (2 mins)
(0.5 oz./14 g of 5.25% alpha acid)
3.9 AAU Cascade hops (0 mins)
(0.75 oz./21 g of 5.25% alpha acid)
1.25 oz. (35 g) Amarillo hops
(dry hops)
½ tsp. yeast nutrient (15 mins)
½ tsp. Irish moss (30 mins)
White Labs WLP001 (California Ale),
Wyeast 1056 (American Ale) or
Fermentis US-05 yeast
0.75 cup (150 g) corn sugar
(for priming)

Step by Step

This is a single step infusion mash using 11.5 lbs. (5.2 kg) 2-row pale malt to replace the liquid and dry malt extract. Mix the crushed grains with 19 quarts (18 L) of 163 °F (73 °C) water to stabilize at 152° F (67 °C) for 60 minutes. Sparge slowly with 170 °F (77 °C) water. Collect approximately 7.0 gallons (26 L) of wort runoff to boil for 90 minutes. Add first wort hops (FWH) as you are collecting your wort. Reduce the 60-minute Magnum hop addition to 0.5 oz. (14 g) (7.0 AAU) and the 30 minute Amarillo hop addition to 0.4 oz. (11 g) (4.0 AAU) to allow for the higher utilization factor of a full wort boil. The remainder of this recipe is the same as the extract with grains recipe.

Hopworks Urban Brewery Portland, Oregon — Secession Black IPA

While Christian Ettinger was the brewmaster at Laurelwood Brewing in Portland, he dreamed of owning his own eco-friendly brewpub where he would have full control of the recipes.

That dream became reality in 2007, when he located a vacant bulldozer repair building in an area of town that was becoming revitalized. A year was spent deconstructing and refitting the entire building, incorporating as many environmentally-friendly systems as possible. The result is possibly the greenest brewpub in the nation. Using the waste pizza oven heat for the brewery mash water is just one example of the many innovations used. All the beers are certified organic, as are many of the foods on their excellent menu.

Even though his first love is brewing, the majority of his time is now spent managing what has become

one of the most popular brewpubs in Portland.

Head brewer Ben Love met me at the brewery to provide the details and recipe for their contribution to the new style, Secession Black IPA. After learning an appreciation for quality craft beers at the famous Horse Brass Pub in Portland, he decided that brewing beer might be a viable vocation.

His brewing career began at the now defunct Alderbrau Brewing Co. in Appleton, Wisconsin, where he offered to work for free to get experience. Realizing he needed more brewing education, he completed the American Brewers Guild Brewing Science course. After searching for jobs that would get him back to Oregon, he was hired by Pelican Pub and Brewery in Pacific City. Three years were spent there and the need for a brewer at Hopworks brought him back to Portland, where he now creates unique organic beers on their 20-barrel (620-gallon/2,350-L) system.

Secession Black Ale was originally brewed for the 2009 Portland Organic Ale Fest. It was so popular at that event that they decided to brew it again this past winter. They have now brewed over a dozen batches and also have made it available in bottles. The name references that aforementioned local rumor of "The Peoples Republic of Cascadia" seceding from the union. Unlike many of the other examples of this style, Hopworks uses Pilsner malt as the base malt. Another major difference is that black and chocolate malts are used instead of Carafo®.

This produces a flavor profile that exhibits more roast character than any of the other nineteen examples. Another departure is the use of an English Ale yeast, creating a more fruity finish. As the hop selection and IBU levels are very similar to the others, notes of pine and grapefruit are prevalent in both the aroma and flavor. While bitterness levels would seem high, the residual sweetness of the caramel malt serves as a good balance. A solid, medium tan head with small bubbles holds to the bottom of the glass. While this recipe has some major differences, the beer still fits squarely within the style guidelines.

**Secession
Black IPA clone
(5 gallons/19 L,
extract with grains)**

OG = 1.064 FG = 1.014

IBU = 70 SRM = 29 ABV = 6.5%

Ingredients

6.6 lbs. (3.0 kg) Muntons light, unhopped, liquid malt extract
1 lb. 4 oz. (0.57 kg) Briess dried malt extract
1.0 lb. (0.45 kg) Pilsner malt
8.0 oz. (0.23 kg) black barley malt (530 °L)
12 oz. (0.34 kg) crystal malt (60 °L)
4.0 oz. (0.11 kg) chocolate malt (350 °L)
11 AAU Magnum hops (60 mins) (0.8 oz./23 g of 14% alpha acid)
6.5 AAU Mt. Hood hops (30 mins) (1.0 oz./28 g of 6.5% alpha acid)
3.0 AAU Amarillo hops (30 mins) (0.3 oz./8.5 g of 10% alpha acid)
6.4 AAU Simcoe hops (30 mins) (0.5 oz./14 g of 12.8% alpha acid)
3.9 AAU Cascade hops (0 mins) (0.75 oz./21 g of 5.25% alpha acid)
4.0 AAU Amarillo hop pellets (0 mins) (0.4 oz./11 g of 10% alpha acid)
5.1 AAU Simcoe hop pellets (0 mins) (0.4 oz./11 g of 12.8% alpha acid)
0.5 oz. (14 g) Amarillo hops (dry hops)
0.5 oz. (14 g) Cascade hops (dry hops)
0.3 oz. (8.5 g) Simcoe hops (dry hops)
½ tsp. yeast nutrient (15 mins)
½ tsp. Irish moss (30 mins)
White Labs WLP 013 (London Ale) or Wyeast 1318 (London Ale III) yeast
0.75 cup (150 g) corn sugar (for priming)

Step by Step

Steep the crushed grain in 2.0 gallons (7.6 L) of water at 152 °F (67 °C) for 30 minutes. Remove grains from the wort and rinse with 2.0 quarts (1.8 L) of hot water. Add the liquid and dried malt extract and boil for 60 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. Now add the wort to 2.0 gallons (7.6 L) of cold water in the sanitized fermenter and top off with cold water up to 5 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at that temperature until fermentation is complete.

When primary fermentation is complete, rack beer to a carboy, avoiding any splashing to prevent aerating the beer and add the dry hops. Allow the beer to condition for 1 week and then bottle or keg. Allow the beer to carbonate and age for 2 weeks and enjoy your Secession Black IPA.

**Secession
Black IPA clone
(5 gallons/19 L,
all-grain)**

OG = 1.064 FG = 1.014

IBU = 70 SRM = 29 ABV = 6.5%

Ingredients

11.5 lbs. (5.2 kg) Pilsner malt
8.0 oz. (0.23 kg) black barley malt (530 °L)
12 oz. (0.34 kg) crystal malt (60 °L)
4.0 oz. (0.11 kg) chocolate malt (350 °L)
8.4 AAU Magnum hops (60 mins) (0.6 oz./17 g of 14% alpha acid)
6.5 AAU Mt. Hood hops (30 mins) (1.0 oz./28 g of 6.5% alpha acid)
3.0 AAU Amarillo hops (30 mins) (0.3 oz./8.5 g of 10% alpha acid)
3.8 AAU Simcoe hops (30 mins) (0.3 oz./8.5 g of 12.8% alpha acid)
3.9 AAU Cascade hops (0 mins) (0.75 oz./21 g of 5.25% alpha acid)
4.0 AAU Amarillo hop pellets (0 mins) (0.4 oz./11 g of 10% alpha acid)
5.1 AAU Simcoe hop pellets (0 mins) (0.4 oz./11 g of 12.8% alpha acid)
0.5 oz. (14 g) Amarillo hops (dry hops)
0.5 oz. (14 g) Cascade hops (dry hops)
0.3 oz. (8.5 g) Simcoe hops (dry hops)
½ tsp. yeast nutrient (15 mins)
½ tsp. Irish moss (30 mins)
White Labs WLP 013 (London Ale) or Wyeast 1318 (London Ale III) yeast
0.75 cup (150 g) corn sugar (for priming)

Step by Step

This is a single step infusion mash using 11.5 lbs. (5.2 kg) Pilsner malt to replace the liquid and dried malt extract. Mix the crushed grains with 17 quarts (16 L) of 163 °F (73 °C) water to stabilize at 152 °F (67 °C) for 60 minutes. Sparge slowly with 170 °F (77 °C) water. Collect approximately 6.0 gallons (23 L) of wort runoff to boil for 60 minutes. Reduce the 60-minute Magnum hop addition to 0.6 oz. (17 g) (8.4 AAU) and the 30-minute Simcoe hop addition to 0.3 oz. (8.5 g) (3.8 AAU) to allow for the higher utilization factor of a full wort boil. Cool the wort to 68 °F (20 °C). Pitch your yeast and aerate the wort heavily. Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer and add the dry hops. Allow the beer to condition for 1 week and then bottle or keg. Allow the beer to carbonate and age for 2 weeks and enjoy. (BYO)

2010 LABEL CONTEST

WINNERS

THERE ARE LOTS OF WAYS TO SHOW THE WORLD THE GREATNESS OF YOUR HOMEBREWS, BUT A WELL-MADE LABEL IS KING. WHETHER IT IS A SIMPLE, HAND-DRAWN DESIGN OR A COMPUTER-GENERATED LOGO, A BEER LABEL IS YOUR HOMEBREW'S FIRST IMPRESSION ON POTENTIAL DRINKERS. THIS YEAR, AS IN YEARS PAST, WE RECEIVED MANY, MANY ORIGINAL, THOUGHTFUL AND FUNNY HOMEMADE DESIGNS FOR OUR ANNUAL LABEL CONTEST. IN FACT, IF WE DIDN'T KNOW BETTER WE COULD HAVE SWORN SOME OF THIS YEAR'S LABELS WERE FRESH OFF OF A COMMERCIAL BOTTLING LINE, THUS PROVING THAT HOMEBREWERS ARE NOT ONLY AN INDUSTRIOUS BUNCH, THEY ARE ALSO ENDLESSLY CREATIVE. THIS YEAR, THE GRAND PRIZE WENT TO A WILD, WILD WEST THEME FROM FORT WAYNE, THE GOLD TO A DRIPPY, DREAMY DESIGN FOR A SMOKED LAGER, SILVER TO A TARANTULA-TASTIC SPIDER-SCAPE FROM A HOMEBREWER'S DAUGHTER AND BRONZE TO AN OVERSIZED TRIBUTE TO BELGIAN-STYLE BEERS AND KRYPTOZOOLOGY. CONGRATULATIONS TO EVERYONE WHO ENTERED — YOUR IMAGINATIVE IDEAS MADE THIS YEAR'S CONTEST JUDGING A GREAT DEBATE. THANKS ALSO TO OUR MANY CONTEST SPONSORS FOR PROVIDING ALL THE GREAT HOMEBREWING PRIZES!

GRAND



BRIDGET FORTE

Fort Wayne, Indiana

Bridget designed a series of labels for her homebrewing coworker, Kyle Alberta. "I was watching 'The Assassination of Jesse James by the Coward Robert Ford' at the time and wanted to evoke that era's typography and overall feel while still making it fresh and contemporary," she explained.

Prizes: 50-lb. bag of Pilsen Malt from **Briess Malt and Ingredients Co.**; Gift certificate from **Grape and Granary**; Gift card from **Maryland Homebrew**; 7.5-gallon stainless brew pot with lid from **Murrieta Homebrew Emporium**; Gift certificate from **Midwest Homebrewing & Winemaking Supplies**; A Carboy Cleaner from **Carboy Cleaner**; Gift certificate from **Homebrewers Outpost & Mail Order Co.**; Gift certificate from **Quality Wine and Ale Supply**; BrewMometer and beer gloves from **Blichmann Engineering**

SILVER



GOLD



ANNA LISA SCHNEIDER • Fennville, Michigan

Anna Lisa designed a series of labels featuring a giant spider crawling over a cityscape for her father's homebrews based on old horror movie posters, including "Tarantula, Earth Versus the Spider."


Prizes: Copper immersion wort chiller from **Central Homebrew Supply**; Gift certificate from **Midwest Homebrewing & Winemaking Supplies**; Gift certificate for labels from **Noontime Labels**; A Carboy Cleaner from **Carboy Cleaner**; Gift certificate from **Homebrewers Outpost & Mail Order Co.**; Gift certificate from **Quality Wine and Ale Supply**; Gift certificate from **Above the Rest Homebrewing Supplies**

KAT EATON

Broken Arrow, Oklahoma
Kat and her husband Brad designed this label as part of a series of beer and wine labels to celebrate Brad's homebrewing and winemaking efforts. Kat hand sketched the "drippy" graphics and then digitized them, adding type and graphics. "They reflect our company's current vintage/retro theme," she said.

Prizes: Gift certificate from **High Gravity**; Beer ingredient kit and T-shirt from **Kettle to Keg**; Party Pig set-up package from **Quoin Industrial**; A Carboy Cleaner from **Carboy Cleaner**; Gift certificate from **Homebrewers Outpost & Mail Order Co.**; Gift certificate from **Quality Wine and Ale Supply**; Gift certificate from **Above the Rest Homebrewing Supplies**

BRONZE




KRIS MERRILL

Sandy, Utah
Kris and his homebrewing partner Michael Baker designed this Yeti-friendly label to express the oversized personality of their homebrewed Belgian-style specialty ale. Billed as their home brewery (Berrill Maker)'s "most shockingly festive homebrew ever," Abomin-ale was brewed and bottled in November and December 2009 as Berrill Makers' winter spiced ale. Their advice for enjoying this ale? "Always keep the snowman cold."

Prizes: 25th Anniversary Double IPA ingredient kit from **Home Brewery (MO)**; Gift certificate from **Bader Beer & Wine Supply, Inc.**; Ten sachets of Safale yeast from **Brew-U**; A Carboy Cleaner from **Carboy Cleaner**; Gift certificate from **Homebrewers Outpost & Mail Order Co.**; Gift certificate from **Quality Wine and Ale Supply**; Gift certificate from **Above the Rest Homebrewing Supplies**


HONORABLE MENTION




Andy Melchers • Cincinnati, Ohio
Prizes: Gift certificate from **The Flying Barrel**; A Carboy Cleaner from **Carboy Cleaner**




Carolyn Greener
 Nampa, Idaho
Prize: Gift certificate from **High Gravity**




Dave Young
 San Carlos, California
Prizes: Gift certificate from **Quality Wine and Ale Supply**; A Carboy Cleaner from **Carboy Cleaner**




Bobby Bump
 Seattle, Washington
Prize: Gift certificate from **Bader Beer & Wine Supply, Inc.**




Christopher Vest
 Dolores, Colorado
Prize: Gift certificate and books from **Home Brew Party**




Douglas Godfrey
 Oakhurst, New Jersey
Prize: Gift certificate from **Brewer's Apprentice**




Brandon Jones
 Franklin, Tennessee
Prize: Gift certificate from **Brewmasters Warehouse**




Christopher Wyatt
 Yellow Springs, Ohio
Prize: Gift certificate from **Keystone Homebrew Supply**




Jesse Mertz
 Suncook, New Hampshire
Prize: 5-gallon KEGlove sleeve and ice blanket from **KEGlove, LLC**




Eugene Peart • Des Moines, Iowa
Prizes: Gift certificate from **Point Brew Supply & O'so Brewing Co.**; A Carboy Cleaner from **Carboy Cleaner**



Rawn Rhoades
 Alamo, California
Prizes: Gift certificate from **How Do You Brew?**; A Carboy Cleaner from **Carboy Cleaner**




Todd McCallister • San Diego, California
Prize: Beach Blonde ingredient kit from **O'Shea Brewing Company**




Jeff Rask
 Haverhill, Massachusetts
Prizes: Gift certificate from **DIY Brewing Company**; A Carboy Cleaner from **Carboy Cleaner**




Gale Wagner • Nashville, Tennessee
Prizes: Gift certificate from **Wine and Cake Hobbies**; A Carboy Cleaner from **Carboy Cleaner**



Tommy Seaford
 Bristow, Virginia
Prize: Oktoberfest True Brew ingredient kit from **The Fermentation Trap, Inc.**



Sam Rex • Fairport, New York
Prize: Autumn Pumpkin Ale ingredient kit from **Arbor Wine & Beer Making Supply**




Jennifer Crofoot
 Cincinnati, Ohio
Prize: Gift certificate from **Keystone Homebrew Supply**



Zachary VanDeHey
 Roseburg, Oregon
Prize: Gift certificate from **Grains Beans & Things**

EDITOR'S CHOICE



Adam Draeger
Pella, Iowa




Chet & Vivaca Crowser
Lolo, Montana




Michael Spears
Huntington Woods, Michigan



Alan Guidera
Rochester, New York



Chris Sellers
Columbus, Ohio




Pamela Pillar
Oshkosh, Wisconsin



Ben Hastings
Soldotna, Alaska




Jeff St. Clair
Naperville, Illinois




Robert Schenck
Craig, Colorado



Breann Rozeboom
Orange City, Iowa



Jon Gertz
Tallmadge, Ohio



Shawn Webb
Canton, Georgia

Prostate Cancer. No Joke. Get Tested.

If you're smart enough to read this, you're smart enough to get tested.

Knowing your PSA (prostate-specific antigen) score can save your life. Each year more than 200,000 men in the U.S. find out they have prostate cancer. Early detection through an annual PSA blood test and prostate health screening can catch prostate cancer when treatment is nearly 100% successful.


Be a man. Call your doctor and schedule an appointment today. Then tell your friends. The more men we reach, the more lives will be saved.

And we can all say 'Cheers!' to that.

Pints for Prostates. Reaching men through the universal language of beer.
For more information visit: www.us100.org/pints

Join our Facebook group and

look for Pints for Prostates at a beer festival near you.



GRAINS GLASS FROM TO

BREW YOUR FIRST ALL-GRAIN BEER

there are a couple of different ways to approach your first all-grain brew day. There is a vast amount of information in the homebrew literature about all-grain brewing, and you could try to read most of it first and then proceed. Or, you could jump right in. Having tried the former approach, back when I started, I think jumping right in is a much better option.

Firstly, although there is a lot of interesting technical information out there, you really only need to grasp a few key ideas to get started. As you continue to brew, you can keep learning and fill in any gaps in your education.

Secondly, learning to brew well at home requires some practical experience that you can only get by actually brewing . . . on your equipment, with your water, etc. Getting to know the mechanics of brewing — including the quirks of your setup — is just as important, in terms of beer quality, as knowing many of the more advanced academic ideas. Acquiring knowledge along both these paths at the same time will speed your journey from novice to experienced brewer.

In this article, I'll cover the bare minimum of technical information you need to get started and give a practical guide to successfully brewing your first all-grain beer. I will assume that you are already familiar with brewing with malt extracts.

Required Knowledge (The Minimum)

All-grain brewing differs from extract brewing mainly in the wort production stage. As an extract brewer, you made your wort by dissolving malt extract in water, and likely steeping some specialty grains to add some additional flavors. As an all-grain brewer, you will make your wort from malted grains and water. The basic idea behind all-grain wort production is this:

You soak crushed, malted grains in hot water, then drain away the resulting liquid, which is your wort.

That's it. There are, of course, subtleties that you will learn about later — how finely do you crush the malt, how hot should the grain and water mixture be, how fast do you drain the wort, etc. — but that's the basic idea.

If you have been boiling a dense wort of dissolved malt extract and then diluting it to working strength in your fermenter, you will now be boiling (and cooling) your full wort volume as well. Once your wort is in the fermenter, fer-

mentation and conditioning is handled in the same way as in extract brewing.

Equipment

A typical all-grain homebrew set up includes three vessels. First, a vessel to heat all the water for your brewing session. As brewing water is sometimes called brewing liquor, the name of this vessel is the hot liquor tank, or HLT. Second, a vessel to hold the grains for both mashing (soaking the crushed grains) and lautering (separating the wort from the spent grains). This is called a mash/lauter tun. (In commercial brewing, these are often separate vessels.) This needs to have a false bottom or some sort of manifold installed to let the wort flow from the vessel while retaining the spent grains. You will also need a large paddle to stir the mash. Lastly, you need a vessel to boil the wort in, called the kettle.

A 5.0-gallon (19 L) brewery can consist of three 10-gallon/40-quart (38-L) vessels. Systems such as this work well for most average to moderately-big brews.

If you don't already have a wort chiller, you will need one. Quickly cooling your wort improves beer quality and a wort chiller works much faster than putting the kettle in a bathtub of cool water.

Finally, you will need a heat source capable of boiling your entire pre-boil volume of wort vigorously. For 5.0-gallon (19-L) batches, you will need to boil at least 6 gallons (23 L), more if you want to make high-gravity beers. For many all-grain homebrewers, the heat source of choice is a propane burner.

There are a lot of options when it comes to choosing all-grain equipment, too many to detail here. Keep in mind that great homebrew has been made on a wide variety of brewing setups.


Calibration and Calculations

Before your first brew day, you should make a dipstick (or calibrate your sight glasses, if your brewery has those) so that you can measure the volume of liquid in your HLT and kettle. Likewise, calibrate any thermometers that you will be using.

Before starting any brew day, there are two easy calculations you should make —



Photo by Charles A. Parker/Images Plus



One option for all-grain homebrewers is to buy a grain mill and crush their grains themselves. Grain mills add to the up front costs of your all-grain brewing setup, but could end up saving you money in the long run as you can buy malt by the sack (which is cheaper) and store it for up to 8 months or more. Grain mills can be cranked by hand, powered with a drill or motorized using a motor, pulley and sheaves. Crushing your own grain allows you to adjust the gap setting on your mill and fine tune your crush. More finely crushed malt provides a higher yield, but also makes lautering more difficult. Finding the right balance on your system takes time. For beginners, slightly undercrushed malt will help with lautering. As you gain more experience, try narrowing your mill gap until you run into trouble.

the amount of strike water (water to mix with the crushed grains) and the amount of sparge water (water to rinse the grain bed) you will need. These are explained later.

The Crush

For your first all-grain brew, you will probably buy crushed malt or get the malt crushed at your homebrew shop. When it's time to brew, take a handful of malt and look at it. With a good crush, you should see almost no whole kernels. Most kernels should be broken into two to four pieces.

If you've bought, or have access to, a grain mill, you will gain experience over time adjusting it to get the best crush for you. For your first crush, however, see if the mill has a "default" setting. This is usually 0.045 inches (0.11 cm). This should give you a good crush and you can start fiddling with adjusting the mill gap when you get more experience.

The goal of the crush is to break the malt kernels open so that the hot strike water can dissolve the starchy endosperm in the malt. You don't need perfectly crushed grain to have a successful first brew day, so don't worry about this too much. Do, however, examine your crushed grains every time you brew. When the time comes to really start fine-tuning your brewing procedures, this will be valuable to you. Make a note in your brewing notebook about how the crush looked to you.

Water Heating and Mash In

Once your equipment is set up, you will need to start heating your strike water. The amount of water required varies between 0.95 and 2.4 quarts of water per pound of grain (2.0–5.0 L/kg), and a good consistency — or mash thickness — for most beers is 1.25 and 1.375 qts./lb. (2.6–2.9 L/kg). So, to figure out how much water you need, take the weight of your grains and multiply by some number between 1.25 and 1.375 (or 2.6 through 2.9, if you use the metric system). The lower numbers will give you a little thicker mash than the higher numbers, although the specified range is all in the "moderate" range of mash thickness.

If your mash vessel has a false bottom, add the volume under your false bottom to the amount of strike water you need to heat. For example, if there is a gallon (3.8 L) of space under your false bottom, add this extra 1.0 gallon (3.8 L) of water to your

strike water. All-grain brews require heating larger volumes of water than most extract brews, so be prepared for this step to take longer than you might think. If you have a metal mash paddle, set it in the HLT while the strike water is heating.

Mixing the crushed grains and hot strike water is called mashing in. The goal is to mix the crushed malt and water so that the grain bed settles in at your target temperature (which will be given in the homebrew recipe) and that this temperature is as uniform as possible throughout the grain bed.

The initial temperature after mash in depends mostly on the temperature of the strike water, the temperature of the crushed malt and the temperature of your mash vessel. There are equations that can help you calculate the temperature of your strike water, but most homebrewers "solve" this problem by using a generic recommendation and refining it with trial and error. One generic recommendation works fairly well if your grain and equipment are in the vicinity of "room temperature," and you use a mash thickness between 1.25 and 1.375 qts./lb. (2.6–2.9 L/kg). This is to heat your strike water to 11 °F (6 °C) above your target mash temperature. This assumes no, or minimal, heat loss when transferring your water to your mash tun.

An improved recommendation — one that works better if your equipment is stored somewhere that is not temperature-controlled — is to adjust the temperature of your strike water once it is in your mash vessel. Heat your strike water to 15–18 °F (8–10 °C) over your target temperature and add the strike water to your mash vessel. Let it sit for two minutes and take the temperature. Adjust the temperature downward, towards 9–10 °F (5–5.5 °C) higher than your target temperature, by removing a couple cups of hot water and replacing it with the same volume of water around room temperature. Aim for 9 °F (5 °C) over if your mash thickness is 1.375 qts./lb. (2.9 L/kg), 10 °F (5.5 °C) over if your mash thickness is 1.25 qts./lb. (2.6 L/kg). Stir the water, take the temperature and repeat until you hit your target. This still assumes that your grain is near room temperature.

Once you've heated the measured amount of strike water and transferred it to the mash vessel, check again to see that it's in the right range (9–10 °F/5–5.5 °C above

SAFETY

As with anything, there are risks involved with all-grain brewing. However, if you are aware of what the dangers are and how to avoid them, you can brew safely for years without incident.

In commercial brewing, exposure to fumes from cleaning or sanitizing solutions can be a hazard. On the homebrew scale, this is rarely a concern, but — just to be safe — you should always mix or use any cleaning or sanitizing solutions in a well-ventilated area, and never mix products. With more and larger vessels, you will be making larger volumes of your usual solutions.

Burns and scalds are a risk in homebrewing, but a few rules of thumb will help you avoid these. Be aware that metal surfaces that are hot enough to burn you look just like cold surfaces. Before you transfer hot liquid (water or wort), from one vessel to another, make sure the valve on the receiving vessel is closed. Likewise, never start pumping hot liquids unless you know where the outflow is directed.


When you set up your brewing vessels, make sure they are not likely to tip over and are resting on a support capable of holding them when full. Try to route your tubing so that it is not likely that you, or anyone else, could get entangled and pull a vessel of hot liquid onto yourself. Likewise, be aware of tubing near ground level (such as the line from a propane tank) being a potential trip hazard.

In all-grain brewing, carrying vessels of hot liquid (for example, your kettle to a cold water bath for chilling) is not a good idea. Five gallons (19 L) of wort weighs over 40 lbs. (18 kg) and sloshing hot liquid can easily scald you. Try to set up your all-grain brewing equipment so that the vessels do not need to be moved during your brew day.

brewing with

WHEAT

by Stan Hieronymus



The 'Wit' and 'Weizen' of
World Wheat Beer Styles.

\$17.95
+ SHIPPING & HANDLING

Brewers Publications
A Division of the Brewers Association
www.BrewersAssociation.org



Order your copy today at shop.beertown.org

The Winemaker's Toy Store



NOW SELLING HOME BREW SUPPLIES
FEATURING THE BRANDS YOU TRUST

Briess
Cooper's
Dingemans
Mountmellick
Muntions
Weyermann's
White Labs
Wyeast

1300 N. I-35E, Suite 106., Carrollton, TX 75006

<http://www.finevinewines.com>

1-866-417-1114



As you mash in, the wort will foam a bit, but this will quickly subside. A probe thermometer in your mash tun will allow you to monitor the temperature during the mash, but keep in mind it is only reading at one point in the grain bed. Recirculation clarifies your wort, but you do not need to recirculate until it is crystal clear. In fact, a small amount of suspended solids at this stage may contribute to yeast nutrition later.

your target). Then, stir your crushed grains into the strike water. To do this, simply add a pound or so of grain to the water, give a quick stir with your mash paddle until it dissolves and repeat until all the grain is stirred in. Stir the grain for 20–30 seconds, looking to even out any temperature differences and break up any clumps of dry malt sticking together. Then, take the temperature and place the lid on your mash tun to conserve heat. Record the volume of the strike water, its temperature in your mash tun just prior to mashing in and the initial mash temperature.

Resting

Now, you let the mash sit (or rest) for awhile. (The recipe should specify the length of this rest; often, it's one hour.) During the mash rest, your goal is to hold the grain bed at a constant, uniform temperature. Odds are, however, you won't be able to do this. At a homebrew scale, the mash will lose heat over the time of the rest. And, the sides of the grain bed will cool off faster than the center. Fortunately, a small change in temperature is not going to hurt the quality of your beer. After your first mash, quickly take the temperature near the side of the mash vessel, and then near the center. Stir the mash to even out any temperature differences and take the temperature again. Record all three temperatures in your brewing notebook.

If your overall mash temperature drops more than 2 °F (1 °C), or the temperature difference within the mash is greater than 4 °F (2 °C), you should insulate your mash tun better next time. You can use towels or blankets for this. If your mash vessel is heatable, you can also add heat directly during the mash. If you do, stir the mash and do not heat too quickly.

During the rest, you have the option of stirring. Stirring ensures a more even mixture of grain and liquid and evens out temperature differences across the grain bed. Unfortunately, opening the mash vessel releases heat to the environment. Likewise, using a "cold" mash paddle absorbs more heat from the mash. As such, most homebrewers simply leave their mash undisturbed during this rest. (If you overshot your mash temperature by a few degrees, stirring a couple times is great way to gradually bring the temperature down.)

Most homebrew recipes specify a one-

hour rest for single infusion mashes.

Sparge Water

While the mash is resting, begin heating the water you will use to rinse the grain bed (the sparge water). How much sparge water will you need? I would recommend heating an amount equal to the target pre-boil volume of your wort, plus about 20%. This might seem like a huge amount, but this will allow you to collect your full pre-boil kettle volume, keep the grain bed in the mash/lauter vessel submerged throughout the wort collection process and have some extra water that serves as buffer against water in the "dead spaces" (tubing, etc.) loss to evaporation or small amounts of spillage. Running out of sparge water is a pain, whereas leftover hot water can be used for cleaning equipment. So, I try to err on the side of heating too much sparge water. For a 5.0-gallon (19-L) batch, this may mean 7.5 gallons (28 L) or more. If you want to try to leave your grain bed dry at the end of sparging, subtract the volume of strike water from this amount. Also, if you mash out by adding boiling water to the grain bed (see the next section), subtract this volume from the required volume of sparge water.

Your goal should be for the sparge water to be at the correct temperature when the mash is over and the wort has been recirculated. Use the length of time it took to heat the strike water to estimate how long it will take to heat the sparge water.

Mash Out

At the end of the mash, you have the option of performing a mash out. To mash out, you raise the temperature of the grain bed to 170 °F (77 °C). Mashing out makes the wort less viscous, and easier to collect. This can be done either by applying direct heat or by stirring in boiling water. If you heat the mash, be sure to stir as you do. If you add boiling water, you will need a volume that is approximately 40% of the volume of your strike water. Sometimes, the size of your mash tun will preclude you from adding enough water to reach 170 °F (77 °C). This is fine as you can simply rinse with hotter sparge water to compensate for this. Once you arrive at 170 °F (77 °C), or have added all the water your mash/lauter tun will hold, let the grain bed rest for 5


WATER

As you get to be a better brewer, water chemistry is a topic you will want to explore. But what do you need to know as a beginner?

Obviously, your water needs to be potable and taste good, but you also need to be aware of chlorine. Municipal water supplies are protected by chlorination and the most common chlorinating agent is chloramine. If you do not remove this from your brewing liquor, it can lend off flavors to your brew. There are two ways you can do this, by carbon filtration or by neutralizing the chloramine. If you have a large, under-the-sink water filter, this should be sufficient to reduce chloramine levels to a level that your water can be used. Small filters, like the ones that attach to faucets or are used in pitchers, will not work for this. You can also treat your water with potassium metabisulfite. This is a sanitizer and anti-oxidant used by winemakers and is sold in tablet form as Campden tablets. One Campden tablet dissolved in 20 gallons (76 L) will remove the chloramine almost instantly. You may wish to let the water sit overnight before using it, to let the hydrogen sulfide gas — released by the tablets — diffuse out of your water. However, if your water smells fine after treatment, you can skip this step.

The minerals dissolved in your water also effect the flavor of the beer. Water chemistry is complex, but simply knowing that some water is better suited for certain beers can help you in your early all-grain brews. If your water is soft (contains few dissolved minerals), you will probably have the best luck brewing pale beers. If your water has a lot of hardness from carbonates, it is better suited to brewing dark beers. Once you've mastered the basics of all-grain brewing, examining the role of water chemistry and wort pH in brewing will help you improve.

EZ Cap's new 'Crown Cap' adorns the entire 'Royal Family' of bottles



Manufactured by E.Z. Cap
(403) 282-5972 www.ezcap.net

in 500 ml and
1 ltr bottles
in our best
Flint (clear)
and Amber

Available from
your local
Distributors:

L.D. Carlson (330) 678-7733
www.ldcarlson.com


Mr. Beer (800) 852-4263
www.mrbeer.com

Midwest Homebrewing Supplies
(888) 449-BREW
www.midwestsupplies.com

Brewcraft USA (503) 281-3941
www.brewcraftusa.com

visit byo.com

the **WEBSITE** to help you **BREW GREAT BEER!**



SPECIAL SECTIONS

- Projects and Equipment
- Beer Styles
- Techniques
- Recipes

WEB-ONLY FEATURES


- Equipment Photo Gallery
- Blogs From BYO Writers Ashton Lewis & Chris Colby
- Online Recipe Calculator
- Store Selling BYO Back Issues & Special Issues
- E-Newsletter
- Interactive resource guides to hops, grains & yeast
- How-To Brew Videos

PLUS

- Find Information Quickly With Searchable Stories and a Subject and New Issue Index
- Subscription Services to Order or Manage Your BYO Subscription
- More BYO Content Than Ever Before!

Brew THE HOW-TO HOMEBREW BEER MAGAZINE
YOUR OWN

visit byo.com today



After recirculation, you may see a layer of grey, fluffy material (called *teig*) on top of your grain bed. If this layer is thick, you should take a knife and make a few cuts through it so that it doesn't block the flow of sparge water. Sparge water can be poured on top of the grain bed, or delivered via a "sparge arm" — in the photo, a ring of copper tubing. Some sparge arms act as little sprinklers. You should monitor the temperature of your grain bed and try to keep it at 170 °F (77 °C). As you collect wort, you should be applying heat to your kettle. There's no sense in waiting until you've collected all your wort to start heating it. Aim for the wort coming to a boil just as wort collection wraps up.

minutes and then you are ready to recirculate. Record the details of your mash out — final temperature and volume of boiling water added (if any).

Recirculation

The aim of recirculation is to draw some wort off from the bottom of the grain bed and return it to the top. Once enough wort has been recirculated in this way, the wort clears up substantially. To recirculate manually, open the spigot to the mash/lauter tun slightly and slowly collect wort in a beer pitcher or similar vessel. Keep a timer running and collect wort at a rate that would fill the pitcher in about 5 minutes. Once full, gently pour the pitcher back on top of the grain bed. Repeat this until the wort looks clearer or 20 minutes have passed. Some homebrew rigs allow you to recirculate using a pump.

Wort Collection

Once recirculation is finished, it's time to start collecting wort. To do this, slowly open the valve on your mash/lauter tun and let the wort start trickling in to the kettle. If your lautertun is not positioned above the kettle, you can let the wort flow into a pitcher and then pour wort into the kettle. Collect the wort at a rate such that takes about 60–90 minutes to collect the entire volume. To do this, keep the dip stick in the kettle and check on it every few minutes. Write down the time you start collecting wort and the time you cross the 1-gallon mark, 2-gallon mark, 3-gallon mark, etc.

You might think that simply leaving the ball valve on the spigot in the same position would keep the flow rate steady, but a lot changes as you are collecting wort. It gets progressively thinner, it may change in temperature and the amount of pressure from the water above the grain bed changes with the level. The grain bed itself can get compressed, slowing the flow of wort. So, especially on your first few brews, take a look every couple minutes at the amount of wort in the kettle and adjust the valve, if needed, to keep the wort flowing at the proper rate. Be especially careful to check your kettle after opening the valve to increase the flow of wort; if it starts to flow too quickly, you can drain the mash tun in a matter of minutes. Don't worry if wort collection doesn't go as planned on your first brew day. If you collect the wort too quick-

ly, the only harm would likely be an original gravity slightly lower than you would have achieved otherwise.

When you first start collecting wort, there is a layer of water above the grain bed. Once the liquid level falls to almost the top of the grain bed, you should start applying sparge water. Your goal when sparging is to rinse "the good stuff" out of the grain bed, while not rinsing so extensively that you start extracting anything "bad."

The basic idea with continuous sparging is to apply water to the top of the grain bed at the same rate as it drains from the lautertun. In theory, that should be simple. In practice it can be hard to match the flow rates. A simple way around this problem is to focus on getting the flow rate from the mash/tun to the kettle correct, then apply sparge water at a faster rate in intermittent bursts. On my old setup, I used to pour a couple pitchers of water on top of the grain bed, then, about 10 minutes later — right before the grain bed would be exposed — I'd add another two pitchers. During this time, wort would be flowing from the lautertun to the kettle at a steady rate. Now, I do essentially the same thing by turning on and off my pump. Adding your sparge water in "pulses," rather than trying to get the flow rate to match the outflow from your mash/lautertun is simple and lets you focus how fast your kettle is filling.

You should heat your sparge water to the point that, as you sparge, the temperature of the grain bed approaches 170 °F (77 °C). If you mashed out to 170 °F (77 °C), and your lautertun was well insulated, your sparge water should be 170 °F (77 °C) at the point that it is added. In this case, it may have to be hotter than 170 °F (77 °C) in the HLT if it travels through tubing (where it will lose temperature) on the way to your lautertun. If your grain bed is cooler than this, then sparging with water at 190 °F (88 °C) or higher is appropriate until the grain bed reaches 170 °F (77 °C). Write down the details of your sparging in your brewing notebook.

When to Stop

There are a few ways to determine when to stop collecting your wort. For average-strength beers, the easiest way is just to quit collecting when you've got the full pre-boil wort volume in your kettle. With a propane burner, on homebrew-sized batch-

SPARGING

The type of sparging described in the article is called continuous (or fly) sparging, but homebrewers have a variety of methods to choose from. A very simple all-grain brewing method is the brew-in-a-bag method. In it, the crushed grains are all contained in a large sack, similar to a steeping bag. After the grains are mashed, the bag is hoisted out of the mash vessel and allowed to drain. The brewer then proceeds to use the mash vessel as his kettle, heating the wort it contains.

No-sparge brewing is a method that, as the name implies, does not use sparge water. In its simplest form, a very thin mash is performed. Then, after recirculation, the wort is drained from the lauter tun without sparging. A twist on this is to mash at a normal mash thickness, but then add a dose of very hot water to both mash out and yield the full pre-boil wort volume once the wort is collected. As before, the wort is recirculated and run off. In no-sparge brewing, the wort is typically run off as fast as possible, as there is no advantage to collecting it slowly.

In batch sparging, the wort is run off in two (or more) portions. After mashing, the wort is recirculated and the first wort is collected, without sparging, until there is no more wort left in the grain bed. The grain bed is then rehydrated with hot water and again the wort is recirculated and the second wort is run off. Many no-sparge brewers attempt to collect first and second worts of the same volume, and to end up at their pre-boil wort volume after doing so. To do this, a small amount of water is added after the first mash. The amount of water added for the second wort is such that the liquid in the lauter tun is at the same level as before the first wort was run off.


The Original Keg Cleaner

FINALLY!!!

This is what you have
been waiting for!

From the makers of
The Original Carboy Cleaner!

Flawlessly clean your
Keg's in seconds!




Ask for it at your local retailer!

See for yourself, watch the NEW video at:

www.KegCleaner.com



THE BEVERAGE PEOPLE



*With over 30 different
specialty malts,
a stocked hop freezer
and our vast selection of
Wyeast and White Labs yeast...
your perfectly balanced beer
is right around the corner!*

**It's Where America
Learns to Brew**

www.thebeveragepeople.com

840 Piner Rd. Santa Rosa, CA (800)544-1867



DON'T LOSE A BATCH OF BEER AGAIN!



CLEANERS

PBW™ – Powdered Brewers Wash
Safely Outperforms Caustics



SANITIZERS

Star San™ – Hi-foam Sanitizer
Io Star™ – A Traditional Favorite



ADDITIVES

pH Stabilizer™ – More Consistent Brewing
Super Moss HB™ – A Better Irish Moss



KITS


Homebrew Cleaning & Sanitizing Kit

Biodegradable, Effective & User-Friendly

Five Star excellence on display at local
Homebrew shops EVERYWHERE!
Australia, Canada, New Zealand, Scandinavia,
U.K., U.S. & MORE!

Five Star Chemicals

support@fivestarchemicals.com



As wort collection draws to a close, your full volume of wort should be just about ready to boil. As with extract brews, the kettle can boil over if you don't watch it carefully. Stir the wort or cut the heat if a boil-over looks imminent. A wort chiller is needed to quickly chill the wort and there are several kinds of chillers available, including immersion chillers, counterflow wort chillers and plate chillers. In the picture, wort is being pumped from the kettle past the chiller, to aid in cooling. In warmer climates, a pre-chiller may be required to get the wort down to pitching temperature. An immersion chiller in an ice bath (such as in the picture above), placed in line before the wort chiller, will allow you to cool all the way down to lager temperatures even with warm tap water.

es you can expect to boil off about a gallon an hour with a full rolling boil. So, for a 5-gallon (19 L) batch, you could collect 6 gallons for a one-hour boil or 6.5 gallons for a 90-minute boil.

A better way to know when to stop collecting wort is to monitor when you've gotten everything you reasonably can from the grain bed. The easiest way to do this is to take the specific gravity of your late runnings (the stream of wort you are collecting from the grain bed) and wait until they fall to about 1.008-1.010. If you do this, you may end up with more or less wort than your planned pre-boil wort volume. If you are low, as happens on many low-gravity brews, just add water. If you have collected more wort than you planned, you can extend the length of your boil.

When you are done collecting wort, write down the volume of wort in your kettle, the time you quit collecting and the original gravity of the wort. Also record if you needed to add any water to reach your

target pre-boil volume.

Boiling and Beyond

For extract brewers who do full wort boils, the rest of your brew day is identical to what you are used to. If not, just expect that heating and cooling a larger volume of wort will take longer.

Now you've got your first all-grain brew day under your belt. You also have a record of all the relevant volumes, temperatures and times of your first all-grain batch. Before you grab a celebratory beer, write down any other observations that you feel may help you with future brews. Later, before your second brew, review your notes and determine what aspects of your brew day you want to improve upon. Knowledge comes quickly at first, so be sure to write absolutely everything down for your first several beers. **BYO**

Chris Colby is Editor of BYO. Read his blog at [byo.com/blogs/blogger/Chris Colby/](http://byo.com/blogs/blogger/Chris%20Colby/).

RECIPE

Here is a very forgiving pale ale recipe to consider for your first all-grain brew day.

Maiden Voyage Pale Ale

(5 gallons/19 L, all-grain)

OG = 1.055 FG = 1.014

IBU = 46 SRM = 11 ABV = 5.3%

Ingredients

10 lb. 11 oz. (4.8 kg) US 2-row
pale malt

12 oz. (0.34 kg) crystal malt (40 °L)

2.0 oz. (57 g) crystal malt (60 °L)

7.4 AAU Magnum hops (60 mins)
(0.46 oz./13 g of
16% alpha acids)

8 AAU Centennial hops (15 mins)
(0.80 oz./23 g of
10% alpha acids)

1.0 oz. (28 g) Cascade hops
(5 mins)

0.75 oz. (21 g) Amarillo hops
(0 mins)

1 tsp. Irish moss (15 mins)
Wyeast 1056 (American Ale), White
Labs WLP001 (California Ale)
or Fermentis Safale US-05

½ cup (175 g) corn sugar
(for priming)

Step by Step

Start with 16 quarts (15 L) of water in your mash tun at 161 °F (72 °C). Stir in crushed grains and let rest for 40 minutes. The initial temperature should be 152 °F (67 °C). Begin heating 8.0 gallons (30 L) of sparge water. Heat mash or stir in 4.0 gallons (15 L) of boiling water to mash out to 170 °F (77 °C). Recirculate and begin collecting wort. Sparge with hot water, with the aim of keeping the grain bed near 170 °F (77 °C), or heating it to this temperature. Aim to collect 6.5 gallons (25 L) of wort over 60 minutes (a little over a gallon every 10 minutes). Boil wort for 90 minutes. If you have less than 5 gallons (19 L) of wort at the end of your boil, add water to top up. Cool wort, aerate and pitch yeast. Ferment at 67 °F (19 °C).



Quality Wine and Ale Supply



Wine and Beer Making Supplies for Home Brewers and Vintners

A proud sponsor of the Indiana State Fair Brewers Cup


Retailer of the Year - '05, '06, '07, '08 & '09!
WineMaker International Amateur Wine Competition

Beer Making Supplies, Kits and Equipment
Quality Products - Expert Advice - Fast Shipping
www.HomeBrewIt.com

Retail: 108 S. Elkhart Ave., Elkhart, IN 46516
Office: 530 E. Lexington Ave. #115, Elkhart IN 46516 ~ (574) 295-9975

GOT BREWING QUESTIONS?

The Homebrewer's Answer Book



**Get
Yours
Today!**

Direct from the pages of *Brew Your Own* magazine, this comprehensive collection of questions and answers from our popular "Mr. Wizard" department offers advice for both the novice and the advanced hobby homebrewer – and everyone in between!

Covering nearly every situation a homebrewer could encounter, this 432-page guide is the perfect reference for any amateur brewer. Fully indexed and organized by themes. Find answers to your questions and fixes to your problems fast.

Available at better brewing supply retailers and bookstores

Order your copy now for just \$14.95
online at

brewyourownstore.com

or by calling 802-362-3981

CAMRA

CHAMPION CLONES

CLONES OF AWARD-WINNING BRITISH BEERS

In 1971, four British journalists, on holiday in Dunquin, Ireland, sat in Kruger's Bar and hatched a plan. Reacting to the decline of traditional, cask-conditioned ales in British pubs, they formed the Campaign for the Revitalisation of Ale in an attempt to reverse this trend. By 2010, membership in their group — which changed its name to the Campaign for Real Ale (or CAMRA) in 1973 — had grown to over 100,000. Today, CAMRA continues to advocate for real ale, real cider, traditional British pubs and consumer rights. Every year since 1974, they have published the "Good Beer Guide" and in 1977, they started the annual Great British Beer Festival (GBBF). Starting in 1978, they began awarding the Champion Beer of Britain (CBOB) awards. CAMRA judges visit pubs all over the UK and sample ales in their native pubs. Outstanding beers advance to regional panels and finally to the judging at the GBBF. CBOB awards are now given in 13 categories, with a gold, silver and bronze medal additionally being awarded to the three beers judged best overall.

From the list of past winners, I have constructed six award-winning British beer clones based on information from my book, "The Home Brewer's Recipe Database" — which contains information on the ingredients and statistics of numerous commercial beers — and the "2009

Good Beer Guide." I took the list of winning beers from CAMRA's web site and first eliminated any beers for which homebrew clones were already available. I then screened out beers for which I didn't have sufficiently complete data to produce a well-informed recipe. Fortunately, the resulting "short list" contained a number of beers for which all the relevant data was available. The one missing component in all cases is the yeast, but I have suggested yeasts to try based on the tasting notes in the "Good Beer Guide." Whether or not you serve these as real ales, enjoy these clones.

Les Howarth is the author of "The Home Brewer's Recipe Database," now in its second edition. It is also available as an e-book, found at www.lulu.com/content/paperbackbook/the-home-brewers-recipe-database/7297456.



CAMPAIGN FOR REAL ALE






Photos courtesy of CAMIRA

CAMRA CLONE RECIPES

Bateman's XXXB Bitter

won Gold in the Premium Bitter/Special Bitter/Strong Bitter category in 1986, 1987, 1988, 1989 and 1997. It is described as "A brilliant blend of malt, hops and fruit on the nose with a bitter bite over the top of a faintly banana maltiness that stays the course. A russet-tan brown classic." From this I would suggest a yeast that provides a fruity character. The data I have for this beer is: OG: 1.048–1.049. Malt bill: 72–87% Pipkin or Maris Otter pale malt, 7.5–12% crystal malt, 0–3% wheat flour, 15–18% invert sugar. Hops: Challenger, Goldings. IBU: 37. EBC: 40–42.



Bateman's XXXB Bitter Clone

(5 gallons/19 L, all-grain)

OG = 1.049 FG = 1.012

IBU = 37 SRM = 12 ABV = 4.8%

Ingredients

7.0 lbs. (3.2 kg) Pipkin or Maris Otter pale malt
15 oz. (425 g) crystal malt (60 °L)
1.25 oz. (35 g) wheat flour
1 lb. 3 oz. (538 g) invert sugar
6 AAU Challenger hops (90 mins)
(0.75 oz./21 g of 8% alpha acid)
2.5 AAU East Kent Goldings hops (90 mins)
(0.50 oz./14 g of 5% alpha acid)
2 AAU Challenger hops (10 mins)
(0.25 oz./7.1 g of 8% alpha acid)
2.5 AAU East Kent Goldings hops (10 mins)
(0.5 oz./14 g of 5% alpha acid)
1 tsp. Irish moss (15 mins)
White Labs WLP022 (Essex Ale),

White Labs WLP005 (British Ale), Wyeast 1099 (Whitbread Ale) or Wyeast 1318 (London Ale III) yeast

Step by Step

Mash grains (and flour) at 154 °F (68 °C) for 60 minutes. 90-minute boil time, with sugar addition in the last 15 minutes of boil. Ferment at 70–72 °F (21–22 °C).

Bateman's XXXB Bitter Clone

(5 gallons/19 L, extract with grains)

OG = 1.049 FG = 1.012

IBU = 37 SRM = 12 ABV = 4.8%

Ingredients

0.75 lbs. (0.34 kg) Muntons Light dried malt extract
3.3 lbs. (1.5 kg) Muntons Light liquid malt extract (late addition)
1.0 lb. (0.45 kg) Pipkin or Maris Otter pale malt
15 oz. (425 g) crystal malt (60 °L)
1.25 oz. (35 g) wheat flour
1 lb. 3 oz. (538 g) invert sugar
6 AAU Challenger hops (90 mins)
(0.75 oz./21 g of 8% alpha acid)
2.5 AAU East Kent Goldings hops (90 mins)
(0.50 oz./14 g of 5% alpha acid)
2 AAU Challenger hops (10 mins)
(0.25 oz./7.1 g of 8% alpha acid)
2.5 AAU East Kent Goldings hops (10 mins)
(0.5 oz./14 g of 5% alpha acid)
1 tsp. Irish moss (15 mins)
White Labs WLP022 (Essex Ale), White Labs WLP005 (British Ale), Wyeast 1099 (Whitbread Ale) or Wyeast 1318 (London Ale III) yeast

Step by Step

Steep crushed grains and flour in 3 qts. (~3 L) of water at 154 °F (68 °C) for 45 minutes. Combine "grain tea," water and dried malt

extract to make 3.0 gallons (11 L) of wort. Boil for 90 minutes, adding sugar and liquid malt extract in last 15 minutes of the boil. Ferment at 70–72 °F (21–22 °C)

Mauldon's Black Adder

won Supreme Champion Gold in 1991 and is described as a "Superbly balanced dark, sweet ale, but with rich vine fruit throughout." I would again suggest a yeast that provides a fruity character. The data I have for this stout is OG: 1.053–1.055. Malt bill: 46% Maris Otter pale malt, 46% Halcyon pale malt, 3% crystal malt, 5% black malt. Hops: Challenger, optional Goldings. IBU: 27–37. EBC: More than 300.



Mauldon's Black Adder Clone

(5 gallons/19 L, all-grain)

OG = 1.055 FG = 1.014

IBU = 37 SRM = 32 ABV = 5.3%

Ingredients

5 lb. 4 oz. (2.4 kg) Maris Otter pale malt
5 lb. 4 oz. (2.4 kg) Halcyon pale malt
5.0 oz. (141 g) crystal malt (60 °L)
8.25 oz. (233 g) black malt
9.5 AAU Challenger hops (90 mins)
(1.4 oz./39 g of 7% alpha acid)
5 AAU East Kent Goldings hops (0 mins)
(1.0 oz./28 g of 5% alpha acid)
1 tsp. Irish moss (15 mins)
White Labs WLP022 (Essex Ale), White Labs WLP005 (British Ale), Wyeast 1099 (Whitbread Ale) or

Wyeast 1318 (London Ale III) yeast

Step by Step

Mash grains at 154 °F (68 °C) for 60 minutes. Boil wort for 90 minutes. Ferment at 70 °F (21 °C).

Mauldon's Black Adder Clone

(5 gallons/19 L, extract with grains)

OG = 1.055 FG = 1.014

IBU = 37 SRM = 31 ABV = 5.3%

Ingredients

2 lb. 6 oz. (1.1 kg) Coopers light dried malt extract
3 lb. 12 oz. (1.7 kg) Coopers Light liquid malt extract
1 lb. 3 oz. (0.54 kg) pale malt (Maris Otter, Halcyon or blend of the two)
5.0 oz. (140 g) crystal malt (60 °L)
8.25 oz (233 g) black malt
9.5 AAU Challenger hops (90 mins) (1.4 oz./39 g of 7% alpha acid)
5 AAU East Kent Goldings hops (0 mins) (1.0 oz./28 g of 5% alpha acid)
1 tsp. Irish moss (15 mins)
White Labs WLP022 (Essex Ale), White Labs WLP005 (British Ale), Wyeast 1099 (Whitbread Ale) or Wyeast 1318 (London Ale III) yeast

Step by Step

Steep crushed grains in 3 qts. (~3 L) of water at 154 °F (68 °C) for 45 minutes. Combine "grain tea," water and dried malt extract to make 3.0 gallons (11 L) of wort. Boil for 90 minutes, adding liquid malt extract in the last 15 minutes of the boil. Ferment at 70 °F (21 °C).

Coach House Post Horn Premium Ale

won Gold for Strong Bitter/Ale in 1994. It is described as a "Dry golden bitter with a blackcurrant fruitiness and good hop flavours leading to a strong, dry finish." From this I would suggest a yeast that provides a dry character.

The data I have for this beer is

OG: 1.050. Malt bill: 94.5% Maris Otter pale malt, 5.5% pale crystal malt.

Hops: Fuggles, Target. Dry hops: Yes.

IBU: 38. EBC: 18.



Coach House Post Horn Premium Ale Clone

(5 gallons/19 L, all-grain)

OG = 1.050 FG = 1.011

IBU = 38 SRM = 9 ABV = 5.0%

Ingredients

9 lb. 10 oz. (4.4 kg) Maris Otter pale malt
8.5 oz. (240 g) crystal malt (40 °L)
7.2 AAU Target hops (90 mins) (0.65 oz./18 g of 11% alpha acid)
2.3 AAU Fuggles hops (90 mins) (0.5 oz./14 g of 4.5% alpha acid)
9 AAU Fuggles hops (0 mins) (2.0 oz./57 g of 4.5% alpha acid)
1 tsp. Irish moss
White Labs WLP005 (British Ale), Wyeast 1098 (British Ale) or Wyeast 1335 (British Ale II) yeast

Step by Step

Mash at 150 °F (66 °C) for 60 minutes. 90 minute boil time. Ferment at 70 °F (21 °C).

Coach House Post Horn Premium Ale Clone

(5 gallons/19 L, extract with grains)

OG = 1.050 FG = 1.011

IBU = 38 SRM = 9 ABV = 5.0%

Ingredients

1.75 lbs. (0.79 kg) Briess Light dried malt extract
3.75 lbs. (1.7 kg) Briess Light liquid malt extract (late addition)
1.5 lb. (0.68 kg) Maris Otter pale malt
8.5 oz. (240 g) crystal malt (40 °L)
7.2 AAU Target hops (90 mins)

(0.65 oz./18 g of 11% alpha acid)

2.3 AAU Fuggles hops (90 mins)

(0.5 oz./14 g of 4.5% alpha acid)

9 AAU Fuggles hops (0 mins)

(2.0 oz./57 g of 4.5% alpha acid)

1 tsp. Irish moss

White Labs WLP005 (British Ale),

Wyeast 1098 (British Ale) or

Wyeast 1335 (British Ale II) yeast

Step by Step

Steep crushed grains in 3 qts. (~3 L) of water at 150 °F (66 °C) for 45 minutes. Combine "grain tea," water and dried malt extract to make 3.0 gallons (11 L) of wort. Boil for 90 minutes, adding liquid malt extract in the last 15 minutes of the boil. Ferment at 70 °F (21 °C).

Timothy Taylor Best Bitter

won Supreme Champion Silver in 1993. Its description is "Hops and fruit combine well with a nutty malt character in this drinkable bitter. Bitterness increases down the glass and lingers in the aftertaste." The data I have for this beer is OG: 1.037. Malt bill: 95% Golden Promise pale malt, 5% roast crystal malt. Hops: Fuggles, Goldings. Late hops: Styrian Goldings. EBC: 27-29.



Timothy Taylor Best Bitter Clone


(5 gallons/19 L, all-grain)

OG = 1.037 FG = 1.008

IBU = 29 SRM = 11 ABV = 3.7%

Ingredients

7 lb. 2 oz. (3.2 kg) Golden Promise pale malt
5.75 oz (163 g) crystal malt (120 °L)
3.8 AAU East Kent Goldings hops (90 mins) (0.75 oz./21 g of 5% alpha acid)
3.4 AAU Fuggles hops (90 mins)



Want to brew the best?
Start with the best!

If you're not using
NORTHWESTERN malt extract,
you might as well
go buy a 40!

3590 N. 126th St., Brookfield, WI 53005

www.nwextract.com • Email: flavors@nwextract.com • Phone: 1-800-466-3034

Build Your Brewing Knowledge With Our Brewer's Library.

Brewer's Reference Library

- **Standards of Brewing** - by Charles W. Bamforth
A practical approach to consistency and excellence.
- **Designing Great Beers** - by Ray Daniels
The ultimate guide to brewing classic beer styles.
- **New Brewing Lager Beer** - by Gregory J. Noonan
The practice of all-malt brewing for lagers and more.
- **Principles of Brewing Science, 2nd Edition** - by George Fix
Essential brewing chemistry for every brewer.
- **Sacred and Herbal Healing Beers** - by Stephen Harrod Buhner
Modern and historic herbalism for unique and flavorful brews.
- **The Brewers Association's Guide to Starting Your Own Brewery**
The essential guide to starting a new brewery.



- **Dictionary of Beer and Brewing**
Brewing terminology defined from alpha acid to zythum.
- **Evaluating Beer**
Flavor and sensory evaluation in theory and practice.
- **Smoked Beer, Bavarian Helles, Mild Ale, Barley Wine and 13 more**
The Classic Beer Style Series offers a beer book for every mood.
- **Farmhouse Ales, Wild Brews and Brew Like a Monk**
Newly released titles focusing on how to brew Belgian-style beers in America.
- **Radical Brewing** - by Randy Mosher
Historical styles, off-beat ingredients and innovative ways to brew that will inspire the most veteran brewer.
- **And many more titles**

The Brewers Association:
Your Source for Brewing Knowledge
shop.beertown.org
Ph: 888.822.6273 / +1.303.447.0816

Brewers Publications
A Division of the Brewers Association
www.BrewersAssociation.org



(0.75 oz./21 g of 4.5% alpha acid)
5.4 AAU Styrian Goldings hops (0 mins)
(1.0 oz./28 g of 5.4% alpha acid)
1 tsp. Irish moss (15 mins)
Wyeast 1028 (London Ale) or
Wyeast 1098 (British Ale) yeast

Step by Step

Mash at 152 °F (67 °C) for 60 minutes.
Boil for 90 minutes. Ferment at 68 °F (20 °C).

Timothy Taylor Best Bitter Clone

(5 gallons/19 L,
extract with grains)

OG = 1.037 FG = 1.008

IBU = 29 SRM = 11 ABV = 3.7%

Ingredients

0.5 lbs. (0.23 kg) Muntons Light dried malt extract
3.3 lbs. (1.5 kg) Muntons Extra Light liquid malt extract (late addition)
1 lb. 10 oz. (0.74 kg) Golden Promise pale malt
5.75 oz (163 g) crystal malt (120 °L)
3.8 AAU East Kent Goldings hops (90 mins)
(0.75 oz./21 g of 5% alpha acid)
3.4 AAU Fuggles hops (90 mins)
(0.75 oz./21 g of 4.5% alpha acid)
5.4 AAU Styrian Goldings hops (0 mins)
(1.0 oz./28 g of 5.4% alpha acid)
1 tsp. Irish moss (15 mins)
Wyeast 1028 (London Ale) or
Wyeast 1098 (British Ale) yeast

Step by Step

Steep crushed grains in 3 qts. (~3 L) of water at 152 °F (67 °C) for 45 minutes. Combine "grain tea," water and dried malt extract to make 3.0 gallons (11 L) of wort. Boil for 90 minutes, adding liquid malt extract in the last 15 minutes of the boil. Ferment at 68 °F (20 °C).

Rudgate Viking won Silver in the Bitter category in 2002 and is described as "An initially warming and malty, full-bodied beer, with hops and fruit lingering into the aftertaste."

The data I have for this beer is OG: 1.039. Malt bill: 90% Halcyon pale malt, 10% crystal malt. Hops: Fuggles, Northdown or Challenger, Goldings. Late hops: Goldings. IBU: 24. EBC: 24-30.



Rudgate Viking Clone (5 gallons/19 L, all-grain)

OG = 1.039 FG = 1.010
IBU = 24 SRM = 11 ABV = 3.8%

Ingredients

7 lb. 4 oz. (3.3 kg) Halcyon pale malt
12 oz. (340 g) crystal malt (60 °L)
4.0 AAU Northdown hops (90 mins)
(0.48 oz./13 g of 8.4% alpha acid)
2.0 AAU East Kent Goldings hops
(90 mins)
(0.4 oz./11 g of 5% alpha acid)
5 AAU East Kent Goldings hops
(0 mins)
(1.0 oz./28 g of 5% alpha acid)
1 tsp. Irish moss (15 mins)
White Labs WLP037 (Yorkshire Square
Ale) or Wyeast 1099 (Whitbread Ale)
yeast

Step by Step

Mash at 154 °F (68 °C) for 60 minutes.
Boil for 90 minutes. Ferment at 68 °F
(20 °C).

Rudgate Viking Clone (5 gallons/19 L, extract with grains)

OG = 1.039 FG = 1.010
IBU = 24 SRM = 11 ABV = 3.8%

Ingredients

14 oz. (0.40 kg) Muntions Light dried
malt extract
3.3 lbs. (1.5 kg) Muntions Extra Light
liquid malt extract (late addition)
1.25 lbs. (0.57 kg) Halcyon pale malt
12 oz. (340 g) crystal malt (60 °L)
4.0 AAU Northdown hops (90 mins)
(0.48 oz./13 g of 8.4% alpha acid)
2.0 AAU East Kent Goldings hops
(90 mins)
(0.4 oz./11 g of 5% alpha acid)
5 AAU East Kent Goldings hops
(0 mins)

(1.0 oz./28 g of 5% alpha acid)
1 tsp. Irish moss (15 mins)
White Labs WLP037 (Yorkshire Square
Ale) or Wyeast 1099 (Whitbread Ale)
yeast

Step by Step

Steep crushed grains in 3 qts. (~3 L) of
water at 154 °F (68 °C) for 45 minutes.
Combine "grain tea," water and dried
malt extract to make 3.0 gallons (11 L) of

wort. Boil for 90 minutes, adding liquid
malt extract in the last 15 minutes of the
boil. Ferment at 68 °F (20 °C).

**Holden's Black Country
Bitter** won Silver in the Bitter category
in 2005 and is described as "A medium-
bodied, golden ale; a light, well-
balanced bitter with a subtle, dry, hoppy
finish." The data I have for this beer is:

BREWFERM®

Brewferm® beer kits



OUR "KRIEK"-STYLE KIT IS BACK!
NEW RECIPE!

KRIEK

For 12 litres

A red coloured, slightly acidic but
sweet tasting cherry beer with a fine
aroma and full head.

Original gravity : 1.053. ABV : 5.5%.

BREWFERM®

BREWFERM® beer concentrates have already went
through the major part of the brewing process. Just before
the final stage this process is interrupted and
the liquid evaporated until the beer concen-
trates are left. All you have to do is
add water and sugar to obtain, after
fermentation, **7 to 20 litres** of beauti-
ful natural beer.

**Make your choice out of
13 different beer types**




BREWFERM® PRODUCTS by Brouwland

Distributed by :

Crosby & Baker Ltd. - Westport
L.D. Carlson Company inc. - Kent, Ohio

OG: 1.039. Malt bill: 85–95% Maris Otter pale malt, 0–10% crystal malt, 0–5% torrefied wheat, 0–2% brewing sugar. Hops: Fuggles, optional Goldings. Dry hops: Fuggles. EBC: 24–26.



**Holden's Black
Country Bitter Clone**
(5 gallons/19 L, all-grain)
OG = 1.039 FG = 1.010
IBU = 27 SRM = 9 ABV = 3.8%

Ingredients

7 lb. 4 oz. (3.3 kg) Maris Otter
pale malt
6.0 oz. (170 g) crystal malt (60 °L)
3.0 oz. (85 g) torrefied wheat
1.25 oz. (34 g) invert sugar

6.8 AAU Fuggles hops (90 mins)
(1.5 oz./43 g of 4.5% alpha acid)
2.2 AAU Fuggles hops (dry hops)
(0.5 oz./14 g of 4.5% alpha acid)
1 tsp. Irish moss
(15 mins)
White Labs WLP005 (British Ale),
Wyeast 1098 (British Ale) or
Wyeast 1335 (British Ale II) yeast

Step by Step

Mash grains at 154 °F (68 °C) for 60 minutes. Boil 90 minutes, adding sugar for the final 15 minutes of the boil. Ferment at 70 °F (21 °C).

**Holden's Black
Country Bitter**
(5 gallons/19 L,
extract with grains)
OG = 1.039 FG = 1.010
IBU = 27 SRM = 9 ABV = 3.8%

Ingredients

7.0 oz. (198 g) Coopers light
dried malt extract

3 lb. 12 oz. (1.7 kg) Coopers Light
liquid malt extract (late addition)
1 lb. 7 oz. (0.65 kg) Maris Otter
pale malt
6.0 oz. (170 g) crystal malt (60 °L)
3.0 oz. (85 g) torrefied wheat
1.25 oz. (34 g) invert sugar
6.8 AAU Fuggles hops (90 mins)
(1.5 oz./42 g of 4.5% alpha acid)
2.2 AAU Fuggles hops (dry hops)
(0.5 oz./14 g of 4.5% alpha acid)
1 tsp. Irish moss
(15 mins)
White Labs WLP005 (British Ale),
Wyeast 1098 (British Ale) or
Wyeast 1335 (British Ale II) yeast

Step by Step

Steep crushed grains in 3 qts. (~3 L) of water at 154 °F (68 °C) for 45 minutes. Combine "grain tea," water and dried malt extract to make 3.0 gallons (11 L) of wort. Boil the wort for 90 minutes, adding sugar and liquid malt extract in the last 15 minutes of the boil. Ferment at 70 °F (21 °C). **BYO**

**Your
Beer Is
Our
Business!**


**Mountain
Homebrew &
Wine Supply**

**The Pacific
Northwest's
Brewstore!**

mountainhomebrew.com

Retail Store: 8520 122nd Ave NE, B6 Kirkland WA 98033
877-368-2739/info@mountainhomebrew.com

ADD A VALVE TO ANY POT



Its patent-pending design features a washer containment groove for a leak free seal, and threading on the inside to accept the optional stainless steel Brewer's Edge

Both the **KettleValve™** and **KettleScreen™** are available now at fine home brewing retailers. Ask for them today!

Brewer's Edge® products are distributed to retailers by:

Brewcraft USA • 877-355-2739 • brewcraft.net
Brewmaster Inc. • 800-288-8922 • brewmasterinc.com
L.D. Carlson Company • 800-321-0315 • ldcarlson.com

Historical Porter

techniques

Brewing a classic with *Brettanomyces*

by Terry Foster



For many years I have been on a quest to find out all I can about porter. This has meant hours and hours of study in places like the National Brewing Library in England, the British Library in London, and the Beinecke Rare Book Library at Yale. All of which has yielded filing cabinets full of notes about the origin of the beer, who made it, what it was made from, where it was made, and so on. But it never answered that most important of questions — what did porter taste like in the 18th century?

Aside from the difficulties of reproducing raw materials from that time, there is the problem of knowing what happened to porter during storage. In those times porter was stored in wooden vats for months, or even years, before it was sold. So it might well have developed various flavors through the action of bacteria or “wild” yeasts present in the wood, or even in the beer itself before storage. It has been suggested by one British researcher that the high hop alpha-acid levels in porter would have inhibited the bacteria, such as those producing lactic acid, and the major effects of storage on flavor come from yeasts other than *Saccharomyces* species.

There is no direct evidence of this, but there is some good secondary evidence. In the early part of the 20th century a Dane, N.H. Claussen identified a yeast species as being responsible for the secondary fermentation in British Stock Ales. He called it *Brettanomyces*, and it was later named *B. claussenii* in his honor, as other variants of the species were later discovered, notably in Belgian “spontaneously-fermented” beers.

Stock Ales were high alcohol beers stored in wooden vats for long periods, during which they underwent a slow secondary fermentation, as the *Brettanomyces* yeast consumed polysaccharide molecules which *Saccharomyces* species could not ferment. It was considered that this was what gave British stock ales their characteristic taste, later found to be largely due to high levels of fatty acid ethyl esters, notably ethyl acetate and ethyl lactate, which were produced by this yeast. One

writer has suggested that the relatively high levels of these esters may have given the beer a narcotic effect, making it appear stronger than its alcohol level would suggest. Claussen’s work proved there were at least two different yeasts at work in these beers, which lead many English brewers to refute Hansen’s suggestion of using single culture yeasts, a practice which soon became common in Continental Europe. Ironically, not much later British brewers phased out Stock Ales almost entirely, and turned to brewing only “running” beers, which were shipped out of the brewery and drunk before there was time for the slow *Brettanomyces* secondary fermentation to occur.

Therefore, with perhaps a little stretch it seems that *Brettanomyces claussenii* might well have made a significant contribution to the flavor of vatted 18th century porters. So it seemed to me that I needed to experiment with *Brettanomyces* in a porter. I am not the first person to have done this — check out <http://www.byo.com/component/resource/article/2032-piatzs-historic-porter> for another version.

For the record, three varieties of *Brettanomyces* are available to us:

- *B. claussenii* (White Labs WLP645); this is reckoned to give a relatively mild and subtle *Brett* character, with the accent on aroma rather than flavor, the aroma being estery/fruity, reminiscent of pineapple according to some.


- *B. bruxellensis* (White Labs WLP 650, Wyeast 5112); classed as a stronger *Brett* character than the former, giving the notorious horse blanket flavor, and quoted as being used for secondary fermentation of Orval Trappist ale as well as in lambic beers.

- *B. lambicus* (White Labs WLP 653, Wyeast 5526); produces the most distinctive *Brett* flavors and aromas, sometimes described as “like cherry pie;” it is found in lambic beers and Belgian sour brown ales.

“In those times porter was stored in wooden vats for months, or even years, before it was sold.”



18th Century porters were possibly affected flavor-wise by the presence of *Brettanomyces* present in the oak barrels used to transport the beer.



All of these, particularly the last two, also produce some acidity, and all of them take upwards of three months for full flavor development, although as might be expected the rate of secondary fermentation increases with increasing temperature.

The first point about these yeast strains is that, leaving the Belgians aside, most brewers consider them to be undesirable wild yeasts. Also, once a *Brett* strain becomes established in a brewery it is very difficult to eradicate, which is probably why such yeast are suitable for the Belgian "spontaneous fermentation" approach. Therefore, if you plan to be primarily a brewer of regular ales, stouts, and lagers and to only occasionally dabble with *Brett*-fermented beers, you **MUST** be scrupulous about cleanliness and sanitation (which you should be anyway). I have spoken to many British brewers who were aghast at the idea of using more than one *Saccharomyces* species in their brewery, let alone a *Brett* species. But many American craft brewers use more than one yeast variety and quite a number have used *Brett* yeasts without cross-contamination problems. If you use only stainless steel and

To try and recreate an 18th Century porter in modern times, homebrewers can try experimenting with using one of the three commercial strains of *Brettanomyces* available from Wyeast or White Labs. *Brett* (pictured under a microscope to the left) has a notorious reputation, especially among winemakers, as a troublesome "wild" yeast and can contaminate a home brewery without proper sanitation practices.

THE Logical **NEW** Formulation

Now it makes even more sense. With our slick new 8 oz and 5 lb containers comes a whole new formula. Scaling that may have resulted from long soaks or poor water quality is a thing of the past. And even measuring has become more precise to ensure that you use the right amount every time. **One Step - logical and effective.**



Logic Inc., Allentown, PA • Tel: 608-658-2866
www.ecologiccleansers.com

ANNAPOLIS HOME BREW

\$7.95 Flat-Rate Shipping!

Orders to 'lower 48' only
See our website for details

GREAT BEER KITS

Tested & proven exclusive AHB recipes.
Top-quality ingredients - we don't skimp!
Fresh kits - measured & packed for you.
70 available - Extract, Partial, & All-Grain



Wide range of top-notch kits in stock.
All available with Flat Rate shipping!
Seasonal & Limited Edition wine kits.
Many options on beginner equipment.

GREAT WINE KITS

Open 7 Days - Secure Online Ordering

800-279-7556

www.annapolishomebrew.com

glass your normal cleaning and sanitizing techniques should ensure you have no contamination problems.


For my experiment I used an 1850 recipe from Whitbread, one of the great London porter brewers. I didn't use any of my 18th century recipes as you might have expected, because these call for the use of 100% brown malt. Modern brown malts are not made in the same way as those from that time, and cannot be mashed on their own. So for a brew of 5 gallons (19 L) my malt bill consisted of 80% pale malt, 5% black malt, and 15% brown malt, with OG 1.060 (14.7 °P). I opted to keep the bittering hops low, at an estimated 25 IBU, so as not to mask other tastes. I used Wyeast 1098 for the primary fermentation, which finished at SG 1.022 (5.5 °P) in two weeks time. I could have added the *Brett* in the primary, but I had already decided that I would split the batch into two and add the *Brett* to only one half. I had also decided I would use *B. clausenii* WLP645. My research had indicated that there was a difference of opinion as to whether or not it was necessary to make a starter with this yeast. I decided not to do so for two reasons, the first being that I would be pitching only half the brew with the *Brett* yeast, thus needing less than for a full batch. My second reason was that I was concerned about possible contamination of my brewery with the *Brett*, during the various operations needed to prepare a starter, and decided that it was not worth the risk at that point.

Since the beer was going to be in secondary for some months, it seemed to me that it would be best conducted in a stainless

steel soda keg. That way the keg could be kept sealed and the beer brought into condition by the *Brett* fermentation, and there would be less chance of contamination with bacteria which might confuse the issue. At first I had thought that I might dedicate a keg to *Brett* fermentations, as I have some spare, having picked them up very cheaply. But these are 5-gallon kegs and I should only be putting 2.5 gallons in it, leaving a lot of head space with a consequent risk of oxidation masking other flavors. Instead I went for a 3-gallon keg (which is more expensive than any of the fives, and in shorter supply in my brewery!).

I racked half of the brew into the pre-cleaned and sanitized keg, and took it into the far corner of my basement, well away from the brewing area. I oxygenated the beer for about 30 seconds before adding the *Brett* culture, for two reasons. First, I wanted to give the culture a head start, as I was not going to prepare a starter, and second I didn't want to oxygenate the beer after adding the culture, in order to simplify cleaning of the diffusion stone. Once the *Brett* culture was in I sealed the keg and I left it for six months. My basement is generally around 60–65 °F (15.6–18.3 °C) most of the year, so quite satisfactory for a slow secondary fermentation. The remainder of the beer I bottled, along with a little dextrose as priming.

So then came the moment of truth. I took two glasses, a bottle of the non-*Brett* beer, and the keg with the *Brett*-impregnated beer. To sample the latter I used a picnic tap, which even after cleaning I have since reserved solely for *Brett* beers. That may be



**Home
Brewing
Supplies**

POLAR WARE
COMPANY

800-237-3655
www.polarware.com
customerservice@polarware.com

Proud USA
Manufacturer
Since 1907



myownlabels
.com

Naomi & Johnny
SERVED THEIR HOMEMADE BEER

ON PERSONALIZED COASTERS
AT THEIR WEDDING

**LABELS
& COASTERS**
FOR YOUR PERSONALIZED BEER

“Brewing authentic reconstructions of old beers is fraught with difficulties . . .”


overkill, as I could simply have replaced the tubing and cleaned and sanitized the tap and beer outfitting in the usual way. Then I filled the glasses each with one of the beers, and set about comparing them as closely as I could. The non-*Brett* beer was a sound robust porter, well-balanced, with a hint of the almost chewy effect brown malt typically gives, and background roasted notes from the black malt; overall it was a good beer, although a little thinner than I had expected. Then to the *Brett*-beer, which was not at first markedly different, with the above flavor notes still noticeable. It did have a more intense aroma, mainly fruity from what appeared to be various esters, but not what I should describe as “pineapple,” and I could detect no hint of “horse blanket.” It did taste a little fuller than the other beer, again probably due to fatty acid esters produced by the *Brett*. On the down side, there seemed to me to be a slight greasy aroma and flavor which I did not like; that might well be subjective, as I have handled quite a lot of pure ethyl lac-

tate, and never really liked its aroma! There was also an apparent increase in acidity, making the beer quite tart, although not unbearably so; it was certainly less tart than a typical lambic beer, which I generally do not like.

However, I did feel that the *Brett*-fermented beer was not one that I would like to drink by the pint. So my next step was to blend the two beers, and I did this in the simplest way, at the point of serving. This was often done with porter in earlier days, but usually with an old and a young brew, and in my case I was using two old beers, one with and one without *Brett* treatment. I poured about one-tenth of a pint of the *Brett* beer into a pint glass and then added a half-pint of the other beer, and swirled them together a little before tasting. This was something of a revelation, with all the malt characteristics of the porter showing through as before, but now a little fuller on the palate, and just a little bite from the extra acidity adding an extra touch of interest.

Although my experiment did not perhaps result in a great revelation about 18th Century porter, I had never expected that it would do so. As I pointed out at the beginning, brewing authentic reconstructions of old beers is fraught with difficulties, even when recipes have been uncovered and deciphered. You have to try to solve the puzzle one step at a time, and this experiment is one more piece in place. (BYO)

Terry Foster is the author of the “Pale Ale” and “Porter” books in the Classic Beer Style Series (Brewers Publications).



MONSTER BREWING HARDWARE

Monster Mills by Monster Brewing Hardware are made in the USA on modern CNC equipment with state of the art accuracy for discriminating home brewers.

Why settle for second best?

BASE & HOPPER NEW! NOW AVAILABLE

WWW.MONSTERBREWINGHARDWARE.COM

“IT’S ALWAYS BETTER TO HAVE A BIGGER TOOL THAN YOU NEED.”
— MONSTER MACHINIST



Adventures in Homebrewing

Your All Grain Experts

MASH IT

SPARGE IT

BOIL IT

CHILL IT

Phone an order in:
(313) 277 BREW (2739)

Cheers from the staff @
www.HOMEBREWING.ORG

Whirlpool Dynamics

The physics of trub removal

advanced brewing

by Chris Bible



Whirpooling is a method for separating trub from wort that is widely used by homebrewers and commercial brewers. In commercial breweries, trub-containing wort is pumped tangentially into a tank with a flow rate that is sufficient to initially induce a spinning, circular flow pattern. As wort is pumped into the tank, the suspended trub moves along with the liquid, but when the pumping is stopped, the trub collects into a cone-shaped pile in the middle of the vessel. Homebrewers achieve this same whirlpool effect by rapidly stirring their wort in a circular motion and then stopping.

But why does the trub collect in the middle of the vessel? Why doesn't it move outward and collect against the wall of the vessel? In order to explain why trub moves to the center of the tank instead of to the edges, we must first understand the details of the fluid dynamics that are at work within the system.

To explain how this phenomena works I will use the representative physical system of loose leaves being stirred in a teacup and discuss the physical forces at work within it. When the tea is stirred, the leaves are rotating around the bottom of a cup, following the motion of the water that is caused by stirring. When the stirring is stopped and the spoon is removed, the leaves begin to move towards the center of the cup and collect on the bottom, exactly like a brewer's trub collects in the center of the whirlpool. When the tea is being stirred, the liquid level (and pressure) near the side walls of the cup or brewing vessel is higher than the liquid level in the center when the tea is rotating. The concave surface of the tea is evidence of this. This level and pressure variation is the result of the centripetal acceleration that balances the centrifugal acceleration of the rotating liquid. It is this pressure gradient that induces a vortex effect within the system, and this vortex causes the solids to move to the center of the rotating liquid.

The pressure gradient within the liquid exists because liquid near the bottom and sides of the cup cannot move as freely as

the rest of the liquid within the cup. The liquid moves much more slowly near the bottom and sides of the cup because of frictional resistance. The net result of this fluid friction is that the angular momentum of the liquid near the bottom is not enough to oppose the effect of the radial pressure field created by the rotating liquid away from the bottom boundary layer. The pressure variation is such that it pushes the liquid (and any entrained solids) near the bottom of the cup towards the center.


Because mass flow is conserved, the liquid moving towards the center of the cup then collides with liquid from the opposite side of the cup and turns upward towards the surface. When the liquid is near the surface, it then turns towards the side wall and finally moves down towards the bottom, replenishing the liquid that was originally there.

The tea leaves recirculate with the water and eventually become entangled with one another near the bottom-center of the cup. Eventually the solids clump together enough so that the upward movement of the liquid near the center is no longer sufficient to create a buoyant force that can overcome the force of gravity acting upon the solids. When this happens, the solids remain on the bottom and at the center of the cup.

The tempest in the teacup

A vortex is induced because liquid near the top of the vessel is pushed out "harder" because there is less fluid friction at the top of the liquid. The liquid near the bottom of the vessel is pushed out less because there is more friction and less force near the bottom to push it out. The weaker force at the bottom of the vessel induces a pressure gradient that creates an inward, recirculating flow. This inward recirculation is usually called the Bödewadt layer, after the German scientist who described the motion of a rotating fluid over an infinite wall at rest. Albert Einstein, however, was the first to give an explanation of this phenomenon in 1926 in the case of the teacup and his explanation is also correct for trub in a whirlpool.

“The angular momentum of the liquid near the bottom is not enough to oppose the effect of the radial pressure field.”



Simple stirring creates some complex fluid dynamics. The upshot is that a cone of trub is deposited in the center of the vessel.

Photos / Illustrations courtesy of Chris Bible

figure 1a





figure 1b



An illustration of the fluid flow situation within a system in which the fluid has been set into circular motion and then allowed to experience these frictional effects is shown in Figures 1a and 1b. The fluid slowed by wall friction is called a boundary layer, and this boundary layer plays a key role in the fluid mechanics of this system. The boundary layer thickness, δ , is given by the lengthscale where the imposed rotation Ω is diffused by viscosity in the intermediate fluid layers. In the ideal case of a fluid rotating over an infinite wall, the balance between centrifugal and viscous forces yields $\delta \sim (\nu/\Omega)^{1/2}$ (where ν is the kinematic viscosity of the fluid), which is a constant, independent of the radius r .

The mathematics describing this system are complex and involve solving numerous, simultaneous-differential equations. Thankfully, the power of modern computers coupled with commercially available computational fluid dynamics software is able to provide us with a good picture of the velocity profiles within our stirred teacup example. The velocity profiles for the stirred cup — seen in Figures 2 and 3 — are good analogues for what we could expect for velocity profiles within our trub-removing whirlpools.

Figure 2 shows the velocity profiles for fluid flow near the bottom of the cup. Figure 3 shows velocity profiles across a cross-section of the cylindrical cup. In these figures, red represents relatively fast-moving fluid elements, and blue represents slower moving fluid elements. There are several factors that are important to consider when operating a whirlpool vessel: geometry, feed velocity and rotation time. Vessel geometry is an important considera-



www.mdhb.com

Your online source for all beer & winemaking supplies.
We ship UPS daily.

After 17 years of serving 1000's of customers, both online and in the shop, let us be your supplier for all of your home brewing and wine making needs. We stock kegs, corks, recipe and ingredient kits. Our large 2,500 square foot facility is stacked wall to wall with everything you need for making all things fermentable. Visit us online or come to the store and see everything for yourself.

Maryland Homebrew
6770 Oak Hall Lane, Suite 115
Columbia, MD 21045

1-888-BREW NOW



SAVE TIME!

**24/7 Customer Service
is only a Click Away**

- Change your Address
- Check your Subscription Status
- Renew, Pay a Bill, or Give a Gift
- Replace Missing Issues

Our online customer service is available 24 hours a day. Just click on the [Magazine Customer Service](#) link in the upper right corner on every page of byo.com

Brew THE HOW-TO HOMEBREW BEER MAGAZINE
YOUR OWN

tion for a whirlpool vessel because it directly impacts the fluid dynamics within the system. Commercial breweries usually use cylindrical or slightly cone-bottomed vessels with a depth:diameter ratio of between 1:1 to 1:5. Feed velocity and rotation time also affect the final results of the whirlpool. If the initial rotational velocity is too low, a poorly-compacted trub cone will be formed. If the initial rotational velocity is too high, the inertial forces caused by the fast-moving liquid may cause the trub cone to not hold together. Initial rotational velocities generally are determined by trial and error. Rotation time is important because all of the fluid-dynamic-induced forces must have time to work. Generally, commercial breweries allow a rotation time of between 10 and 40 minutes. Smaller tanks generally require less rotation time.

The optimum rotational velocity and rotation time for a homemade whirlpool system in your home brewery depends upon the geometry of your vessel, the amount of friction between the wort and your vessel and the clumping properties of the trub. It also depends slightly on the OG of your wort; whirlpool effectiveness decreases as the OG increases because the relative density differential between the wort and the trub decreases with increasing wort density. To ensure good cone formation within your whirlpool, add Irish moss or other flocculation aids and leave the vessel alone for at least 10 minutes. (BYO)

Chris Bible is a regular contributor to Brew Your Own and writes "Advanced Brewing" in every issue.

figure 2





figure 3





BREW MASTERY

Our custom recipe application, **BrewBuilder™**, allows you to create, edit, share & buy recipes right from one convenient page.

Create one of your own recipes or customize one of **OVER 1,100 HOMEBREW RECIPES** - and then buy it with the click of a button!


Create & buy a **BrewBuilder™** recipe and **SAVE 10%** when you enter: BBBYO

Brewmasters

WAREHOUSE

brewmasterswarehouse.com

Keep Homebrew Fresh!



Maintain carbonation and freshness from the first glass to the last.

Easier to fill than bottles - No pumps or CO₂ systems • Holds 2.25 gallons of beer - Two "Pigs" are perfect for one 5 gallon fermenter • Patented self inflating Pressure Pouch maintains carbonation and freshness • Perfect dispense without disturbing sediment • Simple to use - Easy to carry - Fits in the "fridge" • Ideal for parties, picnics and holidays.

Quoin

pronounced "coin"

401 Violet Street
Golden, CO 80401
Phone 303•279•8731
FAX 303•278•0833



party-pig.com

It's time to try a

Party Pig®

(self-pressurizing)
beer dispenser

Just PRESS, POUR & ENJOY!

BYO BACK ISSUE SALE!

Buy 5 Issues...Get 5 More Issues FREE!



We are offering readers a very special deal on our limited quantities of back issues. Buy any 5 issues for \$25 (plus \$12.50 shipping) and receive 5 more issues for **FREE!** Buy 5 and get 5 **FREE!** Choose from these collectible classics still in stock from 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008 and 2009.

HURRY! SUPPLIES ARE LIMITED! NOW AVAILABLE ONLINE AT WWW.BREWYOUROWNSTORE.COM

JUNE 98

- Hop Profiles and Tips
- Malt Cooler Recipes

JULY 98

- 15 Clone Recipes
- 3 Beers, 1 Mash

AUG. 98

- Easy Beer Calculations
- Yeast Pitching

OCT. 98

- Great Bock Recipes
- Choose the Right Kit

NOV. 98

- Kegging Techniques
- Using Liquid Yeast

DEC. 98

- Cask Conditioning Tips
- Convert Freezer to Beer Chest

JAN. 99

- Aging in Wood
- Figuring Hop Bitterness

FEB. 99

- Malta Yeast Starter
- Organic Homebrewing

MAR. 99

- Imported Clone Recipes
- Build an Electric Brew Stove

JULY 99

- Summer Homebrew Recipes
- Hemp Ale Recipe

AUG. 99

- Wit, Kölsch Recipes
- American Lager Clones

DEC. 99

- Cutting Edge Equipment
- Increasing Batch Size

JAN. 00

- 7 Czech Beer Recipes
- Your First Brew

FEB. 00

- High-Gravity Brewing
- Foreign Clone Recipes

APR. 00

- Making Smoked Beers
- Your First Keg

MAY 00

- Your First Mash
- Understanding Your Water

OCT. 00

- 20 Autumn Extract Recipes
- Build a Counterflow Wort Chiller

JAN. 01

- Brew Indigenous Beers From 4 Continents
- Making Root Beer

FEB. 01

- 5 German Clone Recipes
- Decoction Step-by-Step

MAR. 01

- Growing Yeast Strains at Home
- Brew Low-Carb Beer with Beano®

MAY 01

- 20 Extract Recipes for Spring
- Build a Counter Pressure Bottle Filler

SUMMER 01

- 5 Clone Recipes for Summer
- Build a Big-Batch Mash Tun

SEPT. 01

- Learn to Brew with No-Boil Kits, Extract with Grains, Partial Mash, Single-Infusion Mash and Step Mash

JAN./FEB. 02

- 8 Ski Town Clone Recipes
- Thomas Jefferson's Homebrew

MAR./APR. 02

- Understanding Malt
- Computer Brewing Software

JULY/AUG. 02

- 21 Regional U.S. Recipes
- Brewing with Fruit

OCT. 02

- Better Extract Techniques
- One Batch, Two Beers

DEC. 02

- Monster Holiday Beer Recipes
- Oatmeal Stout, Coffee Beer

JAN./FEB. 03

- Brewing Porter
- Cleaning & Sanitation Made Easy

MAR./APR. 03

- Selecting Hops to Style
- Introduction to Kegging

MAY/JUNE 03

- How to Control the Color of Your Beer
- Adding Oak to Beer

JULY/AUG. 03

- Light Beer Recipes
- Tips for Entering Homebrew Competitions

SEPT. 03

- Pale Ale Recipes
- Yeast Pointers

OCT. 03

- 17 Foolproof Extract Recipes
- Trappist Ale Tips & Recipes

NOV. 03

- Choosing and Using Homebrew Pumps
- Steeping vs. Partial Mashing

DEC. 03

- High-Gravity Beers
- Brewing with Spices

MAR./APR. 04

- Brewing Sugars & How to use Them
- Yeast: Choose the Right Strain for your Beer

MAY/JUNE 04

- Making Low-Carb Homebrew
- Beer Barbecue Recipes

JULY/AUG. 04

- Brewing Bocks —American & German
- Water Tips for Extract Beer

SEPT. 04

- 13 Commercial Hoppy Beers Cloned
- Brewing Old Ales

OCT. 04

- Extract Experiments
- Lambic Brewing

NOV. 04

- 4 Homebrew Projects
- Hard Cider Made Easy

MAR./APR. 05

- New Hop Varieties
- Grow Your Own Hops

MAY/JUNE 05

- 10 Classic Clones: Anchor Steam, Fuller's ESB, Guinness, Sierra Nevada Pale Ale, Orval, Duvel, Paulaner Hefeweizen, Pilsner Urquell, Celebrator, Warsteiner

JULY/AUG. 05

- Brewing Heineken and International Lagers
- Belgian Saison

SEPT. 05

- 10th Anniversary Issue: 10 Best Wizard Questions
- 10 Dark Beer Clones

OCT. 05

- 10 Keys to Better Extract Beers
- Brewing Beers with Brettanomyces

DEC. 05

- Pacific Northwest Clones
- 10 Hardest Beer Styles

JULY/AUG. 06

- Brewing Hefeweizens
- Belgian Fermentations

OCT. 06

- Guide to 254 Extracts
- Bourbon Barrel Brewing

MAY/JUNE 07

- Brewing IPA-English and American Styles
- Turn a Plastic Bucket into a Fermenter

OCT. 07

- Keys to Extract Excellence
- Partial Mash Procedures

BUY 5 ISSUES...GET 5 MORE ISSUES FREE!

DEC. 07

- Big Lagers — Techniques to Brew High-Gravity Beers
- Brewing With Chocolate Malt

MAR./APR. 08

- Hop Substitution Guide
- Batch & Continuous Sparging

MAY/JUNE 08

- Czech Pilsners
- Build a Hop Drying Oast

JULY/AUG. 08

- 6 Belgian Inspired Clones
- Fruit Meads

SEPT. 08

- Low-Hop Recipes
- Dry Stout, Scottish Ale

OCT. 08

- Organic & Green Brewing
- Convert a Keg to Kettle

NOV. 08

- Build a Kegerator and Multi-Tap Bar
- Brewing Imperial IPA

DEC. 08

- Stone Brewing Tips & Recipes
- Turning Pro

JAN./FEB 09

- Award-Winning Homebrew Recipes
- 20 Tips for New Brewers

MAR./APRIL 09

- Australian Brewing
- Controlling Fermentation Temperatures

MAY/JUNE 09

- Stretching Your Brewing Budget
- High Gravity Brewing Techniques

JULY/AUG. 09

- Six Summer Beer Clone Recipes
- Belgian Bottling Techniques

SEPT. 09

- Sierra Nevada Hop Torpedo
- Fermenting Success: Understand and Take Care of Your Yeast

OCT. 09

- Imperial German Beers - Take Malty Classics Big and Extreme
- Zombie Clones: Bring 5 British Ales Back from the Dead

NOV. 09

- Small Space Brewing Tips
- Countertop All-grain Brewing System

DEC. 09

- Pro Brewers Who Homebrew
- Rise of Small Hop Farms

Brew THE HOW-TO HOMEBREW BEER MAGAZINE
YOUR OWN

Mark your 10 choices below.

Qty.	Issue	Qty.	Issue
_____	June 98	_____	Mar./April 04
_____	July 98	_____	May/June 04
_____	August 98	_____	July/Aug. 04
_____	October 98	_____	September 04
_____	November 98	_____	October 04
_____	December 98	_____	November 04
_____	January 99	_____	Mar. /April 05
_____	February 99	_____	May/June 05
_____	March 99	_____	July/Aug. 05
_____	July 99	_____	September 05
_____	August 99	_____	October 05
_____	December 99	_____	December 05
_____	January 00	_____	May/June 06
_____	February 00	_____	July/Aug. 06
_____	April 00	_____	October 06
_____	May 00	_____	May/June 07
_____	October 00	_____	October 07
_____	January 01	_____	December 07
_____	February 01	_____	Mar./April 08
_____	March 01	_____	May/June 08
_____	May 01	_____	July/Aug. 08
_____	Summer 01	_____	September 08
_____	September 01	_____	October 08
_____	Jan./Feb. 02	_____	November 08
_____	Mar./April 02	_____	December 08
_____	July/Aug. 02	_____	Jan./Feb. 09
_____	October 02	_____	Mar./April 09
_____	December 02	_____	May/June 09
_____	Jan./Feb. 03	_____	July/Aug. 09
_____	Mar./April 03	_____	September 09
_____	May/June 03	_____	October 09
_____	July/Aug. 03	_____	November 09
_____	September 03	_____	December 09
_____	October 03		
_____	November 03		
_____	December 03		

* previous issues not listed are sold out;
2010 back issues still cost the full \$5.00


BUY 5
GET 5
FREE

SPECIAL ITEMS:




BEGINNER'S GUIDE

- How to brew with kits, extracts & all-grain
- Also provides introduction to winemaking!




BUILD BRUTUS TEN

- Build your own single-tier, 10 gal. (38 L) semi-automated brewing system
- Includes plans, photos and step-by-step diagrams
- Special re-print from sold out November '07 issue




HOP LOVER'S GUIDE

- Hopping methods for extract & all-grain brewers to get the most out of your hops
- Comprehensive charts for 83 hop varieties
- Backyard hop growing instructions
- 36 hoppy recipes



THE HOME BREWER'S ANSWER BOOK

- Direct from the pages of BYO, this collection of Q&A from our "Mr. Wizard" column is the perfect reference for beginners and advanced brewers — and everyone in between!



250 CLASSIC CLONE RECIPES

- New edition of our popular special issue now with 100 more recipes.
- Brew your favorite commercial beers at home

5 copies\$25 \$ _____

5 **BONUS** copiesFREE \$ **FREE**

Shipping/Handling\$12.50 \$ _____

Orders outside the U.S. please call or e-mail for shipping quote.

250 Clone Recipes _____ x \$12 ea = \$ _____

Beginner's Guide _____ x \$9 ea = \$ _____

Best of BYO Hop Lover's Guide _____ x \$9 ea = \$ _____

Build Brutus Ten Brewing System _____ x \$3 ea = \$ _____

Homebrewer's Answer Bk. _____ x \$16.95 ea = \$ _____

BYO Binders _____ x \$20 ea = \$ _____

(Binders hold 12 issues each)

Total \$ _____

Name _____

Address _____

City _____ State _____ Zip _____

E-mail _____

Phone _____

☐ Check Enclosed ☐ MasterCard ☐ Visa

Card# _____

Exp. Date _____

Signature _____

www.brewyourownstore.com

MAIL ORDER FORM TO:
BYO Back Issues
5515 Main Street
Manchester Center, VT 05255

FAX FORM TO:
802-362-2377
or CALL:
802-362-3981

reader service

for direct links to all all of advertisers' websites, go to www.byo.com/resources/readerservice

Adventures in Homebrewing58
313-277-2739
www.homebrewing.org

**American Brewers Guild
Brewing School**14
1-800-636-1331
www.abgbrew.com
info@abgbrew.com

**American Homebrewers
Association**26
www.HomebrewersAssociation.org

Annapolis Home Brew56
1-800-279-7556
www.annapolishhomebrew.com
email@annapolishhomebrew.com

BeerShirtz.com65
www.BeerShirtz.com
info@whatstappening.com

**Best of Brew Your Own
250 Classic Clone Recipes**Cover III
802-362-3981
www.brewyourownstore.com

The Beverage People45
707-544-2520 or 1-800-544-1867
www.thebeveragepeople.com
bevpeo@sonic.net

Blichmann Engineering, LLC7
www.blichmannengineering.com
john@blichmannengineering.com

Brew Your Own Back Issue Binders65
802-362-3981
www.brewyourownstore.com

Brew Your Own Back Issues62-63
802-362-3981
www.brewyourownstore.com
backissues@byo.com

Brew Your Own Merchandise65
1-877-809-1659
www.cafepress.com/brewyourown

Brew Your Own Work Shirt26
802-362-3981
www.brewyourownstore.com

Brewers Publications41 & 52
1-888-822-6273
shop.beertown.org
info@brewersassociation.org

Brewferm Products53
www.brewferm.be
info@brewferm.be

The Brewing Network23
www.thebrewingnetwork.com

Brewing TV18
www.brewingtv.com

Brewmasters Warehouse61
1-877-973-0072
www.brewmasterswarehouse.com
info@brewmasterswarehouse.com

**Briess Malt and
Ingredients Co.**Recipe Cards
920-849-7711
www.brewingwithbriess.com
info@briess.com

**Byo.com -
The Brew Your Own Website**43
www.byo.com

Crosby & Baker Ltd.3
508-636-5154
www.crosby-baker.com
info@crosby-baker.com

E.Z. Cap43
403-282-5972
www.ezcap.net
ezcap@ezcap.net

**Fine Vine Wines -
The Winemaker's Toy Store**41
1-866-417-1114
www.finevinewines.com
geocorn@finevinewines.com

Five Star Chemical Company46
1-800-782-7019
www.fivestarchemicals.com
support@fivestarchemicals.com

Foxx Equipment Company65
1-800-821-2254
www.foxxequipment.com
kcsales@foxxequipment.com

Grape and Granary6
1-800-695-9870
www.grapeandgranary.com
info@grapeandgranary.com

High Gravity27
918-461-2605
www.highgravitybrew.com
store@highgravitybrew.com

Hobby Beverage Equipment16
951-676-2337
www.minibrew.com
john@minibrew.com

Home Brewery (MO)18
1-800-321-2739 (BREW)
www.homebrewery.com
brewery@homebrewery.com

Homebrew Heaven23
1-800-850-2739 or 425-355-8865
www.homebrewheaven.com
brewheaven@aol.com

Homebrewer's Answer Book47
802-362-3981
www.brewyourownstore.com

Keg Cleaner45
612-210-5333
www.kegcleaner.com
info@kegcleaner.com

Lallemand Inc.3
847-284-2337
www.danstar.com
klemcke@lallemand.com

Larry's Brewing Supply65
1-800-441-2739
www.larrysbrewsupply.com
customerservice@larrysbrewsupply.com

Logic, Inc.56
608-658-2866
www.ecologiccleansers.com
info@ecologiccleansers.com

Maryland Homebrew60
1-888-BREW-NOW
www.MarylandHomebrew.com
donnyb@mdhb.com

**Midwest Homebrewing &
Winemaking Supplies**27
1-888-449-2739
www.midwestsupplies.com
info@midwestsupplies.com

Monster Brewing Hardware LLC58
678-350-1731
www.monsterbrewinghardware.com
ffrancis@monsterbrewinghardware.com

MoreBeer!28
1-800-600-0033
www.morebeer.com
sales@morebeer.com

**Mountain Homebrew
& Wine Supply**54
1-877-368-2739
www.mountainhomebrew.com
info@mountainhomebrew.com

My Own Labels57
www.myownlabels.com
info@myownlabels.com

Noontime Labels23
561-699-0413
www.noontimelabels.com
customerservice@noontimelabels.com

Northern Brewer, Ltd.Cover II
1-800-681-2739
www.northernbrewer.com
info@northernbrewer.com

Northwestern Extract Company52
262-781-6670
www.nwextract.com
flavors@nwextract.com

Party Pig / Quoin Industrial61
303-279-8731
www.partypig.com
info@partypig.com

Pints for Prostates37
www.ustoo.org/pints

Polar Ware Company57
1-800-237-3655
www.polarware.com
customerservice@polarware.com

Quality Wine and Ale Supply47
574-295-9975
www.HomeBrewlt.com
info@HomeBrewlt.com

Rebel Brewer22
615-859-2188
www.rebelbrewer.com
info@rebelbrewer.com

Roastmasters.com23
1-888-950-0888
www.roastmasters.com
order@roastmasters.com

SABCO Industries, Inc.28
419-531-5347
www.brew-magic.com
office@kegs.com

**Seven Bridges Co-op Organic
Homebrewing Supplies**16
1-800-768-4409
www.breworganic.com
7bridges@breworganic.com

Sierra Nevada Brewing Company21
www.sierrabeercamp.com

**South Hills Brewing Supply
& Country Wines**14
412-937-0773 (SHBS - Pittsburgh)
412-374-1240 (SHBS - Monroeville)
412-366-0151 (Country Wines - Pittsburgh)
www.southhillsbrewing.com
www.countrywines.com

St. Louis Wine & Beermaking LLC65
1-888-622-WINE
www.wineandbeermaking.com
info@wineandbeermaking.com

**White Labs Pure Yeast
& Fermentation**17 & Recipe Cards
1-888-5-YEAST-5
www.whitelabs.com
info@whitelabs.com

William's Brewing6 & 54
1-800-759-6025
www.williamsbrewing.com
service@williamsbrewing.com

**Wyeast Laboratories, Inc. -
100% Pure Liquid Cultures**Cover IV
541-354-1335
www.wyeastlab.com
customerservice@wyeastlab.com

APPAREL
BEERSHIRTZ -
FREE SHIPPING!
www.beershirtz.com

GET YOUR BYO GEAR!
Logo shirts, sweats, hats,
& lots more.
www.cafepress.com/brewyourown

EDUCATION
WATCH AND LEARN!
Learn how to homebrew by
watching ME brew, not reading
400 page books!
<http://byo.beereasy.com>

EQUIPMENT
BREW SMARTER with
StirStarter Yeast Stir Plates.
\$42 Includes Shipping and Stir Bar
www.stirstarter.com

WWW.MASHPADDLE.COM
Customized Mash Paddles.
Serious mash paddles for
serious brewers.
A great brewing gift item!

SOFTWARE
BEERSMITH BREWING
SOFTWARE
Take the guesswork out of brewing!
Free 21 day trial!
www.beersmith.com

SUPPLIES
DRAFTSMAN BREWING
COMPANY
You'll love our prices!
Call today for our FREE
homebrew supply catalog.
1-888-440-BEER
www.draftsman.com

BYO BINDERS!



- Gold-stamped logo on front and spine
- Opens flat for easy use
- Leather-grained in royal blue
- Each binder holds 10 issues

Only \$20 each (includes shipping)

Order Today at
brewyourownstore.com

Just Brew It !!

Larry's
BREWING SUPPLY



1-800-441-2739

www.larrysbrewsupply.com

Homebrew Heat Pad



Constant temperature
for fermenting
"Way better
than heat Belts"

FOXXX
EQUIPMENT
company

Visit foxxequipment.com
to find a Home Brew Shop near you!

Brew
THE HOW-TO HOMEBREW BEER MAGAZINE
YOUR OWN

Shirts, Sweats, Hats
& Lots More!



GREAT
Gifts For You Or
Your Brewing
Buddies



Go to
www.cafepress.com/brewyourown
and order your Brew
Gear today!

www.cafepress.com/brewyourown

SHOW THE WORLD YOU'RE
A HOMEBREWER!

St. Louis Wine &
Beermaking, LLC

Serving Brewers
and Vintners
Since 1991

And We're Still Here For You

Secure On-Line Ordering

231 Lamp & Lantern Village
St. Louis, MO 63017
(888) 622-WINE • FAX (636) 527-5413
E-mail: info@wineandbeermaking.com
www.wineandbeermaking.com

The Complete Source for Beer,
Wine & Meadmakers

BEER 
SHIRTZ.COM



FREE SHIPPING!

ALABAMA

Werner's Trading Company
1115 Fourth St. SW
Cullman
1-800-965-8796
www.wernerstradingco.com
The Unusual Store.

The Wine Smith

6800 A Moffett Rd. (US Hwy. 98)
Mobile 36618
(251) 645-5554
e-mail: winesmith@bellsouth.net
www.thewinesmith.biz
Serving Central Gulf Coast Homebrewers

ALASKA**Gold Hill Imported Beer & Fine Wines**

3040 Parks Highway
Fairbanks 99706
(907) 479-2333
www.goldhillalaska.com
All Your Homebrewing Needs. Special Orders Welcome!

ARIZONA**Brew Your Own Brew and Wine**

525 East Baseline Rd., Ste 108
Gilbert 85233
(480) 497-0011
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brew Your Own Brew and Wine

2564 N. Campbell Ave., Suite 106
Tucson
(520) 322-5049 or 1-888-322-5049
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brewers Connection

1435 E. University Drive, #B103
Tempe 85821
(480) 449-3720
ami@brewersconnection.com
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week!

Homebrewers Outpost & Mail Order Co.

801 S. Milton Rd., Suite 2
Flagstaff 1-800-450-9535
www.homebrewers.com
Free Shipping in Arizona on orders over \$50.

What Ale's Ya

6363 West Bell Road
Glendale
(623) 486-8016
www.whatalesya.com
Great selection of beer & wine making supplies.

ARKANSAS**Fermentables**

3915 Crutcher St.
North Little Rock 72118
(501) 758-6261
www.fermentables.com
Complete homebrew & winemakers supply

The Home Brewery

455 E. Township St.
Fayetteville
1-800-618-9474
homebrewery@arkansasusa.com
www.thehomebrewery.com
For all your beer & wine making needs.

Wine and Brew Makers Gallery

4100 Planters Rd.
Fort Smith 72908
(479) 646-4164
www.WineandBrewmaker.com
Malts, Grain, Beer Kits, Bottles, Yeast & Kegging Equipment.

CALIFORNIA**Addison Homebrew Provisions**

1328 E. Orangethorpe Ave.
Fullerton 92831
(714) 752-8446
www.homebrewprovisions.com
Beer, Wine & Mead.

The Beverage People

840 Piner Road, #14
Santa Rosa
1-800-544-1867
www.thebeveragepeople.com
Fast Shipping, Great Service!

The Brewmeister

802-A Reading St.
Folsom 95630
(916) 985-7299
fax: (916) 357-9728
www.folsombrewmeister.com
sales@folsombrewmeister.com
Best service anywhere.

Culver City Home Brewing Supply

4358 1/2 Sepulveda Blvd.
Culver City 90230
(310) 397-3453
www.brewsupply.com
Full supply of extracts, malts & hops. Personal service you can't get online.

Doc's Cellar

855 Capitolio Way, Ste. #2
San Luis Obispo
(805) 781-9974
www.docscellar.com
Largest beer & wine supplier on the central coast.

The Good Brewer

2960 Pacific Ave.
Livermore 94550
(925) 373-0333
www.goodbrewer.com
Shop us on-line and get 25% off your first purchase!! Enter coupon code: BYO01 at checkout. Want the 3 C's?? We got 'em! Check us out! We have a great selection of both whole and pellet hops, Plus all the hardware and ingredients you need to make beer at home.

Home Brew Shop

1570 Nord Ave.
Chico 95926
(530)p 342-3768
e-mail: homebrushop@yahoo.com
www.chicohomebrewshop.com
Years of experience, advice always free!

HydroBrew

1319 South Coast Hwy.
Oceanside 92054
(877) 966-4769
(760) 966-1885
fax: (760) 966-1886
www.hydrobrew.com
Homebrewing & Hydroponics supplies serving the San Diego area.

MoreBeer!

995 Detroit Ave., Unit G
Concord 94518
(925) 771-7107
fax: (925) 671-4978
concordshowroom@moreflavor.com
www.morebeer.com
Showrooms also in Los Altos and Riverside.

Murrieta Homebrew Emporium

38750 Sky Canyon Dr., Ste A
Murrieta 92563
(951) 600-0008
toll-free: 888-502-BEER
www.murrietahomebrew.com
Riverside County's Newest Full Serve Homebrew and Wine Making Supply Store! Taking orders online now! Free shipping on orders over \$100. Free monthly demonstrations.

Original Home Brew Outlet

5528 Auburn Blvd., #1
Sacramento
(916) 348-6322
Check us out on the Web at www.ehomebrew.com

O'Shea Brewing Company

28142 Camino Capistrano
Laguna Niguel
(949) 364-4440
www.osheabrewing.com
Southern California's Largest Homebrew Store!

Sierra Moonshine Homebrew Supply

12535 Loma Rica Dr. #3
Grass Valley 95945
(530) 274-9227
www.sierramoonshine.com
Wonderful selection of ingredients and equipment for fermenting beer, wine, mead and soda. We help you make what you want!

COLORADO**Beer and Wine at Home**

1325 W. 121st. Ave.
Westminster
(720) 872-9463
www.beerathome.com

Beer at Home

4393 South Broadway
Englewood
(303) 789-3676 or
1-800-789-3677
www.beerathome.com

The Brew Hut

15120 East Hampden Ave.
Aurora 1-800-730-9336
www.thebrewhut.com
Beer, Wine, Mead & Soda — WE HAVE IT ALL!

Hop To It Homebrew

2900 Valmont Rd., Unit D-2
Boulder 80301
(303) 444-8888 fax: (303) 444-1752
www.hoptoithomebrew.com
Because Making It Is Almost As Fun As Drinking It!

Hops and Berries

125 Remington St.
Fort Collins 80524
(970) 493-2484
www.hopsandberries.com
Shop at our store in Old Town Fort Collins or on the web for all your homebrew and winemaking needs.

Lil' Ole' Winemaker

516 Main Street
Grand Junction 81501
(970) 242-3754
Serving Colorado & Utah brewers since 1978

Rocky Mountain Homebrew Supply

4631 S. Mason St., Suite B3
Fort Collins 80525
(970) 282-1191
www.rockybrew.com

Stomp Them Grapes! LLC

4731 Lipan St.
Denver 80211
(303) 433-6552
www.stompthemgrapes.com
We've moved! Now 4,000 additional sq. ft. for MORE ingredients, MORE equipment, MORE kegging supplies & MORE classes to serve you even better!

CONNECTICUT

Beer & Wine Makers

Warehouse

290 Murphy Road
Hartford 06114
(860) 247-BWMW (2969)
e-mail: bwmwct@cs.com
www.bwmwct.com
Area's largest selection of beer & winemaking supplies. Visit our 3000 sq ft facility with demo area, grain crushing and free beer & wine making classes with equipment kits.

Brew & Wine Hobby

CT's oldest supplier (35 years)
Area's widest selection of beer making supplies, kits & equipment
98C Pitkin Street
East Hartford 06108
(860) 528-0592 or
Out of State: 1-800-352-4238
info@brew-wine.com
www.brew-wine.com
Always fresh ingredients in stock!

Maltose Express

246 Main St. (Route 25)
Monroe 06468
In CT.: (203) 452-7332
Out of State: 1-800-MALTOSE
www.maltose.com
Connecticut's largest homebrew & winemaking supply store. Buy supplies from the authors of "CLONEBREWS" and "BEER CAPTURED"!

Rob's Home Brew Supply

1 New London Rd., Unit #9
Junction Rte 82 & 85
Salem 06420
(860) 859-3990
robshomebrew@sbcglobal.net
www.robshomebrew.com

DELAWARE

How Do You Brew?

Shoppes at Louviers
203 Louviers Drive
Newark 19711
(302) 738-7009
fax: (302) 738-5651
joe@howdoyoubrew.com
www.howdoyoubrew.com
Quality Supplies and Ingredients for the Home Brewer including: Beer, Wine, Mead, Soft Drink and Kegging. One of the Mid-Atlantic's largest and best-stocked Brew Stores!

Xtreme Brewing

24612 Wiley Branch Road
Millsboro 19966
1-877-556-9433
fax: (302) 934-1701
www.xtremebrewing.com
contact@xtremebrewing.com
Make your own great beer or wine.

FLORIDA

Beer and Winemaker's Pantry

9200 66th St. North
Pinellas Park 33782
(727) 546-9117
www.beerandwinemaking.com
Complete line of Wine & Beer making supplies and ingredients. Huge selection, Mail orders, Great service. Since 1973.

BX Beer Depot

2964 2nd Ave. N.
Lake Worth 33461
(561) 965-9494
www.bxbeerdepot.com
South Florida's only homebrew supply shop. We supply craft beer, kegging equipment, fill CO₂ on site, homebrew supplies & ingredients, classes every month and also have an online store with next day delivery in Florida.

Southern Homebrew

634 N. Dixie Freeway
New Smyrna Beach 32168
(386) 409-9100
info@SouthernHomebrew.com
www.SouthernHomebrew.com
Largest store in Florida! Complete inventory of beer & wine making supplies at money saving prices.

GEORGIA

Barley & Vine

1445 Rock Quarry Rd.,
Suite #201-203
Stockbridge 30281 (770) 507-5998
www.BarleyNvine.com
AIM: BarleyandVine@aol.com
Award winning brewers serving all of your brewing needs with the best stocked store in Atlanta! Visit our shoppe OR order your brewing supplies online. Friendly, knowledgeable staff will help you with your first batch or help design your next perfect brew. Located 1/2 mile off I-75, exit 224, just minutes from the ATL airport.

Brewmasters Warehouse

2217 Roswell Rd., Suite B4
Marietta 30062
(877) 973-0072 fax: (800) 854-1958
info@brewmasterswarehouse.com
www.brewmasterswarehouse.com
Low Prices & Flat Rate Shipping!

Just Brew It

103 Rainbow Way
Fayetteville 30214
1-888-719-4645 fax: (770) 719-0274
www.aardvarkbrewing.com
9 miles south of Perimeter on GA Hwy. 85

Wine Craft of Atlanta

5920 Roswell Rd., C-205
Atlanta 30328 (404) 252-5606
www.winecraftatl.com
winecraftatl@bellsouth.net

HAWAII

HomebrewinParadise

2646-B Kilihau St.
Honolulu 96819
(808) 834-BREW
mike@homebrewinparadise.com
www.homebrewinparadise.com
The Best Homebrew Supply Store in Hawaii

ILLINOIS

Bev Art Brewer & Winemaker Supply

10033 S. Western Ave.
Chicago (773) 233-7579
email: bevart@bevart.com
www.bev-art.com
Mead supplies, grains, liquid yeast and beer making classes on Premise.

Chicagoland Winemakers Inc.

689 West North Ave.
Elmhurst 60126
Phone: 1-800-226-BREW
info@chicagolandwinemakers.com
www.chicagolandwinemakers.com
Personal Instruction!

Crystal Lake Health Food Store

25 E. Crystal Lake Ave.
Crystal Lake (815) 459-7942
Upstairs brew shop - Complete selection incl. Honey, Maple Syrup & unusual grains.

Fox Valley Homebrew & Winery Supplies

14 W. Downer Pl., Ste. 12
Aurora 60505 (630) 892-0742
e-mail: brewyo@foxvalleybrew.com
www.foxvalleybrew.com
Full line of quality beer and wine making supplies. Great prices & personalized service!

Home Brew Shop LTD

225 West Main Street
St. Charles 60174
(630) 377-1338
www.homebrewshopltd.com
Full line of Kegging equipment, Varietal Honey

Perfect Brewing Supply

619 E. Park Ave.
Libertyville 60048 (847) 305-4459
info@perfectbrewingsupply.com
www.perfectbrewingsupply.com
Providing equipment and ingredients for all of your homebrewing needs, a full line of draft beer equipment and expert staff to answer your questions.

Somethings Brewn'

401 E. Main Street
Galesburg 61401 (309) 341-4118
www.somethingsbrawn.com
Midwestern Illinois' most complete beer and winemaking shop.

INDIANA

Butler Winery Inc.

1022 N. College Ave.
Bloomington 47404
(812) 339-7233
e-mail: vineyard@butlerwinery.com
Southern Indiana's largest selection of homebrewing and winemaking supplies. Excellent customer service. Shop online at: butlerwinery.com

Great Fermentations of Indiana

5127 E. 65th St.
Indianapolis 46220
(317) 257-WINE (9463)
Toll-Free 1-888-463-2739
www.greatfermentations.com
E-mail us at:
anita@greatfermentations.com

Quality Wine and Ale Supply

Store: 108 S. Elkhart Ave.
Mail: 530 E. Lexington Ave. #115
Elkhart 46516
Phone (574) 295-9975
E-mail: info@homebrewit.com
Online: www.homebrewit.com
Quality wine & beer making supplies for home brewers and vintners. Secure online ordering. Fast shipping. Expert advice. Fully stocked retail store.

Superior Ag Co-op

5015 N. St. Joseph Ave.
Evansville 47720
1-800-398-9214 or
(812) 423-6481
Co-opCountryCorner@insightBB.com
Beer & Wine. Brew supplier for Southern Indiana.

IOWA

Beer Crazy

3908 N.W. Urbandale Dr./100 St.
Des Moines 50322
(515) 331-0587
www.gobeercrazy.com
We carry specialty beer, and a full-line of beer & winemaking supplies!

Bluff Street Brew Haus

372 Bluff Street
Dubuque (563) 582-5420
jerry@bluffbrewhaus.com
www.bluffbrewhaus.com
Complete line of wine & beer making supplies.

KANSAS

Bacchus & Barleycorn Ltd.

6633 Nieman Road
Shawnee 66203
(913) 962-2501
www.bacchus-barleycorn.com
Your one stop home fermentation shop!

Homebrew Pro Shoppe, Inc.
2061 E. Santa Fe
Olathe (913) 768-1090 or
Toll Free: 1-866-BYO-BREW
Secure online ordering:
www.brewcat.com

KENTUCKY

Winemakers Supply
9475 Westport Rd.
Louisville 40241 (502) 425-1692
www.winebeersupply.com
Complete Beermaking Supplies & Equipment. Premium Line of Malt. Friendly Store Since 1972.

LOUISIANA

Brewstock
3800 Dryades St.
New Orleans 70115
(504) 208-2788
email: aaron@brewstock.com
www.brewstock.com
The Largest Selection of Homebrewing Supplies in Louisiana!

MAINE

Natural Living Center
209 Longview Dr.
Bangor 04401
(207) 990-2646 or
toll-free: 1-800-933-4229
e-mail: nlcbangor@yahoo.com
www.naturallivingcenter.net

MARYLAND

Annapolis Home Brew
836 Ritchie Hwy., Suite 19
Severna Park 21146
(800) 279-7556 fax: (410) 975-0931
www.annapolishomebrew.com
Friendly and informative personal service; Online ordering.

The Flying Barrel
103 South Carrol St.
Frederick
(301) 663-4491 fax: (301) 663-6195
www.flyingbarrel.com
Maryland's 1st Brew-On-Premise; wine-making and homebrewing supplies!

Maryland Homebrew
6770 Oak Hall Lane, #115
Columbia 1-888-BREWNOW
www.mdhb.com
We ship UPS daily.

MASSACHUSETTS

Beer & Wine Hobby
155 New Boston St., Unit T
Woburn 01801 1-800-523-5423
e-mail: shop@beer-wine.com
Web site: www.beer-wine.com
Brew on YOUR Premise™ One stop shopping for the most discriminating beginner & advanced beer & wine hobbyist.

Beer & Winemaking Supplies, Inc.
154 King St.
Northampton (413) 586-0150
Toll-free: 1-800-473-BREW
www.beer-winemaking.com
33rd year! Custom All-Grain Orders.

Modern Homebrew Emporium
2304 Massachusetts Ave.
Cambridge 02140
(617) 498-0400, fax (617) 498-0444
www.modernbrewer.com
The Freshest Supplies, Awesome Service Since 1990!

NFG Homebrew Supplies
72 Summer St.
Leominster (978) 840-1955
Toll Free: 1-866-559-1955
nfghomebrew@verizon.net
Great prices! Personalized service! Secure on-line ordering.

Strange Brew Beer & Winemaking Supplies
41 Boston Post Rd. E. (Rt. 20)
Marlboro 1-888-BREWING
e-mail: dash@Home-Brew.com
Website: www.Home-Brew.com
We put the dash back in Home-Brew!

West Boylston Homebrew Emporium
Causeway Mall, Rt. 12
West Boylston (508) 835-3374
www.wbhomebrew.com
Service, variety, quality. Open 7 days.

The Witches Brew, Inc.
12 Maple Ave.
Foxborough 02035
(508) 543-0433
steve@thewitchesbrew.com
www.thewitchesbrew.com
You've Got the Notion, We've Got the Potion

MICHIGAN

Adventures in Homebrewing
23869 Van Born Rd.
Taylor 48180
(313) 277-BREW (2739)
Full Line of Kegging Supplies! Visit us at www.homebrewing.org

BrewGadgets
Store: 328 S. Lincoln Ave.
Mail: PO Box 125
Lakeview 48850
Online: www.BrewGadgets.com
E-mail: edw@BrewGadgets.com
Call us on our Dime @ (866) 591-8247
Quality beer and wine making supplies. Secure online ordering and retail store. Great! Prices and personalized service.

Brewingworld
5919 Chicago Rd.
Warren 48092 (586) 264-2351
Brew on Premise, Microbrewery, Homebrewing Supplies
www.brewingworld.com
www.kbrewery.com

Cap 'n' Cork Homebrew Supplies
16812 - 21 Mile Road
Macomb Twp.
(586) 286-5202 fax: (586) 286-5133
info@capncorkhomebrew.com
www.capncorkhomebrew.com
Wyeast, White Labs, Hops & Bulk Grains!

Hopman's Beer & Winemaking Supplies
4690 W. Walton Blvd.
Waterford 48329 (248) 674-4677
www.hopmanssupply.com
All your needs from brew to bottle and then some.

Pauly's Beer, Wine & Spirits Shoppe
11250 Fulton Ave
Lowell 49331
(616) 897-BOOZ (2669)
www.paulys.net
Drink watcha like... Wide selection of homebrew supplies including bulk grains, hops, liquid & dry yeasts.

The Red Salamander
902 E. Saginaw Hwy.
Grand Ledge 48837
(517) 627-2012
www.theredsalamander.com
New bigger store!

Siciliano's Market
2840 Lake Michigan Dr. N.W.
Grand Rapids 49504
(616) 453-9674
fax: (616) 453-9687
e-mail: sici@sbcglobal.net
www.sicilianosmkt.com
The largest selection of beer and wine making supplies in west Michigan.

thingsBEER

1093 Highview Dr.
Webberville 48892
1-866-521-2337
fax: (517) 521-3229
thingsbeer@michiganbrewing.com
www.thingsbeer.com
Your Full-Service Homebrew Shop With A Home Town Feel!

MINNESOTA

Midwest Homebrewing & Winemaking Supplies
5825 Excelsior Blvd.
St. Louis Park 55416
1-888-449-2739
www.midwestsupplies.com
FREE instructional DVD with any purchase!

Northern Brewer, Ltd.
1150 Grand Ave.
St. Paul 55105
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

MISSOURI

The Home Brewery
205 West Bain (P.O. Box 730)
Ozark 65721
1-800-321-BREW (2739)
brewery@homebrewery.com
www.homebrewery.com
Over 25 years of great products and great customer service. One Stop Shopping for all your Beer, Wine, Soda and Cheese Making Supplies.

Homebrew Supply of Southeast Missouri, LLC
357 Oakhill Road
Jackson 63755
(573) 243-0397 or (573) 579-9398
email: hubrew@msn.com
New homebrew supply shop in the heart of Southeast Missouri! For all of your homebrewing needs, make Homebrew Supply of Southeast Missouri your number one place to shop!

St Louis Wine & Beermaking LLC
231 Lamp & Lantern Village
St. Louis 63017
1-888-622-WINE (9463)
www.wineandbeermaking.com
The Complete Source for Beer, Wine & Mead Makers! Fax us at (636) 527-5413

NEBRASKA

Cornhusker Beverage
8510 'K' Street
Omaha 68127
(402) 331-5404 fax: (402) 331-5642
info@cornhuskerbeverage.com
www.homebrewkits.net
Fast, friendly, family owned business for 5 generations. We know how to homebrew!

Fermenter's Supply & Equipment
8410 'K' Plaza, Suite #10
Omaha 68127
(402) 593-9171
e-mail: FSE@tconl.com
www.fermenterssupply.com
Beer & winemaking supplies since 1971. Same day shipping on most orders.

Kirk's Do-It-Yourself Brew
1150 Cornhusker Hwy.
Lincoln 68521
(402) 476-7414 fax: (402) 476-9242
www.kirksbrew.com
e-mail: kirk@kirksbrew.com
Serving Beer and Winemakers since 1993!

NEW HAMPSHIRE

Fermentation Station
72 Main St.
Meredith 03253 (603) 279-4028
badabingnh@yahoo.com
www.2ferment.net
The Lake Region's Largest Homebrew Supply Shop!

Granite Cask
6 King's Square, Unit A
Whitefield 03598
(603) 837-2224 fax: (603) 837-2230
www.granitecask.com
email: brew@granitecask.com
Personal service, homebrewing classes, custom kits always available.

Kettle to Keg
123 Main Street
Pembroke 03275 (603) 485-2054
www.kettletokeg.com

NEW JERSEY

Brew-U
31 McLean St.
Freehold 07728 (732) 431-3313
Email: time4goodbeer@aol.com
www.time4goodbeer.com/shop/
Homebrewing & Winemaking supplies. All-Grain Brewing Supplies.

Brewer's Apprentice
179 South Street
Freehold 07728
(732) 863-9411
www.brewapp.com
Online Homebrew Shopping.

Corrado's Wine & Beer Making Store
600 Getty Ave.
Clifton 07011
(973) 340-0848
www.corradomarket.com

NEW MEXICO

Santa Fe Homebrew Supply
6820 Cerrillos Rd., #4
Santa Fe 87507 (505) 473-2268
email: info@santafehomebrew.com
www.santafehomebrew.com
www.nmbrew.com
Northern New Mexico's local source for home brewing and wine making supplies.

NEW YORK

Doc's Homebrew Supplies
451 Court Street
Binghamton 13904
(607) 722-2476
www.docsbrew.com
Full-service beer & wine making shop serving NY's Southern Tier & PA's Northern Tier since 1991. Extensive line of kits, extracts, grains, supplies and equipment.

E.J. Wren Homebrewer, Inc.
Ponderosa Plaza, Old Liverpool Rd.
Liverpool 13088
1-800-724-6875
e-mail: ejwren@twcny.rr.com
www.ejwren.com
Largest homebrew shop in Central New York

Hennessy Homebrew Emporium
470 N. Greenbush Rd.
Rensselaer 12144
(800) 462-7397
www.beerbrew.com
Huge Selection, Open 7 days a week, Est. 1984

Niagara Tradition Homebrewing Supplies
1296 Sheridan Drive
Buffalo 14217
(800) 283-4418 fax: (716) 877-6274
On-line ordering. Next-day service. Huge inventory. www.nthomebrew.com

Pantano's Wine Grapes & Homebrew
249 Rte 32 S.
New Paltz 12561
(845) 255-5201
(845) 706-5152 (cell)
www.pantanowine.com
pantanowineandbeer@yahoo.com
Carrying a full line of homebrewing equipment & ingredients for all your brewing needs. Here to serve Hudson Valley's homebrewers.

Party Creations
345 Rokeby Rd.
Red Hook 12571
(845) 758-0661
www.partycreations.net
Everything for making beer and wine.

Saratoga Zymurgist
112 Excelsior Ave.
Saratoga Springs 12866
(518) 580-9785
email: oosb@verizon.net
www.saratogabrewshop.com
Now serving Adirondack Park, lower Vermont and Saratoga Springs area with supplies for beer and wine making. "Home to all your fermentation needs"

NORTH CAROLINA

Alternative Beverage
1500 River Dr., Ste. 104
Belmont 28012
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
35 years serving all home brewers' & winemakers' needs! One of the largest suppliers in the country!

American Brewmaster
3021-5 Stonybrook Dr.
Raleigh 27604
(919) 850-0095
www.americanbrewmaster.com
abrew@americanbrewmaster.com
Expert staff. Friendly service. Come see us. We make brewing FUN! Serving the best ingredients since 1983.

Asheville Brewers Supply
712-B Merrimon Ave
Asheville 28804
(828) 285-0515
www.ashevillebrewers.com
The South's Finest Since 1994!

Brewers Discount
Greenville 27837
(252) 758-5967
sales@brewersdiscount.net
www.brewersdiscount.net
Lowest prices on the web!

Brewmaster Store
1900 E. Geer St.
Durham 27704
(919) 682-0300
brewmasterstore@yahoo.com
www.brewmasterstore.com
Explore biotechnology in your own home. We are kid & dog friendly, so stop by with the family. Proudly an eco-friendly store!

OHIO

Abruzzo's Wine & Homebrew Supply
4220 State Route 43
Brimfield/Kent 44240
Toll Free: (877) 578-6400
(330) 678-6400 fax: (330) 677-0826
www.abruzzos.com
www.labelpeelers.com
www.homebrewcompany.com
Specializing in winemaking / homebrew supplies & equipment. Free monthly classes.

The Grape and Granary
915 Home Ave.
Akron 44310
(800) 695-9870
www.grapeandgranary.com
Complete Brewing & Winemaking Store.

The Hops Shack
1687 Marion Rd.
Bucyrus 44820
(419) 617-7770
www.hopsshack.com
Your One-Stop Hops Shop!

Listermann Mfg. Co.
1621 Dana Ave.
Cincinnati 45207
(513) 731-1130 fax: (513) 731-3938
www.listermann.com
Beer, wine and cheesemaking equipment and supplies.

Main Squeeze
229 Xenia Ave.
Yellow Springs 45387
(937) 767-1607
www.mainsqueezeonline.com
Award Winning Brewers helping all Brewers!

Miami Valley BrewTensils
2617 South Smithville Rd.
Dayton 45420
(937) 252-4724
www.schwartzbeer.com
email: jeff@schwartzbeer.com
Formerly Belmont Party Supply. Recently expanded at a new location. All your beer, wine & cheese supplies.

Paradise Brewing Supplies
7766 Beechmont Ave.
Cincinnati
(513) 232-7271
www.paradisebrewingsupplies.com
Internet sales coming soon! Mention this ad & get a free ounce of hops!

The Pumphouse
336 Elm Street
Struthers 44471
1(800) 947-8677 or
(330) 755-3642
Beer & winemaking supplies + more.

Shrivers Pharmacy
406 Brighton Blvd.
Zanesville 43701
1-800-845-0560
fax: (740) 452-1874
shriversbrighton@yahoo.com
www.shriverspharmacy.com
Large selection of beer & winemaking supplies.

Titgemeier's Inc.
701 Western Ave.
Toledo 43609
(419) 243-3731
fax: (419) 243-2097
e-mail: titgemeiers@hotmail.com
www.titgemeiers.com
An empty fermenter is a lost opportunity - Order Today!

OKLAHOMA

The Brew Shack
A wine and homebrew supply store
Owasso 74055
(918) 636-3567
www.thebrewshack.com
Order your supplies online and we will ship out the next business day, or call ahead to pick up your order. Full Service brewing facilities on site. You get to take home your beer and we get to clean up the mess! Call for appointment and pricing! Ask for Dr. Dan The Brew Man! brewman@thebrewshack.com

High Gravity

7164 S. Memorial Drive
Tulsa 74133 (918) 461-2605
store@highgravitybrew.com
www.highgravitybrew.com
Build your own beer from one convenient page! No Fine Print \$9.99 flat rate shipping on everything in our store.

Learn to Brew, LLC

2307 South Interstate 35 Frontage Rd.
Moore 73160
(405) 793-BEER (2337)
learntobrew@sbcglobal.net
www.learntobrew.com
Learn To Brew is run by a professionally trained brewer and offers a complete line of beer, wine, and draft dispense products and equipment and also offers beer and wine classes for all levels.

OREGON

Above the Rest Homebrewing Supplies

11945 SW Pacific Hwy, #235
Tigard 97223
(503) 968-2736 fax: (503) 639-8265
atrhomebrewing@gmail.com
www.abovetheresthomebrewing.net
Serving Beer & Wine Makers since 1993

Brew Brothers

2061 NW Alcock Dr., Ste 909
Hillsboro 97124
Toll-free: (888) 528-8443
info@brewbrothers.biz
www.brewbrothers.biz
Pay less, brew more!

F.H. Steinbart Co.

234 SE 12th Ave
Portland 97214
(503) 232-8793 fax: (503) 238-1649
e-mail: info@fhsteinbart.com
www.fhsteinbart.com
Brewing and Wine making supplies since 1918!

Grains Beans & Things

820 Crater Lake Ave., Suite 113
Medford 97504 (541) 499-6777
www.grains-n-beans.com
email: sales@grains-n-beans.com
Largest homebrew and winemaking supplier in Southern Oregon. We feature Wine, Beer, Mead, Soda and Cheese making supplies and equipment. Home coffee roasting supplies and green coffee beans from around the world. Best of all - Great Customer Service!

Main Street Homebrew Supply Co.

229 East Main St.
Hillsboro 97123 (503) 648-4254
www.mainbrew.com
Since 1991 providing excellent customer service and serving only top quality ingredients!

Valley Vintner & Brewer

30 East 13th Ave.
Eugene 97401
(541) 484-3322
www.brewabeer.com
email: ordering@brewabeer.com
Oregon's premier, full-service homebrew shop, featuring unmatched selection of whole hops and organically grown ingredients.

PENNSYLVANIA

Beer Solutions

507 Blackman St.
Wilkes-Barre 18702
(570) 825-5509
fax: (570) 825-7202
email: sacz@ptd.net
www.beersolutionsinc.com
Complete line of supplies. We specialize in kegging equipment with kegs, parts & we fill CO₂ & Nitrogen tanks.

Homebrew4Less.com

865 Lincoln Way West (RT 30)
Chambersburg 17202
(717) 504-8534
www.Homebrew4Less.com
Full line of homebrew and wine supplies and equipment.

Keystone

Homebrew Supply

599 Main St.
Bethlehem 18018
(610) 997-0911
sales@keystonehomebrew.com
www.keystonehomebrew.com
Your source for everything beer and wine!

Keystone

Homebrew Supply

779 Bethlehem Pike (Rt. 309)
Montgomeryville
(215) 855-0100
sales@keystonehomebrew.com
www.keystonehomebrew.com
Your source for everything beer and wine!

Mr. Steve's

Homebrew Supplies

3043 Columbia Ave.
Lancaster 17603
(717) 397-4818
www.mrsteves.com
email: mrsteve@mrsteves.com
Celebrating 17 years of friendly knowledgeable service!

Mr. Steve's

Homebrew Supplies

2944 Whiteford Rd., Suite 5
York 17402
(717) 751-2255 or 1-800-815-9599
www.mrsteves.com
email: mrsteve@mrsteves.com
Celebrating 17 years of friendly knowledgeable service!

Porter House Brew Shop, LLC

1284 Perry Highway
Portersville 16051
(just north of Pittsburgh)
(724) 368-9771
www.porterhousebrewshop.com
Offering home-town customer service and quality products at a fair price. Large selection of home brewing, winemaking and kegging supplies.

Scotzin Brothers

65 N. Fifth St.
Lemoine 17043
(717) 737-0483 or
1-800-791-1464
www.scotzinbros.com
email: shop@scotzinbros.com
Central PA's Largest IN-STORE Inventory!

Universal Carbonic Gas Co.

614 Gregg Ave.
Reading 19611
(610) 372-2565
fax: (610) 372-9690
email: readingdraft@verizon.net
Manufacturer, bottler & distributor of Reading Draft Premium sodas since 1921. Full line retailer of wine & beer kits (275+ in stock), supplies and equipment for pressing, kegging and tapping. Dry Ice on hand. We fill CO₂ cylinders on the spot and hydrotest as necessary.

Windy Hill Wine Making

10998 Perry Highway
Meadville 16335
(814) 337-6871
www.windyhillwine.com
Northwest PA's beer and wine making store. Hours: Tues - Fri 9am-6pm Sat 9am-4pm, Closed Sun & Mon

Wine, Barley & Hops Homebrew Supply

248 Bustleton Pike
Feasterville 19053
(215) 322-4780
info@winebarleyandhops.com
www.winebarleyandhops.com
Your source for premium beer & winemaking supplies, plus knowledgeable advice.

Wine & Beer Emporium

100 Ridge Rd. #27
Chadds Ford 19317
(610) 558-BEER (2337)
winebeeremporium@aol.com
www.winebeeremporium.com
We carry a complete line of beer & winemaking supplies, honeys, cigars and more! Call for directions, please don't follow your GPS or online directions.

RHODE ISLAND

Adamsville Wine and Spirits

81 Stone Church Rd.
Little Compton 02837
(401) 635-2109
From kits to grains, let us help you with your next batch! Open 7 days a week!
Call us @ (401) 635-2109

Blackstone Valley Brewing Supplies

407 Park Ave.
Woonsocket (401) 765-3830
www.blackstonevalleybrewing.com
Quality Products and Personalized Service!

SOUTH CAROLINA

Bet-Mar Liquid Hobby Shop

736-F Saint Andrews Rd.
Columbia 29210
(803) 798-2033 or 1-800-882-7713
www.liquidhobby.com
Providing unmatched Value, Service & Quality to you for over 40 years!

SOUTH DAKOTA

GoodSpirits Fine Wine & Liquor

3300 S. Minnesota Ave.
Sioux Falls 57105
(605) 339-1500
www.gsfcw.com
Largest selection in South Dakota for the home brewer and winemaker. We are located in the Taylor's Pantry Building on the corner of 41st & Minnesota Ave.

TENNESSEE

All Seasons Gardening & Brewing Supply

924 8th Ave. South
Nashville 37203
1-800-790-2188 fax: (615) 214-5468
local: (615) 214-5465
www.allseasonsnashville.com
Visit Our Store or Shop Online. Nashville's Largest Homebrew Supplier!

TEXAS

Austin Homebrew Supply

9129 Metric Blvd.
Austin 78758
1-800-890-BREW or (512) 300-BREW
www.austinhomewbrew.com
Huge online catalog!

DeFalco's Home Wine and Beer Supplies

8715 Stella Link
Houston 77025
(713) 668-9440 fax: (713) 668-8856
www.defalcos.com
Check us out on-line!

Fine Vine Wines - The Winemaker's Toy Store
1300 North Interstate 35E, Ste 106
Carrollton 75006
(866) 417-1114
www.finevinewines.com
Dallas' newest full service home brew supply store.

Home Brew Party
15150 Nacogdoches Rd., Ste 130
San Antonio 78247
(210) 650-9070
info@homebrewparty.com
www.homebrewparty.com
Beer and wine making classes and supplies.

Homebrew Headquarters
300 N. Coit Rd., Suite 134
Richardson 75080
(972) 234-4411 or
1-800-966-4144
www.homebrewhq.com
Proudly serving the Dallas area for 30+ years!

UTAH

The Beer Nut
1200 S. State
Salt Lake City 84111
(888) 825-4697
fax: (801) 531-8605
www.beernut.com
"Make Beer not Bombs"™

VIRGINIA

Blue Ridge Hydroponics & Home Brewing Co.
5524 Williamson Rd., Suite 11
Roanoke 24012
(540) 265-2483
www.blueridgehydroponics.com
Mon-Sat: 11am - 6pm

Fermentation Trap, Inc.
6420 Seminole Trail
Seminole Place Plaza #5
Barboursville 22923
(434) 985-2192
fax: (434) 985-2212
questions@fermentationtrap.com
www.fermentationtrap.com
Your local yet global homebrewing/winemaking equipment and supply store.

HomeBrewUSA
96 West Mercury Blvd.
Hampton 23669
(757) 788-8001
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

HomeBrewUSA
5802 E. Virginia Beach Blvd., #115
JANAF Shopping Plaza
Norfolk 23502
1-888-459-BREW or
(757) 459-2739
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

myLHBS (myLocalHomebrewShop)
6201 Leesburg Pike #3
Falls Church
(703) 241-3874
www.myLHBS.com
All the basics plus unique and hard-to-find Belgian and other specialty ingredients.

WeekEnd Brewer - Home Beer & Wine Supply
4205 West Hundred Road
Chester/Richmond area 23831
1-800-320-1456 or
(804) 796-9760
beerinfo@weekendbrewer.com
www.weekendbrewer.com
LARGEST variety of malts & hops in the area!

Wine and Cake Hobbies
6527 Tidewater Drive
Norfolk 23509
(757) 857-0245
fax: (757) 857-4743
mail@wineandcake.com
www.wineandcake.com
Huge IN STOCK inventory & personalized service. Same day shipping!

WASHINGTON

Bader Beer & Wine Supply, Inc.
711 Grand Blvd.
Vancouver, WA 98661
1-800-596-3610
Sign up for our free e-newsletter at www.baderbrewing.com

The Beer Essentials
2624 South 112th St., #E-1
Lakewood 98499
(253) 581-4288 or
1-877-557-BREW (2739)
www.thebeeressentials.com
Mail order and secure on-line ordering available. Complete line of brewing and kegging supplies.

The Cellar Homebrew
Make your own beer & wine
14320 Greenwood Ave. N.
Seattle 98133
1-800-342-1871
FAST Reliable Service, 38 Years! Secure ordering online
www.cellar-homebrew.com

Homebrew Heaven
9109 Evergreen Way
Everett 98204
1-800-850-BREW (2739)
fax: (425) 290-8336
brewheaven@aol.com
www.homebrewheaven.com
Voted Best Online Web Site for Ordering

Larry's Brewing Supply
7405 S. 212th St., #103
Kent 1-800-441-2739
www.larrysbrewsupply.com
Products for Home and Craft Brewers!

Mountain Homebrew & Wine Supply
8520 122nd Ave. NE, B-6
Kirkland 98033
(425) 803-3996
info@mountainhomebrew.com
www.mountainhomebrew.com
The Northwest's premier home brewing & winemaking store!

Northwest Brewers Supply
1006 6th Street
Anacortes 98221
(800) 460-7095
www.nwbrewers.com
All Your Brewing Needs Since 1987

WISCONSIN

Bitter Creek Homebrew Supply
206 Slinger Rd.
Slinger 53086
(262) 644-5799 fax: (262) 644-7840
rich@bittercreekhomebrew.com
www.bittercreekhomebrew.com
Large Selection of Quality Beer and Wine making equipment and ingredients.

Cedarburg Homebrew, Wine and Cheese
W62 N590 Washington Ave.
Cedarburg 53012
(262) 377-1838
www.thecheesemaker.com
*Hours: Mon-Fri 10-6
Sat: 10-5 Sun: 11-5
steve@thecheesemaker.com*

House of Homebrew
410 Dousman St.
Green Bay 54303
(920) 435-1007
staff@houseofhomebrew.com
www.houseofhomebrew.com
Beer, Wine, Cider, Mead, Soda, Coffee, Tea, Cheese Making.

Northern Brewer, Ltd.
1306 S. 108th St.
West Allis 53214
1-800-681-2739
www.northernbrewer.com
Call or Write for a FREE CATALOG!

Point Brew Supply
1816 Post Road
Plover 54467
(715) 342-9535
marc@pointbrewsupply.com
www.pointbrewsupply.com
"The Feel Good Store with a Professional Brewer on Staff"

The Purple Foot
3167 South 92nd St.
Milwaukee 53227
(414) 327-2130 fax: (414) 327-6682
wineandbeer@purplefootusa.com
www.purplefootusa.com
Top quality wine and beer supply - Call for a FREE catalog!

WindRiver Brewing Co., Inc
861 10th Ave.
Barron 54812
1-800-266-4677
www.windriverbrew.com
FREE catalog. Fast nationwide shipping.

Wine & Hop Shop
1931 Monroe Street
Madison 53711
1-800-657-5199
www.wineandhop.com
Southern Wisconsin's largest selection of beer & winemaking supplies. 10 varieties of wine-making grapes from Mitchell Vineyard.

AUSTRALIA

VICTORIA

Grain and Grape Pty LTD.
5/280 Whitehall St.
Yarraville 3013
(03) 9687 0061
www.grainandgrape.com.au
Equipment, ingredients and advice for the beginner & expert. Full mail order service.

CANADA

ONTARIO

Canadian Homebrew Supplies
263 Voddan St. East
Brampton L6V 1N3
(905) 451-4835
chs-store@rogers.com
www.homebrew-supplies.ca
Drink a Beer, Waste an Hour. Brew a Beer, Waste a Lifetime! For all your homebrew supply needs and wants.

Homebrewers Retail
Whitby L1N 9P3
(905) 903-2644
info@homebrewersretail.com
www.homebrewersretail.com
Turning Water...Into Beer!

Beer From the Sun

A solar homebrewing pioneer

by Kristin Grant

“Homebrewers who opt to use solar energy for brewing must always take into account one major factor: the weather.”




Photo courtesy of Rich Hundley III

Joe Bair developed a way to brew with the power of solar energy.

First, there was the guy who invented the wheel. Then the Wright brothers brought us flight. And now Joseph Bair has introduced the world to another important first, only this one involves something some would consider way more important: beer. After much thought and trial-and-error, Bair rigged up a contraption using a special lens typically found in items such as light-houses and projection televisions, and in the process, became the world's first solar homebrewer.

“I use a Fresnel lens because the more light you collect, the more you can funnel it into power,” explains Bair, cutting-edge homebrewer and owner of Princeton Homebrew in Trenton, New Jersey. These lenses, the “secret” to Bair's solar brewing, collect so much light with their complex, stamped design that the focused beam they generate can reach temperatures upwards of 800 °F (427 °C). Although the imprinted pattern is complex, the actual size of the acrylic lens Bair uses is relatively small, just a few feet per side. He can easily wheel it around in a basic wood frame he crafted to fit around the lens.

When the sun is shining, the lens captures light and converts it into power. The intense beam created by the lens can easily cook his barley and boil his water. Bair simply places anything he needs heated directly in the light ray, which efficiently heats all items in its path. And with that, he can brew. Bair even enhances the flavor of his fresh hops by roasting them first using the same solar method, imparting a distinct smoky flavor to his beer.

Furthermore, he says any homebrewer can use this technique to brew great beer and help the environment in one fell swoop. “Homebrewers understand that this easy home project that uses an existing recycled projection TV lens has so many environmental benefits.” Solar energy creates no pollution, generates no noise and can be used for other household purposes as well. “Once a brewer has a functioning large Fresnel lens, it can be used for many cooking and heating endeavors,

including blow torch applications.” Bair has been known to demonstrate this application by literally burning designs into wood using nothing but the concentrated beam. Aside from the practical and environmental benefits of this method, using solar energy also significantly reduces costs.

To boil the water, Bair puts the kettle in an old refrigerated case — the kind with the glass front door — to keep the heat in as the Fresnel lens zaps it with the intensely hot beam. Aside from the energy source, the rest of the brewing process remains unchanged.

Homebrewers who opt to use solar energy for brewing must always take into account one major factor: the weather. “It only works when the sun is shining,” Bair says. Checking the forecast first is a must to avoid losing energy midway through the process. Once a bright, sunny day arrives, roll out the lens and the kettle and brew away. Bair can swivel his lens to different angles via the hand-made rolling frame so that he can position it to directly face the sun at any time of day.

Not only is the system fairly simple, but Bair explains it has numerous other advantages as well. “This heating method is a free, clean, renewable and a wizard-like energy source,” he says. “Using solar energy to brew will help slow down the mad rush to use up all the non-renewable fossil fuels which create carbon dioxide.”

His efforts have not gone unnoticed. Bair has been nominated for a New Jersey Clean Energy award for the steps he has taken to make his business, which is primarily solar-powered, eco-conscious. However, as word spreads of his new brewing method, he will likely be honored in many more ways — on back porches and in living rooms across the country — as people raise glasses of solar-power-made ales, Pilsners, and stouts in his name: “To Joe Bair, brewing pioneer. Thanks to you, we can finally brew cost-effective, environmentally friendly beer.”

Joe Bair has offered to answer questions about this new technique. He can be reached at: joe@solarhomebrew.com. (BYO)

NEW!


250

**CLONE RECIPES
IN ONE GREAT
SPECIAL ISSUE!**

FEATURES
132 pages of
recipes & know-how to
brew 250 commercial
craft and import beers

the best of
Brew
YOUR OWN
THE HOW-TO HOMEBREW BEER MAGAZINE

250
**CLASSIC
CLONE
RECIPES**



Replicate your favorite commercial beers featuring the best clone recipes from the last fifteen years of BYO.

- Intro on how to clone brew commercial beers
- 250 recipes provided for all-grain and extract brewers - includes 150 recipes from the now out-of-print "150 Classic Clone Recipes" plus 100 more clone recipes!
- Cross indexed so you can easily find your favorite recipes by brewery or style

At just \$9.99 (\$9.99 CAN) retail, you won't find a more valuable recipe collection to brew beers like the pros make!

**This special newsstand-only issue is
available at better homebrew retailers
or order today by calling 802-362-3981
Also available online at brewyourownstore.com**

* Attention homebrew supply shop owners - call us today at 802-362-3981
to discuss volume discounts to resell the BYO 250
Classic Clone Recipes issue in your shop

Exposing our
Private Collection



Available
July through September 2010

2252-PC Rasenmäher Lagerbier
2575-PC Kolsch II
3191-PC Berliner-Weisse Blend

www.wyeastlab.com

© 2010 Wyeast Laboratories Inc.