NO SPARGE BREWING | ENGLISH BARLEYWINE | BUILD A DRAFT TOWER

BrewYour Own

THE HOW-TO HOMEBREW BEER MAGAZINE

NOVEMBER 2011, VOL.17, NO.7

BUILD THIS ULTIMATE HOME BAR!


Step-by-step bar plans designed for homebrewers by homebrewers


Mastering Sour Beer Techniques

Roast Malt at Home









www.byo.com

$4.99US $4.99CAN

0 09281 02485 9







northernbrewer.com

NORTHERN BREWER
HOMEBREW SUPPLY

BREWSAVER
$7.99 SHIPPING
northernbrewer.com/brewsaver

1150 Grand Ave
SAINT PAUL, MN

1306 S 108th St
MILWAUKEE, WI

Coming Soon
MINNEAPOLIS, MN


800.681.2739

CONTENTS

November 2011 Volume 17 Number 7









features

32 Sour Beer Orientation

If you are thinking about trying to brew a lambic, Flander's red or Berliner weisse, here's everything you need to know to brew your first sour beer — including how to keep the beer you brew after that from becoming unintentionally sour.
by Michael Tonsmeire

42 Build a Draft Tower

Build your own draft tower from PVC piping for a fraction of the price of a new one. This project is quick and easy, yet still looks great and works perfectly.
by Forrest Whitesides

48 Home Brewpub


A California homebrewer has converted his garage into a combination brewery and pub. See Peace Brewing.

52 Build a Home Bar

Build a bar specifically designed for homebrewers.
by Christian Lavender

60 No-Sparge Brewing

No-sparge brewing reduces the amount of equipment you need for all-grain brewing and saves time.
by Dave Louw



departments

5 Mail
Big problems with a small saison? (Hint: no.)

8 Homebrew Nation
A portable 50-gallon (190-L) homebrewery and The Replicator clones Big Sky's Moose Drool Brown Ale.

13 Tips from the Pros
Chris Graham and John Blichmann explain how best to expand your homebrewery.

15 Mr. Wizard
The Wiz delivers a polished response to a question on refurbishing pitted stainless steel and more.

19 Style Profile
Big, slightly sweet and malty — learn the right ingredients and techniques needed to brew English barleywine.

65 Techniques
Kiln your own amber and brown malts in your oven?

69 Advanced Brewing
Hey, this beer is warm! And, correspondingly, the vapor pressure of its constituent volatile compounds has increased significantly.

73 Projects
Serve your homebrew like it was shot out of a gun, a paintball gun to be precise.

88 Last Call
Ginger or Mary Ann? One homebrewer has both. In his bedroom. And his wife is OK with that.

where to find it

24 Holiday Gift Guide
76 Classifieds & Brewer's Marketplace
78 Reader Service
79 Homebrew Supplier Directory

RECIPE INDEX

2010 India Ink Imperial Stout 8

Big Sky Moose Drool Brown Ale clone . . . 12

English Barleywine. 20

Flemish Pale Session Ale 39

Nieuwe Bruin 39

Wallonian Buckwheat Amber 39

1822 Porter 67

Pale Porter. 67


BYO RECIPE STANDARDIZATION

Extract efficiency: *65%*
(i.e. — 1 pound of 2-row malt, which has a potential extract value of 1.037 in one gallon of water, would yield a wort of 1.024.)

Extract values for malt extract:
liquid malt extract (LME) = 1.033–1.037
dried malt extract (DME) = 1.045

Potential extract for grains:
2-row base malts = 1.037–1.038
wheat malt = 1.037
6-row base malts = 1.035
Munich malt = 1.035
Vienna malt = 1.035
crystal malts = 1.033–1.035
chocolate malts = 1.034
dark roasted grains = 1.024–1.026
flaked maize and rice = 1.037–1.038

Hops:
We calculate IBUs based on 25% hop utilization for a one hour boil of hop pellets at specific gravities less than 1.050.


off-centered ales for off-centered people.
guy with awesome tattoo,
we'd like to know you.
if you're the owner of this arm,
won't you give us a call?
- your pals at Dogfish
Dogfish Head Craft Brewed Ales
www.dogfish.com
dogfishbeer
dogfishheadbeer


NEW!
Put your hop aroma into orbit!
• Hopback, filter and Randalizer/infuser in one!
• Pressure tight!
• Massive 4oz capacity
• Stainless construction
BLICHMANN
HopRocket
Therminator™
Stainless Wort Chiller
BeerGun™
Bottle Filler
(10, 15, 20, 30, 55gal)
BoilerMaker™
Brew Pots
Fermenator™
Stainless Fermentor
TopTier™
Modular
Brewing
Stand
BLICHMANN™
engineering
www.BLICHMANNENGINEERING.com or visit your local Home Brew Retailer

what's happening at BYO.COM

Build a Cast Tap Handle



Wood and chalkboard taps are great for your home bar, but if you are looking for a way to really customize, try making your own custom cast tap handles.
www.byo.com/component/resource/article/357



Build a Pump in a Toolbox

BYO reader Travis Glazier builds the pump in a toolbox project from the October 2009 issue of *Brew Your Own*. Watch how he constructed the project, then visit his blog for more information about Travis at cnybrew.com.
www.byo.com/videos/24-videos/1810

Build More Brewing Equipment



If half the fun of homebrewing is building your own hardware, check out *BYO*'s online directory of DIY projects. You can find instructions for making everything from a mash paddle to a temperature-controlled fermenter!
www.byo.com/stories/projects-and-equipment

Cover Photo: **Charles A. Parker**

Brew Your Own — The How-To Homebrew Beer Magazine

EDITOR
Chris Colby

ART DIRECTOR
Coleen Jewett Heingartner

ASSOCIATE EDITOR
Betsy Parks

TECHNICAL EDITOR
Ashton Lewis

CONTRIBUTING WRITERS
Jon Stika, John Palmer, Marc Martin, Terry Foster, Glenn BurnSilver, Kristin Grant, Forrest Whitesides, Jamil Zainasheff

CONTRIBUTING ARTISTS
Shawn Turner, Jim Woodward, Chris Champine

CONTRIBUTING PHOTOGRAPHERS
Charles A. Parker, Les Jörgensen

◆

PUBLISHER
Brad Ring

ASSOCIATE PUBLISHER & ADVERTISING DIRECTOR
Kiev Rattee

ADVERTISING SALES COORDINATOR
Dave Green

BOOKKEEPER
Faith Alberti

SUBSCRIPTION CUSTOMER SERVICE MANAGER
Linda Marlowe

NEWSSTAND DIRECTOR
Carl Kopf

EDITORIAL REVIEW BOARD
Tomme Arthur • Port Brewing/Lost Abbey **Steve Bader** • Bader Beer and Wine Supply
David Berg • August Schell Brewing Co. **John "JB" Brack** • Austin Homebrew
Horst Dornbusch • Beer Author **Greg Doss** • Wyeast Laboratories
Chris Graham • MoreBeer! **Bob Hansen** • Briess Malt & Ingredients Co.
Anita Johnson • Great Fermentations (IN) **John Maier** • Rogue Ales **Paul Manzo** • Homebrew Consultant
Ralph Olson • Hopunion USA Inc. **Mitch Steele** • Stone Brewing Co.
Mark & Tess Szamatulski • Maltose Express **John Weerts** • Homebrew Consultant
Chris White • White Labs **Anne Whyte** • Vermont Homebrew Supply **David Wills** • Freshops

SUBSCRIPTIONS ONLY
Brew Your Own P.O. Box 469121 • Escondido, CA 92046
Tel: (800) 900-7594 • M-F 8:30-5:00 PST
E-mail: byo@pcspublink.com • Fax: (760) 738-4805
Special Subscription Offer
8 issues for $28.00

EDITORIAL & ADVERTISING OFFICE
Brew Your Own
5515 Main Street
Manchester Center, VT 05255
Tel: (802) 362-3981 Fax: (802) 362-2377
Email: BYO@byo.com


ADVERTISING CONTACT: Kiev Rattee (kiev@byo.com)
EDITORIAL CONTACT: Chris Colby (chris@byo.com)
FACEBOOK: www.facebook.com/BrewYourOwn
TWITTER: @BrewYourOwn

Brew Your Own (ISSN 1081-826X) is published monthly except February, April, June and August for $28.00 per year by Battenkill Communications, 5515 Main Street, Manchester Center, VT 05255; tel: (802) 362-3981; fax: (802) 362-2377; e-mail: BYO@byo.com. Periodicals postage rate paid at Manchester Center, VT and additional mailing offices. Canada Post International Publications Mail Agreement No. 40025970. Return undeliverable Canadian addresses to Express Messenger International, P.O. Box 25058, London BC, Ontario, Canada N6C6A8. POSTMASTER: Send address changes to ***Brew Your Own,*** P.O. Box 469121, Escondido, CA 92046-9121. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write ***Brew Your Own,*** P.O. Box 469121, Escondido, CA 92046-9121. Tel: (800) 900-7594. Fax: (760) 738-4805. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The subscription rate to Canada and Mexico is $33; for all other countries the subscription rate is $45.

All contents of ***Brew Your Own*** are Copyright © 2011 by Battenkill Communications, unless otherwise noted. ***Brew Your Own*** is a registered trademark owned by Battenkill Communications, a Vermont corporation. Unsolicited manuscripts will not be returned, and no responsibility can be assumed for such material. All "Letters to the Editor" should be sent to the editor at the Vermont office address. All rights in letters sent to ***Brew Your Own*** will be treated as unconditionally assigned for publication and copyright purposes and subject to ***Brew Your Own's*** unrestricted right to edit. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.

All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in the United States of America.

Volume 17, Number 7: November 2011



Whose hops?

I'd like to give kudos to Joseph Alonzo's article on new hop varieties in the October 2011 *BYO* magazine. Very interesting and memorable, and cool photos! Looking forward to sampling some of these new varieties some day.

Mike Duppong
Twin Falls, Idaho

Glad you liked the story. To be fair, though, the sidebar on new hop varieties was written by James Spencer (host of the Basic Brewing *podcasts). Joseph Alonzo took the photos and wrote the main story on aroma hop breeding in Oregon.*

Maibock I

I'm reading Jamil's Maibock recipe (October 2011) and I have a quick question on mash temperature. He says that conversion may take 90 minutes at a "low" temp of 154 °F. In my experience, 145 °F is a low temp, not 154 °F. Is this a misprint or is 154 °F the correct mash temp?

Amanda Kertz
via email

The mash temperature (154 °F/68 °C) is correct; the advice that the conversion may take 90 minutes at that "low temperature" was a line inadvertently carried over from a previous recipe. Sorry if this caused any confusion.

Maibock II

15-L starter? I hope the decimal was omitted. Else you have a 4-gallon starter for a 5-gallon batch of beer.

Gordon Maness
via email

It takes a lot of yeast to brew a high-gravity lager. Lagers are generally pitched at about twice the rate of ales and high-gravity beers require higher pitching rates than normal beers to achieve an ordered fermentation that finishes at a reasonable final gravity (FG). Combine these two facts and you get a 4.0-gallon (15-L) yeast starter for a 5.0-gallon (19-L) batch of Maibock, an OG 1.070 lager.

contributors



Christian Lavender is an Austin, Texas area homebrewer and the founder of HomeBrewing.com, a website that helps brewers find the best prices on homebrewing kits and homebrew supplies. He also runs Kegerators.com, a website for those looking for home draft equipment. You can ask him draft-beer related question at the site's "ask an expert" section.

Previously, Lavender has written about building a 10-gallon (38-L) fermenter from a half-barrel keg (July-August 2011) and how to build a kegerator-friendly hop filter (similar to a Randall).


On page 52 of this issue, he describes how to build a bar around a homebrew kegerator. Serve your beers in style from this brewing-inspired bar design.



Michael Tonsmeire is the blogger behind the Mad Fermentationist (www.TheMadFermentationist.com). There, he discusses a wide variety of fermentation-related topics. These include beer, but also include sake, vinegar, cider and cheese. He is a big fan of sour beers and wrote about adding fruit to sour beers in the September 2010 issue of *Brew Your Own*.

This year, in the July-August issue, he wrote about the burgeoning interest in saisons among American craft brewers.

In this issue, on page 32, he gives an overview of the many techniques used for producing sour beers and advice for first-time sour beer brewers.



Ashton Lewis is the Process Engineer for the Paul Mueller Company of Springfield, Missouri, fabricators of stainless steel vessels for a variety of industries, including the brewing industry. He is also Master Brewer at their brewpub, Springfield Brewing Company, a showcase for their brewpub vessels and design.

Ashton has been *Brew Your Own*'s Technical Editor since the first issue of the magazine in 1995. He also writes the "Mr. Wizard" column, something he did anonymously for the first 10 years of *BYO*.

In this issue, Ashton — in the guise of Mr. Wizard — answers questions about dry hopping, IBU calculations and repairing stainless steel that has been pitted by contact with bleach.

A handy resource for calculating pitching rates can be found at mrmalty.com. This is Jamil Zainasheff's website. The pitching rate calculator (found in the Yeast Tools section of the website) allows you to pick the type of beer (ales, lagers, etc.), volume and the type of starter (simple, stirred, continuously aerated, etc.). It then estimates the volume of the yeast starter you would need to make to yield the proper amount of yeast.

Note that, in this case, the size of the starter drops to 6 L, about 1.5 gallons, if you pitch the starter with two packages of commercially-produced liquid yeast instead of one. If you continuously aerate that starter, the required volume further drops to 3.4 L (less than a gallon).

A 1.5-L yeast starter would not raise nearly sufficient yeast for this beer.


Petite problem?

I recently brewed the recipe for the Petit Saison ("The Cult of American Saison," by Michael Tonsmeire, July-August 2011) and before I racked to the secondary fermenter and dry hopped, I asked a guy at my LHBS about the Roeselare blend. He suggested that I let the beer sit in the primary for about a year to avoid having bottle bombs and letting the bacteria have time to fully develop. I posted this concern on the homebrew forum of *Beer Advocate* and the general consensus was to let the beer sit for a year before bottling. The reason behind this email is I wanted to bring this to your attention and also after using that blend your primary fermenter plastic bucket should only be used for sour beers because the bacteria will always come through when using that bucket from now on. I think this information is important for the readers and should be shared.

Cory McArthur
via email

Letting this beer age for a year before bottling is excessive. The Petit Saison is a low-gravity beer, OG 1.036. The wort is made from mashing the grains at 145 °F (63 °C) for 90 minutes, creating a highly fermentable wort. The saison yeast strain is highly attenuative and the fermentation temperature is allowed to rise to the mid 80s °F (around 29 °C). All this leads to a very dry beer, one with few fermentable carbohydrates left. (The projected FG is 1.002.) This beer is meant to be drank fresh and aging it for a year will simply mean that all the hop character, which is an integral part of the beer, will be gone.

Jolly Pumpkin's Bam Biere, a petite saison, is only aged in barrels about two weeks before bottling and we would suggest that this is a reasonable time frame to aim for. As





the recipe states, check that the gravity has stabilized. If it has after being dry hopped, go ahead and package the beer. Since this low-gravity beer is intended to be drank while it is young and fresh, you should be able to tell from drinking it if excessive carbonation is building up in the bottles from the slow, continued action of Brettanomyces. *(If so, call your friends and have a party. Or, pop the caps on the remaining bottles to release the extra pressure, then quickly recap.)*

Also, the bucket will be fine if it is unscratched and you clean and sanitize it properly.

Blending with booze

In your September 2011 issue, in the "Tips from the Pros" section, you did a thing on beer blending. Blending different beers together to create a unique brew is a great idea. I have also found that blending beers with liqueurs also produces some outstanding brews. Maybe you could do a section on blending beers with liqueurs also. I am a homebrewer and have combined several different beers with different liqueurs. Both family and friends seem to like the combinations.

Jeff Taynor
Mughead Brewing Company

Editor Chris Colby responds: "In winemaking, blending plays a major role. In contrast, few homebrewers practice blending. Commercially, Belgian lambic brewers blend many of their beers. In addition, many large breweries blend different batches of the same beer to achieve a higher level of consistency. (The practice of high-gravity brewing — brewing a strong beer, then diluting it to serving strength after fermentation with deaerated water — is sometimes also called blending.)

"As mentioned in the article, finished beer can also be blended with other beers or beverages to make beer cocktails. (One traditional blend not mentioned in the article is blending small amounts of Woodruff or raspberry syrup into a Berliner weisse.) Beer can be blended at almost any stage in the brewing process. Another possibility — albeit one that has much more to do with me needing to fill this last bit of space in the "Mail" page than being a serious brewing suggestion — would be to experiment with blending different worts prior to fermentation. (This is actually done in some forms of parti-gyle brewing.)

"Blending beer with liquor (or liqueurs) could lead to some interesting mixes. (I suspect that it could also produce some vomitous concoctions in the wrong hands.) I've never mixed beer with hard liquor, but a friend of mine (Joe Walton) once blended whiskey with freshly run off wort on a brew day of ours. It was surprisingly good." BYO

Brand New Packages. Same Premium Yeast.

Our new packaging is not only bright & bold, it also offers a new level of protection to our premium yeast. Our ***new vacuum-sealing technology*** minimizes packaged air, offering maximum performance throughout the rated life of our products. This new package allows brewers to see and feel that the package is airtight and ready for use. ***No other brewing yeast offers this extra level of product assurance.***

Get the Dry Yeast Advantage with Danstar Premium Yeast from Lallemand.



WWW.LALLEMANDBREWING.COM

homebrew nation

READER PROFILE



Brewer: Jon Larson

Hometown: Portland, Oregon

Years brewing: Eighteen

Type of brewer: All-grain

Homebrew setup: I am in the process of moving from an insulated cooler 10-gallon (38-L) set up to a fancy Brew Magic system. Efficiencey around 80–85% with the cooler setup (and I attribute much of that to my brew partner Aaron's Rube Goldberg-esque grain mill).

Currently fermenting: 2011 India Ink Imperial Stout (see recipe at right), Revolution/Evolution Imperial IPA with Magnum hops fresh from the garden, a hard cider and a Marionberry melomel.

What's on tap/in the fridge: Belgian Cascadian Dark, Czech Pilsner and Session Bitter. There is also one empty tap waiting to be filled.

How I started brewing: It all began in college as brewing was a source of fine suds for me and my friends, but it quickly became much more. Once I moved to Portland, Oregon, things took off again. Everybody here is into beer — drinking, brewing, experimenting, pairing, you name it. That was when I made the switch from extract to all-grain brewing. Now I have four taps in the basement (thus my brewery's name, Basement Brewing), and every brew day I have around 15 to 20 good friends who are willing to help me out with the arduous task of sampling and draining the kegs. What swell folks, eh? These days my homebrewing has the potential for becoming a nano brewery. So I will keep brewing, refining my recipes and packaging and maybe — just maybe — I will get licensed to share my brews with more people. Because after all, isn't that what it is all about?

My blog/website: www.basementbrewing.com

reader recipe

2010 India Ink Imperial Stout
(5 gallons/19 L, all-grain)

OG = 1.083 FG = 1.021
IBU = 100+ ABV = 8.0%

Ingredients

6.5 lbs. (3 kg) American 2-row pale malt
6.5 lbs. (3 kg) Maris Otter malt
2 lbs. (0.9) light Munich malt
0.75 lbs. (0.34 kg) crystal malt (80 °L)
0.75 lbs. (0.34 kg) CaraMunich® malt
0.625 lb. (0.28 kg) roasted barley
0.5 lb. (0.23 kg) chocolate malt
21 AAU Magnum hops (60 min.) (1.5 oz./43 g at 14% alpha acids)
24.5 AAU Magnum hops (20 min.) (1.75 oz./50 g at 14% alpha acids)
12 AAU Cascade hops (knockout) (2 oz./57 g at 6% alpha acids)
1 Tb. gypsum
1 tsp. Irish moss
Wyeast 1056 (American Ale) yeast

Step by step

Single step infusion mash using 5.75 gallons (22 L) water to mash at 150 °F (66 °C) for one hour. Sparge with 170 °F (77 °C) water and collect 7 gallons (26 L) of wort and bring to a boil. The total boil time is 75 minutes with hop additions as listed in the ingredients.

Cool to 68–70 °F (20–21 °C) and pitch a ½-gallon (1.9-L) yeast starter. Ferment two weeks in primary. When fermentation is finished (I racked it at 1.014), rack to secondary fermenter.

Force carbonate and keg or bottle and age.

byo.com brew polls



Do you plan to expand your homebrewery this year?

Yes 78%
I Wish! 17%
No 5%

social homebrews

Join *BYO* on Facebook: www.facebook.com/BrewYourOwn

Follow *BYO* on Twitter at: @BrewYourOwn

what's new?

Clean Bottle Express from Third Coast Design Works



The design of Clean Bottle Express™ uses a spiral force to make your bottle cleaning experience quick and painless. All Clean Bottle Express™ bottle washers are designed to fit into any standard cordless drill with 1000 rpm motor. Simply attach to the drill, insert into your bottle and press the trigger of your drill to remove any debris or old deposits from inside your beer, wine or carboy bottle.


www.thirdcoastdesignworks.com/Products.html



Tri Clover Filter Strainer

Place this new strainer from Brewer's Hardware between your kettle outlet and pump and a plate chiller to reduce the amount of debris that makes it into the plate chiller and ultimately into your fermenter. The relatively large pore size still allows some trub through for healthy yeast and fermentation. The large 3-inch (7.6-cm) Tri Clover clamp between the body and the lid allow for easy disassembly and cleaning. If you want or need finer filtration, optional 0.2-mm and 0.3-mm filter nets are also available.

www.brewershardware.com/FILTER1.html





calendar

November 4-5
Goodlettsville, Tennessee
Music City Brew Off

Nashville's Music City Brewers will hold their 16th annual homebrew competition, featuring speaker Gordon Strong, president of the BJCP, Ninkasi award winner and author of the new book, *Brewing Better Beer*. The Brew Off also features the MCB's annual "Club Crawl" where regional clubs can bring their beers to showcase.

Entry Fee: $7 ($10 for entries in the "HopGod" category)
Entry Deadline: October 14
Email: bigjohn3957@gmail.com
Web: www.musiccitybrewers.com/brewoff.php

November 12
Fort Worth, Texas
Spirit of '76 Challenge

The Spirit of '76 Challenge, sponsored by the Horsemen of the Hopocalypse, seeks to acknowledge veterans by celebrating beer styles that are uniquely American. A list of accepted styles can be found at the event website. The competition also includes a special Category 76, which will be judged by a panel of servicemen from each branch of the armed forces, based simply on which they like the best.

Entry Fee: $7
Deadline: October 21
Email: comp_coordinator@hopocalypse.org
Web: http://spiritof76.hopocalypse.org/

November 27
Ocean City, Maryland
West Coast vs. East Coast

The Ocean City Maryland Homebrew Club (OCMHBC) invites all homebrewers to enter the first-ever West Coast versus East Coast brew off. The competition is one of the first in a series of week-long events devoted to beer in Ocean City, Maryland. The best of show will win an engraved tear drop trophy and a certificate for a free entry in the AHA National Homebrew Competition.


Fee: $5 for the 1st entry, $4 additional entries
Deadline: November 21
Email: sunflowerbrewhouse@comcast.net
Web: http://westcoastvseastcoast.brewcompetition.com/

SMARTPHONE QR CODE
FLAT RATE SHIPPING!
$7.95
32 QT KETTLE
STAINLESS STEEL
$99
W/ VALVE AND THERMOMETER
HOPS!
30+ VARIETIES
STARTING AT $1.00/OZ
WORT CHILLERS
25', 50' & CUSTOM
$49
WE MAKE THEM!
DOUBLE DRAFT TOWER
W/ STAINLESS DRIP TRAY
3" STAINLESS TOWER
$120
GET EVERYTHING. HOMEBREWSTUFF.COM BREW FOR LESS!

homebrew drool systems

The Portable System

Ed Elliot • Kingston, Pennsylvania



I have been homebrewing for about three and a half years, the last two of which have been all-grain using my 15-gallon (57-L) gravity fed system. While on a visit to a local scrapyard, I came across what would become the heart of my new 50-gallon (189-L) system: three 54-gallon (204-L) stainless steel pots with lids, in very good condition, which I purchased for scrap price. After about a year of DIY, gathering parts and learning how to weld, I debuted my new system on National Homebrew Day at a gathering of the Wyoming Valley Homebrewers Club in Northeastern Pennsylvania.



On that first big brew day I brewed 44 gallons (167 L) of a fairly standard pale ale, and hit 75% efficiency. My plan for the big brew day was to split up the wort into eight separate 6-gallon (23-L) fermenters (three of which I kept, and the other five I gave away to club members), and give each fermenter a different treatment, including yeast, dry hops, honey, etc. At the July meeting we all brought in samples of the "different beers" for everyone to try.



The system is a single tier, pump driven system with a direct-fired mash tun, capable of doing single infusion and step mashes with full recirculation. The tun features a homemade false bottom made of a sheet of perforated stainless (also a scrapyard find). The same material was used in the standoffs, and the pickup tube is actually underneath the false bottom so it doesn't get knocked around while doughing in.



Two 185,000-BTU burners heat the hot liquor tank (HLT) and boil kettle, and a 55,000-BTU burner heats the mash tun. In the future I want to upgrade with stainless ball valves, bigger pumps and built-in thermometers. I plan on using this system two or three times a year, splitting the batches up like we did for National Homebrew Day.



I look forward to many years of use of this system, as well as many years of brewing with my fellow club members and friends. And the best part of the whole setup is that this system is completely portable, and can fit in an SUV or Minivan — perfect for transporting to club brew days!

YOUR FIRST FERMENTER

by betsy parks

One of the most important pieces of equipment in your brewhouse is the humble fermenter. This is the vessel where your wort becomes beer, so it is important that you select your first fermenter wisely. Choosing a basic fermenter at your local homebrew shop is easy: walk in the door and someone will point you in the direction of a display of buckets and carboys. But although the selection process is simple, you should have your basic brewing needs in mind before you shop.

What you need

A proper fermenter needs to have a few features: it must keep air out while keeping beer in, it should be big enough to hold your batch of wort while allowing some space for foaming during primary fermentation and it needs to be a size and shape that you can move around your homebrewery. The most common first fermenters are food-safe plastic buckets, or glass or food-safe plastic carboys.

Size and style

When choosing a fermenter, consider the volume of your beer and the type of material you prefer.

First, make a mental note of your planned batch size. Fermentation will cause foaming and bubbling, so you will need a vessel with more space than the actual volume of beer. For instance, many homebrewers start out with 5-gallon (19-L) batches, which can produce around a half gallon (1.8 L) or so of kräusen, so it would be wise to choose a 6 or 6.5-gallon (23 or 25-L) fermenter.

Next, decide what type of fermenter would be best for your needs. Fermenters are most often made of plastic, glass or stainless steel, and each has their advantages and disadvantages.

Plastic bucket fermenters and polyethylene terephthalate (PET) carboys are lighter than glass and don't shatter when they are dropped, so they are easy to move around. Plastic buckets are inexpensive, simple to clean because of their wide openings and are often equipped with a spigot, which makes racking easy. However, plastic can be easily scratched, which can make these types of fermenters difficult to sanitize over time. Plastic is also not impermeable to air, which isn't an issue during primary fermentation when there is a lot of CO_2 present to protect the wort, however, if the beer is left for too long in a plastic bucket after primary fermentation it is vulnerable to oxidation.

Glass carboys are impermeable to air, so the beer does not need to be racked to a secondary fermenter after primary (if the beer needs secondary fermentation). Glass cannot be scratched when scrubbed and the surface is easily sanitized. Glass carboys are more expensive than plastic buckets, however, and they and their PET counterparts are more of a challenge to clean because of their small openings. Also, because they don't have spigots, the beer must be racked using a siphon.

There is also the option of using a stainless steel fermenter, although stainless steel is more expensive and might not be in a beginner brewer's budget. Stainless steel conical fermenters can cost around $500 for a basic model and increase in price up into the thousands of dollars based on size and specifications. However, for those just starting out, stick to a budget with plastic or glass, then move up to stainless steel when you're ready to grow.

FIVE STAR™

See what's brewing at Five Star!

Everyone at Five Star Chemicals & Supply invites you to visit our newly designed website:

www.FiveStarChemicals.com

Support Your Local Homebrew Store!

Check out our HOMEBREW SECTION to find a complete listing of over 170 local homebrew shops carrying Five Star products:

Home > Breweries > Homebrewing > Where To Buy

If you don't see your local shop, let us know, and we'll get them on our list!

Never Lose A Batch of Beer! Clean with Five Star:

PBW™
StarSan™
Saniclean™
5.2 pH Mash Stabilizer™
Super Moss HB™

Biodegradable, Effective & User-Friendly

Five Star Chemicals & Supply, Inc.

www.fivestarchemicals.com

by marc martin

DEAR REPLICATOR, ONE OF MY FAVORITE BEERS IS MOOSE DROOL FROM BIG SKY BREWING IN MISSOULA, MONTANA. I HAVE LOVED THIS BEER FROM THE FIRST TIME THE NAME OF IT CAUGHT MY ATTENTION. WHILE IT IS AVAILABLE IN MY AREA, I WOULD LOVE TO BE ABLE TO HAVE THE RECIPE SO I COULD REPLICATE IT AND PUT IT ON TAP FOR MY FRIENDS TO ENJOY. THIS BROWN ALE IS WONDERFULLY BALANCED AND THOSE THAT ARE OUTSIDE OF THEIR DISTRIBUTION AREA ARE REALLY MISSING OUT.

CHRISTIAN BOEHIKE
CHEYENNE, WYOMING



Homebrewing roots run deep at Big Sky as co-owners Neal Leathers and Brad Robinson began making 5-gallon (19-L) batches in the mid 1980s. Neal fondly remembers his first effort with the "Wise Ass Red Bitter" from Charlie Papazian's book *The New Complete Joy of Homebrewing*. This recipe evolved into their first commercially-brewed beer, Whistle Pig Red Ale.

To gain recognition in the community when they first started out, the two created and hosted a show called "Beer Talk" on the Missoula cable access television station. This gained the attention of Bjorn Nabozney, a local college student finishing his BA degree in finance. He offered to write a business plan for their brewery and the three were on their way.

After acquiring a suitable building and a 30-barrel system, they produced their first batch of Whistle Pig in mid June of 1995. Moose Drool Brown and Scape Goat Pale followed a couple of months later.

Soon they needed a head brewer, so thankfully Matt Long, another local college student studying microbiology was following his dream of taking his homebrewing hobby to the next level at the time. He completed the American Brewers Guild remote study program and was hired by the Lost Coast Brewery in Eureka, California. After a year he wanted to get back to Montana and in the fall of 1996 began brewing at Big Sky.

These days Big Sky boasts sales that are expected to top 38,000 barrels this year, and distribution has expanded to include 24 states. Their flagship beer, Moose Drool, accounts for almost 55% of total production.

A dense, light tan head tops this dark mahogany colored ale. It is a decidedly malt forward beer with hints of chocolate. Hop aroma is very subdued and bitterness is just enough to offset the low residual sweetness.

Christian, you can enjoy Moose Drool anytime now because you can "Brew Your Own." For more about Big Sky Brewing visit the website www.bigskybrewing.com or call them at 406-549-2777. BYO

BIG SKY BREWING COMPANY, MOOSE DROOL BROWN ALE

(5 gallons/19 L, extract with grain)

OG = 1.052 FG = 1.012 IBU = 26 SRM = 22 ABV = 5.3%

Ingredients

3.3 lbs. (1.5 kg) Muntons light, unhopped, malt extract
2 lbs. (0.9 kg) dried malt extract
1 lb. (0.45 kg) 2-row pale malt
18 oz. (0.5 kg) crystal malt (75 °L)
6 oz. (0.17 kg) chocolate malt (350 °L)
0.5 oz. (14 g) black barley (450 °L)
5.7 AAU east Kent golding hop pellets (1.2 oz./34 g of 4.75% alpha acid) (60 min.)
2 AAU liberty hop pellets (0.5 oz /14 g at 4% alpha acids) (30 min.)
2.5 AAU Willamette hop pellets (0.5 oz /14 g at 5% alpha acids) (0 min.)
½ tsp. yeast nutrient (last 15 min.)
½ tsp. Irish moss (last 30 min.)
White Labs WLP 013 (London Ale) or Wyeast 1028 (London Ale) yeast
0.75 cup (150 g) of corn sugar for priming (if bottling)

Step by step

Steep the crushed grain in 2 gallons (7.6 L) of water at 154 °F (68 °C) for 30 minutes. Remove grains from the wort and rinse with 2 quarts (1.8 L) of hot water. Add the liquid malt extract and boil for 60 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. Now add the wort to 2 gallons (7.6 L) of cold water in the sanitized fermenter and top off with cold water up to 5 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at 68 °F (20 °C) until fermentation is complete. Transfer to a carboy, avoiding any splashing. Allow the beer to condition for one week and then bottle or keg. Allow the beer to carbonate, age for two weeks and enjoy.

All-grain option:

This is a single step infusion mash using an additional 8.75 lbs. (4 kg) 2-row pale malt to replace the liquid and dried malt extracts. Mix the crushed grains with 3.75 gallons (14 L) of 172 °F (78 °C) water to stabilize at 154 °F (68 °C) for 60 minutes. Sparge slowly with 175 °F (79 °C) water. Collect approximately 6 gallons (23 L) of wort runoff to boil for 60 minutes. Reduce the 60-minute hop addition to 0.9 oz. (26 g) east Kent golding hop pellets (4.3 AAU) to allow for the higher utilization factor of a full wort boil. The remainder of this recipe and procedures are the same as the extract with grain recipe.

Growing Goals

Expanding your homebrewery

by Betsy Parks



IT IS ONE THING TO DAYDREAM OVER A STORE DISPLAY OR HOMEBREW CATALOG FILLED WITH STAINLESS STEEL, GADGETS AND GIZMOS, AND QUITE ANOTHER TO FILL OUT YOUR HOMEBREWERY WITH NEW EQUIPMENT. IN THIS ISSUE, TWO HOMEBREW HARDWARE EXPERTS DISCUSS THE RIGHT WAYS TO EXPAND YOUR BREWERY.

The biggest benefit to expanding your homebrewery, aside from increasing volume, is reducing work.

For extract brewers looking to upgrade basic setups, there are several things that you can do to expand your homebrew setup while still using extract.

First, get a kettle large enough to boil your entire wort at once instead of topping up with water at the end. The flavor impact mainly comes from not boiling with such concentrated sugars. From our experience at MoreBeer! helping thousands of homebrewers get started, this was by far the biggest single improvement people have reported back that made their beer better. This is generally a slippery slope in cost, however, as a new kettle often means buying an outdoor burner.

Next, to perform a full boil, you will need a way of getting the wort chilled down quickly, so you will want a chiller. This reduces your risk of added wild yeast and bacteria infection as well as other off flavors that can occur if you don't chill down quickly.

For all-grain brewers, I would recommend a brewing sculpture to streamline the brew day. After that, I would look at adding a refractometer for fast, easy gravity readings. It is also a good idea to look seriously into some kind of brewing software (BeerSmith is my choice, although there are many. Read Forrest Whitesides' story on brewing software in the May-June 2011 issue of *BYO* for more choices). Finally, a pump to move your liquids around is very helpful, and you should always have a good mash paddle and good thermometers.


Fermentation temperature control is also important for all homebrewers, extract or all-grain. This is really where the most flavor impact can be made on the beer as well as repeatability, so if you can afford either a fermentation chamber (like a chest freezer) or a temperature-controlled fermenter, I would recommend it.

In addition to controlling fermentation temperatures, every homebrewery could benefit from adding a water filter — it's hard to make great beer with bad water. Also, an oxygen system is handy. It is so easy to do and the yeast really benefits.

Some of the downfalls of expanding can be a problem, though, so be aware of the changes in your brewhouse. For example, things don't always multiply correctly when you scale up. Let's say you are moving from 5-gallon (19-L) to 20-gallon (75-L) batches and you have a killer 5-gallon (19-L) recipe you want to brew on your new setup. You may find that you get different hop bitterness extractions as you increase your boil kettle size.

Other expansion issues I've noticed happen when homebrewers try to add too much at once, then don't know what change made a difference in their homebrews. I am a big fan of adding one thing at a time to a brewery then waiting to see what the impact of it is. That way if something goes well you know what caused it; but better yet if something goes wrong you know what to investigate. Also, I find that adding slowly gives you something to look forward to on future brews and trips to the homebrew shop.

> "Fermentation temperature control is also important for all homebrewers, extract or all-grain."



Chris Graham, Chief Operating Officer of MoreBeer! in Concord, California. Chris has been homebrewing for more than 15 years, and has since gotten into meadmaking, winemaking, and coffee roasting. Each year he teaches the Advanced Homebrewing class at the Siebel Brewing School in Colorado. He also sits on the Brewers Association's Board of Directors and the American Homebrewers Association's Governing Council.



John Blichmann, Owner and Founder of Blichmann Engineering. John has a Bachelor of Science degree in engineering from Iowa State University and worked for Caterpillar's engine division for fifteen years. He "retired" from an engineering supervisor position to start Blichmann Engineering in 2002. He is a BJCP judge and has been homebrewing for 17 years.

My best move in my twenty years of homebrewing was moving off the stove and into full-wort boils with a larger pot and a propane burner. This not only saved my stove (and my marriage) from all too frequent boil-overs, it also allowed me to make light-colored beers like Kölsch and Pilsners that concentrated wort boils just didn't do justice to.

Full-wort boiling does necessitate moving outdoors, but a propane burner will bring your water up to temperature much more quickly than your stovetop. Buy a quality pot you can keep forever, and don't skimp on size. I always recommend a volume of about two times your batch size for a boil kettle so that you can accommodate your starting wort volume and have adequate clearance for boil-over protection. About 8 to 10 gallons (30 to 38 L) for a 5-gallon (19-L) batch is about right. And if time is your nemesis, as it is for my busy family schedule, look into high efficiency burners.

Before you delve into building your dream homebrew system dripping with stainless steel and sexy digital controls, develop a well thought out, long-term plan. Not a plan for a year down the road, but for the next five to ten years. You're about to invest in expensive equipment that you don't want to replace after a couple of years because it no longer fits into your plans. The most important decision is whether or not you eventually want to move into all-grain brewing, and if so, what batch sizes you want to brew. Keep in mind that making 10 gallons (38 L) of all-grain beer doesn't take much longer than 5 gallons (19 L). However, if you brew frequently 10-gallon (38-L) batches may tax your storage facilities.

Also, I did a presentation at the 2010 National Homebrew Conference discussing the organization and efficient layout of your home brewery, which you can read at this link: www.ahaconference.org/conference-information/presentations/2010-presentations/. Without a good brewery layout, you'll waste a ton of time searching for things. BYO

WEYERMANN

Weyermann : Superb German Malts

Weyermann is Germany's oldest and finest maltster, producing a wide range of barley, wheat and rye malts to optimize every beer!

- **Superb quality Pilsner, Pale Ale, Vienna and Munich base malts**
- **Specialty malts to match just about any recipe**
- Weyermann crystal and roast malts are produced in rotary roasting drums rather than in the usual flatbed kilns, producing a more consistent, high quality end product
- **NEW** authentic Bavarian Pilsner malt
- **SINAMAR®** Liquid All-Malt beer coloring extract now available in 4 oz. bottles for the homebrewer!

Distributed in the United States by Crosby & Baker, from wholesale (strictly!) warehouses in:

- Westport, Massachusetts
- Atlanta, Georgia
- Salt Lake City, Utah
- Baltimore, Maryland
- Sacramento, California

Websites for more information Specs & other great stuff:
www.WeyermannMalt.com www.Crosby-Baker.com Email: Info@Crosby-Baker.com

CROSBY & BAKER LTD

Call us for great products and prices: 1.800.999.2440

Dry Hopping

Continual hopping, stainless steel

by Ashton Lewis



Q I AM AN AVID BREWER AND ALSO AM A BIG FAN OF THE HOPPY BEERS BREWED BY SO MANY US CRAFT BREWERS. WHEN I TRY BREWING THESE STYLES, HOWEVER, I AM DISAPPOINTED WITH THE HOP AROMA IN MY BEERS AND AM A BIT LEERY TO USE DRY HOPPING. WHAT SUGGESTIONS DO YOU OFFER?

DAN DOLAN
HANNIBAL, MISSOURI

A The envelope of hoppiness has been pushed and pushed by US craft brewers over the last thirty years, and the most common trait of these very hoppy brews is the lovely aroma of fresh hops. The preferred technique in making these beers is dry hopping.

I have stated many times in the past that dry hopping does not introduce spoilage organisms to beer and I think the popularity of dry hopping today is good anecdotal evidence in validating the method. There are certainly different schools of thought about how to go about dry hopping, however. Many brewers use pellet hops and others swear by cone hops.


Brewing large volumes of dry hopped beer presents production challenges, both for those brewers using pellets and those using cone hops. If you use pellets, the hops are typically added to the top of the fermenter. This is not a big deal for pub brewers, but breweries with bigger tanks have logistical challenges, such as humping relatively large quantities of hops to the top of the tank. Then there is the issue of gas break out, which is when the beer sometimes begins to fountain out of the tank as the hop pellets dissolve and act as gas nucleation sites for gas release.

Some brewers who use pellets have adopted methods to dissolve the hop pellets in beer or water and then to pump the hop preparation into the beer to be dry hopped. Others have developed hop conveyors to deliver hop pellets to the top of the tank.

Then there are the brewers who only use cones. The method many craft brewers prefer is to use a hop bag to hold the whole cones during the dry hopping process. Some brewers toss the bag through the side of the tank, some hoist big bags up through cone bottom manways and others add them from the top of the tank. This makes hop addition and removal easier than simply dumping in a bunch of loose hops and then having to remove them from the tank after racking. I've brewed beers using this method and I can assure you that the cleanup is a major pain in the backside. Several years ago Sierra Nevada started experimenting with ways to sequester hops in a container that beer could be pumped through without having the hops in the fermenter and along came the hop torpedo.

The bottom line is that the hoppiest monsters on the planet use some form of post-kettle hop addition for aroma, and dry hopping seems to be the most common method. I suggest brewing an IPA with a moderate OG, 14.5 °Plato (1.059 SG) is a happy medium between session beer gravity and high gravity beers with more alcohol and esters, a firm bitterness in the 50-60 IBU range and a color somewhere between golden and amber. Dry hop the beer with about 0.4 ounces of hops per gallon of beer (11 g per 3.8 L). It is best to add hops after fermentation is complete, but before the beer has been chilled for any cold aging period that you may use.

"The bottom line is that the hoppiest monsters on the planet use some form of post-kettle hop addition for the aroma . . ."



Q

WHAT IS THE BEST WAY TO CALCULATE IBU CONTRIBUTIONS FROM CONTINUAL HOPPING?

BRIAN S GIBSON
MANCHESTER, NEW HAMPSHIRE

A

There is a basic formula that can be used to calculate the weight of hops added to wort during boiling, which is:

Hop weight (grams) = ((liters wort) * (IBU contribution of addition) * (0.001)) ÷ ((% utilization) * (% alpha acids of hop addition))

There are certain calculations that simply do not make sense converting to English units, and hop calculations are one example. The IBU (International Bitterness Unit) is expressed as milligrams iso-alpha acids/liter beer, so the calculations using IBUs are metric by nature. When crunching numbers with this equation it is important to convert the utilization and alpha acid percentages to decimals; for example, 30% utilization should be input as 0.30, not 30.

Hop utilization is the key to bitterness estimation through hop calculations. This value numerically defines the amount of iso-alpha acids in the finished beer compared to the amount of alpha acids added to the wort during boiling. If you have a beer with 20 IBUs that was made by adding only one hop addition during boiling and the hop utilization was determined to be 25%, you can determine that 80 mg of alpha acids/liter of wort (post boil volume) must have been added.

Hop utilization is not an easy value to know unless you analyze your finished beer and back-calculate utilization based on the brew. Most small craft brewers do not have the labs required for this analysis and those who do actually measure beer bitterness use outside labs. Since this analysis is not exactly cheap, most small craft brewers, and the majority of homebrewers, do not really know their hop utilizations for the various beers brewed.

Most small brewers rely on tables and equations developed by others to estimate utilization. In general terms utilization increases as wort gravity goes down and increases as exposure to hot wort increases. The hop preparation also influences utilization, with pellets usually yielding higher values than cones. And pH, kettle design, fermenter



BREWERS!

Since 1979, William's Brewing® has been a pioneer in innovative, quality home brewing equipment and supplies.



From our renowned William's Brewing Kits and flavorful William's Malt Extracts to our extensive line of unique brewing equipment, we have everything you need. All backed by our huge inventory, same-day shipping, and great customer service and support.



We feature the 32 and 40 quart Brewer's Edge® BrewKettles, complete brewing kettles with valves and lids for under $100.00. Go to williamsbrewing.com and search for "brewkettle"or call us at 800-759-6025 for a free catalog and more information. Orders placed by 4:00 pm Pacific Time on weekdays ship the same day!

williamsbrewing.com • 800-759-6025

design, yeast strain and clarification method can also affect utilization.

In my experience, utilization varies between 2–35% for pellet hops added to 12 °Plato during the boil. The maximum utilization of this range occurs after about 60 minutes of boiling and the minimum is obtained when hops are added to the whirlpool after the boil. The increase in utilization with boil time is linear over the normal range of what most brewers do in the brewhouse. This means that you could approximate the results of "continuous" hopping one of two ways.

The easiest method is also the most realistic, and that is to approach the problem as a bunch of discrete additions over the course of the boil since you probably will be using pellets and not a liquid hop preparation.

For the sake of discussion purposes, I am going to assume that a batch of wort is prepared by boiling for 60 minutes, during which time 120 individual hop pellets are added to the kettle. Furthermore, let's assume that the brewer has decided on a form of self-abuse for the brew and has decided to use a timer as a reminder to add 1 hop pellet every 30 seconds for the hour boil. The math is pretty simple. Step one is to develop a regression equation based on data from others (Malowicki and Shellhammer, for example). You can easily write a formula to provide the expected utilization for each of the 120 additions. After this you calculate the IBU contribution of each addition, sum the 120 additions and now you have an educated guess about the predicted bitterness of the finished beer.


I wish I knew more about what I do today when I took calculus during my freshman and sophomore years of college. I don't remember how to use calculus, but do know its applications and there are many to be found in a brewery. For all the math whizzes out there in *BYO*-land, now is your chance to apply your integration skills to brewing. If you go all out and solve this problem by integration you really need to use a liquid hop extract preparation and design a system to deliver a constant flow rate of hop extract to the kettle. And now the problem becomes fun! You cannot simply put the extract in a burette, for example, and open the outlet valve to a set point because the flow of extract will change as the container is emptied (variable static head). I am imagining some pretty cool projects coming from this discussion.

Q IF STAINLESS STEEL HAS BEEN CORRODED BY CONTACT WITH CHLORINE BLEACH, WHAT IS THE BEST METHOD TO CLEAN AND RE-SANITIZE THE STAINLESS STEEL?

BRIAN S GIBSON
MANCHESTER, NEW HAMPSHIRE

A Another question, Brian? Stainless steel is a general term to describe a wide range of alloys that do not rust like ordinary carbon steel. The most common alloys used to make food processing equipment are types 304 and 316 stainless. Type 304 is by far the most common alloy used in the manufacture of brewing and food processing equipment. This type of steel has good resistance against corrosion when used for normal brewing and cooking applications. Type 316 stainless contains 2% molybdenum and "Molly" adds some level of protection against pitting corrosion caused by chlorides. Chlorides are present in foodstuffs that have salt as an ingredient, so if you are in the business of making pasta sauce you may want vessels made from type 316 stainless. Both 304 and 316 alloys are available as "L" grades, for example type 316L; the "L" designates low carbon and for certain applications low carbon is desired because of welding concerns.

Although types 304, 304L, 316 and 316L are well suited for brewing and cooking applications, they all can be damaged by chlorine sanitizers like bleach. Normally the pH of bleach is about 11, making bleach a strong alka-



line solution. In this pH range bleach does not corrode stainless. However, if the pH is lowered, for example by adding an acid to the bleach solution, the chlorine solution can release chlorine gas. This is not only dangerous, but it also causes problems for the stainless steel surface being sanitized Bleach is usually added accidentally when an acid cleaning step is followed by a rinse and then bleach sanitizing; if the rinse is too short the pH at the vessel wall will be acidic.


What often happens is that the chlorine gas released from the bleach reacts with water vapor and the result is hydrochloric acid drops on the surface of the steel; this is especially common in closed vessels.

Hydrochloric acid is a strong acid, meaning that it completely dissociates into hydrogen and chloride ions, and chloride when concentrated is very corrosive to stainless steel, even type 316. Molly is no match for this assault. The result is pitting corrosion. If the contact time is long enough the active corrosion cell will continue chewing through the steel until the pit turns into a hole. This does actually happen and is pretty common when chloride-containing solutions, such as corn syrup, are held for prolonged time periods in stainless steel vessels.

So that is the background behind the damage you wish to repair. The good news for you is that you do not have a Swiss cheese keg or brew kettle. If the pits are small the best fix is to use a fine abrasive and polish the surface of the steel. Use a 150-grit abrasive intended for use on stainless steel. If the area is isolated you can tape it off and use a round wheel to polish the surface. Make sure you polish with the grain of the steel. If the pit is deeper you may need to use a coarser abrasive to remove more material and then follow up the treatment with 150-grit to polish the surface. Exercise great caution if you do this because it is entirely possible to grind a hole in your vessel.

When this procedure is complete, thoroughly clean the surface of the steel. After the cleaning process is complete, oxygen in the air will react with chromium atoms at the surface of the steel to form a very thin layer, literally only a few atoms deep, of chromium oxide. This layer is called the passive film that makes stainless steel resistant to certain types of corrosion.

The key to avoiding this procedure is pretty simple; do not use chlorine sanitizers. Although bleach can be successfully used on stainless steel it does cause problems. I work for a stainless steel fabrication company and we, like many of our competitors, have corrosion disclaimers in our standard terms and conditions of sales. I prefer using hot water (>180 °F/82 °C for at least 20 minutes) or peroxyacetic acid for transfer pipes and vessels because these products do not cause problems like bleach. BYO



English Barleywine

Made better with age

by Jamil Zainasheff



One of the classic examples of English barleywine is Thomas Hardy's Ale. Some years ago a friend invited me to a vertical tasting of Thomas Hardy's Ale. He had been purchasing and cellaring each vintage since 1988. More than a dozen years later, he was ready to see how each had matured over time.

The barleywine was a 12% ABV, bottle-conditioned beer, and many people claimed that it should be laid down for five to ten years or more before drinking. I was thrilled at the opportunity to taste it, since the beers were, at that time, already quite rare. Some of the later vintages were very good, showing the complexity that develops as the alcohols and malts oxidize and chemically change over the years. The older samples had already become Madeira-like with heavy oxidation and some of the oldest had some sour notes. I found the experience very educational, learning that some beers age better than others and it has almost as much to do with the brewer and the ingredients as it does the storage conditions. It also made me appreciate English barleywine and how complex it can become with a little age.

English barleywine is rich and strong, with a focus on malty richness and complex fermentation and aging flavors. Young examples start out with more bready or biscuit characteristics, with moderate hop character and young fruity esters. As they age, the malt character takes on more sweet caramel notes and the ester profile takes on some dried and dark fruit notes. While alcohol is present and warming, it is never hot or harsh. The same could be said about the hop bittering and hop character. While the bittering is firm enough to balance any malt sweetness, it is never sharp or biting. Hop character can be moderate in younger examples, but as the beer ages, much of the character fades to a background note. The color should range from rich gold to very dark amber and the mouthfeel should be full and rich, with a smooth texture.

To brew a great example of this style, start with British pale ale malt as the base. It provides that background biscuit-like malt character that is a key component in fine British beers. British pale ale malt is kilned a bit darker (2.5 to 3.5 °L) than the average American two-row or pale malt (1.5 to 2.5 °L) and this higher level of kilning brings out the malt's biscuity flavors. Some brewers use domestic pale ale malt or domestic two-row with the addition of 5 to 10% Munich malt when they cannot source British pale ale malt. This will not produce the same beer as using British pale ale malt, but it can produce a pleasant malt background.

Extract brewers should make the effort to source an extract made from British pale ale malt. If you use domestic two-row malt extract, you must compensate by partial mashing some additional specialty malts such as Munich, biscuit or Victory®. For a 5-gallon (19-L) batch, use about 5 to 10% of the total base malt.

All-grain brewers should use an infusion mash. A temperature in the range of 149 to 154 °F (65 to 68 °C) works well. Use a lower temperature when using lower attenuating yeasts or higher starting gravities. Use a higher mash temperature when using the higher attenuating yeasts or lower starting gravity beers. A great starting point is 152 °F (67 °C).

While English barleywine is a rich, malty beer, much of that comes from the base malt and extended boiling times. Do not overload your beer with lots of crystal malts: 5% is a good amount and 10% is about the maximum. I prefer to use darker color crystal malts (60 to 150° L), which add rich color, as well as some dark caramel, toasty, roasted, and raisin flavors. Lighter color crystal malts (10

Continued on page 21

English Barleywine
by the numbers

OG:	1.080–1.120 (19.3–28.1°P)
FG:	1.018–1.030 (4.6–7.6 °P)
SRM:	8–22
IBU:	35–70
ABV:	8.0–12.0%



English Barleywine
(5 gallons/19 L, all-grain)

OG = 1.100 (23.8 °P)
FG = 1.024 (6.0 °P)
IBU = 63 SRM = 16
ABV = 10.2%

Ingredients

19.3 lb. (8.75 kg) Crisp English pale ale malt (or similar)
8.8 oz. (250 g) Franco-Belges caramel Munich malt (60 °L) (or similar)
8.8 oz. (250 g) Great Western crystal malt (120 °L) (or similar)
13.75 AAU Target pellet hops (1.25 oz./36 g at 11% alpha acids) (60 min.)
2.5 AAU Kent Goldings pellet hops (0.5 oz./14 g) at 5% alpha acids) (15 min.)
2.5 AAU Kent Goldings pellet hops (0.5 oz./14 g at 5% alpha acids) (0 min.)
White Labs WLP013 (London Ale), Wyeast 1028 (London Ale) or Danstar Nottingham yeast

Step by Step

Mill the grains and dough-in targeting a mash of around 1.5 quarts of water to 1 pound of grain (a liquor-to-grist ratio of about 3:1 by weight) and a temperature of 150 °F (66 °C). Hold the mash at 150 °F (66 °C) until enzymatic conversion is complete. Infuse the mash with near boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168 °F (76 °C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 7.1 gallons (27 L) and the gravity is 1.070 (17.1 °P). If you should come up short on the pre-boil gravity, top it off with some pale malt extract.

The total wort boil time is 120 minutes. This helps concentrate the wort and aids in the development of flavor compounds. The first hop addition comes with 60 minutes remaining in the boil. Add the Irish moss or other kettle finings and the second hop addition with 15 minutes left in the boil. Add the last hop addition at flame out.

Chill the wort to 68 °F (20 °C) and aerate thoroughly. The proper pitch rate is 17 grams of properly rehydrated dry yeast, three packages of liquid yeast, or one package of liquid yeast in a 6-liter starter. Ferment at 68 °F (20 °C) to start, raising the temperature gradually to 70 °F (21 °C) for the last ⅓ of fermentation. When finished, carbonate the beer to approximately 1.5 to 2 volumes.

English Barleywine
(5 gallons/19 L, extract with grains)

OG = 1.100 (23.8 °P)
FG = 1.024 (6.0 °P)
IBU = 63 SRM = 16
ABV = 10.2%

Ingredients

12.8 lb. (5.82 kg) Muntons English pale liquid malt extract
8.8 oz. (250 g) Franco-Belges caramel Munich malt (60 °L) (or similar)
8.8 oz. (250 g) Great Western crystal malt (120 °L) (or similar)
13.75 AAU Target pellet hops (1.25 oz./36 g at 11% alpha acids) (60 min.)
2.5 AAU Kent Goldings pellet hops (0.5 oz./14 g) at 5% alpha acids) (15 min.)
2.5 AAU Kent Goldings pellet hops (0.5 oz./14 g at 5% alpha acids) (0 min.)
White Labs WLP013 (London Ale), Wyeast 1028 (London Ale) or Danstar Nottingham yeast

Step by Step

I use an English pale liquid malt extract. If you can't get fresh liquid malt extract, use an appropriate amount of dried malt extract (DME) instead.

Mill or coarsely crack the specialty malt and place loosely in a grain bag. Avoid packing the grains too tightly in the bag, using more bags if needed. Steep the bag in about 1 gallon (~4 liters) of water at roughly 170 °F (77 °C) for about 30 minutes. Lift the grain bag out of the steeping liquid and rinse with warm water. Allow the bags to drip into the kettle for a few minutes while you add the malt extract. Do not squeeze the bags. Add enough water to the steeping liquor and malt extract to make a pre-boil volume of 7.1 gallons (27 liters) and a gravity of 1.070 (17.1 °P). Stir thoroughly to help dissolve the extract and bring to a boil.

The total wort boil time is 120 minutes. This helps concentrate the wort and aids in the development of flavor compounds. The first hop addition comes with 60 minutes remaining in the boil. Add the Irish moss or other kettle finings and the second hop addition with 15 minutes left in the boil. Add the last hop addition at flame out. Chill the wort to 68 °F (20 °C) and aerate thoroughly.

Chill the wort to 68 °F (20 °C) and aerate thoroughly. The proper pitch rate is 17 grams of properly rehydrated dry yeast, three packages of liquid yeast, or one package of liquid yeast in a 6-liter starter. Ferment at 68 °F (20 °C) to start, raising the temperature gradually to 70 °F (21 °C) for the last ⅓ of fermentation. When finished, carbonate the beer to approximately 1.5 to 2 volumes.

English-Style Barleywine Commercial Examples

Abacus
Firestone Walker Brewing Co.
Paso Robles, California
www.firestonebeer.com

Arctic Devil Barley Wine
Midnight Sun Brewing Co.
Anchorage, Alaska
http://midnightsunbrewing.com/

Blithering Idiot
Weyerbacher Brewing Co.
Easton, Pennsylvania
http://weyerbacher.com/

Dominion Millennium Ale
Old Dominion Brewing Co.
Dover, Delaware
www.olddominion.com

Gold Label
Whitbread PLC
London, England
www.whitbread.co.uk

Golden Pride
Fuller Smith & Turner PLC
Chiswick, London, England
www.fullers.co.uk

Monster Ale
Brooklyn Brewery
Brooklyn, New York
www.brooklynbrewery.com

Old Nick
Wells & Young's Ltd
Bedford, England
www.wellsandyoungs.co.uk

Old Numbskull
AleSmith Brewing Co.
San Diego, California
http://alesmith.com/

Thomas Sykes Old Ale
Burton Bridge Brewery
Burton Upon Trent,
Staffordshire, England
www.burtonbridgebrewery.co.uk

Vintage Harvest Ale
J.W. Lees & Co.
Manchester, England
www.jwlees.co.uk

to 40 °L) add sweeter caramel notes, which can make a big beer seem more candy-like.

If you are looking for more complexity or increased head retention, you can add other malts as well. Wheat malt, Victory®, biscuit and others are common additions in many recipes, but restraint is important so that the beer does not become saturated with non-fermentable dextrins and cloying flavors. In general, keep the total of all specialty grain additions to less than 15% of an all-grain grist. Avoid more than small additions of highly kilned malts, as roasted flavors are not appropriate. Color in this style comes mainly from crystal malts and longer boil times. If you want to develop more color and more melanoidin-based flavors and aromas, start with a larger pre-boil volume so



> "English-style beer is best brewed with English hops, such as East Kent Goldings, Fuggles, Target, Northdown or Challenger. The bittering level for English barleywine is in the range of 35 to 70 IBU."



you can boil the wort for two hours or more. This develops a certain character that is not possible by using grain additions alone.

English-style beer is best brewed with English hops, such as East Kent Goldings, Fuggles, Target, Northdown or Challenger. The bittering level for English barleywine is in the range of 35 to 70 IBU. You want enough hop bitterness to balance any residual sweetness, without overwhelming the malt background. There are many factors at play in the final impression of bitterness for the drinker. The starting and final gravities, the character malts selected, the type of base malt, the yeast strain, the pitching rate, and even the yeast cell size all have an impact on the perceived bittering. One additional factor is the amount of time before drinking. You may want to shoot a tiny bit higher on bittering if your expected drinking date is a year or more out. A bitterness-to-starting gravity ratio (IBU divided by OG) between 0.4 and 0.8, should be close. I tend to target around 0.6 to 0.7, because I expect to drink the beer after a period of aging. As a general rule of thumb in determining late hop amounts, include an amount equal to the amount of bittering hops. This is just a generalization, since using very low or high alpha acid hops makes the equation faulty. One or two late hop additions, totaling around 1 to 2 oz (28 to 57 g) for a 5 gallon (19 L) batch at 20 minutes or later, should be about right. Keep in mind hop flavor and aroma should not overwhelm the malt character even when the beer is young.

Fermentation creates most of the flavor and aroma in many British beers. "English" yeast strains provide a variety of interesting esters and leave some residual sweetness to balance a bitter beer. Many English yeasts tend to attenuate on the lower side (< 70%), but for an English barleywine you want to choose one of the more attenuative English yeasts (> 70%). While you should expect some malt sweetness in the finish, using a low-attenuating yeast in a big beer will result in a beer that is too


heavy and sweet. My favorites for this style are White Labs WLP013 (London Ale) and Wyeast 1028 (London Ale) yeast. They both provide a wonderful ester profile without being excessively fruity, and they attenuate a little more than most English yeasts. If you like to experiment with different yeasts, try to select English yeasts that attenuate in the mid 70s percent or higher. If you prefer dry yeast, Danstar Nottingham should produce acceptable results.

> "Fermentation creates most of the flavor and aroma in many British beers. 'English' yeast strains provide a variety of interesting esters and leave some residual sweetness to balance a bitter beer."

At lower temperatures (<65 °F/18 °C), these yeasts produce a relatively low level of esters and at high temperatures (>70 °F/21°C) they produce abundant fruity esters and fusel alcohol notes. I start fermentation in the middle of this range (68 °F/20 °C), letting the temperature rise a few degrees, slowly over a couple days. This creates the expected level of esters, helps the yeast attenuate fully, and keeps the amount of diacetyl in the finished beer to a minimum. If your situation restricts you to using less attenuative yeast, you will need to take steps to ensure enough attenuation. For barleywine you can lower the mash temperature or replace a portion of the base malt with simple sugar to help dry out the final beer.

Serving English barleywine at cellar temperature, around 52 to 55 °F (11 to 13 °C), allows the character of the beer to come out and can improve drinkability. Colder temperatures prevent the drinker from picking up the interesting fermentation and malt flavors and aromas of this style, so do not go below 50 °F (10 °C). Target a carbonation level around 1.5 to 2 volumes of CO_2. Once this beer is finished fermenting, a long aging period does wonderful things for the beer. Yes, you might be tempted to drink it after just a couple weeks, but try to set aside some bottles in a cool place and enjoy them over the years. BYO

Jamil Zainasheff is an award-winning homebrewer, author and writes "Style Profile" for every issue of Brew Your Own.




holiday GIFT GUIDE




THIS **HOLIDAY SEASON** give the gift of beer! Check out all the **great beer gear** on the next few pages for some **great gift ideas for friends & family** or make your own holiday wishlist...





PsychoBrew

Brewing Systems with a Hint of MADNESS





1-4 Barrel Systems
BKs, HLTs & MLTs
Conical Fermenters
Wort Chiller System

Customizing Available

www.psychobrewllc.com

Kegerators.com

Single Tap • Double Tap • Triple Tap
Homebrew • Outdoor • Built-In • Mini




LARGEST SELECTION ONLINE.

Over 150 Kegerators to Choose From.

GOT BREWING QUESTIONS?

The Homebrewer's Answer Book



Direct from the pages of *Brew Your Own* magazine, this comprehensive collection of questions and answers from our popular "Mr. Wizard" department offers advice for both the novice and the advanced hobby homebrewer – and everyone in between!

Covering nearly every situation a homebrewer could encounter, this 432-page guide is the perfect reference for any amateur brewer. Fully indexed and organized by themes. Find answers to your questions and fixes to your problems fast.

Get Yours Today!

Available at better brewing supply retailers and bookstores

Order your copy now for just $14.95 online at


brewyourownstore.com

or by calling 802-362-3981

TasteYourBeer.com

Beer Tasting & Hop Appreciation Kit

The Perfect Gift for any beer lover



13 Hop Varieties
Tasting Guide
Beer Color Chart
Quick Start Guide
Beer Terms and Hops Databases

Now Featuring Beer Tasting Party Games

Quality Wine and Ale Supply

Wine and Beer Making Supplies for Home Brewers and Vintners

A proud sponsor of the Indiana State Fair Brewers Cup

Retailer of the Year - `05, `06, `07, `08, `09, `10 & 2011
WineMaker International Amateur Wine Competition

Beer Making Supplies, Kits and Equipment
Complete Kits in Stock - One Click Ordering
www.HomeBrewIt.com

Retail: 108 S. Elkhart Ave., Elkhart, IN 46516
Office: 530 E. Lexington Ave. #115, Elkhart IN 46516 ~ (574) 295-9975

GET YOUR BYO WORK SHIRT!



Perfect for brew days and beer fests. This navy blue button-up shirt has the *BYO* logo over the front left pocket and a large *BYO* Euro Sticker logo across the back. A classic work shirt that lives up to your classic homebrews. Available in Men's M, L, XL & XXL.

Order at
www.brewyourownstore.com
or call 802-362-3981 ext. 106

beersavers™

Reusable silicone bottle caps



Order Beer Savers™ online at **SaveBrands.com**
or visit your local Home Brew Retailer

BREWERSDISCOUNT.NET

Check It Out

Quality Brewing Hardware

Lowest Prices
Cheap Shipping
Save money, shop with us

Don't see what you need?
Call and we can get it

252-758-5967

sales@brewersdiscount.net

Brew-Magic™ by SABCO



Fermenters and Storage Vessels

Looking for the 'Perfect Gift' for the Holidays?



Brewing Systems

SABCO produces an entire line of 'pro-level' equipment that always tends to make home-brew enthusiasts 'Drool' a bit . . .



Chill-Wizard System

Visit Brew-Magic.com for holiday gift specials that are sure to make you 'Drool' too!

P.S. We Suggest that you buy a nice 'Towel' as well!




Brew-Kettles




Frames

SABCO
BREW-MAGIC.COM
419-531-5347

NFIB
BBBOnLine RELIABILITY PROGRAM







NORTHERN BREWER
HOMEBREW SUPPLY
northernbrewer.com | 800.681.2739
St. Paul - Milwaukee - Minneapolis

Store, Transport and Display your Beer in STYLE!

Limited Supplies! Order now to assure Christmas delivery



Bootlegger Supply
3025 37th Ave S
Fargo ND, 58104

PROUDLY MADE IN THE USA!

GENUINE BOOTLEGGER CRATES Made in the USA

Phone: (701) 540-8248
FAX (701) 540-5463


VETERAN OWNED SMALL BUSINESS!

www.bootleggersupplies.com

25 GREAT HOMEBREW PROJECTS

in one great special issue!

NEW!



25 project plans include:

Cooler Mash Tun
Continuous Sparging System
Countertop All-Grain System
Electric Heat Stick
Convert Brew Pot to Kettle
Convert Keg to Kettle
Counterpressure Bottle Filler
Portable Kegerator
Rebuild a Keg & Spunding Valve
Counterflow Wort Chiller
Recirculating Wort Chiller
Carboy Spray Wand
Keg & Carboy Cleaner
Tap Handles
Home Kegerator
Nitro Kegerator
Glycol Fermenter
Inline Aerator
Yeast Stir Plate
Inline Thermometer
Pump Toolbox Combination
Water Filter
Randall-Style Hop Filter
French Press Hopback
Hop Dryer


The Ultimate Do-It-Yourself guide for homebrewers! Includes the best projects stories to run in *BYO* magazine over the past 16 years! All projects include a parts & tools list as well as detailed instructions on the build and pictures to help guide you through the project. All this for just $9.99 retail!

This special newsstand-only issue is available at better homebrew retailers or order today online at brewyourownstore.com Also available by calling 802-362-3981

* Attention homebrew supply shop owners — call us today at 802-362-3981 to discuss volume discounts to resell the BYO 25 Great Homebrew Projects issue in your shop



Brew Brothers



Homebrew Products

More cheer for less cash!

10% off: Use discount code CHEER1211 at checkout on our website

Please, one discount per customer...offer expires 12/31/2011

"Come join the family!"

WWW.BREWBROTHERS.BIZ

info@brewbrothers.biz

2020 NW Aloclek Dr Ste 102 Hillsboro OR 97124

Toll Free (888) 528-8443

Home Breweries & Nanobreweries

Commercial Duty Brewing Equipment

All 304SS, Tri Clamp Fittings

STOUT



TANKS & KETTLES

Conical Fermenters
Brite Beer Tanks
Brew Kettles, Mash Tuns, HLTs
Hop Backs
5 Gal. to 3 Bbl.

conical-fermenter.com

BEAR REPUBLIC

SCHWAG FOR THE HOLIDAYS



15TH ANNIVERSARY T-SHIRT & HOODY

FREE SHIPPING


ON ALL ORDERS
10/15/11-12/31/11

SCAN BARCODE FOR DETAILS

WWW.BEARREPUBLIC.COM

250 CLONE RECIPES IN ONE GREAT SPECIAL ISSUE!

FEATURES
132 pages of recipes & know-how to brew 250 commercial craft and import beers



the best of Brew

250 CLASSIC CLONE RECIPES

Replicate your favorite commercial beers featuring the best clone recipes from the last fifteen years of BYO.

- Intro on how to clone brew commercial beers
- 250 recipes provided for all-grain and extract brewers - includes 150 recipes from the now out-of-print "150 Classic Clone Recipes" plus 100 more clone recipes!
- Cross indexed so you can easily find your favorite recipes by brewery or style

At just $9.99 ($9.99 CAN) retail, you won't find a more valuable recipe collection to brew beers like the pros make!

This special newsstand-only issue is available at better homebrew retailers or order today by calling 802-362-3981
Also available online at brewyourownstore.com

* Attention homebrew supply shop owners - call us today at 802-362-3981 to discuss volume discounts to resell the BYO 250 Classic Clone Recipes issue in your shop

HomeBrewing.com

YOUR BEER. YOUR STYLE.



The Tippy Brewing System 20 Gallon

Just one of our many advanced brewing systems.

SUPPLIES RECIPES ARTICLES TUTORIALS
PROJECTS CALCULATORS REFERENCES FORUM

BYO BACK ISSUE SALE!

Buy 5 Issues...Get 5 More Issues FREE!



We are offering readers a very special deal on our limited quantities of back issues. Buy any 5 issues for $25 (plus $12.50 shipping) and receive 5 more issues for **FREE!** Buy 5 and get 5 **FREE!** Choose from these collectible classics still in stock from 1998 through 2009, and now 2010 back issues as well!

HURRY! SUPPLIES ARE LIMITED!

NOW AVAILABLE ONLINE AT WWW.BREWYOUROWNSTORE.COM

JULY 98
- 15 Clone Recipes
- 3 Beers, 1 Mash

OCT. 98
- Great Bock Recipes
- Choose the Right Kit

JAN. 99
- Aging in Wood
- Figuring Hop Bitterness

FEB. 99
- Malta Yeast Starter
- Organic Homebrewing

MAR. 99
- Imported Clone Recipes
- Build an Electric Brew Stove

AUG. 99
- Wit, Kölsch Recipes
- American Lager Clones

JAN. 00
- 7 Czech Beer Recipes
- Your First Brew

FEB. 00
- High-Gravity Brewing
- Foreign Clone Recipes

APR. 00
- Making Smoked Beers
- Your First Keg

OCT. 00
- 20 Autumn Extract Recipes
- Build a Counterflow Wort Chiller

JAN. 01
- Brew Indigenous Beers From 4 Continents
- Making Root Beer

FEB. 01
- 5 German Clone Recipes
- Decoction Step-by-Step

MAR. 01
- Growing Yeast Strains at Home
- Brew Low-Carb Beer with Beano®

MAY 01
- 20 Extract Recipes for Spring
- Build a Counter Pressure Bottle Filler

SUMMER 01
- 5 Clone Recipes for Summer
- Build a Big-Batch Mash Tun

JAN./FEB. 02
- 8 Ski Town Clone Recipes
- Thomas Jefferson's Homebrew

JULY/AUG. 02
- 21 Regional U.S. Recipes
- Brewing with Fruit

OCT. 02
- Better Extract Techniques
- One Batch, Two Beers

JAN./FEB. 03
- Brewing Porter
- Cleaning & Sanitation Made Easy

MAY/JUNE 03
- How to Control the Color of Your Beer
- Adding Oak to Beer

JULY/AUG. 03
- Light Beer Recipes
- Tips for Entering Homebrew Competitions

SEPT. 03
- Pale Ale Recipes
- Yeast Pointers

OCT. 03
- 17 Foolproof Extract Recipes
- Trappist Ale Tips & Recipes

NOV. 03
- Choosing and Using Homebrew Pumps
- Steeping vs. Partial Mash

DEC. 03
- High-Gravity Beers
- Brewing with Spices

MAR./APR. 04
- Brewing Sugars & How to use Them
- Yeast: Choose the Right Strain for your Beer

MAY/JUNE 04
- Making Low-Carb Homebrew
- Beer Barbecue Recipes

JULY/AUG. 04
- Brewing Bocks — American & German
- Water Tips for Extract Beer

SEPT. 04
- 13 Commercial Hoppy Beers Cloned
- Brewing Old Ales

OCT. 04
- Extract Experiments
- Lambic Brewing

MAY/JUNE 05
- 10 Classic Clones: Anchor Steam, Fuller's ESB, Guinness, Sierra Nevada Pale Ale, Orval, Duvel, Paulaner Hefeweizen, Pilsner Urquell, Celebrator, Warsteiner

JULY/AUG. 05
- Brewing Heineken and International Lagers
- Belgian Saison

DEC. 05
- Pacific Northwest Clones
- 10 Hardest Beer Styles

MAY/JUNE 06
- 5 British Beer Clones
- Mashing Techniques

OCT. 07
- Troubleshoot Homebrew Faults
- 10 Keys to a Great Extract Beer

MAR./APR. 08
- Hop Substitution Guide
- Batch & Continuous Sparging

MAY/JUNE 08
- Czech Pilsners
- Build a Hop Drying Oast

JULY/AUG. 08
- 6 Belgian Inspired Clones
- Fruit Meads

SEPT. 08
- Low-Hop Recipes
- Dry Stout, Scottish Ale

OCT. 08
- Organic & Green Brewing
- Convert a Keg to Kettle

NOV. 08
- Build a Kegerator and Multi-Tap Bar
- Brewing Imperial IPA

DEC. 08
- Stone Brewing Tips & Recipes
- Turning Pro

MARCH/APRIL 09
- Australian Brewing
- Controlling Fermentation Temperatures

OCT. 09
- Imperial German Beers - Take Malty Classics Big and Extreme
- Zombie Clones: Bring 5 British Ales Back from the Dead

NOV. 09
- Small Space Brewing Tips
- Countertop All-grain Brewing System

DEC. 09
- Pro Brewers Who Homebrew
- Rise of Small Hop Farms

JAN./FEB. 10
- Dark Secrets of Porter
- Brewing with Scotland's Brewdogs

MARCH/APRIL 10
- Bicycle Themed Beer Clones
- Master Dry Hopping

MAY/JUNE 10
- Breakfast Beers
- Build Your Own Keg & Carboy Cleaner

JULY/AUG. 10
- Grain to Glass – Your First All-Grain Brew Session
- Cascadia Dark Ale

SEPT. 10
- 15 Tips from 15 Pro Brewers
- Cooking with Homebrew

OCT. 10
- Extract Brew Day: A Pictorial Guide
- Use Malt Extract Like a Pro


NOV. 10
- Tap Into Kegs
- Barleywine Clones

DEC. 10
- Recipes & Tips from New Belgium Brewing
- Build a Motorized Mill


BUY 5 ISSUES...GET 5 MORE ISSUES FREE!

SPECIAL ITEMS:


NEW!




25 GREAT HOMEBREW PROJECTS
• Best projects from 16 years of *BYO*
• Includes parts & tools list as well as detailed instructions & pictures for each build




BUILD BRUTUS TEN
•Build your own single-tier, 10 gal. (38 L) semi-automated brewing system
•Includes plans, photos and step-by-step diagrams
•Special re-print from sold out November '07 issue




HOP LOVER'S GUIDE
•Hopping methods for extract & all-grain brewers to get the most out of your hops
•Comprehensive charts for 83 hop varieties
•Backyard hop growing instructions
•36 hoppy recipes



250 CLASSIC CLONE RECIPES
•New edition of our popular special issue now with 100 more recipes
•Brew your favorite commercial beers at home



BEGINNER'S GUIDE
•How to brew with kits, extracts & all-grain
•Also provides introduction to winemaking!



THE HOME BREWER'S ANSWER BOOK
•Direct from the pages of *BYO*, this collection of Q&A from our "Mr. Wizard" column is the perfect reference for beginners and advanced brewers — and everyone in between!

www.brewyourownstore.com

BrewYourOwn — THE HOW-TO HOMEBREW BEER MAGAZINE

Mark your 10 choices below.

Qty.	Issue	Qty.	Issue
____	July 98	____	October 04
____	October 98	____	May/June 05
____	January 99	____	July/Aug. 05
____	February 99	____	December 05
____	March 99	____	May/June 06
____	August 99	____	October 07
____	January 00	____	Mar./April 08
____	February 00	____	May/June 08
____	April 00	____	July/Aug. 08
____	October 00	____	September 08
____	January 01	____	October 08
____	February 01	____	November 08
____	March 01	____	December 08
____	May 01	____	Mar./April 09
____	Summer 01	____	October 09
____	Jan./Feb. 02	____	November 09
____	July/Aug. 02	____	December 09
____	October 02	____	Jan./Feb. 10
____	Jan./Feb. 03	____	Mar./April 10
____	May/June 03	____	May/June 10
____	July/Aug. 03	____	July/Aug. 10
____	September 03	____	September 10
____	October 03	____	October 10
____	November 03	____	November 10
____	December 03	____	December 10
____	Mar./April 04		
____	May/June 04		
____	July/Aug. 04		
____	September 04		


* previous issues not listed are sold out; 2011 back issues still cost the full $5.00

5 copies . . . . . .$25 _____
5 **BONUS** copies . . . . . .FREE **FREE**
25 Great Homebrew Projects _____ x $10 ea = _____
Build Brutus Ten Brewing System _____ x $3 ea = _____
Hop Lover's Guide _____ x $7 ea = _____
250 Clone Recipes _____ x $10 ea = $_____
Beginner's Guide _____ x $7 ea = $_____
Homebrewer's Answer Bk. _____ x $14.95 ea = $_____
Shipping/Handling (see below)..... = $_____
1 unit = $2.50 • 2 units = $5.00
3-9 units = $7.00 • 10-49 units = $12.50
50-99 units =$25.00 • 100+ units = $37.50
Orders outside the U.S. please call or e-mail for shipping quote.
BYO Binders _____ x $20 ea. (incl. shipping) $_____
(Binders hold 12 issues each)
Total $_____


Name _____
Address _____
City _____ State ____ Zip _____
E-mail _____
Phone _____
❑ Check Enclosed ❑ MasterCard ❑Visa
Card# _____
Exp. Date _____
Signature _____

MAIL ORDER FORM TO:
BYO Back Issues
5515 Main Street
Manchester Center, VT 05255

FAX FORM TO:
802-362-2377
or CALL:
802-362-3981



SOUR BEER ORIENTATION



The coolship at Cantillon Brewery in Brussels, Belgium, where the cooling wort is intentionally exposed to airborne souring microorganisms. In most homebrewed sour beers, microbes are added directly to the wort.

Many homebrewers are wary about brewing sour beers at home. Common questions from brewers include, "Will brewing one turn my other beers sour?"

"Where does the acid come from?"

"Are aged hops required?"

This article attempts to demystify the art of brewing sour beers at home.


Story by **Michael Tonsmeire**

Keeping Your Clean Beers Clean



What seems to make brewers nervous about brewing their first sour beer isn't the time, or even the risk of bad beer — it is the fear that the "wild" microbes will ruin one of their other beers. I won't lie, if you add microbes other than brewer's yeast to your fermenter, this is a legitimate concern. Over my five years of brewing sour beers, I have lost two batches to unintentional souring, but I haven't had any problems since I started following a few simple rules for sanitizing and separating my "clean" equipment from my "sour."

There is no need to purchase duplicates of any of your equipment that touches your wort through the boil. Likewise, you can share equipment that comes in contact with wort between sour and non-sour beers if it can be sanitized.

Chemical sanitizers work best on impermeable, scratch-free surfaces that are clear of deposits. Glass, stainless steel and scratch-free plastic surfaces can all be sanitized adequately. Soaking your equipment in hot tap water and a cleaner such as PBW, TSP or OxyClean Free before sanitizing will remove buildup left from previous fermentations. Follow the guidelines for sanitizer concentration, time and temperature. Adding more sanitizer than recommended may be less effective than sanitizer at the proper concentration and can lead to off flavors if you exceed the

NOR CAL
BREWING SOLUTIONS


Keg & Cooler Conversion Kits

Dip Tubes

Exclusive Manufacturer
"Jaybird" Custom False Bottoms

Lowest hardware prices
530-243-BEER
NorCalBrewingSolutions.com

no-rinse concentration. On the other hand, longer contact times than the recommended minimum will kill a higher percentage of microbes.

You can safely share most of your gear between clean and sour beers if you are diligent with sanitation and replacement. However, soft plastic has a tendency to scratch and some equipment provides places for detritus to build up unnoticed, so I keep two sets of cool side plastic equipment (tubing, auto-siphon, bottling wand, bottling bucket and thief). I "hand down" my clean beer gear to my sours about once a year; this way it doesn't even cost more money because I continue using the equipment long after I would have replaced it.

Be sure to mark your sour beer equipment with tape or permanent marker to ensure you don't accidentally use it for a clean beer. There is no sanitation reason to segregate your clean and sour beer fermentations, but to avoid mix-ups I keep them on opposite sides of the same room.

Wort Production

For many homebrewers, their first sour beer is an accident, but Scott Vaccaro of Captain Lawrence Brewing Company suggests, "Start with a clean slate, don't turn an off batch into a sour beer. I think you should treat it like any other beer you are making." Brew day for an intentionally sour beer is often indistinguishable from any other. If, however, you are souring the wort before primary fermentation or employing a more complex mash schedule, there will be a few twists to the process. Even so in most cases the steps are the same: grains are crushed and mashed (or steeped), wort is collected (or extract is added) and then boiled with hops before it is chilled and pitched. These steps can be accomplished using whatever processes work best for you.

Hopping

Bitter and sour do not taste good together. As a result, it is rare that I add more than 20 IBUs to a sour beer. Hops also inhibit lactic acid bacteria and some other strains of bacteria, so high hopping rates are counterproductive to souring. I have not found aged hops — as are used in some commercial lambics — to be of benefit for any style of sour beer.

A hoppy aroma can complement a sour beer beautifully (I especially like citrusy American hops), but skip the late boil addition (which will fade before the beer is ready to drink) in favor of adding dry hops a few weeks before packaging.


Microbial Players

There are five main actors in the microbial menagerie that goes into producing sour beers: two yeasts and three bacteria.

Saccharomyces The only organism responsive for fermenting a clean beer, brewer's yeast (*Saccharomyces cerevisiae*) does most of the fermentation for sour beers as well. You can literally use any strain of brewer's yeast to accomplish the primary fermentation of a sour beer. While some of the byproducts produced by the *Saccharomyces* will remain in the finished beer, many will be destroyed by the microorganisms that follow.

***Brettanomyces* (*Brett*)** *Brettanomyces* (*B. lambicus*, *B. bruxellensis*, and *B. claussenii*) is the king of the wild yeasts in the sour brewing world, responsible for much of their complexity. These strains help to break down dextrins (chains of sugar molecules too long for *Saccharomyces* to ferment) and add a wide range of characteristic ester (fruity) and phenol (spicy/smoky) characters. Their impact can range from pleasant aromas like pineapple, hay, juicy-fruit and pear; to others appreciated in low levels like horse blanket, farmhouse, and barnyard; to the vile smoky, Band-Aid, and fecal batch ruiners. *Brettanomyces* can produce acidity under certain conditions, but not enough to make a truly sour beer.


***Lactobacillus* (*Lacto*)** *Lactobacillus delbrueckii* produces the acidity in Berliner weisses, but in most other worts the hopping levels are high enough to prevent it from producing



Jean-Pierre Van Roy — former brewmaster at Cantillon Brewery in Brussels, Belgium and father of the current brewmaster — pours some lambics for brewery visitors.

much lactic acid. *Lactobacillus* (including *delbrueckii* and other species) likes warm temperatures and can sour a beer within days or weeks if the concentration of bacteria is high enough. *Lactobacillus* is also responsible for the tang produced by a sour mash.

***Pediococcus* (*Pedio*)** *Pediococcus damnosus* produces the majority of the lactic acid in most sour beers. Some brewers describe the acid character from *Pediococcus* as being more aggressive and sharp than *Lactobacillus*. *Pediococcus* takes several months to dramatically lower the pH of a beer, but it is more hop and acid tolerant than *Lactobacillus*. Some strains of *Pedio* produce diacetyl, thus making it an ideal complement to *Brett*, which reduces the diacetyl.







Acetobacter The role of *Acetobacter* is kept to a minimum in most sour beers because it consumes ethanol and oxygen to produce acetic acid (the signature acid of vinegar). Acetic acid is occasionally present in Flemish reds, but all of the brewers I talked to mentioned that avoiding acetic acid is one of their top priorities. Unlike the other microbes described, *Acetobacter* requires oxygen to thrive. This should provide sufficient motivation to keep your airlocks filled.

Souring Methods

"There really is no right or wrong way to make (sour beers) — that is what makes these beers so fun and personal." says Vinnie Cilurzo of Russian River Brewing Company. The possible methods fall into two categories — quick (where the acid is produced before primary fermentation) and long (where the acid is mainly produced after primary fermentation). The quick methods tend to create less complexity because they rely on *Lactobacillus* alone rather than on the combination of *Pediococcus* and *Brettanomyces*.

Sour Mash

There are many ways to create a sour mash, but the most common way is to cool the converted mash down to 110-120 °F (43–49 °C) and then add a small amount of fresh malt. Malt is naturally covered with *Lactobacillus,* which is allowed to work on the sugars in the warm mash for anywhere from 12 to 72 hours. The key to a successful sour mash is to keep oxygen out (by either flushing the mash tun's headspace with CO_2 or laying an oxygen impermeable covering, such as plastic wrap, over the surface of the mash). Once the desired acidity is reached, the wort is run off, boiled, hopped and fermented just like any other beer. The drawback is that sour mashes are variable because the wild microbes sometimes produce unpleasant byproducts.

Sour Worting

This is a variation on a sour mash that avoids some of the associated issues. It also works for extract brewers. After the wort is brought to a sanitizing boil,

it is cooled and inoculated either with an active pitch of commercial *Lactobacillus* or a starter made from the wild *Lactobacillus* living on malt. The *Lactobacillus* is allowed to work until it produces the desired sourness. (As with sour mashes, limit the exposure to oxygen.) Once the desired acidity is reached, the wort is boiled, hopped, and fermented as with any other beer. Sour worting is a great candidate for fermentation with a large pitch of *Brettanomyces* alone because it is more acid tolerant than *Saccharomyces* and thrives in a low pH wort.

Acid Malt


The mash can be soured almost instantly with a large (5–15%) addition of acidulated malt (sauermalz). The acid content of this malt can vary depending on the brand and batch so dialing in the appropriate amount may take some experimentation. The problem with this method is that it will drop the pH of the mash far enough to inhibit efficient starch conversion. Unfermentability is not a problem if *Brettanomyces* is added to the beer, but if fermenting with only *Saccharomyces* the brewer should mash the rest of the grain bill and wait for it to convert before adding the acid malt.

Food Grade Acid

There are food grade acids — such as lactic, acetic (as vinegar), citric, malic, tartaric and winemaking acid blends — that are available to add directly to beer. Using one of these is quick, easy, and controllable, but I have never been happy with their one dimensional character when added to a cleanly fermented beer. In my experience, adding acid is only a viable method to boost the acidity of beers that already have some sourness.

Long Aging Methods

There are three camps when it comes to long-aged sour beers, those brewers who add all of the souring microbes together along with the *Saccharomyces*, those who wait until after primary fermentation to add the microbes and those who stagger the microbe additions even further. I've found that,





when fermenting sour beers in carboys or Better Bottles, I don't get enough acid production for my tastes unless I add all of the microbes along with the brewer's yeast to the cooled wort. When souring beers in wine and spirit barrels, we have had good luck with a clean primary fermentation followed by adding the microbes when the beer is racked into the barrel. Some breweries, like Russian River, take an even more staggered approach, by pitching *Brett* after the end of primary fermentation when the beer is transferred to the barrel, but waiting a few more weeks or months longer before pitching the *Lacto* and *Pedio*. This method allows the *Brett* to establish itself before the pH drops too far. (This seems like a lot of work, but it is hard to argue with their results.) Raccoon Lodge and Captain Lawrence each make complex sour beers that have won a GABF gold medal, but they take completely different approaches to microbe selection. Raccoon Lodge is known for making sour beers that are missing the horsy aromatics of *Brettanomyces*, they do this by pitching a house culture of *Lactobacillus* when they move their beers into barrels. On the other hand, Captain Lawrence pitches only a variety of *Brettanomyces* strains into most of their barrels.

Whatever your pitching schedule and microbe selection, once all of the microbes are added, the beer ages for months or years until the acid is at the desired level and the gravity of the beer is stable. (You do not need to wait for the pellicle, the floating mat of microorganisms, to drop.) Ideally I would like to keep the temperature of the aging beer in the 60s °F (16–21 °C), but this is unrealistic because the temperature in my cellar climbs into the high 70s °F (over 24 °C) during summer. Warmer temperatures lead to faster lactic acid production, but they can also encourage *Acetobacter*. I find the flavors of beers utilizing long souring techniques to far exceed other methods, but it takes longer and allows less control over the finished character of the beer.

Sources of Microbes

The microbes you select will have a profound impact on the levels of acidity and funk in your finished beer, so pick carefully.

Commercial Suppliers

There are currently three yeast labs producing pitchable cultures of *Lactobacillus*, *Pediococcus* and *Brettanomyces* for homebrewers. Two of the labs, Wyeast and White Labs, are available at most North American homebrew stores. They sell strains both individually and in blends (which is cheaper, but takes some of the control out of your hands). The third, East Coast Yeast, is a recent startup up with limited distribution.

Bottle Dregs

I've soured beers using many different microbe sources, but I've had my best

Give a starter kit to a friend, and we will give you a shirt.



Kit shown for illustrative purposes. Not actual size.

Purchase a beer or wine making equipment kit by 12/31/11 and get a free AHS shirt. Just mention "BYO ad" and your shirt size in the comment section during checkout.

austinhomebrew.com
Free Shipping On Orders Over $100

WATERPROOF, DURABLE LONG-LASTING PLASTIC BEER CASES FOR 12oz. AND 22oz. BOTTLES
16oz. GROLSCH/SWING-TOP BOTTLES ALSO FIT IN THE 22oz. CASE



22oz. CASE MADE IN THE U.S.A. 12oz CASE

*SHIPPING ONLY $7.99
*CONTIGUOUS STATES ONLY
*EXCLUDES 2 PACKS

FOR ORDERS OF 4 PACKS OR MORE USE PROMO CODE: BYO2 AND RECEIVE AN ADDITIONAL 5% OFF

AVAILABLE AT

★ C&W ★
CRATE CO
WWW.CWCRATE.COM
616-245-2728

results with beers where I pitched the bottle dregs (sediment) from unpasteurized commercial sour beers.

Fresh, lower-alcohol beers are your best bet for harvesting dregs. Let the bottle sit upright somewhere cool to allow most of the cells to settle on the bottom. Decant the beer into a glass with a slow pour, stop when you see sediment flowing towards the neck. If you have a batch ready to be soured (or already souring) then swirl the bottle

> "The microbes you select will have a profound impact on the levels of acidity and funk in your finished beer, so pick carefully."

and pour the dregs directly into the wort or beer. I like to add the dregs at the same time as the *Saccharomyces* to give the microbes time to grow. If you do not have a beer ready, you can pitch the dregs into a small volume of low gravity wort. I suggest leaving the starter covered in the refrigerator until you are ready to use it. Propagating a mixed culture can be difficult because the various microbes have different growth rates and requirements for oxygen, pH and temperature.

Unpasteurized Sour Beers

The following list contains examples of beers that have harvestable dregs including bacteria and in many cases *Brett*. This is by no means a complete list, there are many one-off or limited distribution beers not included.

- Bavik (Petrus Oud Bruin, Petrus Aged Pale)
- Boon (Oude series)
- Bruery (Hottenroth, Oude Tart)
- Cantillon (Anything)
- Captain Lawrence (Cuvee de Castleton, Rosso e Marrone, Flaming Fury, Little

Sour Beer Recipes

Flemish Pale Session Ale

OG = 1.046 FG = 1.006
IBU = 18 SRM = 4 ABV = 5.3%

Pale version of a Flemish Red. Similarly sour, but lacking the dark fruit character. A lower gravity beer that is mashed cool, so it makes a good session sour ale since it is low in alcohol and not aggressively sour.

Ingredients

5.25 lbs. (2.4 kg) Pilsener malt
2.25 lbs. (1.0 kg) wheat malt
0.50 lbs. (0.23 kg) CaraHell® malt
7 AAU Mt. Hood hops (100 mins) (1.4 oz./40 g of 5% alpha acids)
Wyeast 3522 (Belgian Ardennes) yeast
Wyeast 3763 (Roeselare Blend) yeast
4.25 oz. (120 g) table sugar (for priming)

Step by Step

Mash at 135 °F (57 °C) for 25 minutes, raise temperature to 146 °F (63 °C) for 60 minutes, then 158 °F (70 °C) for 15 minutes. Boil for 115 minutes, adding hops as indicated. Start fermentation around 65 °F (18 °C) and allow to rise to 70 °F (21 °C) over the course of fermentation. When primary fermentation is complete (2–3 weeks), rack to secondary onto 1.0 oz (28 g) of medium toast French oak cubes (boiled for five minutes and drained first). Allow the gravity to stabilize before bottling.

Extract Option: Steep CaraHell®, and replace the Pilsener malt and wheat malt with 3.0 lbs (1.4 kg) wheat dried malt extract and 2.0 lbs (0.91 kg) Pilsener dried malt extract.

Nieuwe Bruin

OG = 1.056 FG = 1.013
IBU = 22 SRM = 18 ABV = 5.7%

Sour ale that uses the new technique of sour worting to mimic some of the flavors of Oud Bruins without the long aging period. The sourness comes off as a clean tartness that gives depth to the dark malt character.

Ingredients

9.0 lbs. (4.1 kg) Golden Promise malt
0.50 lbs. (0.23 kg) Amber malt
0.50 lbs. (0.23 kg) Golden Naked Oats
5.0 oz. (0.14 kg) American roasted barley (~300 L)
4.0 oz. (0.11 kg) dark English crystal malt (60 °L)
6 AAU Galena hops (60 mins) (0.50 oz./14 g of 12% alpha acids)
Safale S-04 (English Ale) yeast
Lactobacillus culture
4.25 oz. (120 g) table sugar (for priming)

Step by Step

Mash at 154 °F (68 °C) for 60 minutes. Bring to a boil briefly, then cool to 90 °F (32 °C) and pitch a 1.0 qt. (1.0 L) starter of *Lactobacillus* (either started from a commercial culture or ½ cup of malt). Hold the wort above 80 °F (27 °C) for 2–3 days. Once the desired level of acidity is reached, boil for 90 minutes adding hops as indicated. Chill to 65 °F (18 °C) and pitch the ale yeast. When primary fermentation is complete, rack the beer onto 0.75 oz. (21 g) medium toast French oak cubes. Allow the beer to extract the desired oak character (1–2 months) before bottling.

Extract Option: Steep Golden Naked Oats, roasted barley, and dark English crystal malt. Swap Golden Promise and amber malt for 5.0 lbs (2.25 kg) English pale dried malt extract and 0.75 lbs (0.34 kg) Munich liquid malt extract.

Wallonian Buckwheat Amber

OG = 1.056 FG = 1.008
IBU = 17 SRM = 14.5 ABV = 6.3%

This beer adds the rustic charm of buckwheat to an amber sour base. The high mash temperature and crystal malt mean this beer needs extended aging before packaging.

Ingredients

5.0 lbs. (2.3 kg) German Pilsener malt
2.25 lbs. (1.0 kg) German Vienna malt
2.0 lbs. (0.91 kg) buckwheat
1.0 lb. (0.45 kg) crystal malt (40 °L)
2.5 oz. (71 g) Carafa® Special III malt
5 AAU Styrian Goldings hops (60 mins) (1.0 oz./28 g of 5% alpha acids)
Safbrew T-58 dried yeast
Dregs from two bottles of Jolly Pumpkin (or other unpasteurized sour beer)
4.25 oz. (120 g) table sugar (for priming)

Step by Step

Boil the crushed buckwheat in 7 qts. (6.6 L) of water for 20 minutes. Mash the rest of the grains at 125 °F (52 °C) for 15 minutes then combine with the buckwheat "porridge" and additional boiling water to stabilize at 156 °F (69 °C) for 45 minutes. Boil for 90 minutes, adding hops as indicated. Start fermentation with both the ale yeast and dregs around 68 °F (20 °C) and allow to rise to 75 °F (24 °C) over the course of fermentation. When primary fermentation is complete (2–3 weeks), rack and add 1.0 oz (28 g) of red wine soaked French oak cubes. Allow the gravity to stabilize before bottling. (If the dregs of your sour beer contain *Brett*, it may take weeks to months for the gravity to stabilize. Take gravity readings and only bottle when they stop dropping.)

Linda's Liquid)
- Cisco (Woods series)
- De Ranke (Cuvée De Ranke, Kriek De Ranke)
- Drie Fonteinen (Anything except Beersel Lager)
- Fantôme (Anything)
- Girardin (1882 Gueuze Black Label)
- Hanssens (Anything)
- Jolly Pumpkin (Anything)
- Lindemans (Cuvée René Oude Gueuze)
- Lost Abbey (Red Poppy, Cuvee de Tomme, Duck Duck Gooze, Framboise de Amorosa)
- Mort Subite (Oude series)
- Oud Beersel (Oude Series)
- Panil (Barriquée)
- Professor Fritz Briem (1809 Berliner Style Weisse*)
- Raccoon Lodge (Any Cascade*)
- Russian River (Supplication, Temptation, Beatification, Consecration, Sanctification)
- St. Louis (Gueuze Fond Tradition)
- Van Steenberge (Monk's Cafe Flemish Sour Red Ale)

An asterisk (*) denotes sour beers that contain only bacterial strains (no *Brettanomyces*).

Other Sources


There are many other sources of microbes worth considering: sourdough starters, dried bread yeast (see "Kvass Revival" in the December 2010 issue of *BYO*), kombucha, wild microbes, yogurt and your previous batches of sour beer. However, I recommend waiting to try these alternatives until after you have successfully brewed a few batches using more predictable microbe sources.


Wood Aging and Fruit

While oak barrels and sour beer are frequent partners, you can make great sour beers without one. Oak cubes, staves, or spirals are reasonable replacements, but even these are not necessary. For more information on using oak, see "Professional Barrel Aging" and "Oak Alternatives" in the January-February 2008 issue of *BYO*. Fruit too has a historical relationship with sour beer, as I wrote about in "Adding Fruit to Sour Beers" in the September 2010 issue of *BYO*.

Blending

If there is a secret to making great sour beer, it is the art of blending. Despite your best efforts some batches will be too funky, not sour enough or overly oaky. Get a few friends together, and pull samples of the beers you have aging. Ron Gansberg of Raccoon Lodge & Brew Pub lent some advice, "Tasting is key, taste for different characters (less acidic, lemony) and use them to build a sum that is greater than the individual parts." Sample each beer before you start blending, and always start with a clean glass (adjusting a blend after taking a sip will make it hard to replicate). Once you settle on a ratio, scale it up to create your finished beer. If you are blending in any beer





that had not finished souring, then leave the blend in a fermenter for a few weeks to ensure the gravity does not drop. Any beer left out of the blend can be bottled straight, or saved for another blending session.

Packaging

Sour beers can be either kegged or bottled, just like any other beer. If you rely on natural carbonation from an addition of sugar there may be a period of a few weeks or months where the beer develops odd flavors. Fortunately, given time these flavors will dissipate. For a long-aged sour beer, it is a good idea to pitch fresh yeast to ensure carbonation. I prefer to use dried wine and Champagne strains because they are inexpensive and acid and alcohol tolerant. When using dried yeast, it is important to rehydrate the cells in warm water because the low pH and high alcohol of a beer would kill many of the dehydrated organisms.

Carbonation calculations can be derived in the same way as for any beer, except in the case of barrel aged beers which tend to lose most of the residual carbonation while aging. Before bottling, taste the beer to judge carbonation deficits and adjust the amount of priming sugar accordingly. Force carbonation via a kegging system evades some of these packaging issues, but reduces the potential for long-term flavor development.

Sour Beer Tips

Split batches to produce multiple beers. The simplest way is to sour a portion of the wort from a non-sour beer. Once you have a batch of sour beer, you can add fruits, spices, dry hops, liquor/wine, or other flavoring to a portion while leaving the remainder as is.

Make friends with other homebrewers who brew sours, try their beers and have them try yours. Some of the best sours I have tasted were fermented in the basements and closets of fellow homebrewers.

Try as many commercial sour beers as you can (for inspiration and microbes) and ask questions of the brewer, if possible.

Take copious notes on the process and flavor of your beers at each step. This information will help you avoid mistakes and recreate successes.

Do not be discouraged if your first batch does not taste as good as Russian River Supplication, Captain Lawrence Cuvee de Castleton, or Cascade Bourbonic Plague — it takes experience to consistently make sour beers that good.

The methods for producing sour beers are almost as diverse as the results. Pick a method that fits your palate and brewing style and give sour beer brewing a shot. BYO

Michael Tonsmeire is a frequent contributor to BYO *magazine.*




BUILD A DRAFT TOWER

Story and photos by **Forrest Whitesides**

Getting a kegging system up and running at home is a worthwhile project for any homebrewer. However, assembling all the necessary components is rarely an inexpensive venture. If you decide to go with a mini-fridge or chest freezer as the base for your kegerator, one major cost center is the draft tower, which is the fancy-looking chrome pipe to which the dispensing faucets are mounted. A tower with a single faucet costs an average of about $75–$100 for a new "economy" unit, and the price goes up from there for fancier hardware and multiple faucet options.


But don't let that deter you, because you can build your own draft tower from PVC for a fraction of the cost of a new metal tower. The prime directive for this project is to get your system up and running as inexpensively as possible; you can always upgrade the hardware at a later date as finances allow. And with PVC, it's trivial and cheap to add additional faucets, unlike with a traditional metal draft tower. You can even make your own per-faucet drip trays for less than $5 each.

1



2






Build your own draft tower from PVC piping and save money. This project is easy to build and looks great.



3



4



5

Materials, Parts and Tools

For the Tower:

- 3-inch (7.6 cm) diameter PVC pipe (commonly sold in 2-foot/61 cm lengths)
- 3-inch (7.6 cm) PVC end cap (slip fitting)
- U.S. standard floor-mount toilet flange (4-inch exterior/3-inch interior diameter) (10 cm/7.6 cm)
- Mounting bolts, washers, and nuts (¼-inch bolts are standard)
- PVC cement
- Paint (optional)
- Foam insulation (optional)

For the faucet:

- Short faucet shank (3 inches/7.6 cm or less), or a dedicated right-angle tower shank
- Dispensing faucet and tap handle
- Shank hookup hardware (depends on shank type)
- Beverage tubing.

Tools:

- Drill with ½-inch (1.3-cm) hole saw bit
- PVC pipe cutter tool (or a hack saw or hand saw)
- Angle grinder, RotoZip or hack saw with metal-cutting blade (for straight shanks)
- Hand file (optional)

Tower Pieces

The body of the tower is composed of a PVC pipe, a flange and a pipe cap (photo 1). There are quite a few options for capping the draft tower (photo 2). The default option is to use a 3-inch (7.6 cm) rounded PVC pipe cap ("slip fit," which means it's not threaded and just slips on the pipe). There are also 3-inch (7.6 cm) flat-top slip-fit pipe caps, 3-inch female adapters (one side is slip fit and the other is female pipe thread) and 3-inch (7.6 cm) threaded flush-fitting drain plugs. And of course there are also similar drain plugs with the square nipple on top. You can also opt for a "test cap," which fits directly into the end of the pipe and sits perfectly flush. There are other options, but the above are more than adequate and all are relatively cheap (under $5).

Measure, Cut and Fit

Draft towers come in a range of heights

and widths, with 12 inches (30 cm) from mounting flange to the top cap and about 3 inches (7.6 cm) around being typical. You can build your tower shorter or taller than this, depending on your specific situation.

Keep in mind that the flange will elevate the pipe between 1 and 2 inches (2.5 and 5.1 cm) above the kegerator, but will also require about 1 inch (2.5 cm) pipe insertion for a snug and sturdy fit. So make sure you measure and mark the pipe height with one end fully inserted in the flange. Also, all but the "test cap" pipe fitting will add to the overall height.

Use hacksaw or PVC cutting tool to cut the pipe to length. If the cut isn't perfectly even and level, don't worry because both ends of the pipe will be hidden from view by the flange and the end cap (unless you opt for the test cap, in which case you will need to be a little more careful when cutting). You can also file down higher edges to make the cut more level, if desired.



6

Drill, Baby, Drill

With the three tower components fit together snugly, consider where you want the faucet to be mounted. If you plan to do multiple faucets, figure out how you want them arranged and experiment with the shanks to make sure everything will fit as you have imagined it. Many single-faucet towers have the mounting holes about 1 to 2 inches (2.5–5.1 cm) below the bottom of the cap.

Typically, with two or three faucets, the mounting holes are put at different heights to make sure there is not an internal space conflict with the shanks, fittings, and tubing. With most types of the smaller right-angle shanks, you have the option to fit two faucets side by side at the same height.

Mark the hole(s) center with a Sharpie or similar marker (photo 3), and drill a pilot hole. A ⅛-inch bit is fine for this. The pilot hole gives the hole saw's guide bit something to grab onto. This is not necessary, but it only takes a few seconds, and helps to keep the guide bit from wandering when drilling starts. The hole saw will make a nice ½-inch (1.3 cm) hole that is a snug fit for


7

Make your own cheap drip tray

While you're at the store picking up the parts for your new draft tower, you might as well spend an extra $4 and get the parts for a nice drip tray. There are a few different ways you could go, but the easiest, cheapest, and best-looking option I've found is a combination of two parts: a 4" PVC flat-top drain cap (slip fit) and a 4" PVC drain grate. At my local big-box, both the cap and the drain grate were $1.75. Simply turn the cap upside down and set the grate into it. Done! It's a nice round drip tray that not only is easy to clean, it can also serve as a pint glass holder while pouring.

For bonus points, paint the drip tray for a nice finished look. I painted the cap black and the grate metallic silver (see the photo on page 43). Make sure the paint is fully cured before using.

straight shanks (photo 4). If you intend to use the more compact right-angle shanks that are designed specifically for draft towers, check the diameter, as some of them require a larger hole.

Shank It Up

By far, it is much easier to go with a shank that was designed for a round draft tower. Just pop it through the hole and tighten the nut on the inside or follow the mounting instructions that come with it (photo 5). But you can save about $15 if you go with a standard 3-inch (7.6-cm) shank designed for mounting on flat surfaces.

The 3-inch (7.6-cm) shank is a little too long to accommodate a tail piece, wing nut and tubing. So I cut mine down with my trusty RotoZip and a metal cutting wheel. You could also use an angle grinder, a Dremel with an EZ-Lock metal cutoff wheel or even a hack saw with the right blade. Be sure to wear safety goggles when cutting metal.

After cutting the shank to size, you may need to use a ½-inch washer as a spacer to allow the shank nut to tighten fully against the inside of the tower. If you go the cheaper route, save yourself a lot of time and frustration by using a tailpiece with a 90-degree hose barb. A straight tailpiece is going to make for a much tighter fit in an already cramped space. Whatever type of shank you use, do a full fitting to make sure everything is spaced properly before painting.

To Glue, Or Not To Glue

The top cap should not be glued to the tower. You will need to remove it to gain access to the shank to change tubing in the future, or perhaps you will

BREW DEPOT
BEER & WINE BREWING SUPPLIES

- Outstanding Customer Service
- Huge Product Selection In 3600 Sq. Ft. Store
- Experienced Award Winning Staff & Recipes
- Brewing Classes In A Dedicated Training Facility
- Same Day Shipping On Most Orders

View all of our products online or call us toll free (877) 450-2337

www.Brew-Depot.com

10595 Old Alabama Rd. Connector Alpharetta, GA 30022 Monday-Friday: 10-6 Saturday: 9-5

ANNAPOLIS HOME BREW

$7.95 Flat-Rate Shipping!

Orders to 'lower 48' only
See our website for details

GREAT BEER KITS

Tested & proven exclusive AHB recipes.
Top-quality ingredients - we don't skimp!
Fresh kits - measured & packed for you.
70 available - Extract, Partial, & All-Grain

Wide range of top-notch kits in stock.
All available with Flat Rate shipping!
Seasonal & Limited Edition wine kits.
Many options on beginner equipment.

GREAT WINE KITS

Open 7 Days - Secure Online Ordering

800-279-7556

www.annapolishomebrew.com

want to add another faucet at some point. A properly seated cap will have a snug fit and will not come off during typical usage.

You may, however, want to glue the tower to the flange base. Depending on which brand or type of flange you end up with, the fit may not be tight enough without glue to hold it steady during use. If you decide to glue the tower to the flange, follow the instructions on the PVC cement can to ensure a nice strong joint. Cement the pieces together before you paint.


Paint It Black


Adding a little paint to the tower is optional, but is also a cheap and easy way to class it up a bit, or make it match your serving area better. The most obvious color that comes to mind is silver or some sort of metallic finish. However, I have found that most metallic paints that work with plastic do not look very realistic once applied. Of the brands that I tested, the one that looks the most realistic is Valspar's "Brilliant Metal" series (I tested 66010 Silver). Therefore, I chose to go with lightly-glossed black paint for the majority of the finish, instead. I used Rust-Oleum "Specialty Plastic" paint (211338 Black).

Clean all parts to be painted prior to spraying. You may or may not need to prime the PVC first (check the label on your paint). Two coats, at least, is a good idea (photo 6). The paint may take some time to dry enough to be handled for reassembly. If the tower or any fittings feel tacky to the touch at all, give it some more time (sometimes a few days) to fully cure.

Now to reassemble. Refit your dispensing hardware first (photo 7). Then connect the pipe, flange and cap. Your new draft tower is now ready to be secured to your kegerator. (The process for this will vary greatly depending on the kegerator type and size.) When you purchase your PVC flange, take it over to the nuts-and-bolts section of the store and size out some proper fastening hardware. BYO


Forrest Whitesides is a regular contributor on the Final Gravity Podcast.






HOME BREWPUB

Photos by **Brian Evans**







Every homebrewer dreams of their own dedicated space for brewing and entertaining. For Anaheim, California homebrewer Bradley Daniels, that dream came true in a big way three years ago when he and his wife bought a circa-1924 home in the historic district of the city with plans to restore it. The garage was inaccessible to a car due to a large stone wall built through the middle of the driveway, so the space was up for grabs — as a brewery.

"I had always dreamed of having a space to brew my homebrew and this was the perfect opportunity. After lots of visions we finally settled on our design," he said, which features a tap room, a fermentation refrigeration room and even a small gentleman's room (bathroom).


"I'm not a beer geek by any means," he claims. "I consider myself more of a beer ambassador. I'm all for promoting the hobby, no matter how big or how small — it's a blast." Homebrewers, welcome to Peace Brewing!





TOP: Bradley designed his 10-gallon (38-L) brewing setup to be easy to use while eliminating as much extra space as possible. He rigged his lauter tun up to an electric hoist, which moves the tank up and down at the push of a button, to eliminate the need for two burners. The brew kettle that he is standing in front of in this photo fits under the shelf beneath the white mash tun when not in use — leaving more space in the brewery/tap room for welcoming guests.


BOTTOM: Bradley has been brewing for more than 20 years. He is mostly an ale brewer, as he doesn't yet have the facility to lager, although he is considering adding a chest freezer to the homebrewery. But that doesn't mean there's any lack of beer. He estimates that he's brewed about 24 times in the past year and is constantly out of beer — although that's because he likes to entertain. He has welcomed many people to his homebrewery, including local homebrew clubs, who of course drink all the beer.






TOP: Behind the taproom/brewery is a fermentation room, which Bradley keeps at around 70 °F (21 °C) year round with a small air conditioner. This room also houses all of his grains, a rack for aging bottles with caged corks and most importantly a reach-in refrigerator with the kegs for the taproom kegerator (beer and soda) as well as glassware and miscellaneous bottles.

BOTTOM: In this photo, you can see the taproom with the bar, as well as the brewing setup and the fermentation room. The window between the fermentation room and the taproom is double glazed for better temperature regulation in the cool room. There is a flatscreen TV behind the bar and the walls are decorated with antiques and beer memorabilia from the 30s, 40s and 50s — including the lamp over the bar that was originally a gas lamp, restored and then wired for electricity.





TOP: Bradley keeps four beers on draft in the taproom at all times, including a stout that is dispensed on nitrogen (far right tap). Deceivingly streamlined and uncluttered, Peace Brewing also boasts features that only homebrewers can appreciate. For example, his draft system is run on a central CO_2 system with two regulators — one for charging kegs and the other for the beer gun. The brewery also has its own hot water tank, which he keeps at 150 °F (66 °C) to make heating water faster and cleaning up easy.

BOTTOM: There's lots of room to hang out, homebrew and enjoy a beer at Peace Brewing if you're in Anaheim. Between space in the taproom and a big backyard, he has been able to host groups with as many as 60 and 80 people at a time. Want a personal tour but can't stop by? Check out Peace Brewing on YouTube: www.youtube.com/watch?v=h3CzYqWRAhs (BYO)

BUILD A HOME BAR

Story and photos by **Christian Lavender**



As homebrewers, we put so much time, effort and care into making our beer — shouldn't we put the same into serving it? Serving beer in bottles lets you get creative with labels and names, but what about those of us who want beer on draft in our home? Home bars can run the gamut from a simple and easy construction project to an elaborate and intricate one. I chose the latter, taking the opportunity to kick it up a level and build the ultimate homebrewer's bar.

Barstorming

I wanted my home bar to cater to my homebrewing needs. I wanted it to seat at least four people, have cold storage for hops and yeast and a triple tap draft system — plus tons of storage for glassware, brewing books and bottled beer. Finally, it needed some sort of additional wow factor. I chose to display the beer color range in rows of grains on the front side of the bar and have a bar top pictograph explaining how to brew. I knew I shouldn't rush into the build without a little research, so I hit the internet, which is flooded with woodworking forums and bar plan websites. After looking at multiple styles and weighing my options, I decided on a simple straight style bar about 6 x 2 x 3.75 feet (1.8 x 0.61 x 1.1 m). The bar would need armrests and foot rails. An assortment of wood would be needed for framing, moulding and shelving. Adding the draft system, refrigerators and epoxy bar top, I could see this was a huge project already, but it was for a good cause — a place for homebrew worship.

Frame

Looking at all of the raw materials lying on my garage floor, I realized this project's success was going to be largely based on my measuring and woodworking abilities. I started with some 2x4s to lay out a base frame for the bar. I cut them using my compound miter saw — although a regular chop saw would work here, too — to the following lengths:


Four 6-foot/1.8-m 2x4s
Twelve 25-inch/0.64-m 2x4s
Eight 43½-inch/1.1-m 2x4s

I set up a pilot screw jig on a folding table and started drilling holes in pairs for the small interior framing 2x4s (25-inch/0.64-m). Only eight of the twelve boards needed the two sets of pilot holes on each end. I continued with pilot screw holes in the four 6-foot (1.8-m) 2x4s, drilling the same pair of holes on each end. Now I was ready to start putting the frame together. I laid out two of the 6-foot (1.8-m) 2x4s parallel and two of the small interior framing 2x4s (2-inch x 4-inch x 25-inch) with no drilled holes on the ends and screwed the pieces together. I used a small amount of wood glue on all joints just as additional support.

I next measured out the dimensions for the kegerator and shelve sections. The kegerator would need 25⅞ inches (0.66 m) of width clearance and the rest would be the shelve sections divided equally on either side. I dropped in my smaller 2x4 supports with pre-drilled pilot holes with the interior 43½-inch (1.1-m) 2x4s sandwiched in between. The width of the inside edges of these 43½-inch (1.1-m) 2x4s was measured out to give me my necessary kegerator clearance width of 25⅞ inches (0.66 m). I screwed everything down and moved on to the exterior 43½-inch (1.1-m) 2x4s. Making sure the boards were level and square, I screwed the boards on from the outside of the frame with 2½-inch construction screws and some glue. I clamped the ends and let the glue dry for a few hours. Once dry, I flipped the frame over and repeated the same steps for an identical frame on the bottom of the bar (photo 1).

The next step was to add bottom boards and interior backer boards. I used a skill saw, tape measure, L-square and a pencil to take my measurements and make my cuts. Right and left bottom boards were cut to 28 x 22 inches (0.71 x 0.56 m) and the center bottom board was cut to 28 x 25 inches (0.71 x 0.64 m). I tacked them in using a finishing nail gun and 1.5" brad finishing nails.

Interior side walls came next, and I made my cuts for the six panels needed. Left and right interior wall boards were cut 36 x 28 inches (0.91 x 0.71 m) and because the inner wall support beams are not set as wide as the outer



The frame of the bar is constructed from 6-foot, 25-inch and 43½-inch 2x4s.



To avoid a surprise later, be sure to test fit the kegerator early in the construction.



The interior walls and shelves are made of medium density fiberboard (MDF).



Victorian-style baseboards add a touch of class to the homebrew bar.

Supply List	QTY
Triple Faucet Built-in Stainless Steel Kegerator	1
1⅞-Cubic-Foot Built-In Refrigerator	1
Traditional Wooden Bar Arm Rest Moulding (Oak) — 8 feet (2.4 m)	2
Base Moulding (Back) — 7 feet (2.1 m)	1
Base Moulding (Front/ Sides) —14 feet (4.3 m)	1
Grain Frame Moulding — 8 feet (2.4 m)	4
Panel Moulding	1
2x4s — 8 feet (2.4 m)	14
Embossed Moulding — 8 feet x 2 inches x 9/16 inches (2.4 m x 5.1 cm x 1.4 cm)	1
¾-inch Medium Density Fiberboard — ¾ inch x 49 inches x 97 inches (1.9 cm x 1.2 m x 2.5 m)	1
½-inch Medium Density Fiberboard (Shelves) — ½ inch x 2 feet x 4 feet (1.3 cm x 61 cm x 1.2 m)	3
Hardboard — 2 feet x 4 feet (0.61 m x 1.2 m)	1
Hardboard — 3/16 inch x 48 inches x 96 inches (5.6 cm x 1.2 m x 2.4 m)	1
Glass — 24 inches x 36 inches (61 cm x 91 cm)	2
Brushed Stainless Steel Bar Foot Rail Tubing — 2 inches x 2 feet (5.1 cm x 0.61 m)	1
Brushed Stainless Steel Bar Foot Rail Tubing — 2 inches x 4 feet (5.1 cm x 1.2 m)	1
Bar Rail Bracket – Brushed Stainless Steel	3
Flush Flat End Cap – Brushed Stainless	2
Steel Internal Splicing Sleeve	1
Custom Vinyl Graphics — 6 feet x 2 feet (1.8 m x 0.61 m) (BuildASign.com)	1
Stain (Dark Walnut)	1
Pipe Insulation	1
1½-inch diameter PVC – 12 inches (30 cm)	1
1½-inch Flanges	2
Fasteners, Screws, Nails	Various
Surge Protector	1
Shelf Supports	12
Kleer Koat Bar Top Epoxy (2 Gallons)	1
Tap Boards	3

Tools

Compound Miter Saw
Skill Saw w/ Fine Finish Circular Saw Blade
Dremel w/ Rotary Tool WorkCenter
Finishing Nail/Staple Gun
Power Drill
Drill Bits
Biscuit Joiner
Pilot Hole Jig
Glass Cutter
Sander
Squeegee
Foam Brushes
Staining Pads
Graduated Mixing Tubs
Stir Sticks
Propane Torch
Striker
Protective Eyewear
Gloves
Mask
Wood Glue
Bar Clamps
Painter's Masking Tape
Hammer
Hack Saw (Door Jam Saw)
Tape Measure
L-Square Ruler
Level
Scraper
Folding Tables (or Saw Horses)
Wood Filler
Sandpaper
Pencil
Silicone

boards, I cut four boards to 36 x 25 inches (0.91 x 0.64 m). I tacked the boards in using the nail gun.

At this stage, make sure the draft refrigerator fits with adequate clearance (photo 2). My kegerator is built for under-counter use and requires adequate space and ventilation, so I designed the bar to allow the kegerator to expel hot air around and through the shelf sections. The center support beams and interior walls leave a two inch space to allow great circulation of air to keep the refrigerator cool.


Trim and Moulding

Next, it was time to add the exterior panels and trim with cutouts for the grain frames. I had the guys at the hardware store cut my panels into 4-foot x 4-foot (1.2-m x 1.2-m) sections, which made them easier to handle. With my skill saw, I cut two panels for the sides to 43½ x 28 inches (1.1 x 0.71 m). My front panel was split into two sections both measuring 37½ x 44 inches (0.95 x 1.1 m). I added a support 2x4 behind where the two panels meet. This gave me something to nail the panel into and make an unnoticeable seam.

On each panel, I measured down 10 inches (25 cm) from the top and then 4 inches (10 cm) from the right side on the right panel, and 4 inches (10 cm) from the left side on the left panel to make my jig saw cuts for the frames. The openings measured 21 x 27 inches (0.53 x 0.68 m). When the cuts were completed, I nailed the panels down with the finishing nail gun and the 1½" brad nails.

Shelves were needed next, so I measured three shelves at 25 x 21½ inches (0.64 x 0.55 m) using the medium density fiber board (MDF) and cut using the skill saw (photo 3). I had some decorative moulding for the front side of these shelves, so I nailed them on. I didn't get very precise with my shelf heights, but I did use a level when mounting the shelving brackets. (You can always come back and punch out a few new holes if you need to raise or lower them in the future.)

The same moulding I used for the fronts of the shelves was used for the







A jig for the Dremel is used to router the grain frame to accept the glass panes.



The two slots are spaced far enough apart that one layer of grain will fit between.




Before staining the wood, the glass is test fit into the grain frame.




The grains were slid between the glass panes using rolled paper as a funnel.




One of the finished grain frames, showing a range of malt colors.



A biscuit joiner was used to join the mouldings used as the armrest on the bar.



A makeshift clean room was prepared for applying epoxy to the bar top.



The finished surface, clear and free from bubbles, after 24 hours of curing.

corners of the bar to cover where the decorative panels met. These mouldings were in the shape of an L and were cut to 36½ inches (0.93 m). I chose some Victorian style baseboards (photo 4) for the front and sides of the bar due to their height. I would be adding a foot rail later in the build and needed a baseboard with at least 6 inches (15 cm) height for mounting the foot rail brackets. Here's where you really need a compound miter saw. I measured out a 77-inch (2.0 m) section and two 28.5-inch (0.72 m) sections. I made some 45 degree cuts using my measurements as the long side of the cuts and glued/nailed them into place. To get a nice smooth corner, I used stainable wood filler, let it dry and then sanded it.

Grain Frames

Now I needed to get started on the grain frames. I wanted four vertical columns of different colored grains in each frame between two layers of glass. I chose to do this, so I could light up the grains from the inside at some point if I wanted to. Otherwise you can just create a top layer of glass and a solid backboard.

I took some of the decorative grain frame moulding and measured out enough wood for two 30 x 24 inch (76 x 61 cm) frames. These are the long side measurements after you make your 45 degree cuts using the compound miter saw. Not having a router, I set up a Dremel tool in a rotary workstation (photo 5). This let me use the Dremel as a router with a special ⅛-inch wood routing bit. I wanted to groove out two channels in each piece on the inner side of the frame to allow the glass to slide in, but leave enough room in between for one layer of grain (photo 6). I set the Dremel bit height for a 1/16-inch (1.6 mm) deep groove and started my routing. (You may need to tweak this measurement depending on your glass cutting precision.)

I bought some glass panels and a glass cutting kit that had a wax pen, glass cutter and cutting oil. Handling glass is never one of my favorite activities. I wore protective eyewear, gloves and made sure to take off my flip flops

and put shoes on. I never thought cutting glass was going to be a big deal, but boy was I wrong. I needed four 18 x 24 inch (45 x 61 cm) panes of glass, which meant all I needed to do was cut my 36 x 24 inch (91 x 61 cm) panes in half. Sounds easy right? Wrong. I spoke with a guy at the hardware store and he mentioned that the heat (111 °F/ 44 °C that day) was going to make cutting glass with a clean edge almost impossible. After four botched attempts, I really took my time and made sure to clean the glass front and back with window cleaner where I was going to make the cut. Finally I snapped the correct sizes and victory was mine.


I sized the glass in the frames before connecting all the frame pieces (photo 7). Using a biscuit joiner, I made cuts on all the frame ends with #10 biscuits and started constructing a framing jig. I threw some 2x4s together, so I could glue my frame together and slide it into the jig to dry. (You can also use a framing clamp or regular bar clamps for this.) I left off a side piece of the frame, so I could slide in the glass and grains after the three sides finished drying.


Next, I stained all of the frame wood, so I wouldn't need to mask it off later. Once the stain dried, I slid in my glass and measured out four 6" sections with tape. I started to add in my grains. Rolling up a piece of paper to make a small funnel seemed to work well navigating the grains down into their final resting place (photo 8). This was time consuming. After the last grain fell in I was able to glue down the last frame side to seal everything together (photo 9). (I had help picking out the right colored grains from Dave, Luke and Christian over at Austin Homebrew Supply. Thanks guys!)

Bar Top

For the bar top, I took a piece of ¾-inch MDF and cut it to 71¾ x 27 inches (182 x 69 cm) using my skill saw. Next, I cut my front side arm rest at 45 degree angles to measure 77¾ inches (197 cm) on the long side. I made matching 45 degree cuts for the left and right side arm rails and cut them to 30¾ (78 cm). The biscuit joiner came in handy again for cutting nice slots out







Insulated PVC pipe between the kegerator and draft tower keeps the beer cold.



Erasable tap handles make labeling the beers on tap a snap.



A stainless steel footrest is screwed into the frame 2x4s for adequate support.



The bar stores a variety of homebrew essentials — from ingredients to books.

for #20 biscuits (photo 10). I lined up the armrests on the bar top, glued and clamped the pieces together.

You may have to use shims (I used biscuits) to level out your bar top and align your arm rails. I used stainable wood filler on the corner joints, let it dry and then sanded.

I wanted the bar top to have some sort of teaching element, so I mocked up some step-by-step brewing graphics, had them printed out by a local company (Austin Graphics), and I was able to pick up a 6 x 2 foot (1.8 x 0.61 m) adhesive vinyl banner within a few days. The top needed to be covered in an epoxy coat to seal in the graphics and protect the bar top from spills. I had to construct a clean room using plastic tarps and also had to shut off the air conditioning vents to limit particulates in the air (photo 11). Layering epoxy on the bar is a long multiple step process, but anything with a blow torch as a required tool seemed fun.

Any dust, hair, insects, etc. that hit the epoxy will stay in the epoxy forever, so I had to clean the room thoroughly before I started. I gathered my tools which included the Kleer Koat resin and hardener, measuring buckets, squeegee, sponge brush, stir stick and propane blow torch, and headed into the clean room. The first layer of epoxy is called the seal coat and only required a small amount. I poured together equal parts of resin and hardener and waited four hours for this to dry. This coat is just to seal everything and pull out any small oxygen bubbles on the surface of the graphic and wood top.

The next coat is called the flood coat. Use the same mixing ratio of resin to hardener depending on your square footage and mix, mix, mix. Mixing for this took around ten minutes using a painting stir stick. Your wrists get tired, but this is the most important part of the job. You have to slowly mix the epoxy without whipping the mixture. Air bubbles at this point are bad things. (The propane torch is to get rid of small bubbles after the epoxy is poured.) The mixture has a haze in the beginning, but after about ten minutes of mixing, it clears up, indicating that it is ready. After just one flood coat and 24 hours to cure, the bar top looked great (photo 12).

During this drying time, I started staining the rest of the bar. I used a combination of staining pads and sponge brushes to get into small places. When it was time to put the bar top pieces together, a buddy and I placed the bar arm rest on the ground upside down and placed the bar top in. I nailed the bar top into the arm rest from underneath so you could not see any nail marks on the top side. Once this was completed, we put the bar top back onto the bar frame and I drilled a hole for the tower. The hole diameter measured 2⅛ inch (5.4 cm) and was centered using the instructions in the kegerator manual — 12 inches (30 cm) from left to midpoint, 12 inches (30 cm) from right to midpoint and 12.5 inches (32 cm) from front to midpoint.

Tower

From the draft tower down to the kegerator is a 7–8 inch (18–20 cm) gap, so I mounted a couple 1½-inch flanges, one on the kegerator and one on the underside of the bar top. (I already had a few of these and they were cast iron, but if you can find plastic that would probably work better.) These are most commonly used in sprinkler irrigation systems and pool pumps. Between these two flanges I ran a piece of 1½-inch PVC pipe and insulated it with HVAC insulation (photo 13). Next I slid the beer lines down the PVC and into the kegerator, aligning the tower on the bar top. I marked the tower holes and drilled some pilot holes for the bolts that came with the draft tower assembly. The bolts went into the tower through the bar top and flange and were secured with a washer and hex bolt. Unfortunately, the pre-drilled holes in my flange did not align with the pre-drilled holes in my tower, so I had to drill new holes. I used a little WD40 as lube and drilled down through the cast iron with a metal bit, roughly the same diameter as the bolts. I used plastic gaskets with the flanges and on the bar top tower to seal everything together. The final touch to the tower was three Tap Boards: chalkboard, white and black dry erase

(photo 14). These let me write and erase my homebrew names as needed.

Final Touches

A bar just isn't complete without a footrest, so I ordered 6 feet (1.8 m) of brushed stainless steel tube, rail brackets and end caps. The rail brackets required a few pilot holes to secure the footrest to the bottom of the bar. I drilled through the moulding and framing, tightened the brackets, slid in the tube and capped the ends (photo 15).

The kegerator I purchased came with an air tank, 3-way air distribution valve, and beer and gas line fittings to dispense beer out of three kegs. This means all of the kegs are under equal pressure. I like to keep my air system simple, but you could purchase two or three valve regulators that would allow you to control the amount of pressure in each keg. I have a few other systems in my garage that I use for force carbonating, so the CO_2 saturation is set before the kegs enter the house.

My hops and yeast went into the mini-fridge and the temperature was set to 33–38 °F (0.5–3.3 °C). Avoid freezing the yeast as ice crystals will rupture the yeast cell walls. The mini fridge is a great place to store your harvested yeast, starters and any bugs you happen to be culturing.


Under the mini-fridge, I used the shelf space to store my grains. I was able to fit a full bag of 2-row and a few other bags of mixed grains. Enough grain to brew around 25 gallons (95 L) of beer. On the remaining shelves I stored some brewing books and magazines, an assortment of glassware and other brewing equipment that never had a good home until now (photo 16).

The bar has reached completion and is ready to enjoy. I pushed my woodworking skills to their limit, but this project was a lot of fun. I already have a wish list of additional features I will add in the future like a built-in yeast stir plate, hop scale and under-counter lighting. BYO

Christian Lavender is a frequent contributor to Brew Your Own. *He is the founder of homebrewing.com and lives in Austin, Texas.*



Build Your Own Brewery!



A special re-print from the sold out November 2007 issue of *Brew Your Own*. Build your own single-tier, all-stainless brewery! In this piece we lay out everything you need to construct your own Brutus Ten brewing system, a 10-gallon (38-L) semi-automated, completely awesome work of brewing art. Includes a detailed materials list with pricing, step-by-step diagrams, photos of the construction in progress and diagrams on how to use the system. Just $3.00 each (plus postage).

Order now by calling
(802) 362-3981 ext. 106
or online at:
www.byo.com/store

Story by **Dave Louw**

NO SPARGE BREWING



My quest to brew a flavorful but quaffable session ale was coming up short. I was getting wonderfully high extract efficiencies, near 90%, but my ordinary bitters, milds and Scottish ales were coming out watery and bland.

Then, in the spring of 2008, I had a homebrew-life-changing experience with an ordinary bitter I judged in the first round of the National Homebrew Competition (NHC). The depth of malt character far surpassed anything I had been able to achieve, while the beer remained dry and highly drinkable. It was clear this was not just crammed with crystal malt. There was something I was missing.

I later found out that the beer won first place and was brewed by none other than Jamil Zainasheff (*BYO*'s "Style Profile" columnist and coauthor, along with John Palmer, of "Brewing Classic Styles" (2007, Brewers Association).) This was extremely fortunate because I had brewed his exact recipe several times, so it meant there was either something different with his technique or ingredient sources. Ultimately, through an email exchange, I narrowed it down to a significant efficiency difference. In his book, Zainasheff did not just pick a 70% efficiency target to provide a common standard; he felt the beers were noticeably better compared to those brewed with extract efficiencies in the mid-80% range and higher.

Hearing one of my homebrew idols poo-poo the common practice of chasing high efficiency totally changed my approach. In the following year I researched, experimented with, and refined my technique to consistently hit around 70% efficiency. Ultimately I settled on no-sparge lautering as the key. Everything came together for NHC 2009 when I entered my vastly improved ordinary bitter and won first place in the Southwest region. Since then I have used this technique on nearly all my beers and seen a significant increase in malt aroma and flavor complexity.

What Is No-Sparge Lautering?

Lautering is simply the process of separating the wort from the grains after mashing. Historically, commercial brewers discovered that if they sparged (rinsed) the grain bed with additional water during the lauter, they were able to get a higher yield of fermentable sugar from the same amount of



Photo by Denny Conn

No sparge brewing simplifies your all-grain brew day by just draining a mash similar to this photo all at once into your boil kettle with no additional step of rinsing grains with more water, as in batch and fly sparging.

grains. This increased efficiency improved profits and so became standard practice for the vast majority of breweries.

Fast forward to recent times and you will see that homebrewers commonly use either continuous or batch sparging when brewing all-grain beers. Continuous sparging directly scales down the commercial practice of adding water to the top of the grain bed while simultaneously draining wort from the bottom. It can be tricky to do consistently as matching flow rates, avoiding channeling and repeating the process identically batch after batch requires practice and/or specialized equipment. The pragmatic alternative of batch sparging instead involves adding water and draining the grain bed two or more times in sequence.

No-sparge brewing is just what it sounds like. You entirely skip the sparging step and just drain the wort from the mash into the boil kettle. While that sounds simple — perhaps even lazy — the benefits are numerous.

Why No-Sparge?

The primary reason I switched to no-sparge lautering was the flavor difference, especially in lower-gravity beers. When compared side by side, I perceive a greater intensity of fresh malt character from beers I brew without sparging. By that I mean that the beer has an aroma and flavor that matches the aroma you experience when you open a new sack of malted grain. Surprisingly, this comes without the beer being perceptibly sweeter or more viscous, as you would get from adding large amounts of specialty grains.

I have yet to see a good explanation for why this is the case. Perhaps the uniformly higher gravity of the wort prevents some level of tannin extraction that comes from sparging. Maybe there is some difference about the first compounds that are extracted compared to those extracted during the tail end of rinsing. I just know what my taste buds and other drinkers tell me they perceive in the finished beer. Despite the added ingredient cost, there is at least one commercial beer produced this way — Kirin Ichiban.

Beyond the improvements to the beer, there are several practical benefits to no-sparge brewing. No-sparge brewing is simpler — you don't need to worry about matching the inflow rate of your sparge water with the outflow rate of your wort. No-sparge brewing also requires less equipment — you don't need a separate hot liquor tank (or HLT) or a sparge arm to deliver the sparge water.

This approach can save time too. While there are ways to speed up continuous sparging, it often takes 30–60 minutes depending on your target volume. With batch sparging you need to add water, stir and recirculate for each "batch" (usually there are two). No-sparge lautering skips all of this in that you simply recirculate and then drain as quickly as you possibly can without sticking the mash. Of course, if your burner takes a while to heat up your runoff to boiling, this time saving may be moot.

In terms of difficulty, no-sparge is easy to do consistently and correctly. When I first started brewing all-grain, I was overwhelmed with all the variables in the process. Did I miss my gravity because I was having channeling? Was I sparging too quickly? With no-sparge brewing there is one less step to go wrong. With fewer variables in the process, there is subsequently less variability in the output. I consistently get 68–72% efficiency with beers in the 1.032 to 1.050 SG range. As the gravity goes up, the efficiency drops in a very predictable way.

From an equipment standpoint, no-sparge brewing means that you can skip the hot liquor tank and associated burner. Because you do not need to store sparge liquor while draining from the mash, the boil kettle is the only heatable vessel you really need. Additionally, the fluid mechanics of no-sparge brewing mean that, as with batch sparging, you can use a simple slotted manifold or braided hose rather than a more costly false bottom. In fact, an ideal setup is a large cooler with hose braid or manifold, a boil kettle and a burner. Set up the vessels on two levels so you can use gravity to transfer the wort.

Step by Step

Applying the no-sparge technique couldn't be easier. Start off by calculating how much water you need. While some homebrew sources warn against using a thin mash, there are actually some benefits. My experience matches what Kai Troester's experiments (seen at braukaiser.com) have shown: a thinner mash of 2.5 quarts of water per pound of grain (5.2 L/kg) or higher results in better conversion with no real drawbacks. In the interest of simplifying the process, add all your brewing liquor up front during the dough in.

There is no mystery or magic in figuring out how much water you need. Water added to the mash tun ends up in one of three places: in the boil kettle, pooled in the dead space in the tun or absorbed in the grain. To determine your total, you simply add up each part. My target pre-boil volume for a sixty-minute boil is 7.25 gallons (27 L). My mash tun has a dead space of about 1 quart (~1 L). That just leaves the water absorbed by the grain bed. An approximation that has served me well is that one pound of grain absorbs one half of a quart of water (roughly one liter of water per kilogram






of grain.) So, for a beer recipe with 12 pounds (5.4 kg) of grain, I expect 6 quarts (5.7 L) of water to be absorbed and lost. Adding that all up for the theoretical batch on my system totals 9 gallons (34 L) of water.

Heat the entire volume of water to the desired strike temperature and transfer to your mash tun (or heat directly in your mash tun if possible.) Dough in and mash as usual. For my setup, I mash in a stainless kettle and so I need to heat and stir a few times to maintain my desired temperature, regardless of mashing technique. Doing this has the side effect of evenly dissolving the sugars throughout the brewing liquor. If you do not normally stir, you will want to do so at least once at the end of the mash to get the sugars mixed evenly. Recirculate a few quarts as usual until the wort runs clear.

Now comes the easiest part. Simply open the drain valve on your mash tun and let it transfer as fast as you want without getting a stuck mash. Just as in batch sparging, the actual speed is irrelevant because you are not rinsing, you are simply separating the wort from the spent grains. At this point, you should have the desired pre-boil volume and you can proceed with the rest of your process as usual.

Since your entire pre-boil wort volume is in the mash tun, you can easily check to see if you hit your target specific gravity by sampling wort from the mash tun. Once you get a negative iodine test, stir the mash and let it sit for a minute (to let the grain solids settle out a bit), then take a specific gravity reading. Your pre-boil gravity should be $C_p=(C_tV_t)/V_p$ (where C_p is pre-boil specific gravity, C_t is target specific gravity, V_t is target post-boil volume and V_p is pre-boil volume). If you have not reached your pre-boil gravity, let the mash sit and sample again after 5 minutes. You may be able to save extra time by not needing to mash for a typical 60 minutes.

One variant on this procedure is to retain enough water from your total water volume to perform a mash out. Before running off the wort, transfer the last bit of (boiling) water from your kettle to the mash tun. Stir the mash,





then recirculate after about 5 minutes. In addition to the usual benefits of a mashout, this can save you even more time, as you will be heating your wort from 170 °F (77 °C) to boiling instead of mash temperature to boiling.

The Drawbacks

Of course, if no-sparge brewing had no downside, brewers would never have developed the techniques and equipment to sparge, nor would they invest the time and energy on each batch. The obvious drawback is lowered extract efficiency. On a commercial scale, a 70% efficiency would be a big hit to profitability in what is a very competitive industry. A jump to 90% efficiency means a brewer can use roughly ¼ less grain. This is true on the homebrew scale as well, but in the grand scheme of things our costs are often less critical.

Since you need to use more grain and because you will put all your brewing liquor into the mash tun up front, your mash tun capacity can be an issue. A 10-gallon (38-L) cooler at 70% efficiency is able to make a 6-gallon (23-L) batch at 1.052 gravity when filled to its maximum. To increase the gravity, you can decrease your batch size to 5 gallons (19 L) and get closer to a 1.076 batch. Or, if you upgrade to a 15-gallon (57-L) mash tun, your possibilities are practically limitless for six gallon batch sizes (a back of the napkin calculation shows something around 1.115 using 35 lbs./16 kg of grain.)

Another problem with having all the water in your mash up front is that if you like to do step mashes you have got more thermal mass to deal with. This will require either more heat or time to bring the mash up to the next step. I personally do not do step mashes, so this has not slowed me down.


The final drawback is a bit more subjective. Brewers typically fine tune recipes without the effects of no-sparge brewing in mind. Skipping the sparge can lead to a beer that is out of balance. For example, I have had trouble getting that slightly tannic roasty character that I like in dry stouts. Instead, the subtly nutty and biscuit-like Maris Otter base malt masks. The solution is to adjust the amounts or types of grains. Consider switching some or all of your Maris Otter base malt for a domestic two-row, perhaps. Dial back crystal malts. Or, simply brew these beers using either continuous or batch sparging.

Conclusion

Whether or not you decide to switch all your beers to no-sparge lautering, this can be a useful trick to have in your brewing repertoire. Consider pulling it out when you want to make a tasty beer that doesn't knock you over with an alcohol punch or weigh you down with excess calories. Or, try it to save time and simplify your process. BYO

This is Dave Louw's second article for Brew Your Own *magazine.*

ADD A VALVE TO ANY POT




KettleValve™

The new KettleValve™ from Brewer's Edge® will add a valve (without welding) to any brewing pot for under $20.00. Just drill a 7/8" hole in your pot, and install the weldless KettleValve™. Its patent-pending design features a washer containment groove for a leak free seal, and threading on the inside to accept the optional stainless steel Brewer's Edge KettleScreen, which will turn your pot into a mash tun, and is also great for straining out hops before fermentation.



KettleScreen™



Both the **KettleValve™** and **KettleScreen™** are available now at fine home brewing retailers. Ask for them today!

Brewer's Edge® products are distributed to retailers by:

Brewcraft USA • 877-355-2739 • brewcraft.net
Brewmaster Inc. • 800-288-8922 • brewmasterinc.com
L.D. Carlson Company • 800-321-0315 • ldcarlson.com

KNOWLEDGEABLE STAFF
GIFT CERTIFICATES

AWESOME INVENTORY
GIFT REGISTRY

Saratoga



Zymurgist

Home to all your fermentation needs!

SHOP ONLINE AT:
www.SARATOGAZ.com

Tel: 518-580-9785 | Saratoga Springs, NY

Homemade Malts

Make your own amber and brown malt

by Terry Foster



Many homebrewers have probably wondered about making their own malt. After all, we don't have to brew at home to get good beer these days, so we do it because we like the reality of drinking the results of our own efforts. What great satisfaction it is to be able to enjoy a great, perhaps unique beer, with your friends that you have put together with your own two hands. If you've already brewed beer with purchased ingredients you may want to go a step or two further down the self-made path, such as growing your own hops. Many homebrewers grow their own hops, and one or two commercial brewers, such as Sierra Nevada and Anheuser-Busch, do too. It's not too difficult if you have a little in the way of growing skills and a reasonable patch of ground available. But if you've done that, too, what about trying your own malting?

I know some of you out there have tried malting at home, and I applaud those who have. But malting isn't for everybody, for it is quite a complicated procedure. To malt at home you need access to a source of barley of a suitable quality for malting and brewing, and also the ability to follow a process that requires constant attention for a few weeks. You need a fair bit of space to set up the malting "couch," as well as some skill to design and build a kiln, which will permit drying of the green malt so that the final malt comes somewhere near to that available commercially. If you want to have a go at this process, read the article "Malt your Own" in the "Techniques" section of the March-April 2007 issue of *Brew Your Own*.

Yet that story covers malting pale malt, the basic raw material of most beers. So what about specialty malts, which are as important as pale malt, hops and yeast when it comes to producing a quality, flavorful and distinctive beer? There's a huge range of specialty malts available these days, and since by definition they are only used in relatively small amounts you won't want to make all of them. And some specialty malts are more difficult to make than others. Caramel/crystal malts require roasting green malt (to which you may not have access), and heating it in a closed system so as to stew the wet malt. A brief description of a method for this is given in the "Malt Your Own" article referred to earlier. High roast malts such as chocolate and black malt require quite high temperatures, usually in the range of 420–450 °F (215–232 °C). Acrid, unpleasant fumes are created during the process, and the final temperatures are close to the combustion point of the grain, so that there is a significant fire hazard in this process (the malt is quenched with water as soon as the required color has been obtained).

In between those two extremes of malting are amber and brown malts, which can be produced quite simply at home by moderately roasting pale malt. These are not as common today as other specialty malts, although they are available from homebrewing suppliers. In fact, my information is that whatever the name on the label may say, they are likely made at only one English plant, which lies right in the heart of the area where brown malt was originally made for the London porter brewers back in the 18th century. Amber and brown malts fell out of favor with English brewers, especially the larger ones, and maltsters generally stopped producing them. Fortunately, the craft brewing revival here and in Britain has seen an increase in the popularity of porters and stouts and a consequent upsurge in the demand for amber and brown malts. Indeed, when I visited that plant a couple of years ago they were just completing installation of a brand new, state-of-the-art brown malt kiln.

Porter and stout are the styles where these malts are most suited and

"The craft brewing revival here and in Britain has seen an increase in the popularity of porters and stouts and a consequent upsurge in the demand for amber and brown malts."



Photo courtesy of Briess Malts

most commonly used, although they can be employed to good effect in mild and brown ales as well. I (and others such as The Durden Park Beer Circle) have used them successfully in re-creating 18th and 19th century stouts and porters, a never-ending quest on my part! Of course, you should not assume that these modern malts exactly match the original brown malt used in porter brewing, for the roasting process today is quite different from that used earlier. Nevertheless they are as close as brewers can get in trying to work out how porter and stout once tasted.

But if amber and brown malt are commercially available, why should we bother to make our own? Well, first of all there's the satisfaction of doing it yourself. Then there is the fact that because the commercial supply is limited we can expand the range of flavors available to us. In other words we can adjust the degree of roasting to produce a range of color (and therefore flavor) around the specification of the commercial malts. Finally, and perhaps most importantly, is that freshly-roasted amber and brown malts have a fuller flavor and aroma than other malts stored for a lengthy period after aging.

Let's do it

This method owes something to the book *Old British Beers And How To Make Them*, published by The Durden Park Beer Circle. Note that the temperature settings given are those recorded on a thermometer (thermocouple type). Settings on the cooker dial may not be as accurate, but should be close enough for practical purposes. However, it would be wise before you start to do a check against a thermometer for at least one setting, say 250 °F (121 °C), just to be sure.

Amber malt procedure

Set the oven to 185 °F (85 °C), then take 5 lb. (2.3 kg) of pale malt (preferably malted from Maris Otter barley) and place it in a shallow pan. Spread it as evenly as possible in the pan to a depth of about 1 inch (2.5 cm); use a smaller amount if necessary so that you do not exceed this depth. Place it in the oven for 25 minutes, then set the temperature to 190 °F (88 °C) and leave for 30 minutes. Raise settings in steps at 200 °F (93 °C), 220 °F (104 °C), 230 °F (110 °C), and 250 °F (121 °C), allowing a 25-30 minute rest at each setting. At this point take a number of corns (15-20) and break or cut them; they should have a very pale brown or buff color, when compared to a sample of the starting pale malt. This is then the lowest color level for amber malt, and can be used as such in a brew. In order to develop the full color continue at 250 °F (121 °C) for 45 minutes or so, until the grain samples show a definite pale brown color, which is about the maximum color for amber malt. If you have a few grains of commercial amber malt

Continued on page 68

The Region's Largest Home Beer & Winemaking Stores

SOUTH HILLS BREWING SUPPLY
2212 Noblestown Rd.
Pittsburgh, PA 15205
(412) 937-0773
www.southhillsbrewing.com

NEW STORE!
2526 Mosside Blvd.
Monroeville, PA 15146
(412) 374-1240
www.southhillsbrewing.com
SOUTH HILLS BREWING SUPPLY

COUNTRY WINES
Since 1972
3333 Babcock Blvd.
Pittsburgh, PA 15237
(412) 366-0151
www.countrywines.com

Manufacturer of...
Superferment®, Yeast Bank® & The Country Wines Acid Test Kit
WHOLESALE INQUIRIES WELCOME

Wine Grapes and Beer in New England

Better brewing and winemaking at home!



Brewing: Pre-balanced worth in our beer kits eliminates the mess in your home and extra trips to the brewer.

Winemaking: We offer you premium grapes and juice from Napa Valley, Italy and California. **Order now at** www.winegrapesinnewengland.com.

- **Order Beer Kits Now!**
- **Order Wine Grapes and Juice now!**
- **Shop now for the holiday!**



For more info on our full line of supplies for your winemaking and brewing needs, call 617-389-9463 or go to:

www.winegrapesinnewengland.com

AMBER AND BROWN MALT BEER RECIPES

1822 Porter

(5 gallons/19 L, all-grain)

OG = 1.052 (12.9 °P)
FG = 1.021 (5.3 °P)
ABV = 4.0% IBU = 40 SRM = 50-60

Ingredients

3.8 lb (1.7 kg) 2-row pale malt
3.8 lb (1.7 kg) your own amber malt
3.8 lb (1.7 kg) your own brown malt
10.6 AAU Simcoe hop pellets
(0.9 oz./25 g, at 12% alpha-acids)
(90 min.)
1 oz. (28 g) Simcoe hop pellets,
(0 min.)
White Labs WLP002 (English Ale) or
Wyeast 1098 (British Ale) yeast

Step by Step

Mash the grains at 148 to 150 °F (64 to 66 °C) for 90 minutes. Run off and sparge to collect 5.5 to 6 gallons (21 to 23 L) of wort. Boil for 90 minutes adding bittering hops at start, and finishing hops as heat is turned off. Cool and pitch yeast (preferably as 1 quart/1L starter prepared in advance), ferment about one week, rack to secondary and one additional week bottle or keg.

Pale Porter

(5 gallons/19 L, extract with grains)

OG = 1.071 (17.3 °P)
FG: 1.022 (5.6 °P)
ABV = 6.4% IBU = 45 SRM = 30-40

Ingredients

6 lb. (2.7 kg) amber liquid malt extract
3 lb. (1.4 kg) amber dried malt extract
1 lb. (0.45 kg) 2-row pale malt
1 lb. (0.45 kg) your own brown malt
12 AAU Columbus hop pellets
(1 oz./28 g at 12% alpha-acids)
(60 min.)
White Labs WLP005 (British Ale) or
Wyeast 1968 (London ESB) yeast

Step by Step

Steep the crushed grains (in grain bag) in 3 qt. (2.8 L) water at 145 to 155 °F (63 to 68 °C) for 45 minutes. Strain liquid into boil pot, and rinse grains with further 2 qt. (2 L) hot water. Add 3 gallons (11 L) to collected liquors, and carefully dissolve syrup, then dried malt extract. Adjust to 5 gallons (19 L) with water, and bring to boil. Add bittering hops and boil 60 minutes. Cool to 65 to 70 °F (18 to 21 °C), and pitch yeast, preferably as a 1 qt. (1 L) active starter. Ferment five to seven days, then rack into secondary for up to one to two weeks. Rack the beer into bottles, priming with 1.5 to 2 oz. (42 to 57 g) corn sugar depending upon the residual carbonation level of the beer, or force carbonate and keg.

Milk and Cookies?
Santa says...
How about homebrew and pretzels instead?



CHRISTMAS SPICED ALE
JUST $20
PERFECT TO KEEP YOU WARM ON LONG WINTER NIGHTS
MAKE SANTA HAPPY, TOO!

GINGERBREAD BROWN

Adventures in Homebrewing
WWW.HOMEBREWING.ORG
(313) 277- BREW (2739)
Visiting Michigan at Christmas time??
Stop in for some Holiday Cheer!

FREE How To Brew Beer Guide

Reveals 7 Most Common Mistakes Home Brewers Make When Brewing Beer At Home...

BrewBeerAndDrinkIt.com/byo

All Grain Brewing Made Easy

Step By Step Videos Show You How To Brew All Grain Beer

MashControl.com/byo

use these for color comparison rather than pale malt. Let cool and store in an airtight container until use.

Brown malt procedure

Proceed exactly as you would in the amber malt procedure, making a color comparison only after reaching the final amber malt stage. Raise the setting to 300 °F (149 °C) and maintain it for 30 minutes. Then raise the setting to 350 °F (177 °C) for 20 minutes, and check for color as above, preferably against grains of commercial brown malt. If the color has reached a definite brown (but light as in "brown bag"), you're done. If it seems still too pale continue heating for another 20 minutes, but no more. Allow the malt to cool and store in an airtight container until you are ready to brew.


Brewing with amber and brown malts


I've included two porter recipes with this story on page 67 to showcase amber and brown malts. For this column I chose a classic recipe for porter from the late 18th/early 19th century. It uses a ratio of 1:1:1 of pale:amber:brown malt, which is a similar recipe to one adapted from an 1822 English brewing book. After that is an extract with grains brew, which is rather different than this classic, but still shows the virtues of brown malt. Of course, there are other beer styles in which you could use your homemade malts. For example, pale ales, ESB, Baltic porters and any other beer with a full malty palate, where the nutty, biscuit characters of these malts add something extra to the beer's character.

These malts contain significant amounts of starch but no enzymes. They cannot therefore be used directly in extract brewing, but must be mini-mashed with about the same quantity of pale malt. They are fine in all-grain brewing, again using pale malt as a base. The pale amber malt as prepared above does have significant diastatic power according to British Beers, and I have used it to brew a porter where it made up almost 68% of the total grist, along with 15% brown malt, and only 17% pale malt. Extract yield was about normal, but finishing gravity was a little high with an apparent degree of fermentation of 60%.

Experiment a little with the degree of roasting to optimize the flavor and color for a particular beer when making these malts, and know that when you use them in your homebrew that you are brewing something truly unique. If you are even more inventive, you might want to look into devising a system so that you can produce your own crystal malt. Perhaps one day you will even grow your own hops, malt your own barley, kiln all your own specialty malts, and brew beers which are completely your own. BYO

Terry Foster writes "Techniques" for every issue of BYO.





Beer Aroma

The effect of temperature

by Chris Bible



Serving temperature plays an important role in the overall organoleptic experience of a beer. Temperature of beer is a very important variable that effects perception of intensity of both taste and aroma in beer. In general, beer that is served at a higher temperature will be perceived as having a greater intensity of both taste and aroma. In contrast, colder beer is generally viewed as more refreshing.

Ideal serving temperatures vary between different beer styles, but a temperature range of 48–52 °F (9–11 °C) is generally considered ideal for most lagers, wheat beers and lambics, while a slightly warmer temperature range of 50–60 °F (10–16 °C) is ideal for most other ales. The cooler serving temperature range for lagers is in-line with the typical "clean" flavor and aroma profile that is desirable for lagers; cooler temperature means less overall flavor and aroma intensity. Conversely, the higher ideal serving temperature for ales is appropriate because higher temperature will enhance the perception of the complexity of the flavor and aroma profile and produce an overall flavor and aroma intensity that is generally desirable in ales.

Aroma compounds in beer

Beer contains over five hundred different volatile compounds and many of these compounds contribute to the aroma perception in the beer. Categories of aroma compounds include esters, alcohols, vicinal diketones, sulfur compounds and hop constituents. Table 1 (page 71) presents various aroma compounds found in beer with the corresponding aroma or flavor descriptor.

Important aroma variables

Three things greatly affect the concentration of aroma compounds in the vapor phase above a liquid: concentration of the aroma compound in the liquid phase, vapor pressure of the aroma compound and molecular interactions (non-ideal solution interactions) between the aroma compound and the other molecular species.

The concentration of aroma compounds contained in the liquid phase directly affects the concentration of the aroma compounds in the vapor phase above the liquid. A higher concentration of a compound in the liquid phase causes a higher concentration in the vapor phase.

The vapor pressure — also known as saturation pressure — of a compound affects the vapor phase concentration. A compound with a higher vapor pressure will have a higher concentration of the compound in the vapor phase.

Molecular interactions between the aroma compounds and the other compounds dissolved in the beer also affect vapor phase concentration. If there is a strong, attractive interaction between the aroma compound in question and the other compounds in solution, then the concentration of the aroma compound in the vapor phase will be lower than expected under conditions when this interaction is not present. It will be "held in" somewhat by the attractive forces of the other compounds in the solution. Conversely, if there are strong, repulsive interactions, then the concentration of aroma compounds in the vapor phase will be higher than when this interaction is not present.

This is all expressed succinctly by Raoult's Law:

$$y_i = \frac{\gamma_i x_i P_i^{sat}}{P}$$

Where:

y_i = mole fraction of species i in the vapor phase

γ_i = activity coefficient of species i. (Equals 1 in an ideal solution.)

x_i = mole fraction of species i in the liquid phase

> "In general, beer that is served at a higher temperature will be perceived as having a greater intensity of both taste and aroma."



Photo by Charles A. Parker/Images Plus

P_i^{sat} = saturation pressure or vapor pressure of species i
P = absolute pressure

The vapor pressure term, P_i^{sat}, in the numerator of the equation is strongly temperature dependent. Increasing the temperature increases the vapor pressure of aroma compounds and causes them to have a higher concentration in the vapor phase. The relationship between temperature and vapor pressure has been studied for many different compounds, and empirical equations that describe the relationship are available. One of these equations is Antoine's equation:

$$\log p = A - \frac{B}{t + C}$$

Where:
log p = base 10 logarithm of pressure
(p = pressure in mmHg)
A, B, C = Constants that are determined experimentally
t = temperature (in °C)

Researchers Hrivňák, Šmogrovičová, Lakatošová and Nádasky have used solid-phase microcolumn extraction and gas chromatography to evaluate the compounds found within the gas-phase headspace over beer. They found that increasing temperature lead to higher vapor pressure over the beer for all the compounds they studied. However, some compounds were affected by by temperature more than others. The vapor pressure of butanol and hexanol increased greatly with pressure, while temperature's effect on acetaldehyde was comparatively small.

Conclusions and practical considerations

Temperature greatly affects the perception of aroma compounds in beer. A relatively slight increase in serving temperature can cause a very dramatic increase in the perception of aroma compounds, both good and bad, in beer.

If you are trying to detect the presence or absence of certain aroma compounds in beer, allow some time during the process to let the beer warm. This will allow the beer to "open up" and will cause otherwise concealed aroma compounds that may only be present in the beer in very low concentrations to volatilize and perhaps be more easily detected during the evaluation.

In contrast, if you have brewed a beer that is showing some faults, serving it at a lower temperature may help you enjoy the beer more as you plan your next brew day to address the problems of that batch. BYO

Chris Bible is an engineer and writes the "Advanced Brewing" column in every issue of BYO.






Table 1: Common Aroma Compounds in Beer

Compound	Typical Concentrations in Beer (mg/liter or ppm by weight)	Aroma or Flavor Descriptor
Esters		
Ethyl Acetate	10 - 60	Solvent-like, Sweet
Isoamyl acetate	0.5 – 5.0	Banana, Estery, Solvent
Ethyl hexanoate	0.1 – 0.5	Apple, Fruity, Sweet
Ethyl Octanoate	0.1 – 1.5	Apple, Tropical Fruit, Sweet
2-Phenylethyl acetate	0.05 – 2.0	Roses, Honey, Apple, Sweet
Ethyl Nicotinate	1.0 – 1.5	Grainy, Perfume
Alcohols		
Methanol	0.5 – 3.0	Alcoholic, Solvent
Ethanol	20,000 – 80,000	Alcoholic, Strong
1-Propanol	3 – 16	Alcoholic
2-Propanol	3 – 6	Alcoholic
2-Methylbutanol	8 – 30	Alcoholic, Vinous, Banana
3-Methylbutanol	30 – 70	Alcoholic, Vinous, Banana
2-Phenylethanol	8 – 35	Roses, Bitter, Perfume
1-Octen-3-ol	0.03	Fresh-cut-grass, Perfume
2-Decanol	0.005	Coconut, Aniseed
Glycerol	1200 - 2000	Sweetish, Viscous
Tyrosol	3 – 40	Bitter, Chemical
Vicinal Diketones (or reduced compounds)		
2,3-Butadione	0.01 – 0.4	Butterscotch
3-Hydroxy-2-butanone	1 – 10	Fruity, Moldy, Woody
2,3-Butanediol	50 – 150	Rubber, Sweet
2,3-Pentanedione	0.01 – 0.15	Butterscotch, Fruity
Sulfur Compounds		
Hydrogen Sulfide	1 – 20*	Sulfidic, Rotten Eggs
Sulfur dioxide	200 – 20,000*	Sulfidic, Burnt Match
Carbon disulfide	0.01 – 0.3	---
Methanethiol	0.2 – 15	Putrefied
Ethylene sulfide	0.3 – 2.0	---
Ethanethiol	0 –20	Putrefied
Propanethiol	0.1 – 0.2	Putrefied, Rubber
Dimethyl sulfide	10 –100	Cooked Corn, Canned Tomatoes
Diethyl sulfide	0.1 – 1.0	Cooked Vegetables
Dimethyl disulfide	0.1 – 3.0	Rotten Vegetables
Diethyl disulfide	0 – 0.01	Garlic, Burnt Rubber
Dimethyl trisulfide	0.01 – 0.8	Rotten Vegetables, Onion
Methyl thioacetate	5 – 20	Cabbage
Ethyl thioacetate	0 – 2	Cabbage
Methionol	50 – 1300	Raw Potatoes
Methional	20 – 50	Mashed Potatoes, Soup-like
3-Methyl-2-butene-1-thiol	0.001 – 0.1	Skunky, Catty, Lightstruck

www.breworganic.com

Great organic beer starts with great organic ingredients!





30 Organic Hop Varieties:
Admiral, American Fuggles, Belgian Cascade, Belgian Saaz, Bravo, Cascade, Centennial, Challenger, Chinook, Fuggles, Hallertaur Tradition, Hershbrucker, Horizon, Ivanhoe, Kent Goldings, Motueka, Nelson Sauvin, New Zealand Hallertaur, Nugget, Opal, Pacific Gem, Palisade, Perle, Pilgrim, Rakau, Saphir, Smaragd, Spalt Select, Summit, Whitbread Goldings Variety.

28 Organic malts:
From Briess, Crisp, Gambrinus, Great Western, & Weyermann

The world's best selection of organic ingredients to make the world's best organic beer.. whether it's your first brew ever or a 200 gallon batch in your craft brewery.

Better Brew 7 Bridges For a Better World

Green Coffee Too! Fair Trade certified, which supports fair wages for the growers who craft the best organic coffee in the world.

800-768-4409
325A River Street, Santa Cruz, CA 95060
Retail Store Hours:
Mon- Sat 10 am to 6 pm, Sun 12 to 6 pm
7bridges@breworganic.com

Hobby Beverage Equipment

Welcome the Home Brew Shop of Hampshire England.
Our distributor for the British Isles and the Continent.
Now Europeans can save on all Minibrew products.
Contact 1252 540386 or homebrewshop@btconnect.com

If you're a retail home-brew store and not selling our products, let's talk....

Fermenters
8 and 15 gal



Fermenter
6.5 Gallon



Mash Lauter Tun
Holds 15 gallons
35 pounds Grain



Remember....
"You can't buy what you can brew"™

Please see our web page for larger fermenters our hot liquor tank and more

www.minibrew.com - 951 676 2337 - john@minibrew.com

The Grape and Granary

THE GRAPE AND GRANARY

YOUR HOMETOWN BREW SHOP ON THE WEB

FEATURING

EXTENSIVE SELECTION
FAST SHIPPING/ EXPERT ADVICE
WE CATER TO NEW BREWERS!

Visit our online store or call to request a catalog. You'll be glad you did!

800-695-9870

WWW.THEGRAPE.NET

AKRON OHIO USA

Home Brewing Supplies



POLAR WARE COMPANY
800-237-3655
www.polarware.com
customerservice@polarware.com
Proud USA Manufacturer Since 1907

Paintball and Homebrew

Build a portable CO_2 regulator

by Kevin Verratti



I play for an internationally recognized paintball team — aptly named "Pub Crawling." Our schedule takes us all over the world to compete in events, and nothing goes down quite as good as a homebrewed beer after an event. Because we spend so much time on the road, our team needed a simple carbonation system that is both mobile and easily field repairable.

Playing paintball and brewing beer are actually great companion hobbies because transferring CO_2 through a paintball marker is fundamentally no different than transferring CO_2 through a kegging system. This means that many of the fittings used in paintball can be easily adapted to dispense or even carbonate beer. For an added bonus, paintball fittings are already pressure rated for use with CO_2, which equals less guesswork for you.

While there are adapters available to attach a beer regulator directly to a paintball CO_2 tank, that does not solve the issue of having readily available replacement parts for the regulator. These adapters also require you to already have a beer regulator, which makes up the majority of the costs in the regulator system. Another problem is that beer regulators are not easily serviced when they fail, however the Planet Eclipse inline high pressure regulator is designed for easy disassembly and is fixed quickly and easily.

CO_2, like all gasses, is a temperature-dependent gas with an average pressure range in the bottle of 650–1200 PSI depending on the surrounding air temperature. To dispense beer in a balanced keg system you need a constant pressure of roughly 10–12 PSI. If you are force carbonating your beer then you will need up to 30–35 PSI. Most paintball inline regulators are designed to output between 100–800 PSI, far above the pressures used in kegging. By utilizing a common off-the-shelf air compressor regulator you can drop this down to keg-friendly pressures.

This is a good time to discuss safety relief devices. Gas under pressure is dangerous — don't take any chances. The generic air compressor regulator and the Planet Eclipse inline high pressure regulator both have built in overpressure relief valves. Should either regulator fail or receive more pressure than they are rated for they will immediately vent the remaining CO_2 until the pressure drops or the tank is emptied.

This system is also easily customizable. If you want to use more than one keg, add "T" connectors to your lines. If you want to add a check valve to the system it can be placed anywhere that you have room on your CO_2 distribution hose. If you want to carbonate different styles of beers at different pressures, add additional generic air compressor regulators.

> "Playing paintball and brewing beer are actually great companion hobbies because transferring CO_2 through a paintball marker is fundamentally no different than transferring CO_2 through a kegging system."



Parts and Supplies List

- 2 adjustable wrenches
- Teflon tape
- Planet Eclipse inline high pressure regulator
- Planet Eclipse OOPS (on/off purge system)
- generic ASA (air source adapter)
- generic air compressor regulator
- ⅛-inch NPT close nipple
- ⅛-inch NPT x 1-inch nipple
- (2) ¼-inch x ⅛-inch NPT reducing bushings
- ⅛-inch male quick disconnect (for hose barb)
- worm hose clamp
- CO_2 distribution hose
- 20-oz. paintball CO_2 tank



1. PARTS AND TOOLS

I built the majority of this project with spare parts, however I did have to buy a few additional parts. The tools are simple: two adjustable wrenches and some Teflon tape. All paintball air fittings are ⅛-inch NPT, however air compressor fittings are more commonly found in ¼-inch NPT so two ¼-inch x ⅛-inch NPT, reducing bushings are needed. You will also need two ⅛-inch NPT nipples and a worm clamp from the hardware store. The generic air compressor regulator can be found with the rest of the air tools, and literally any model will work. The Planet Eclipse OOPS (on/off purge system) and high-pressure regulator, male quick disconnect and generic ASA adapter were spare paintball parts. The Planet Eclipse OOPS can turn the paintball tank on and off and also bleed out any extra pressure in the line.



2. ASSEMBLE THE OOPS AND REGULATOR

The first step is to assemble the OOPS and the high pressure regulator using the ⅛-inch x 1-inch nipple. Wrap Teflon tape around the nipple and thread it into the ⅛-inch fittings of the OOPS. Hand tightening should be enough. Be sure to wrap the Teflon tape around the threads clockwise and to keep it out of the opening of the pipe, then thread it into the ⅛-inch fitting of the high pressure regulator, again hand tightening it. Tighten the two pieces by hand until they are both vertical and run parallel with each other. It is important not to over tighten the fittings or you risk damaging the threads, which is very easy to do with small fittings.



3. ASSEMBLE THE INPUT END

Next, apply Teflon tape to the threads of the ⅛-inch NPT close nipple, which may be difficult due to the size of the fitting. Once you have the tape applied, thread the close nipple into the generic ASA adapter. Do not use any pliers or wrenches directly on the threads of the close nipple as they will get damaged. Once this is done, attach the ASA adapter to the top of the Planet Eclipse high pressure regulator. This now makes up the high-pressure input side of the system. The Planet Eclipse high pressure regulator can be dialed down to around 120 PSI to provide input CO_2 to the low pressure generic air compressor regulator.

4. ASSEMBLE THE OUTPUT END

The generic air compressor regulator uses standard ¼-inch NPT air fittings. To work with paintball fittings a standard ⅛-inch x ¼-inch NPT reducing bushing will need to be threaded into the inlet and outlet side of the regulator. Once again apply Teflon tape and thread the fittings in by hand being careful not to over tighten them. In lieu of a hose barb you can also use a paintball male quick disconnect fitting to attach the hose to the regulator. This is the only time you need to use the adjustable wrenches. Place one wrench on the outlet side bushing and thread the quick disconnect into place using the other wrench. Be careful not to over tighten the two fittings and do not let the bushing thread further into the regulator. This now makes up the low-pressure output side of the system.



5. ATTACH INPUT TO OUTPUT


Take the input side of the air compressor regulator and thread it into the output side of the generic ASA adapter where you installed the ⅛-inch NPT close nipple. Thread this on hand tight and continue to turn it until the regulators line up and you can easily see the gauge and reach the adjustment knob. The adjustment knob of the air compressor regulator is now all that is needed to control the output pressure to the kegs for carbonating or serving. Some of these regulators also come with a locking ring so that you can set the pressure you want and not have to worry about it getting changed accidentally. Now attach the CO_2 distribution hose to the quick disconnect using the worm clamp.



6. ATTACH THE GAS AND TEST

Once the CO_2 hose is connected to both the regulator system and inlet ports of the keg, attach the paintball CO_2 tank to the inlet side of the Planet Eclipse OOPS. Turn the knob at the top of the OOPS to start the flow of CO_2 through the regulators. Using a spray bottle with soapy water, gently spray each of the fittings to test for leaks. Gradually increase the pressure on the air compressor regulator until the gauge shows your desired pressure reading. Place the keg in your refrigerator and leave it connected for at least a week to carbonate. One 20-oz. paintball tank provides almost enough CO_2 to carbonate four 5-gallon (19-L) corny kegs. A single 20-oz. tank can both carbonate and serve one 5-gallon (19-L) corny keg without an issue. BYO

This is Kevin Verratti's first "Projects" column for Brew Your Own.



classifieds

APPAREL

BEER GEEK TEES
Get 10% off with
Coupon: BYOMAG
Wholesale pricing for resellers.
BrewerShirts.com

BEERSHIRTZ - FREE SHIPPING!
www.beershirtz.com

CUSTOM BREWERY APPAREL
Award winning screen printing.
T-shirts, sweatshirts, workshirts,
hats & more. TheHopMan.com

GET YOUR BYO GEAR!
BYO logo shirts, sweats, hats
& lots more.
www.cafepress.com/brewyourown

BAR SUPPLIES

BUILDING A BAR?
Call the Kegman. Pro Equipment,
Wholesale Pricing.
973-512-2028
www.kegman.net

BREWING EQUIPMENT

#1 BREWING SYSTEM
All stainless steel, American-made,
TIG welded.
Visit us at synergybrew.com

1-3 BARREL BREWING SYSTEMS
Affordable, High Quality,
Custom Built Brewing Systems.
www.psychobrewLLC.com

BARGAINFITTINGS.COM
High quality weldless, stainless steel
kits to convert your kegs,
kettles and coolers.

Be Kind...Air Kills Beer®
www.MrFizz.com
CO_2 PicnicTap Rocks!

BEER WORT CHILLERS
High efficiency plate
heat exchangers. Great prices.
www.dudadiesel.com
256-417-4337

BREW SMARTER with STIRSTARTER Yeast
Stir Plates. $42 Includes
Shipping and Stir Bar.
www.stirstarters.com

BrewHardware.com
Specializing in brewing
measurement gadgets: Sight Glasses,
Thermometers, Refractometers and
More!

RANCO TEMPERATURE CONTROLLERS and accessories.
Single stage pre-wired $74.99
Stopper thermowell $21.99
www.ETCsupply.com
888-840-1442

STOUT TANKS & KETTLES
Stainless conical fermenters,
mashtuns, & HLTs. 5-150 gallons.
conical-fermenter.com

SUPPLYING CORNY KEGS,
Taps Systems & Parts, Refrigerator
Conversion Kits, Keggles and
Weldless Fittings.
www.KeggleBrewing.com

TEMPERATURE CONTROL MATTERS BCS-462 programmable
controller. Web based user interface,
data logging, timers.
www.embeddedcontrolconcepts.com

TESCO PUMPS
March Homebrew Pumps
& Parts Since 1977.
www.tescopumps.com
Email: tescoincnc@aol.com
(714) 357-3400

WWW.MASHPADDLE.COM
Customized Mash Paddles.
Serious mash paddles for
serious brewers.
A great brewing gift item!

EDUCATION

LEARN ALL GRAIN brewing
cheaply simple method and
program. Download $4.99
www.BrewingontheCheap.com

FOOD-BEER PAIRING

LIKE BEER & CHOCOLATE?
Have them both! Hop infused
Chocolates, for craft beer
enthusiasts.
www.HopCandyInc.com

HOMEBREW SUPPLIES

BREWERSDISCOUNT.NET
Lowest Prices, Exact Shipping
No Handling charges, Warehouse
backed. Over 2,000 Items.

CUSTOM BEER LABELS
Easily create unique beer labels!
10% off. Promo code: BEER10
www.BottleYourBrand.com

DRAFTSMAN BREWING COMPANY
You'll love our prices!
Call today for our FREE
homebrew supply catalog.
1-888-440-BEER
www.draftsman.com

HOMEBREWING EQUIPMENT:
Over 2,400 items! Hard to find
parts. Great prices.
www.chicompany.net

KROME HOME BREWING
and keg beer dispensing equipment,
stocked in IL, NY, CA, TX.
www.kromedispense.com

HOP GROWING

NEED QUALITY HOPS?
Grow some!
Many varieties Female Rhizomes
www.NorthwestHops.com
Drunk Around the World

INGREDIENTS

VALLEY MALT
New England's Micro-Malthouse
All organic and locally grown.
www.valleymalt.com
(413) 349-9098

SOFTWARE

BEERSMITH BREWING SOFTWARE
Take the guesswork out of brewing!
Free 21 day trial!
www.beersmith.com

BREW PAL HELPS
with recipe formulation and calcula-
tions on brew day. iPhone/iPod.
www.brewpal.info

SIMPLE BREWING PROGRAM
Learn easy all-grain brewing
method. Download $4.99.
www.BrewingontheCheap.com

For details on running a classified call Dave at 802-362-3981 ext. 107

BrewYourOwn
THE HOW-TO HOMEBREW BEER MAGAZINE

Shirts, Sweats, Hats & Lots More!

GREAT Gifts For You or Your Brewing Buddies








Go to www.cafepress.com/brewyourown and order your Brew Gear today!

www.cafepress.com/brewyourown

SHOW THE WORLD YOU'RE A HOMEBREWER!

Make your own beer!

Start with the best ingredients. Let us show you how!

Now on the Web!

www.ashevillebrewers.com


ASHEVILLE BREWERS SUPPLY

828 285-0515

ASHEVILLE, NORTH CAROLINA SINCE 1994 • SOUTH'S FINEST



Brewershardware.com



BREWINGTV

NEW EPISODES AT

www.brewingtv.com

Homebrew Heat Pad



Constant temperature for fermenting

"Way better than heat Belts"

FOXX EQUIPMENT company

Visit foxxequipment.com to find a Home Brew Shop near you!

BYO BINDERS!



- Gold-stamped logo on front and spine
- Opens flat for easy use
- Leather-grained in royal blue
- Each binder holds 10 issues

Only $20 each (includes shipping)

Order Today at brewyourownstore.com

Just Brew It !!

Larry's BREWING SUPPLY



1-800-441-2739

www.larrysbrewsupply.com

reader service

for direct links to all of our advertisers' websites, go to **www.byo.com/resources/readerservice**

50 Pound Sack 36
www.50PoundSack.com

Adventures in Homebrewing ..... 24 & 67
313-277-2739
www.homebrewing.org

Alpha Analytics a division of Hopunion USA Inc. 63
1-877-875-6642
www.hopunion.com/alphaanalytics
info@alphaanalyticstesting.com

American Brewers Guild Brewing School 40
1-800-636-1331
www.abgbrew.com
info@abgbrew.com

American Homebrewers Association 35
www.HomebrewersAssociation.org

Annapolis Home Brew 46
1-800-279-7556
www.annapolishomebrew.com
email@annapolishomebrew.com

Asheville Brewers Supply 77
828-285-0515
www.ashevillebrewers.com
allpoints1@mindspring.com

Austin Homebrew Supply 38
1-800-890-BREW (2739)
www.austinhomebrew.com
info@austinhomebrew.com

Bear Republic Brewing Co. 29
707-894-2722
www.bearrepublic.com
info@bearrepublic.com

Beer Savers 26
www.SaveBrands.com

Best of Brew Your Own
25 Great Homebrew Projects 28
250 Classic Clone Recipes 29
Hop Lover's Guide 47
802-362-3981
www.brewyourownstore.com

Blichmann Engineering, LLC 3
www.blichmannengineering.com
john@blichmannengineering.com

Bootlegger Supply 27
701-540-8248
www.bootleggersupplies.com
bootleggersupply@gmail.com

Brew Beer and Drink It 67
BrewBeerAndDrinkIt.com
support@BrewBeerAndDrinkIt.com

Brew Brothers Homebrew Products, LLC ..... 29 & 70
888-528-8443
www.brewbrothers.biz
info@brewbrothers.biz

Brew Depot - Home of Beer Necessities 46
1-877-450-2337
www.Brew-Depot.com

Brew Your Own Back Issue Binders ..77
802-362-3981
www.brewyourownstore.com

Brew Your Own Back Issues 30-31
802-362-3981
www.brewyourownstore.com
backissues@byo.com

Brew Your Own Merchandise 77
1-877-809-1659
www.cafepress.com/brewyourown

Brew Your Own Work Shirt 26
802-362-3981
www.brewyourownstore.com

Build Brutus Ten 59
802-362-3981
www.brewyourownstore.com

Brewer's Hardware 77
www.brewershardware.com

Brewers Discount 26
252-758-5967
BrewersDiscount.net
sales@brewersdiscount.net

Brewers Publications ..... 36 & 55
1-888-822-6273
shop.beertown.org
info@brewersassociation.org

BrewerShirts.com a division of MDCP 24
434-660-0109
www.brewershirts.com
dave@brewershirts.com

Brewferm Products 41
www.brewferm.be
info@brewferm.be

The Brewing Network 62
www.thebrewingnetwork.com

Brewing TV 77
www.brewingtv.com

Brewmasters Warehouse 62
1-877-973-0072
www.brewmasterswarehouse.com
info@brewmasterswarehouse.com

Briess Malt and Ingredients Co. ..... 18 & Recipe Cards
920-849-7711
www.brewingwithbriess.com
info@briess.com

C&W Crate Company 38
616-245-2728
www.cwcrate.com
info@cwcrate.com

Crosby & Baker 14
508-636-5154
www.crosby-baker.com
info@crosby-baker.com

Dallas Home Brew a division of The Wine Maker's Toy Store 68
1-866-417-1114
www.finevinewines.com
geocorn@finevinewines.com

Dogfish Head Craft Brewery 3
www.dogfish.com

E.Z. Cap 37
403-282-5972
www.ezcap.net
ezcap@ezcap.net

Fermtech Ltd. 57
519-570-2163
www.fermtech.ca
derek@fermtech.ca

Five Star Chemicals & Supply Inc. 11
1-800-782-7019
www.fivestarchemicals.com
support@fivestarchemicals.com

Foxx Equipment Company 77
1-800-821-2254
www.foxxequipment.com
kcsales@foxxequipment.com

Grape and Granary 72
1-800-695-9870
www.grapeandgranary.com
info@grapeandgranary.com

High Gravity 40
918-461-2605
www.highgravitybrew.com
store@highgravitybrew.com

Hobby Beverage Equipment 72
951-676-2337
www.minibrew.com
john@minibrew.com

Home Brewery (MO) 70
1-800-321-2739 (BREW
www.homebrewery.com
brewery@homebrewery.com

Homebrew Heaven 68
1-800-850-2739 or 425-355-8865
www.homebrewheaven.com
brewheaven@aol.com

Homebrewer's Answer Book 25
802-362-3981
www.brewyourownstore.com

Homebrewers Outpost & Mail Order Co. 16
1-800-450-9535
www.homebrewers.com

Homebrewing.com 29
www.homebrewing.com

HomeBrewStuff.com 10
1-888-584-8881 or 541-830-0100
www.HomeBrewStuff.com
info@HomeBrewStuff.com

Kegerators.com 25
www.kegerators.com

Kegs.com Ltd. dba SABCO 27
419-531-5347
www.brew-magic.com
office@kegs.com

Keystone Homebrew Supply 6
215-855-0100
www.keystonehomebrew.com
info@keystonehomebrew.com

Lallemand Inc. 7
www.LallemandBrewing.com
homebrewing@lallemand.com

Larry's Brewing Supply 77
1-800-441-2739
www.larrysbrewsupply.com
customerservice@larrysbrewsupply.com

LD Carlson Company 21
1-800-321-0315
www.ldcarlson.com
ldcarlson@ldcarlson.com

Midwest Homebrewing & Winemaking Supplies ..... Cover III
1-888-449-2739
www.midwestsupplies.com
info@midwestsupplies.com

Monster Brewing Hardware LLC 6
678-350-1731
www.monsterbrewinghardware.com
ffrancis@monsterbrewinghardware.com

MoreBeer! 57
1-800-600-0033
www.morebeer.com
sales@morebeer.com

Muntons Malted Ingredients 47
425-372-3082
www.muntons.com
brian.perkey@muntons.com

My Own Labels 37
www.myownlabels.com
info@myownlabels.com

NorCal Brewing Solutions 34
530-243-BEER (2337)
www.norcalbrewingsolutions.com
sales@norcalbrewingsolutions.com

Northern Brewer, Ltd. ..... Cover II & 27
1-800-681-2739
www.northernbrewer.com
info@northernbrewer.com

Northwestern Extract Company 55
262-781-6670
www.nwextract.com
flavors@nwextract.com

Polar Ware Company 72
1-800-237-3655
www.polarware.com
customerservice@polarware.com

Psycho Brew, LLC 25
616-204-2498
www.psychobrewllc.com

Quality Wine and Ale Supply ..... 26 & 59
574-295-9975
www.HomeBrewIt.com
info@HomeBrewIt.com

Rebel Brewer 22
615-859-2188
www.rebelbrewer.com
info@rebelbrewer.com

Saratoga Zymurgist 64
518-580-9785
www.saratogaz.com
oosb@verizon.net

Seven Bridges Co-op Organic Homebrewing Supplies 72
1-800-768-4409
www.breworganic.com
7bridges@breworganic.com

Sierra Nevada Brewing Company 23
www.sierranevada.com

South Hills Brewing Supply & Country Wines 66
412-937-0773 (SHBS - Pittsburgh)
412-374-1240 (SHBS - Monroeville)
412-366-0151 (Country Wines - Pittsburgh)
www.southhillsbrewing.com
www.countrywines.com

Stout Tank & Kettles 29
www.conical-fermenter.com

Tap Boards, Inc. 24
www.TapBoards.com

TasteYourBeer.com 25
feedback@tasteyourbeer.com

White Labs Pure Yeast & Fermentation ..... 17 & Recipe Cards
1-888-5-YEAST-5
www.whitelabs.com
info@whitelabs.com

William's Brewing ..... 16 & 64
1-800-759-6025
www.williamsbrewing.com
service@williamsbrewing.com

Wine Grapes and Beer in New England 66
617-389-9463
www.winegrapesinnewengland.com

WineMaker International Amateur Wine Competition 87
802-362-3981
www.winemakermag.com/competition
competition@winemakermag.com

Wyeast Laboratories, Inc. - 100% Pure Liquid Cultures ..... Cover IV
541-354-1335
www.wyeastlab.com
customerservice@wyeastlab.com

HOMEBREW DIRECTORY

ALABAMA

Deep South Brewing Supply
1283 Newell Pkwy
Montgomery 36110
(334) 260-0148
www.DeepSouthBrew.com
email: cf@sharpnet.com
Serving Central Alabama and Beyond.

Werner's Trading Company
1115 Fourth St. SW
Cullman
1-800-965-8796
www.wernerstradingco.com
The Unusual Store.

The Wine Smith
6800 A Moffett Rd. (US Hwy. 98)
Mobile 36618
(251) 645-5554
e-mail: winesmith@bellsouth.net
www.thewinesmith.biz
Serving Central Gulf Coast Homebrewers

ARIZONA

Brew Your Own Brew and Wine
525 East Baseline Rd., Ste 108
Gilbert 85233
(480) 497-0011
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brew Your Own Brew and Wine
2564 N. Campbell Ave., Suite 106
Tucson 85719
(520) 322-5049 or 1-888-322-5049
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brewers Connection
1435 E. University Drive, #B103
Tempe 85821
(480) 449-3720
ami@brewersconnection.com
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week!

Brewers Connection
4500 E. Speedway Blvd. #38
Tucson 85711
(520) 881-0255
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week!

Homebrewers Outpost & Mail Order Co.
801 S. Milton Rd., Suite 2
Flagstaff 86001
1-800-450-9535
www.homebrewers.com
Free Shipping in Arizona on orders over $50.

Hops & Tannins
4220 W. Summit Walk Ct., Ste 1201
Anthem 85086
(623) 551-9857
www.hopsandtannins.com
Offering up a full line of brewing equipment & supplies, draft equipment, craft brews and specialty wines for a one-stop beer & wine shop.

Mile Hi Brewing Supplies
231A N. Cortez St.
Prescott 86301
(928) 237-9029
www.milehibrewingsupplies.com
We have the best selection of beer and winemaking equipment and supplies and an unmatched commitment to customer service!

What Ale's Ya
6363 West Bell Road
Glendale
(623) 486-8016
www.whatalesya.com
Great selection of beer & wine making supplies.

ARKANSAS

Fermentables
3915 Crutcher St.
North Little Rock 72118
(501) 758-6261
www.fermentables.com
Complete homebrew & winemakers supply

The Home Brewery
455 E. Township St.
Fayetteville
1-800-618-9474
homebrewery@arkansasusa.com
www.thehomebrewery.com
For all your beer & wine making needs.

CALIFORNIA

Addison Homebrew Provisions
1328 E. Orangethorpe Ave.
Fullerton 92831
(714) 752-8446
www.homebrewprovisions.com
Beer, Wine & Mead.

All About Brewing
700 N. Johnson Ave., Suite G
El Cajon 92020
(619) 447-BREW
jimallaboutbrewing@att.net
www.AllAboutBrewing.com
San Diego County's newest full-service home brew and wine supply store. Ongoing free beer brewing demonstrations, both malt extract and all-grain.

Bear Valley Hydroponics & Homebrewing
17455 Bear Valley Rd.
Hesperia 92345
(760) 949-3400
fax: (760) 948-6725
www.bvhydro.com
info@bvhydro.com
Excellent customer service and selection whether you grow or brew your own or both. Open 7 days a week.

The Beverage People
840 Piner Road, #14
Santa Rosa
1-800-544-1867
www.thebeveragepeople.com
Fast Shipping, Great Service, Cheesemaking too!

Brew Ferment Distill
3527 Broadway, Suite A
Sacramento 95817
(916) 476-5034
tim@brewfermentdistill.com
www.brewfermentdistill.com
"Promoting the Slow Drink Movement, One Bottle at a Time." Stop in for all your brewing needs.

Culver City Home Brewing Supply
4358 1/2 Sepulveda Blvd.
Culver City 90230
(310) 397-3453
www.brewsupply.com
Full supply of extracts, malts & hops. Personal service you can't get online.

Doc's Cellar
855 Capitolio Way, Ste. #2
San Luis Obispo
(805) 781-9974
www.docscellar.com

Fermentation Solutions
2507 Winchester Blvd.
Campbell 95008
(408) 871-1400
www.fermentationsolutions.com
Full line of ingredients and equipment for beer, wine, cheese, mead, soda, vinegar and more!

The Good Brewer
2960 Pacific Ave.
Livermore 94550
(925) 373-0333
www.goodbrewer.com
Shop us on-line and get 25% off your first purchase!! Enter coupon code: BYOØ1 at checkout. Want the 3 C's?? We got 'em! Check us out! We have a great selection of both whole and pellet hops, Plus all the hardware and ingredients you need to make beer at home.

Home Brew Shop
1570 Nord Ave.
Chico 95926
(530) 342-3768
e-mail:homebrushop@yahoo.com
www.chicohomebrewshop.com
Years of experience, advice always free!

Hop Tech Home Brewing Supplies
6398 Dougherty Rd. Ste #7
Dublin 94568
1-800-DRY-HOPS
www.hoptech.com
Owned by people who are passionate about beer! Visit our on-line store or stop by to find only fresh ingredients & top-quality equipment. We carry a large selection for beer & wine making.

MoreBeer!
995 Detroit Ave., Unit G
Concord 94518
(925) 771-7107 fax: (925) 671-4978
concordshowroom@moreflavor.com
www.morebeer.com
Showrooms also in Los Altos and Riverside.

Murrieta Homebrew Emporium
38750 Sky Canyon Dr., Ste A
Murrieta 92563
(951) 600-0008
toll-free: 888-502-BEER
www.murrietahomebrew.com
Riverside County's Newest Full Serve Homebrew and Wine Making Supply Store! Taking orders online now! Free shipping on orders over $100. Free monthly demonstrations.

NorCal Brewing Solutions
1101 Parkview Ave.
Redding 96001
(530) 243-BEER (2337)
www.norcalbrewingsolutions.com
Full line of beer supplies and custom made equipment including the world famous "Jaybird" family of hop stoppers and false bottoms.

Original Home Brew Outlet
5528 Auburn Blvd., #1
Sacramento
(916) 348-6322
Check us out on the Web at www.ehomebrew.com

O'Shea Brewing Company
28142 Camino Capistrano
Laguna Niguel
(949) 364-4440
www.osheabrewing.com
Southern California's Oldest & Largest Homebrew Store! Large inventory of hard to find bottled & kegged beer.

HOMEBREW DIRECTORY

Sierra Moonshine Homebrew Supply
12535 Loma Rica Dr. #3
Grass Valley 95945
(530) 274-9227
www.sierramoonshine.com
sierramoonshine@sbcglobal.net
Wonderful selection of ingredients and equipment for fermenting beer, wine, mead and soda. Organic malt extracts, grains and hops. We help you make what you want!

Stein Fillers
4160 Norse Way
Long Beach 90808
(562) 425-0588
www.steinfillers.com
brew@steinfillers.com
Your complete Homebrew Store, serving the community since 1994. Home of the Long Beach Homebrewers.

COLORADO

Beer and Wine at Home
1325 W. 121st. Ave.
Westminster
(720) 872-9463
www.beerathome.com

Beer at Home
4393 South Broadway
Englewood
(303) 789-3676 or 1-800-789-3677
www.beerathome.com
Since 1994, Denver Area's Oldest Homebrew Shop. Come See Why.

The Brew Hut
15120 East Hampden Ave.
Aurora 1-800-730-9336
www.thebrewhut.com
Beer, Wine, Mead, Soda, Cheese, Draft & CO_2 refills — WE HAVE IT ALL!

Hop To It Homebrew
2900 Valmont Rd., Unit D-2
Boulder 80301
(303) 444-8888 fax: (303) 444-1752
www.hoptoithomebrew.com
Because Making It Is Almost As Fun As Drinking It!

Hops and Berries
125 Remington St.
Fort Collins 80524
(970) 493-2484
www.hopsandberries.com
Shop at our store in Old Town Fort Collins or on the web for all your homebrew and winemaking needs. Next door to Equinox Brewing!

Lil' Ole' Winemaker
516 Main Street
Grand Junction 81501
(970) 242-3754
Serving Colorado & Utah brewers since 1978

Rocky Mountain Homebrew Supply
4631 S. Mason St., Suite B3
Fort Collins 80525
(970) 282-1191
www.rockybrew.com

Stomp Them Grapes! LLC
4731 Lipan St.
Denver 80211
(303) 433-6552
www.stompthemgrapes.com
We've moved! Now 4,000 additional sq. ft. for MORE ingredients, MORE equipment, MORE kegging supplies & MORE classes to serve you even better!

CONNECTICUT

Beer & Wine Makers Warehouse
290 Murphy Road
Hartford 06114
(860) 247-BWMW (2969)
e-mail: bwmwct@cs.com
www.bwmwct.com
Area's largest selection of beer & winemaking supplies. Visit our 3000 sq ft facility with demo area, grain crushing and free beer & wine making classes with equipment kits.

Brew & Wine Hobby
Now Full Service!
Area's widest selection of beer making supplies, kits & equipment
98C Pitkin Street
East Hartford 06108
(860) 528-0592 or
Out of State: 1-800-352-4238
info@brew-wine.com
www.brew-wine.com
Always fresh ingredients in stock! We now have a Pick Your Own grain room!

Maltose Express
246 Main St. (Route 25)
Monroe 06468
In CT.: (203) 452-7332
Out of State: 1-800-MALTOSE
www.maltose.com
Connecticut's largest homebrew & winemaking supply store. Buy supplies from the authors of "CLONEBREWS 2nd edition" and "BEER CAPTURED"! Top-quality service since 1990.

Rob's Home Brew Supply
1 New London Rd, Unit #9
Junction Rte 82 & 85
Salem 06420
(860) 859-3990
robshomebrew@sbcglobal.net
www.robshomebrew.com

Stomp N Crush
140 Killingworth Turnpike (Rt 81)
Clinton 06413
(860) 552-4634
www.stompncrush.com
email: info@stompncrush.com
Southern CT's only homebrew supply store, carrying a full line of Beer & Wine making supplies and kits.

DELAWARE

How Do You Brew?
Shoppes at Louviers
203 Louviers Drive
Newark 19711
(302) 738-7009
fax: (302) 738-5651
joe@howdoyoubrew.com
www.howdoyoubrew.com
Quality Supplies and Ingredients for the Home Brewer including: Beer, Wine, Mead, Soft Drink and Kegging. One of the Mid-Atlantic's largest and best-stocked Brew Stores!

Xtreme Brewing
18501 Stumper Dr. (Rte 9)
Lewes
(302) 684-8936
fax: (302) 934-1701
www.xtremebrewing.com
contact@xtremebrewing.com
Make your own great beer or wine.

FLORIDA

AJ's Beer City & Homebrew Supplies
221 Center St.
Jupiter 33458
(561) 575-2337
www.ajsbeercitybuzz.com
South Florida's Newest Homebrew Supply Store!

Beer and Winemaker's Pantry
9200 66th St. North
Pinellas Park 33782
(727) 546-9117
www.beerandwinemaking.com
Complete line of Wine & Beer making supplies and ingredients. Huge selection, Mail orders, Great service. Since 1973.

BrewBox Miami
8831 SW 129th Street
Miami 33176
(305) 762-2859
www.brewboxmiami.com
A full-service homebrew supply shop, offering free classes every Saturday morning. We also carry a full range of hops, grains, extracts and yeast, as well as homebrewing equipment.

BX Beer Depot
2964 2nd Ave. N.
Lake Worth 33461
(561) 965-9494
www.bxbeerdepot.com
South Florida's Full Service Home Brew Shop. We supply craft beer, kegging equipment, fill CO_2 on site, homebrew supplies & ingredients, classes every month and also have an online store with next day delivery in Florida.

Just BREW It
wine and beer making supplies
2670-1 Rosselle St.
Jacksonville 32204
(904) 381-1983
www.justbrewitjax.com
Your can DO it!

Southeast Homebrew
Plantation 33324
SoutheastHomebrew.com
Cell # - (954) 609-7162
Use coupon code BYO2011 for 10% off your first order.

Southern Homebrew
634 N. Dixie Freeway
New Smyrna Beach 32168
(386) 409-9100
info@SouthernHomebrew.com
www.SouthernHomebrew.com
Largest store in Florida! Complete inventory of beer & wine making supplies at money saving prices.

GEORGIA

Barley & Vine
1445 Rock Quarry Rd., Ste #201-203
Stockbridge 30281
(770) 507-5998
www.BarleyNvine.com
AIM: BarleyandVine@aol.com
Award winning brewers serving all of your brewing needs with the best stocked store in Atlanta! Visit our shoppe OR order your brewing supplies online. Friendly, knowledgeable staff will help you with your first batch or help design your next perfect brew. Located 1/2 mile off I-75, exit 224, just minutes from the ATL airport.

Brew Depot - Home of Beer Necessities
10595 Old Alabama Rd. Connector
Alpharetta 30022
(770) 645-1777
fax:(678) 585-0837
877-450-BEER (Toll Free)
e-mail: beernec@aol.com
www.BeerNecessities.com
Georgia's Largest Brewing Supply Store. Providing supplies for all of your Beer & Wine needs. Complete line of draft dispensing equipment, CO_2 and hard to find keg parts. Award winning Brewer on staff with Beginning and Advanced Brew Classes available. Call or email to enroll. www.Brew-Depot.com

Brewmasters Warehouse
2145 Roswell Rd., Suite 320
Marietta 30062
(877) 973-0072
fax: (800) 854-1958
info@brewmasterswarehouse.com
www.brewmasterswarehouse.com
Low Prices & Flat Rate Shipping!

Just Brew It!
1924 Hwy 85
Jonesboro 30238
1-888-719-4645
www.aardvarkbrewing.com
Atlanta's favorite homebrew shop since 1993. Great prices with the most complete line of ingredients and kegging supplies in the region. Just 8 miles south of the perimeter on Georgia hwy 85.

Wine Craft of Atlanta
5920 Roswell Rd., C-205
Atlanta 30328
(404) 252-5606
www.winecraftatl.com
winecraftatl@bellsouth.net

HAWAII

HomeBrew in Paradise
2646-B Kilihau St.
Honolulu 96819
(808) 834-BREW
mike@homebrewinparadise.com
www.homebrewinparadise.com
The Best Homebrew Supply Store in Hawaii

IDAHO

HomeBrewStuff.com
9165 W. Chinden Blvd., Ste 103
Garden City 83714
(208) 375-2559
www.homebrewstuff.com
"All the Stuff to Brew, For Less!" Visit us on the web or at our new Retail Store!

ILLINOIS

Bev Art Brewer & Winemaker Supply
10033 S. Western Ave.
Chicago
(773) 233-7579
email: bevart@bevart.com
www.bev-art.com
Mead supplies, grains, liquid yeast and beer making classes on premise.

Brew & Grow (Bolingbrook)
181 W. Crossroads Pkwy., Ste A
Bolingbrook 60440
(630) 771-1410
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Chicago)
3625 N. Kedzie Ave.
Chicago 60618
(773) 463-7430
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Chicago West Loop)
Coming Late Fall!
19 S. Morgan St.
Chicago 60607
(312) 243-0005
www.brewandgrow.com

Brew & Grow (Crystal Lake)
176 W. Terra Cotta Ave., Ste. A
Crystal Lake 60014
(815) 301-4950
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Rockford)
3224 S. Alpine Rd.
Rockford 61109
(815) 874-5700
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Roselle)
359 W. Irving Park Rd.
Roselle 60172
(630) 894-4885
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Chicagoland Winemakers Inc.
689 West North Ave.
Elmhurst 60126
Phone: 1-800-226-BREW
info@chicagolandwinemakers.com
www.chicagolandwinemakers.com
Full line of beer & wine making supplies.

Crystal Lake Health Food Store
25 E. Crystal Lake Ave.
Crystal Lake
(815) 459-7942
Upstairs brew shop - Complete selection incl. Honey, Maple Syrup & unusual grains & herbs.

Fox Valley Homebrew & Winery Supplies
14 W. Downer Pl., Ste. 12
Aurora 60506
(630) 892-0742
e-mail: brewyo@foxvalleybrew.com
www.foxvalleybrew.com
Full line of quality beer and wine making supplies. Great prices & personalized service!

Home Brew Shop LTD
225 West Main Street
St. Charles 60174
(630) 377-1338
www.homebrewshopltd.com
Full line of Kegging equipment, Varietal Honey

Perfect Brewing Supply
619 E. Park Ave.
Libertyville 60048
(847) 816-7055
info@perfectbrewingsupply.com
www.perfectbrewingsupply.com
Providing equipment and ingredients for all of your hombrewing needs, a full line of draft beer equipment and expert staff to answer your questions.

Somethings Brewn'
401 E. Main Street
Galesburg 61401
(309) 341-4118
www.somethingsbrewn.com
Midwestern Illinois' most complete beer and winemaking shop.

INDIANA

The Brewer's Art Supply
1425 N. Wells Street
Fort Wayne 46808
(260) 426-7399
brewersartsupply@gmail.com
www.brewingart.com
Friendly, Reliable service in house and on-line.

Butler Winery Inc.
1022 N. College Ave.
Bloomington 47404
(812) 339-7233
e-mail: vineyard@butlerwinery.com
Southern Indiana's largest selection of homebrewing and winemaking supplies. Excellent customer service. Open daily or if you prefer, shop online at: butlerwinery.com

Great Fermentations of Indiana
5127 E. 65th St.
Indianapolis 46220
(317) 257-WINE (9463)
Toll-Free 1-888-463-2739
www.greatfermentations.com
Extensive lines of yeast, hops, grain and draft supplies.

Kennywood Brewing Supply & Winemaking
3 North Court Street
Crown Point 46307
(219) 662-1800
kennywood@comcast.net
www.kennywoodbrew.com
A Minute Ride from I-65, take exit 249 turn West to Main St. Knowledgeable Staff to serve you. Come visit us, we talk beer. Open Tu-Fr 11:30am - 7pm, Sat 9am-4pm.

Quality Wine and Ale Supply
Store: 108 S. Elkhart Ave.
Mail: 530 E. Lexington Ave. #115
Elkhart 46516
Phone (574) 295-9975
E-mail: info@homebrewit.com
Online: www.homebrewit.com
Quality wine & beer making supplies for home brewers and vintners. Secure online ordering. Fast shipping. Expert advice. Fully stocked retail store.

Superior Ag Co-op
5015 N. St. Joseph Ave.
Evansville 47720
1-800-398-9214 or
(812) 423-6481
CoopCountryCorner@insightBB.com
Beer & Wine. Brew supplier for Southern Indiana.

IOWA

Beer Crazy
3908 N.W. Urbandale Dr./100 St.
Des Moines 50322
(515) 331-0587
www.gobeercrazy.com
We carry specialty beer, and a full-line of beer & winemaking supplies!

Bluff Street Brew Haus
372 Bluff Street
Dubuque
(563) 582-5420
jerry@bluffbrewhaus.com
www.bluffbrewhaus.com
Complete line of wine & beermaking supplies.

KANSAS

Bacchus & Barleycorn Ltd.
6633 Nieman Road
Shawnee 66203
(913) 962-2501
www.bacchus-barleycorn.com
Your one stop home fermentation shop!

Homebrew Pro Shoppe, Inc.
2061 E. Santa Fe
Olathe (913) 768-1090 or
Toll Free: 1-866-BYO-BREW
Secure online ordering: www.brewcat.com

HOMEBREW DIRECTORY

KENTUCKY

My Old Kentucky Homebrew
1437 Story Ave.
Louisville 40204
(502) 589-3434
www.myoldkentuckyhomebrew.com
Beer & Wine supplies done right. Stop by and see for yourself.

Winemakers & Beermakers Supply
9475 Westport Rd.
Louisville 40241
(502) 425-1692
www.winebeersupply.com
Complete Beermaking & Winemaking Supplies. Premium Malt from Briess & Muntons. Superior Grade of Wine Juices. Family Owned Store Since 1972.

MAINE

Maine Brewing Supply
542 Forest Ave.
Portland
(207) 791-BREW (2739)
www.BrewBrewBrew.com
From beginner to expert, we are your one stop shop for all your brewing supplies. Friendly and informative personal service. Conveniently located next to The Great Lost Bear.

Natural Living Center
209 Longview Dr.
Bangor 04401
(207) 990-2646 or
toll-free: 1-800-933-4229
e-mail: nlcbangor@yahoo.com
www.naturallivingcenter.net

MARYLAND

Annapolis Home Brew
836 Ritchie Hwy., Suite 19
Severna Park 21146
(800) 279-7556
fax: (410) 975-0931
www.annapolishomebrew.com
Friendly and informative personal service; Online ordering.

The Flying Barrel
103 South Carrol St.
Frederick
(301) 663-4491
fax: (301) 663-6195
www.flyingbarrel.com
Maryland's 1st Brew-On-Premise; winemaking and homebrewing supplies!

Maryland Homebrew
6770 Oak Hall Lane, #115
Columbia 21045
1-888-BREWNOW
www.mdhb.com
We ship UPS daily.

MASSACHUSETTS

Beer & Wine Hobby
155 New Boston St., Unit T
Woburn 01801
1-800-523-5423
e-mail: shop@beer-wine.com
Web site: www.beer-wine.com
Brew on YOUR Premise™
One stop shopping for the most discriminating beginner & advanced beer & wine hobbyist.

Modern Homebrew Emporium
2304 Massachusetts Ave.
Cambridge 02140
(617) 498-0400
fax: (617) 498-0444
www.modernbrewer.com
The Freshest Supplies, Awesome Service Since 1990!

NFG Homebrew Supplies
72 Summer St.
Leominster
(978) 840-1955
Toll Free: 1-866-559-1955
www.nfghomebrew.com
nfghomebrew@verizon.net
Great prices! Personalized service! Secure on-line ordering.

Strange Brew Beer & Winemaking Supplies
416 Boston Post Rd. E. (Rt. 20)
Marlboro
1-888-BREWING
e-mail: dash@Home-Brew.com
Website: www.Home-Brew.com
We put the dash back in Home-Brew!

West Boylston Homebrew Emporium
Causeway Mall, Rt. 12
West Boylston
(508) 835-3374
www.wbhomebrew.com
Service, variety, quality. Open 7 days.

The Witches Brew, Inc.
12 Maple Ave.
Foxborough 02035
(508) 543-0433
steve@thewitchesbrew.com
www.thewitchesbrew.com
You've Got the Notion, We've Got the Potion

MICHIGAN

Adventures in Homebrewing
6071 Jackson Rd.
Ann Arbor 48103
(313) 277-BREW (2739)
Full Line of Kegging Supplies!
Visit us at
www.homebrewing.org

Adventures in Homebrewing
23869 Van Born Rd.
Taylor 48180
(313) 277-BREW (2739)
Full Line of Kegging Supplies!
Visit us at
www.homebrewing.org

Bell's General Store
355 E. Kalamazoo Ave.
Kalamazoo 49007
(269) 382-5712
fax: (269) 382-5748
www.bellsbeer.com
Visit us next door to Bell's Eccentric Café or online at www.bellsbeer.com

Brewers Edge Homebrew Supply, LLC
650 Riley Street, Suite E
Holland 49424
(616) 805-UBRU (8278)
(616) 283-6423 (cell)
www.brewersedgehomebrew.com
email: brewersedge@gmail.com
Your Local Homebrewing & Winemaking Supply Shop...get the Edge!

BrewGadgets
Store: 328 S. Lincoln Ave.
Mail: PO Box 125
Lakeview 48850
Online: www.BrewGadgets.com
E-mail: edw@BrewGadgets.com
Call us on our Dime @
(866) 591-8247
Quality beer and wine making supplies. Secure online ordering and retail store. Great! Prices and personalized service.

Brewingworld
5919 Chicago Rd.
Warren 48092
(586) 264-2351
Brew on Premise, Microbrewery, Homebrewing & Winemaking Supplies
www.brewingworld.com
www.kbrewery.com

Cap 'n' Cork Homebrew Supplies
16812 - 21 Mile Road
Macomb Twp.
(586) 286-5202
fax: (586) 286-5133
info@capncorkhomebrew.com
www.capncorkhomebrew.com
Wyeast, White Labs, Hops & Bulk Grains!

Hopman's Beer & Winemaking Supplies
4690 W. Walton Blvd.
Waterford 48329
(248) 674-4677
www.hopmanssupply.com
All your needs from brew to bottle and then some.

The Red Salamander
902 E. Saginaw Hwy.
Grand Ledge 48837
(517) 627-2012
www.theredsalamander.com
New bigger store!

Siciliano's Market
2840 Lake Michigan Dr. N.W.
Grand Rapids 49504
(616) 453-9674 fax: (616) 453-9687
e-mail: sici@sbcglobal.net
www.sicilianosmkt.com
The largest selection of beer and wine making supplies in west Michigan.

thingsBEER
1093 Highview Dr.
Webberville 48892
1-866-521-2337 fax: (517) 521-3229
thingsbeer@michiganbrewing.com
www.thingsbeer.com
Your Full-Service Homebrew Shop With A Home Town Feel!

MINNESOTA

Midwest Homebrewing & Winemaking Supplies
5825 Excelsior Blvd.
St. Louis Park 55416
1-888-449-2739
www.MidwestSupplies.com
The Ultimate Resource for Homebrewing & Winemaking

Northern Brewer, Ltd.
6021 Lyndale Ave. South
Minneapolis 55419
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Northern Brewer, Ltd.
1150 Grand Ave.
St. Paul 55105
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Still-H_2O, Inc.
14375 N. 60th St.
Stillwater 55082
(651) 351-2822
www.still-h2o.com
Our grains, hops and yeast are on a mission to make your beer better! Wine and soda making ingredients and supplies available too. Locally owned/Family operated.

MISSOURI

The Home Brewery
205 West Bain (P.O. Box 730)
Ozark 65721
1-800-321-BREW (2739)
brewery@homebrewery.com
www.homebrewery.com
Over 25 years of great products and great customer service. One Stop Shopping for all your Beer, Wine, Soda and Cheese Making Supplies.

Homebrew Supply of Southeast Missouri, LLC
3463 State Hwy FF
Jackson 63755
(573) 579-9398
www.homebrewsupply.biz
homebrewsupply@gmail.com
Hour: W-F 5:00pm - 6:30pm Saturday 9:00am - 3:00pm or By Appointment.

St Louis Wine & Beermaking LLC
231 Lamp & Lantern Village
St. Louis 63017
1-888-622-WINE (9463)
www.wineandbeermaking.com
The Complete Source for Beer, Wine & Mead Makers! Fax us at (636) 527-5413

MONTANA

Mount Baldy Brewing Supply
214 Broadway
Townsend 59644
(406) 241-2087
www.mountbaldybrewing.com
Montana's Only Brew-On-Premise Homebrew Shop. Beer and Wine Making Equipment and Supplies. Come Brew It Better with Us!

NEBRASKA

Fermenter's Supply & Equipment
8410 'K' Plaza, Suite #10
Omaha 68127
(402) 593-9171
e-mail: FSE@tconl.com
www.fermenterssupply.com
Beer & winemaking supplies since 1971. Same day shipping on most orders.

Kirk's Do-It-Yourself Brew
1150 Cornhusker Hwy.
Lincoln 68521
(402) 476-7414
fax: (402) 476-9242
www.kirksbrew.com
e-mail: kirk@kirksbrew.com
Serving Beer and Winemakers since 1993!

NEW HAMPSHIRE

Fermentation Station
72 Main St.
Meredith 03253
(603) 279-4028
badabingnh@yahoo.com
www.2ferment.net
The Lake Region's Largest Homebrew Supply Shop!

Granite Cask
6 King's Square, Unit A
Whitefield 03598
(603) 837-2224
fax: (603) 837-2230
www.granitecask.com
email: brew@granitecask.com
Personal service, homebrewing classes, custom kits always available.

Kettle to Keg
123 Main Street
Pembroke 03275
(603) 485-2054
www.kettletokeg.com
NH's largest selection of homebrewing, winemaking and soda ingredients, supplies & equipment. Located conveniently between Concord and Manchester.

Smoke N Barley
485 Laconia Rd.
Tilton 03276
(603) 524-5004
fax: (603) 524-2854
SmokeNBarley.com
smokenbarley@metrocast.net
Mention This Listing For 10% Off Any Brewing Supplies Purchase.

Yeastern Homebrew Supply
455 Central Ave.
Dover 03820
(603) 343-2956
www.yeasternhomebrewsupply.com
info@yeasternhomebrewsupply.com
Southeastern NH's source for all your homebrewing needs.

NEW JERSEY

The Brewer's Apprentice
856 Route 33
Freehold 07728
(732) 863-9411
www.brewapp.com
Online Homebrew Shopping.

Corrado's Wine & Beer Making Center
600 Getty Ave.
Clifton 07011
(973) 340-0848
www.corradosmarket.com

Tap It Homebrew Supply Shop
144 Philadelphia Ave.
Egg Harbor 08215
(609) 593-3697
www.tapithomebrew.com
contact@tapithomebrew.com
From beginners to experienced all-grain brewers, Southeastern NJ's only homebrew, wine & soda making supply shop!

NEW MEXICO

Santa Fe Homebrew Supply
6820 Cerrillos Rd., #4
Santa Fe 87507
(505) 473-2268
email: info@santafehomebrew.com
www.santafehomebrew.com
www.nmbrew.com
Northern New Mexico's local source for home brewing and wine making supplies.

Southwest Grape & Grain
9450-D Candelaria NE
Albuquerque 87112
(505) 332-BREW (2739)
www.southwestgrapeandgrain.com
For all your homebrew needs. Open 7 Days a Week.

Victor's Grape Arbor
2436 San Mateo Pl. N.E.
Albuquerque 87110
(505) 883-0000
fax: (505) 881-4230
www.victorsgrapearbor.com
email: victors@nmia.com
Serving your brewing needs since 1974. Call for a Free Catalog!

NEW YORK

American Homesteader
6167 State Hwy 12
Norwich 13815
(607) 334-9941
americanhomesteader@frontier.com
www.AmericanHomesteader.net
Very large line of beer and wine making supplies. We stock some of the more unusual supplies and equipment as well. We take phone mail orders and have online sales coming soon. Hours are 10-6 Mon-Sat.

Brewshop @ Cornell's True Value
310 White Plains Rd.
Eastchester 10709
(914) 961-2400
fax: (914) 961-8443
www.brewshop.com
email: john3@cornells.com
Westchester's complete beer & wine making shop. We stock grain, yeast, kits, bottles, hops, caps, corks and more. Grain mill on premise.

Doc's Homebrew Supplies
451 Court Street
Binghamton 13904
(607) 722-2476
www.docsbrew.com
Full-service beer & wine making shop serving NY's Southern Tier & PA's Northern Tier since 1991. Extensive line of kits, extracts, grains, supplies and equipment.

Hennessy Homebrew Emporium
470 N. Greenbush Rd.
Rensselaer 12144
(800) 462-7397
www.beerbrew.com
Huge Selection, Open 7 days a week, Est. 1984

Mistucky Creek Co.
331 Rt 94 S.
Warwick 10990
(845) 988-HOPS fax: (845) 987-2127
www.mistuckycreek.com
email: mistuckycreek@yahoo.com
Come visit us @ Mistucky Creek. Homebrew & Wine making supplies & equipment. Check out our Country Gift store too!

Niagara Tradition Homebrewing Supplies
1296 Sheridan Drive
Buffalo 14217
(800) 283-4418 fax: (716) 877-6274
On-line ordering. Next-day service. Huge Inventory. www.nthomebrew.com

Pantano's Wine Grapes & Homebrew
249 Rte 32 S.
New Paltz 12561
(845) 255-5201
(845) 706-5152 (cell)
pantanowineandbeer@yahoo.com
Find Us On Facebook. Carrying a full line of homebrewing equipment & ingredients for all your brewing needs. Here to serve Hudson Valley's homebrewers.

Party Creations
345 Rokeby Rd.
Red Hook 12571
(845) 758-0661
www.partycreations.net
Everything for making beer and wine.

Saratoga Zymurgist
112 Excelsior Ave.
Saratoga Springs 12866
(518) 580-9785
email: oosb@verizon.net
www.SaratogaZ.com
Now serving Adirondack Park, lower Vermont and Saratoga Springs area with supplies for beer and wine making. "Home to all your fermentation needs"

NORTH CAROLINA

Alternative Beverage
1500 River Dr., Ste. 104
Belmont 28012
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
37 years serving all home brewers' & winemakers' needs! Come visit for a real Homebrew Super Store experience!

HOMEBREW DIRECTORY

American Brewmaster
3021-5 Stonybrook Dr.
Raleigh 27604
(919) 850-0095
www.americanbrewmaster.com
abrew@americanbrewmaster.com
Expert staff. Friendly service. We make brewing FUN! Serving the best ingredients since 1983. Now open Brewmasters Bar & Grill on W. Martin St.

Asheville Brewers Supply
712-B Merrimon Ave
Asheville 28804
(828) 285-0515
www.ashevillebrewers.com
The South's Finest Since 1994!

Beer & Wine Hobbies, Int'l
4450 South Blvd.
Charlotte 28209
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
Large inventory, homebrewed beer making systems, quality equipment, fresh ingredients, expert advice, fast service and all at reasonable prices.

Brewers Discount
Greenville 27837
(252) 758-5967
sales@brewersdiscount.net
www.brewersdiscount.net
Lowest prices on the web!

OHIO

The Grape and Granary
915 Home Ave.
Akron 44310
(800) 695-9870
www.grapeandgranary.com
Complete Brewing & Winemaking Store.

The Hops Shack
1687 Marion Rd.
Bucyrus 44820
(419) 617-7770
www.hopsshack.com
Your One-Stop Hops Shop!

Listermann Mfg. Co.
1621 Dana Ave.
Cincinnati 45207
(513) 731-1130
fax: (513) 731-3938
www.listermann.com
Beer, wine and cheesemaking equipment and supplies.

Main Squeeze
229 Xenia Ave.
Yellow Springs 45387
(937) 767-1607
www.mainsqueezeonline.com
Award Winning Brewers helping all Brewers!

Miami Valley BrewTensils
2617 South Smithville Rd.
Dayton 45420
(937) 252-4724
www.schwartzbeer.com
email: darren@schwartzbeer.com
Formerly Belmont Party Supply. Recently expanded at a new location. All your beer, wine & cheese supplies.

Paradise Brewing Supplies
7766 Beechmont Ave.
Cincinnati
(513) 232-7271
www.paradisebrewingsupplies.com
Internet sales coming soon! Mention this ad & get a free ounce of hops!

The Pumphouse
336 Elm Street
Struthers 44471
1(800) 947-8677 or
(330) 755-3642
Beer & winemaking supplies + more.

Shrivers Pharmacy (McConnelsville)
105 N. Kennebec Ave.
McConnelsville 43756
1-800-845-0556
fax: (740) 962-2461
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Shrivers Pharmacy (Nelsonville)
40 Watkins St.
Nelsonville 45764
(740) 753-2484
fax: (740) 753-4185
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Shrivers Pharmacy (New Lexington)
510 N. Main St.
New Lexington 43764
1-800-845-0561
fax: (740) 342-5343
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Shrivers Pharmacy (Zanesville)
406 Brighton Blvd.
Zanesville 43701
1-800-845-0560
fax: (740) 452-1874
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Titgemeier's Inc.
701 Western Ave.
Toledo 43609
(419) 243-3731
fax: (419) 243-2097
e-mail: titgemeiers@hotmail.com
www.titgemeiers.com
An empty fermenter is a lost opportunity – Order Today!

OKLAHOMA

The Brew Shop
3624 N. Pennsylvania Ave.
Oklahoma City 73112
(405) 528-5193
brewshop@juno.com
www.thebrewshopokc.com
Oklahoma City's premier supplier of home brewing and wine making supplies. Serving homebrewers for over 15 years! We ship nationwide.

High Gravity
7164 S. Memorial Drive
Tulsa 74133
(918) 461-2605
store@highgravitybrew.com
www.highgravitybrew.com
Build your own beer from one convenient page! No Fine Print $9.99 flat rate shipping on everything in our store.

Learn to Brew, LLC
2307 South Interstate 35 Frontage Rd.
Moore 73160
(405) 793-BEER (2337)
info@learntobrew.com
www.learntobrew.com
Learn To Brew is run by a professionally trained brewer and offers a complete line of beer, wine, and draft dispense products and equipment and also offers beer and wine classes for all levels.

OREGON

Above the Rest Homebrewing Supplies
11945 SW Pacific Hwy, Ste. #235
Tigard 97223
(503) 968-2736
fax: (503) 639-8265
atr.homebrewing@gmail.com
www.abovetheresthomebrewing.net
Serving Beer & Wine Makers since 1993

Brew Brothers Homebrew Products, LLC
2020 NW Aloclek Dr., Ste 104
Hillsboro (Aloha area) 97124
Toll-free: (888) 528-8443
info@brewbrothers.biz
www.brewbrothers.biz
Pay less, brew more!
Hugest selection of grain, anywhere. "Come join the family!!!"

Corvallis Brewing Supply
119 SW 4th Street
Corvallis 97333
(541) 758-1674
www.lickspigot.com
Home Fermenting Supplies & Packaged-Goods-To-Go! Beer, Wine, Cider, Sake, Mead, Soda and Cheese.

F.H. Steinbart Co.
234 SE 12th Ave
Portland 97214
(503) 232-8793
fax: (503) 238-1649
e-mail: info@fhsteinbart.com
www.fhsteinbart.com
Brewing and Wine making supplies since 1918!

Falling Sky Brewshop (formerly Valley Vintner & Brewer)
30 East 13th Ave.
Eugene 97401
(541) 484-3322
www.brewabeer.com
email: ordering@brewabeer.com
Oregon's premier, full-service homebrew shop, featuring unmatched selection of whole hops and organically grown ingredients.

Grains Beans & Things
820 Crater Lake Ave., Suite 113
Medford 97504
(541) 499-6777
www.grains-n-beans.com
email: sales@grains-n-beans.com
Largest homebrew and winemaking supplier in Southern Oregon. We feature Wine, Beer, Mead, Soda and Cheese making supplies and equipment. Home coffee roasting supplies and green coffee beans from around the world. Best of all - Great Customer Service!

The Hoppy Brewer
328 North Main
Gresham 97030
(503) 328-8474
fax: (503) 328-9142
krauski@hotmail.com
OregonsHoppyPlace.com
Homebrewing Supplies, Draft Equipment, Bottle Beers, Filled Growlers.

Mainbrew
23596 NW Clara Lane
Hillsboro 97124
(503) 648-4254
www.mainbrew.com
Since 1991 providing excellent customer service and serving only top quality ingredients!

PENNSYLVANIA

Bald Eagle Brewing Co.
315 Chestnut St.
Mifflinburg 17844
(570) 966-3156
fax: (570) 966-6827
tsweet@baldeaglebrewingco.com
www.baldeaglebrewingco.com
Novice, we will help. Experienced, we have what you need. Very competitive prices, customer service oriented. Daily hours closed Sunday.

Beer Solutions
507 Blackman St.
Wilkes-Barre 18702
(570) 825-5509
email: sacz@ptd.net
www.beersolutionsinc.com
Complete line of supplies. We specialize in kegging equipment with kegs, parts & we fill CO_2 & Nitrogen tanks. 3 Blocks from Rt. I-81.

Country Wines
3333 Babcock Blvd., Suite 2
Pittsburgh 15237
(412) 366-0151 or
Orders toll free (866) 880-7404
www.countrywines.com
Manufacturer of Super Ferment® complete yeast nutrient/energizer, Yeast Bank®, and the Country Wines Acid test kit. Wholesale inquiries invited. Visit us or order online.

Homebrew4Less.com
890 Lincoln Way West (RT 30)
Chambersburg 17202
(717) 504-8534
www.Homebrew4Less.com
Full line of homebrew and wine supplies and equipment.

Keystone Homebrew Supply
599 Main St.
Bethlehem 18018
(610) 997-0911
sales@keystonehomebrew.com
www.keystonehomebrew.com
Your source for everything beer and wine!

Keystone Homebrew Supply
435 Doylestown Rd.
Montgomeryville 18936
(215) 855-0100
sales@keystonehomebrew.com
24,000 sq. ft. of Fermentation Fun www.keystonehomebrew.com

Lancaster Homebrew
1944 Lincoln Highway E
Lancaster 17602
(717) 517-8785
www.lancasterhomebrew.com
info@lancasterhomebrew.com
Your source for all your beer brewing and wine making needs!

Mr. Steve's Homebrew Supplies
3043 Columbia Ave.
Lancaster 17603 (717) 397-4818
www.mrsteves.com
email: mrsteve@mrsteves.com
Celebrating 17 years of friendly knowledgeable service!

Mr. Steve's Homebrew Supplies
2944 Whiteford Rd., Suite 5
York 17402
(717) 751-2255 or 1-800-815-9599
www.mrsteves.com
email: mrsteve@mrsteves.com
Celebrating 17 years of friendly knowledgeable service!

Porter House Brew Shop, LLC
1284 Perry Highway
Portersville 16051
(just north of Pittsburgh)
(724) 368-9771
www.porterhousebrewshop.com
Offering home-town customer service and quality products at a fair price. Large selection of home brewing, winemaking and kegging supplies.

Ruffled Wine & Brewing Supplies
616 Allegheny River Blvd.
Oakmont 15139 (412) 828-7412
www.ruffledhomebrewing.com
Carrying a full line of quality kits, grains, hops, yeast & equipment. Also serving all your winemaking needs. Stop by or check us out online. Gift Cards Available!

Scotzin Brothers
65 N. Fifth St.
Lemoyne 17043
(717) 737-0483 or 1-800-791-1464
www.scotzinbros.com
Wed. & Sat. 10-5pm
Central PA's Largest IN-STORE Inventory!

South Hills Brewing - Greentree
2212 Noblestown Rd.
Pittsburgh 15205 (412) 937-0773
www.southhillsbrewing.com
Growing again to serve you better. Now stocking Spagnols wine kits and an expanded line of beer equipment. Visit our 3000 square foot showroom, or order online.

South Hills Brewing - Monroeville
2526 Mosside Blvd.
Monroeville 15146
(412) 374-1240
www.southhillsbrewing.com
Located within minutes of Interstate 376, Rt 22, and the Pennsylvania Turnpike to serve our customers east of Pittsburgh. Visit us or order online.

Universal Carbonic Gas Co.
614 Gregg Ave.
Reading 19611
(610) 372-2565
fax: (610) 372-9690
email: readingdraft@verizon.net
Manufacturer, bottler & distributor of Reading Draft Premium sodas since 1921. Full line retailer of wine & beer kits (275+ in stock), supplies and equipment for pressing, kegging and tapping. Dry Ice on hand. We fill CO_2 cylinders on the spot and hydrotest as necessary.

Weak Knee Home Brew Supply
North End Shopping Center,
1300 N. Charlotte St.
Pottstown 19464
(610) 327-1450
fax: (610) 327-1451
www.weakkneehomebrew.com
BEER and WINE making supplies, varieties of HONEY; GRAPES & JUICES in season; KEGERATORS, equipment & service; monthly classes and our unique TASTING BAR.

Windy Hill Wine Making
10998 Perry Highway
Meadville 16335
(814) 337-6871
www.windyhillwine.net
Northwest PA's beer and wine making store.
Hours: Tues - Fri 9am-6pm
Sat 9am-4pm, Closed Sun & Mon

Wine & Beer Emporium
100 Ridge Rd. #27
Chadds Ford 19317
(610) 558-BEER (2337)
winebeeremporium@aol.com
www.winebeeremporium.com
We carry a complete line of beer & winemaking supplies, honeys, cigars and more! Call for directions, please don't follow your GPS or online directions.

Wine & Beer Makers Outlet
202 South 3rd St. (Rt. 309)
Coopersburg 18036
(484) 863-1070
www.wineandbeermakersoutlet.com
info@wineandbeermakersoutlet.com
Great Beer • Great Wine • Outlet Prices

Wine, Barley & Hops Homebrew Supply
248 Bustleton Pike
Feasterville 19053
(215) 322-4780
info@winebarleyandhops.com
www.winebarleyandhops.com
Your source for premium beer & winemaking supplies, plus knowledgeable advice.

RHODE ISLAND

Adamsville Wine and Spirits
81 Stone Church Rd.
Little Compton 02837
(401) 635-2109
From kits to grains, let us help you with your next batch! Open 7 days a week!
Call us @ (401) 635-2109

Blackstone Valley Brewing Supplies
407 Park Ave.
Woonsocket
(401) 765-3830
www.blackstonevalleybrewing.com
Quality Products and Personalized Service!

SOUTH CAROLINA

Bet-Mar Liquid Hobby Shop
736-F Saint Andrews Rd.
Columbia 29210
(803) 798-2033 or
1-800-882-7713
www.liquidhobby.com
Providing unmatched Value, Service & Quality to you for over 42 years!

SOUTH DAKOTA

GoodSpirits Fine Wine & Liquor
3300 S. Minnesota Ave.
Sioux Falls 57105
(605) 339-1500
www.gsfw.com
Largest selection in South Dakota for the home brewer and winemaker. We are located in the Taylor's Pantry Building on the corner of 41st & Minnesota Ave.

TENNESSEE

All Seasons Gardening & Brewing Supply
924 8th Ave. South
Nashville 37203
1-800-790-2188
local: (615) 214-5465
fax: (615) 214-5468
www.allseasonsnashville.com
Visit Our Store or Shop Online. Nashville's Largest Homebrew Supplier!

TEXAS

Austin Homebrew Supply
9129 Metric Blvd.
Austin 78758
1-800-890-BREW or
(512) 300-BREW
www.austinhomebrew.com
Huge online catalog!

HOMEBREW DIRECTORY

Dallas Home Brew a division of The Wine Maker's Toy Store
1300 North Interstate 35E, Ste 106
Carrollton 75006
(866) 417-1114
www.finevinewines.com
Dallas' newest full service home brew supply store.

DeFalco's Home Wine and Beer Supplies
8715 Stella Link
Houston 77025
(713) 668-9440 fax: (713) 668-8856
www.defalcos.com
Check us out on-line!

Home Brew Party
15150 Nacogdoches Rd., Ste 130
San Antonio 78247
(210) 650-9070
info@homebrewparty.com
www.homebrewparty.com
Beer and wine making classes and supplies.

Homebrew Headquarters
300 N. Coit Rd., Suite 134
Richardson 75080
(972) 234-4411 or 1-800-966-4144
www.homebrewhq.com
Proudly serving the Dallas area for 30+ years!

Keg Cowboy
2017 1/2 South Shepherd
Houston 77019
(281) 888-0507
www.kegcowboy.com
Covering all your draft and kegging needs and wants. We also now carry homebrew supplies, CO_2 gas and organic ingredients. Visit our website or stop by our showroom in Houston.

Pappy's HomeBrew
3334 Old Goliad Rd.
Victoria 77905
(361) 576-1077
www.Pappyshomebrew.com
Register for Monthly Drawing.

Stubby's Texas Brewing Inc.
5200 Airport Freeway, Ste. B
Haltom City 76117
(682) 647-1267
www.texasbrewinginc.com
info@texasbrewinginc.com
Your local home brew store with on-line store prices.

UTAH

The Beer Nut
1200 S. State
Salt Lake City 84111
(888) 825-4697
fax: (801) 531-8605
www.beernut.com
"Make Beer not Bombs"™

VERMONT

Brewfest Beverage Co.
199 Main St.
Ludlow 05149
(802) 228-4261
www.brewfestbeverage.com
Supplying equipment & ingredients for all your homebrewing needs. Largest selection of craft beer in the area. Growlers poured daily! "We're hoppy to serve you!"

VIRGINIA

Blue Ridge Hydroponics & Home Brewing Co.
5327 D Williamson Rd.
Roanoke 24012
(540) 265-2483
www.blueridgehydroponics.com
Hours: Mon-Sat 11am - 6pm and Sunday 10am - 2pm.

Fermentation Trap, Inc.
6420 Seminole Trail
Seminole Place Plaza #12
Barboursville 22923
(434) 985-2192 fax: (434) 985-2212
questions@fermentationtrap.com
www.fermentationtrap.com

HomeBrewUSA
96 West Mercury Blvd.
Hampton 23669
(757) 788-8001
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

HomeBrewUSA
5802 E. Virginia Beach Blvd., #115
JANAF Shopping Plaza
Norfolk 23502
1-888-459-BREW or (757) 459-2739
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

Jay's Brewing Supplies
12644 Chapel Rd., Ste 113
Clifton 20124
(703) 543-2663
www.jaysbrewing.com
email: info@jaysbrewing.com
No matter if you're a novice or advanced brewer, we have what you need. Setting the standard for brewing supplies & ingredients at competitive prices.

myLHBS (myLocalHomebrewShop)
6201 Leesburg Pike #3
Falls Church
(703) 241-3874
www.myLHBS.com
All the basics plus unique and hard-to-find Belgian and other specialty ingredients.

WeekEnd Brewer - Home Beer & Wine Supply
4205 West Hundred Road
Chester/Richmond area 23831
1-800-320-1456 or
(804) 796-9760
beerinfo@weekendbrewer.com
www.weekendbrewer.com
LARGEST variety of malts & hops in the area!

Wild Wolf Brewing Company
2773A Rockfish Valley Hwy.
Nellysford 22958
(434) 361-0088
askthewolf@wildwolfbeer.com
WildWolfBeer.com
Very well stocked Homebrew Shop and Nanobrewery. All grain demos every Saturday. Open DAILY 10-7.

WASHINGTON

Bader Beer & Wine Supply, Inc.
711 Grand Blvd.
Vancouver, WA 98661
1-800-596-3610
Sign up for our free e-newsletter at www.baderbrewing.com

The Beer Essentials
2624 South 112th St., #E-1
Lakewood 98499
(253) 581-4288 or
1-877-557-BREW (2739)
www.thebeeressentials.com
Mail order and secure on-line ordering available. Complete line of brewing and kegging supplies.

The Cellar Homebrew
Make your own beer & wine
14320 Greenwood Ave. N.
Seattle 98133
1-800-342-1871
FAST Reliable Service, 40 Years! Secure ordering online www.cellar-homebrew.com

Homebrew Heaven
9109 Evergreen Way
Everett 98204
1-800-850-BREW (2739)
fax: (425) 290-8336
brewheaven@aol.com
www.homebrewheaven.com
Voted Best Online Web Site for Ordering

Ice Harbor Homebrew Supply
206 N. Benton St. #C
Kennewick 99353
(509) 582-5340
www.iceharbor.com
Brewing and Wine-Making Supplies.

Larry's Brewing Supply
7405 S. 212th St., #103
Kent
1-800-441-2739
www.larrysbrewsupply.com
Products for Home and Craft Brewers!

Mountain Homebrew & Wine Supply
8530 122nd Ave. NE, B-2
Kirkland 98033
(425) 803-3996
info@mountainhomebrew.com
www.mountainhomebrew.com
The Northwest's premier home brewing & winemaking store!

Northwest Brewers Supply
1006 6th Street
Anacortes 98221
(800) 460-7095
www.nwbrewers.com
All Your Brewing Needs Since 1987

WISCONSIN

Brew & Grow (Madison)
3317 Agriculture Dr.
Madison 53716
(608) 226-8910
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

Brew & Grow (Waukesha)
2246 Bluemound Rd.
Waukesha 53186
(262) 717-0666
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

House of Homebrew
410 Dousman St.
Green Bay 54303
(920) 435-1007
staff@houseofhomebrew.com
www.houseofhomebrew.com
Beer, Wine, Cider, Mead, Soda, Coffee, Tea, Cheese Making.

Northern Brewer, Ltd.
1306 S. 108th St.
West Allis 53214
1-800-681-2739
www.northernbrewer.com
Call or Write for a FREE CATALOG!

Point Brew Supply & O'so Brewing Co.
1816 Post Road
Plover 54467
(715) 342-9535
marc@pointbrewsupply.com
www.pointbrewsupply.com
www.osobrewing.com
"The Feel Good Store with a team of Professional Brewers on Staff"

The Purple Foot
3167 South 92nd St.
Milwaukee 53227
(414) 327-2130
fax: (414) 327-6682
wineandbeer@purplefootusa.com
www.purplefootusa.com
Top quality wine and beer supply - Call for a FREE catalog!

WindRiver Brewing Co., Inc
861 10th Ave.
Barron 54812
1-800-266-4677
www.windriverbrew.com
FREE catalog. Fast nationwide shipping.

Wine & Hop Shop
1931 Monroe Street
Madison 53711 1-800-657-5199
www.wineandhop.com
Southern Wisconsin's largest selection of beer & winemaking supplies. 10 varieties of winemaking grapes from Mitchell Vineyard.

AUSTRALIA

VICTORIA

Grain and Grape Pty LTD.
5/280 Whitehall St.
Yarraville 3013
(03) 9687 0061
www.grainandgrape.com.au
Equipment, ingredients and advice for the beginner & expert. Full mail order service.

CANADA

BRITISH COLUMBIA

Bosagrape Winery Supplies
6908 Palm Ave.
Burnaby V5E 4E5 (604) 473-9463
www.bosagrape.com
Not only for wineries! Best selection of Beer & Wine Making Ingredients, Supplies & Equipment.

ONTARIO

Canadian Homebrew Supplies
10 Wilkinson Rd., Unit 1
Brampton L6T 5B1
(905) 450-0191
chs-store@bellnet.ca
www.homebrew-supplies.ca
Drink a Beer, Waste an Hour. Brew a Beer, Waste a Lifetime! For all your homebrew supply needs and wants.

Innovation Homebrewing Supply
Your Canadian online discount supplier!
Windsor, ON
(519) 997-5175
info@ihomebrewing.ca
www.ihomebrewing.ca
Offering Premium ingredients, personal service and B&S Custom Brewing Equipment.

NORWAY

Bryggeland
Gjerdrumsgata 20
Lillestrøm
Tel: (+47) 63 80 38 00
www.Bryggeland.no
Alt man trenger for å lage øl og vin. "Fra råvare til nytelse" Butikker i Oslo og Lillestrøm.

Petit Agentur AS
7977 Hoylandet
Phone: (0047) 7432-1400
Web: petit-agentur.no
Mail: post@petit-agentur.no
Home made beer made fun! Your best source for everything you need to brew your own Beer.

SWEDEN

Humlegårdens Ekolager AB
Fabriksvägen 5 B
SE-18632 Vallentuna
(+46) 8 514 501 20
fax: (+46) 8 514 501 21
Email: info@humle.se
Website: shop.humle.se
50+ book titles, 50+ malt types, 60+ hop varieties, 100+ yeast strains. Fast order handling and shipping to 25 countries in Europe.

SHOP OWNERS:
List your store in the Homebrew Directory
call Dave @
802-362-3981 ext 107

ENTER YOUR MEAD IN THE 2012 WineMaker International Amateur WINE COMPETITION



The best homemade meads from across North America will compete for gold, silver and bronze medals plus a best of show award. Enter your meads and you can gain international recognition for your skills and get valuable feedback from the competition's experienced judging panel!

Enter your best in one of the three mead categories:

TRADITIONAL MEAD
Sponsor: The Brewer's Apprentice

FRUIT MEAD
Sponsor: The Purple Foot - Milwaukee

HERB AND SPICE MEAD
Sponsor: Brew Your Own magazine

THE BEST OF SHOW MEAD
medal is Sponsored by:
NORTHERN BREWER
HOMEBREW SUPPLY

Entry deadline is:
March 16th, 2012
Entry forms and competition rules are available online at:
www.winemakermag.com/competition



Questions? Contact us at: Battenkill Communications • 5515 Main Street • Manchester Center, VT 05255
e-mail: competition@winemakermag.com ph: (802) 362-3981 fax: (802) 362-2377

Sister Brews

The story of Ginger and Mary Ann

JD Willoughby • Frederick, Maryland

Ginger and Mary Ann slept in our bedroom last night. It gets crowded in the house when my husband goes on a bender. He stays up all night tending to his girls, sometimes several times in one night. I am actually thankful for the diversion they provide. It means he's not focused on firing up chainsaws or grinding metal in the basement. That's another story altogether.

Let me explain to you about how much we love the "girls" — my husband's favorite homebrews. Occasionally, there are no free spaces for beer buckets in the kitchen, bathroom, or living room. When this happens, we are forced to sleep with the frothy creations. I use the term "sleep" in a sarcastic context. I'm forced to smell the fermenting goodness that is Ginger and Mary Ann while I writhe on my mattress. It's like trying to sleep in the middle of a bakery and not eat the delicious rolls and muffins in the display cases. More often than not, bucketed beer burbles away in the kitchen and, at times, the bathtub. Like a faucet dripping all night long, the buckets in the bathroom echo a consistent rhythmic prattle, the sound bouncing off the bare walls and floor throughout the house. My husband sleeps with his good ear in the pillow. I could carry on a conversation with the burping buckets or a blank wall and he'd never know.

I'm fairly open-minded, but I refuse to share the mattress or covers with "the girls" so they huddle on the floor next to the heat vent. I also refuse to call the buckets by their names. I reserve that for the finished product, one that will hopefully make me forget that the kitchen floor is covered in beer and the walls are splattered with malt extract. I try to ignore my socks making that light adhesive sound as they peel off the beery floor and focus my attention on the stars of the night — Ginger and Mary Ann.

My husband has been a homebrewing superstar for years, and most of his batches are claimed before they're even racked. Friends ask for Ginger and Mary Ann by name as though they're calling old friends over for a party. (Either that or it would seem we're running an escort service from our living room, although that might be a more lucrative venture than free homebrews.) These two girls are my husband's most requested homebrews because they both have a smooth, mild, hoppy flavor with notes of honey, but with a slight bite. Much like their "Gilligan's Island" character's namesakes, Mary Ann is the beer next door and Ginger is her flavor-boosted bunk mate.

I am not jealous of Ginger or Mary Ann, I just don't get a chance to interact with them very much once they're bottled. I always hope for a girls' night out with them, but it never seems to happen. They toddle off to a friend's barbecue or a river trip or a vehicle workday with my husband in tow. This could be why I am so bitter about the sticky floor and malt splatters on the walls of our house. I understand the attraction, however, since I have managed to weasel a few swing-tops from several batches. I have to drink what I can before company arrives, though — within ten minutes of a party starting, Ginger and Mary Ann have taken over the kitchen, and within an hour, their bottles are empty. They are always the life of the party.

I realize now that it's been much longer than a three-hour beer tour and I will have to share my bedroom and kitchen with Mary Ann and Ginger indefinitely. But I must say that I am looking forward to sneaking some time in with them. I think I'll take them out for a hike or a river trip, just us girls. I'm glad my husband introduced us — Ginger and Mary Ann make everything more bearable. BYO

> "Friends ask for Ginger and Mary Ann by name as though they're calling old friends over for a party."




Photo courtesy of JD Willoughby

JD and her husband, Dave, have a mutual love for his homebrews.


MIDWEST
HOMEBREWING AND WINEMAKING SUPPLIES

Get to Know Our

Brew Heroes



check out our video at
www.MidwestSupplies.com/nicks



Brew Hero Profile

Name: Nick S.
Go-To Guy For: Extract Questions
Brewing Level: Advanced (6 years)
Tip for Newbies: Get more carboys!!
Favorite Recipe: BEAVR Nuts*
*One of over 125 (and growing) recipe kits available!

Nick's Recommended Brew Equipment


5 Gallon


1 Gallon


3 Gallon


6.5 Gallon



15 Gallon

Carboys! In my opinion, you can never have too many. I have six, but I'd have more if I had the room for them. Beer loves to age, and a carboy is the best place to do it. The more you have, the more batches you can have going at once. Every brewer worth his salt has at least two 5 gallon carboys, and they're seldom empty.

877-364-2097 • www.MidwestSupplies.com/nicks

Wyeast Culture Collection

100% Pure Liquid Yeast



1007 German Ale • 1010 American Wheat • 1028 London Ale • 1056 American Ale® • 1084 Irish Ale • 1098 British Ale • 1099 Whitbread Ale • 1187 Ringwood Ale • 1214 Belgian Abbey • 1272 American Ale II • 1275 Thames Valley Ale • 1318 London Ale III • 1332 Northwest Ale • 1335 British Ale II • 1338 European Ale • 1388 Belgian Strong Ale • 1450 Denny's Favorite 50 • 1728 Scottish Ale • 1762 Belgian Abbey II • 1968 ESB Ale • 2000 Budvar Lager • 2001 Urquell Lager • 2007 Pilsen Lager • 2035 American Lager • 2042 Danish Lager • 2112 California Lager • 2124 Bohemian Lager • 2206 Bavarian Lager • 2278 Czech Pils • 2308 Munich Lager • 2565 Kolsch • 2633 Octoberfest Lager Blend • 3056 Bavarian Wheat Blend • 3068 Weihenstephan Weizen • 3278 Belgian Lambic Blend • 3333 German Wheat • 3463 Forbidden Fruit • 3522 Belgian Ardennes • 3638 Bavarian Wheat • 3711 French Saison • 3724 Belgian Saison • 3763 Roeselare Ale Blend • 3787 Trappist High Gravity • 3942 Belgian Wheat • 3944 Belgian Witbier • 5112 Brettanomyces bruxellensis • 5335 Lactobacillus • 5526 Brettanomyces lambicus • 5733 Pediococcus

WYEAST™
LABORATORIES

Private Collection

Available October through December 2011

1469-PC West Yorkshire Ale • 3655-PC Belgian Schelde Ale • 3726-PC Farmhouse Ale

www.wyeastlab.com

© 2011 Wyeast Laboratories Inc.