GOING OLD SCHOOL WITH OLD STYLE


AWARD-WINNING HOMEBREW LABELS

MAKE A BELGIAN DARK STRONG ALE

Brew Your Own

THE HOW-TO HOMEBREW BEER MAGAZINE

JULY-AUGUST 2012, VOL.18, NO.4



Oh, Say Can You "C"... Brewing Great Beer With American Hops

Get Real Making Cask Ales

Build a Brew System Water Filter

Repitching Beer Yeast

www.byo.com

$4.99US $4.99CAN

08>

0 09281 02485 9

NORTHERN BREWER PRO SERIES.

Exclusive access to the exact recipes of celebrated craft brewers.

featuring:
Tallgrass Brewing Company



Check out
NORTHERNBREWER.COM/BYO
For special promotions and to request a caltalog

EVERY DAY SHIPPING
$7.99


NORTHERN BREWER HOMEBREW SUPPLY


BREW SHARE ENJOY!

800.681.BREW

CONTENTS

July-August 2012 Volume 18 Number 4







features

26 The House of Heileman

The rise and fall of an American brewery. How investment hijinks brought down a brewing empire. **Plus:** the keys to kräusening — and an Old Style clone recipe.
by Bill Pierce

34 Oh, Say Can You "C"?: Brewing Hoppy American-Style Ales

Learn the techniques to maximizing American hop character in American pale ales, IPAs and double IPAs.
by Justin Burnsed

42 2012 Label Contest Winners

Great homebrew deserves great packaging, and this year's label contest winners adorned their handcrafted creations with equally inspired art.

46 Homebrewing Cask Ales

Real ale is ale that is served from the same vessel it is conditioned in, and not pushed by CO_2. Learn how to condition your beer in a pin or firkin and serve real ale from it on a homebrew scale. **Plus:** a recipe for cask bitter.
by Dave Louw



departments

5 Mail
Foam and other frothy topics.

8 Homebrew Nation
The winner of *BYO*'s Ultimate Home Bar contest and we clone Glacier BrewHouse's Imperial Blonde Ale.

13 Tips from the Pros
Learn how to select the right yeast strain for your beer. What are the important criteria?

15 Mr. Wizard
The Wiz digs deep for a question on hopbursting and gives the lowdown on the causes of high final gravities.

19 Style Profile
Belgian dark strong ale requires the right touch in the fermenter to avoid being flabby and sweet. Find out how to coax the right qualities from your yeast.

57 Techniques
Get more mileage from your yeast, plus fine tune your pitching rate — how and when to repitch.

61 Advanced Brewing
Probe placement is important when setting up your fermentation chamber. We'll tell you where to stick it.

65 Projects
Bring filtered water to your brewing rig with this simple do-it-yourself water filter project.

80 Last Call
A new website organizes homebrewers who want to share their beers and get feedback.

where to find it

68 Classifieds & Brewer's Marketplace
70 Reader Service
71 Homebrew Supplier Directory

RECIPE INDEX

Bonspiel Scotch Ale 8

Glacier BrewHouse's Imperial Blonde Ale clone 12

Belgian Dark Strong Ale 20

Old Style Light clone 28


Sam the Eagle Pale Ale. 36

Hop Skip & A Jump IPA 36

The Tri-Centennial DIPA 37

Oxfordshire Ordinary Bitter 48

Matt Gauzza's Imperial IPA 80



BYO RECIPE STANDARDIZATION

Extract efficiency: *65%*
(i.e. — 1 pound of 2-row malt, which has a potential extract value of 1.037 in one gallon of water, would yield a wort of 1.024.)


Extract values for malt extract:
liquid malt extract (LME) = 1.033–1.037
dried malt extract (DME) = 1.045

Potential extract for grains:
2-row base malts = 1.037–1.038
wheat malt = 1.037
6-row base malts = 1.035
Munich malt = 1.035
Vienna malt = 1.035
crystal malts = 1.033–1.035
chocolate malts = 1.034
dark roasted grains = 1.024–1.026
flaked maize and rice = 1.037–1.038

Hops:
We calculate IBUs based on 25% hop utilization for a one hour boil of hop pellets at specific gravities less than 1.050.

25 GREAT HOMEBREW PROJECTS

in one great special issue!



25 project plans include:

Cooler Mash Tun
Continuous Sparging System
Countertop All-Grain System
Electric Heat Stick
Convert Brew Pot to Kettle
Convert Keg to Kettle
Counterpressure Bottle Filler
Portable Kegerator
Rebuild a Keg & Spunding Valve
Counterflow Wort Chiller
Recirculating Wort Chiller
Carboy Spray Wand
Keg & Carboy Cleaner
Tap Handles
Home Kegerator
Nitro Kegerator
Glycol Fermenter
Inline Aerator
Yeast Stir Plate
Inline Thermometer
Pump Toolbox Combination
Water Filter
Randall-Style Hop Filter
French Press Hopback
Hop Dryer

The Ultimate Do-It-Yourself guide for homebrewers! Includes the best projects stories to run in *BYO* magazine over the past 16 years! All projects include a parts & tools list as well as detailed instructions on the build and pictures to help guide you through the project. All this for just $10.00 retail!

This special newsstand-only issue is available at better homebrew retailers or order today online at brewyourownstore.com Also available by calling 802-362-3981

* Attention homebrew supply shop owners — call us today at 802-362-3981 to discuss volume discounts to resell the BYO 25 Great Homebrew Projects issue in your shop

what's happening at BYO.COM

Try Dry Hopping



If you love homebrewing with "C" hops (Cascade, Chinook, etc.), learn how to get the most out of their aroma by dry hopping. Check out more information about what dry hopping is and how it's done.

www.byo.com/component/resource/article/573

More On Hops



Hops aren't just for bittering. Learn about the versatility of hops in *BYO*'s online video series with *BYO* contributor and *Basic Brewing Radio* host James Spencer.

www.byo.com/videos/24-videos/1794-videos

Label Love



Do you love homebrew labels? We do too! We love them so much, in fact, that we collected all of our favorites in one place. If you want to see more labels, check out our online gallery of all our past *BYO* Label Contest winners.

www.byo.com/photos/category/1

Brew 1776-Style



Homebrewer John McKissack went back in time to come up with a recipe for "1776 Independence Porter," which required roasting his own grains. Check out his recipe for an authentic Independence Day homebrew.

www.byo.com/component/resource/article/25

Cover Photo: **Charles A. Parker**

Brew Your Own — THE HOW-TO HOMEBREW BEER MAGAZINE

EDITOR
Chris Colby

ART DIRECTOR
Coleen Jewett Heingartner

ASSOCIATE EDITOR
Betsy Parks

TECHNICAL EDITOR
Ashton Lewis

CONTRIBUTING WRITERS
Chris Bible, Christian Lavender, Marc Martin, Terry Foster, Glenn BurnSilver, Kristin Grant, Forrest Whitesides, Jamil Zainasheff

CONTRIBUTING ARTISTS
Shawn Turner, Jim Woodward, Chris Champine

CONTRIBUTING PHOTOGRAPHERS
Charles A. Parker, Les Jörgensen

◆

PUBLISHER
Brad Ring

ASSOCIATE PUBLISHER & ADVERTISING DIRECTOR
Kiev Rattee

ADVERTISING SALES COORDINATOR
Dave Green

EVENTS & MARKETING COORDINATOR
Alex Ramsvig

BOOKKEEPER
Faith Alberti

SUBSCRIPTION CUSTOMER SERVICE MANAGER
Linda Marlowe

NEWSSTAND DIRECTOR
Carl Kopf

EDITORIAL REVIEW BOARD
Tomme Arthur • Port Brewing/Lost Abbey Steve Bader • Bader Beer and Wine Supply
David Berg • August Schell Brewing Co. John "JB" Brack • Austin Homebrew
Horst Dornbusch • Beer Author Greg Doss • Wyeast Laboratories
Chris Graham • MoreBeer! Bob Hansen • Briess Malt & Ingredients Co.
Anita Johnson • Great Fermentations (IN) John Maier • Rogue Ales Paul Manzo • Homebrew Consultant
Ralph Olson • Hopunion USA Inc. John Palmer • Palmer Brewing Solutions, Inc.
Mitch Steele • Stone Brewing Co. Mark & Tess Szamatulski • Maltose Express
John Weerts • Homebrew Consultant Chris White • White Labs
Anne Whyte • Vermont Homebrew Supply David Wills • Freshops

SUBSCRIPTIONS ONLY
Brew Your Own P.O. Box 469121 • Escondido, CA 92046
Tel: (800) 900-7594 • M-F 8:30-5:00 PST
E-mail: byo@pcspublink.com • Fax: (760) 738-4805
Special Subscription Offer
8 issues for $28.00

EDITORIAL & ADVERTISING OFFICE
Brew Your Own
5515 Main Street
Manchester Center, VT 05255
Tel: (802) 362-3981 Fax: (802) 362-2377
Email: BYO@byo.com

ADVERTISING CONTACT: Kiev Rattee (kiev@byo.com)
EDITORIAL CONTACT: Chris Colby (chris@byo.com)
FACEBOOK: www.facebook.com/BrewYourOwn
TWITTER: @BrewYourOwn

Brew Your Own (ISSN 1081-826X) is published monthly except February, April, June and August for $28.00 per year by Battenkill Communications, 5515 Main Street, Manchester Center, VT 05255; tel: (802) 362-3981; fax: (802) 362-2377; e-mail: BYO@byo.com. Periodicals postage rate paid at Manchester Center, VT and additional mailing offices. Canada Post: Return undeliverables to P.O. Box 25542, London, ON, N6C 6B2. POSTMASTER: Send address changes to *Brew Your Own,* P.O. Box 469121, Escondido, CA 92046-9121. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write *Brew Your Own,* P.O. Box 469121, Escondido, CA 92046-9121. Tel: (800) 900-7594. Fax: (760) 738-4805. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The subscription rate to Canada and Mexico is $33; for all other countries the subscription rate is $45.

All contents of *Brew Your Own* are Copyright © 2012 by Battenkill Communications, unless otherwise noted. *Brew Your Own* is a registered trademark owned by Battenkill Communications, a Vermont corporation. Unsolicited manuscripts will not be returned, and no responsibility can be assumed for such material. All "Letters to the Editor" should be sent to the editor at the Vermont office address. All rights in letters sent to *Brew Your Own* will be treated as unconditionally assigned for publication and copyright purposes and subject to *Brew Your Own's* unrestricted right to edit. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.

All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in the United States of America.

Volume 18, Number 4: July-August 2012

mail



Omigosh, it's Ommegang!

I enjoyed Chris Colby's "Tripel" article in your current issue until the part about carbonating to 4 volumes of CO_2 in a keg. Without specialized equipment, pouring draught beer at this carbonation level is pretty much impossible . . . you just get a glass of foam. Also, although kegs are rated for slightly higher pressures advising people to pressurize a keg to close to 30 PSI to achieve this carbonation level is dangerous at the least.

Phil Leinhart
Brewmaster
Brewery Ommegang

Author and BYO *Editor Chris Colby responds: "Glad you liked the article, minus the part about keg carbonation. I love Ommegang beer.*

"Cornelius kegs are rated to 130 PSI, so an operating pressure of around 30 PSI should not be dangerous with any properly maintained keg. It may, however, cause problems with dispensing that, in retrospect, I should have addressed in the article.

"Any homebrew draft system should be balanced. (See the January-February 2006 issue of BYO *for the details.) Long story short, for more highly-carbonated beers, you should have corresponding longer serving lines. For pouring a highly carbonated tripel, doubling the length of your serving line would be a good place to start. With a 'regular' length serving line, the beer is going to come shooting out of the tap. Also, the 'usual' things that brewers do to keep foaming down should be reviewed. Open the tap quickly and fully; a half-open tap will just squirt foam that, once it collapses, will yield flat beer. Keep the lines clean. Residue inside serving lines serves as nucleation sites for CO_2 bubbles. Try pouring two or more glasses worth into a pitcher. Sometimes, a beer may foam initially, but then settle down fairly quickly. And, finally, if you are serving with cobra taps, try holding the tap as high above the keg as is feasible.*

"Draft systems can be tricky. If nothing seems to work, the last resort would be to vent the keg numerous times and let it equilibrate at a lower level of CO_2 pressure."

contributors



Justin Burnsed made the journey from homebrewer to professional brewer and blogged about his time enrolled in the UC Davis Master Brewers program and out in the real world at byo.com. He is currently Partner and Brewmaster at Prospectors Brewing Company in Mariposa, California (near Yosemite National Park), which is opening in late July/early August 2012.


Justin has written about roasty beers (foreign export stout in the January-February 2011 issue of *BYO*) and sour beers (gose, in the May-June 2011 issue). In this issue, for our cover story, he tackles the subject of hoppy, American-style ales — and provides a trio of recipes. His story starts on page 34.



Another homebrewer turned commercial brewer, Jamil Zainasheff, is the owner of Heretic Brewing Company, in Pittsburg, California. Jamil also blogs about his experiences at byo.com.

Despite having gone commercial, he still maintains a high profile in the homebrewing world, hosting the show *Can You Brew It?* on the Brewing Network (www.brewingnetwork.com) and maintaining the popular website, Mr. Malty (www.mrmalty.com).

In this issue of *BYO*, he does triple duty, writing his usual "Style Profile" column on Belgian dark strong ale (p. 19), being featured in "Tips from the Pros" (p. 13) and quoted in Mr. Wizard's column (p. 15).



Bill Pierce has earned the Craft Brewers Certificate from Siebel Institute in Chicago, Illinois and briefly worked as a brewpub brewer. Bill is a long-time participant in the HBD (Homebrew Digest, hbd.org), a BJCP judge and is *BYO*'s former "Advanced Brewing" columnist.

In the May-June 2010 issue of *BYO*, Bill wrote about the Ballantine Brewing Company. Then, in the January-February 2012 issue, he discussed the long rise and eventual collapse of another American brewery — Falstaff.

In this issue, on page 26, he takes a look at another American brewer that started small, but made it big, only to have external circumstances intervene. Learn about Heileman Brewing and also kräusening, a technique the company touted in its ads.

Anhydrous equivalents?

After reviewing your resource page on your website and under the carbonation chart, I am wondering if anhydrous glucose (anhydrous dextrose) is the same as dried malt extract? Also, do you have a chart that includes the volumes of CO_2 for bottle conditioning when it comes to using unfermented wort to carbonate?

Brent Brewer
via email

The resource guide gives the amount of priming sugar to use if you chose anhydrous glucose, glucose monohydrate or sucrose. These are all simple sugars. ("Anhydrous" means "without water" and "monohydrate" means "with one water molecule." The glucose you buy at your homebrew shop is most likely glucose monohydrate, a cheaper form of glucose than the anhydrous version.)

Dried malt extract is a mixture of maltose and other sugars and carbohydrates (such as "dextrins"). It is not equivalent to anyhydrous glucose. We don't include a dried malt extract option because dried malt extracts would vary somewhat depending on the mash conditions they were produced with.

Likewise, we don't include a chart for priming with wort. However, if you check out the article on page 26 of this issue, you'll see a technique for priming beer with fermenting wort — kräusening.

Late to late extract addition brewing

I have been brewing for over 20 years with good results. In all my years, the recipes call for adding the liquid extract right after you remove the grains then boil. In the recipes in your magazine, you add the liquid malt at or close to the end of boil. What is the reasoning for this and does it make better brew?

Jeff McCrave
via email

The idea of adding some of the malt extract late in the boil was first proposed by Steve Bader in the October 2002 issue of BYO. *Not too long after that, it became the standard for extract-based recipes in* BYO. *The basic rationale for this is that brewery-grade malt extract has already been boiled by the manufacturer and boiling it further will only darken your wort. Adding it late in the boil allows the extract to be sanitized, but not pick up much color.*

In addition, if you withhold some of the malt extract until the end of the boil, the specific gravity of the wort being boiled is lowered and this may help with hop utilization. (This is logical, but hasn't been proven.) BYO







MUNTONS
GREAT BRITISH MALT

EST. 1921

Muntons Malted Ingredients has been producing the highest quality malt since 1921. Call us to discuss your requirements for grain malt, liquid and dried malt extract and natural beer colorant.

Now available direct from USA warehouse locations.

MUNTONS – The independent choice for the free thinking brewer

Muntons
Passionate about malt

sales@muntons-inc.com
Muntons Malted Ingredients
800 Bellevue Way NE Suite 435, Bellevue, WA 98004

ASSURED UK MALT

homebrew nation

READER PROFILE



Brewer: Phil Hochwalt

Hometown, State: Iowa City, Iowa

Years brewing: 7 years

Type of brewer: All-grain

Homebrew setup (volume, style, efficiency): My homebrew setup is arranged for 5-gallon (19-L) batches. The breakdown is as follows:

- mash tun/sparging system: 7.5-gallon (28-L) Rubbermaid cooler equipped with Bazooka-T screen and stainless steel ball valve. Sparge arm for fly sparging.
- 7.5-gallon (28-L) stainless steel brew pots, copper tubing wort chiller
- glass and Better Bottle carboys
- chest freezer modified with external overriding thermostat, wood collar, and two taps setup for 5-gallon (19-L) Cornelius kegs
- efficiency ~75%

Currently fermenting: imperial stout

What's on tap/in the fridge: strong Scotch ale, extra special bitter, Belgian tripel

How I started brewing: For the love of beer.

Recipe notes:
Scottish wee heavy is a style I've experimented with several times over the past few years. The inspiration for this recipe came from a craft beer aptly named Cold Smoke from Missoula, Montana's Kettlehouse Brewery. Over the years, the recipe has evolved, but the flavor maintains a strong malt character and low hop bitterness. While not absolutely necessary, the partial kettle caramelization adds to the sweetness and complexity.

reader recipe

BONSPIEL SCOTCH ALE (STRONG SCOTCH ALE/WEE HEAVY)

(5 gallons/19 L, all-grain)

OG = 1.075 FG = 1.019
SRM = 21 IBU = 21
ALC = 7.2%

Ingredients

11 lbs. (5.0 kg) British pale malt
1.5 lbs. (0.68 kg) Munich malt
1.0 lb. (0.45 kg) crystal malt 60 °L
3 oz. (85 g) chocolate malt
3 oz. (85 g) roasted barley
5.4 AAU Fuggles hops (1 oz./28 g at 5.4% alpha acid (60 mins.)
2.7 AAU Fuggles hops (0.5 oz./14 g) Fuggles hops (15 mins.)
1 pkg. Wyeast 1728 (Scottish Ale) yeast

Step by Step

Heat 18 quarts (17 L) of water to 170 °F (77 °C) and dough in. Mash at 156 °F (69 °C) for 60 minutes. Mash out with enough boiling water to bring the temperature to 168 °F (75.5 °C). Sparge slowly with 170 °F (77 °C) water. For partial kettle caramelization, collect 1.5 gallons from the first runnings, reduce to 0.5 gallons in separate brew pot. Collect the remainder of the wort in the main brew pot, boil for 80 minutes and add hops as described above. Add the partially caramelized first runnings to the main pot near the end of boil, chill the wort, and pitch yeast. Ferment around 58–60 °F (14.5–15.5 °C) for 1 week in primary, 4 weeks in secondary.

byo.com brew polls



Are you interested in brewing cask conditioned beers?

Yes, very much 49%
Yes, somewhat 33%
No, I'm not interested 18%

social homebrews

Join *BYO* on Facebook: www.facebook.com/BrewYourOwn

Follow *BYO* on Twitter at: @BrewYourOwn


what's new?

Ruby Street Brewing Mega Ruby™




Based on demand for larger capacity equipment, Ruby Street Brewing, LLC has developed The Mega Ruby™, an all-grain brewing system featuring 30-gallon (114-L) kettles. The larger capacity system will easily brew 20-gallon (76-L) batches. The Mega Ruby™ features an all welded steel tube frame construction with industrial powder coated finish on a frame designed for convenience and portability.
For more information, visit www.rubystreetbrewing.com

Hops Chart



The Hops Chart poster indexes brewing hops with bitterness, flavor, and aroma characteristics. Use the Hops Chart to design better brewing recipes and keep tabs on what makes your favorite beers so great.
$30 http://hopschart.com/

Blichmann Engineering Tower of Power



Blichmann Engineering is releasing a new gasfired RIMS system built for ultra high accuracy. Simple to use, and easy to integrate into an existing system one module at a time or as a completely free-standing control unit.
More info at: www.blichmannengineering.com/TOWER_of_POWER/TOWER_of_POWER.html



Uncle Billy's Brew & Que
Austin Zealots
Home Brewers
"Beers from A to Z"
Austin Homebrew Supply

calendar



July 1
Uncle Billy's Keep Austin Beered Pro-Am
Austin, Texas

The Austin ZEALOTS homebrew club and Uncle Billy's Brew & Que present this competition that challenges brewers to make a beer in BJCP category 23 (special category selected: Zwickelbier/Kellerbier). If you win, Brian Peters and Amos Lowe at Uncle Billy's will brew your recipe and enter it into the 7th Annual GABF Pro-Am in 2012.
Entry Fee: $5 per entry
Deadline: June 24
Contact: George West, gswest1@gmail.com
Web: http://www.austinzealots.com/files/Uncle_Billy%27s_Keep_Austin_Beered_Pro-Am_Rules_2012.pdf

July 28
2012 German Fest Stein Challenge
Milwaukee, Wisconsin

This German Bier-only competition is limited to 300 entries. Entries submitted in categories 21A, 22B, 22C, and 23 MUST have a German Bier base style. One beer from the best of show round will be chosen to be ramped up and brewed by the Milwaukee Brewing Company for serving at the Milwaukee Ale House.
Entry Fee: $7
Deadline: July 14
Contact: Bruce Buerger Jr., brewmaster@bbbrew.com
Web: http://germanfesthbc.beerbarons.org/index.php?section=rules

August 25
Byggvir's Big Beer Cup
Shakopee, Minnesota

Byggvir's Big Beer Cup is only open to historically appropriate styles, which have, in some way, aspects that reflect back to beers of the Renaissance period.
Entry Fee: $7
Entry Deadline: August 12
Contact: Gera Exire LaTour, gera_latour@hotmail.com
Web: http://germanfesthbc.beerbarons.org/index.php?section=rules


NOR CAL
BREWING SOLUTIONS



Keg & Cooler Conversion Kits




Dip Tubes



Exclusive Manufacturer

"Jaybird" Custom False Bottoms



Lowest hardware prices

530-243-BEER

NorCalBrewingSolutions.com


homebrew drool systems

BYO's Ultimate Home Bar Contest Winner


Tony Cronkhite • Rockford, Michigan



Thanks to everybody who posted photos of their home bars during the month of March on *Brew Your Own*'s Facebook page in our "Ultimate Home Bar Contest." With so many great entries it was a tough decision, but after lots of debate at the World Headquarters of *BYO*, Tony's amazing setup was the winner.



"I built the lower level of my home in 2009 to include a full bathroom, an office, the home bar, storage area and a small hair saloon area (I have all girls in the house and they are always changing their hair) as well as an eight-seat theater room.



"I had the idea for the build out from the time we built the house in 2007 as we wanted an area for entertaining and the bar ended up being the main focal point. It also grew a little from the original conception, but since this was "my" area no one really knew it was getting bigger until I built it, by then it was too late to go back and make it smaller.

"The construction took about six months from start to finish working on weekends and evenings. I did the entire project from design to completion myself with help from my wife.



"I added custom elements to the design to go along with my life interests, hockey, alcohol, motorcycles, but I wanted to keep it toned down not to end up being too cluttered or gaudy."

Tony's fantastic setup (which seems to have it all . . . except for taps) won him a brand new a triple tap homebrew kegerator to add to his incredible home bar courtesy of Beer Meister, LLC.





READING A WATER REPORT

by betsy parks

Brewing water can be pretty confusing, especially to a new homebrewer who is starting to brew all-grain batches. All you need to know in the beginning, however, is if six certain ions in your water are in the proper range, which you can easily find out from reading a water report.

If you live in a place that has municipal water, you can request a water report from your department of public works. If you are using spring, well or some other source of tap water you won't have a public water report, but you can have it similarly tested for its content.

Water reports intended for the general public are typically expressed in parts per million (ppm), which is defined as one milligram of the substance per liter (1 mg/L).

The ions

The six important ions in water that you need to know about for brewing are: calcium, magnesium, bicarbonate (or total alkalinity as $CaCO_3$), sodium, chloride and sulfate.

• Calcium should be in the range of 50–150 parts per million (ppm). Calcium is an ion that makes water "hard," and it is important for many yeast, enzyme and protein reactions. Hardness is a measure of the calcium and magnesium content in water. When there is an equal amount of calcium and bicarbonate present, it is known as "temporary hardness," which can be reduced by boiling. Permanent hardness is measured by the amount of calcium that can't be removed by boiling. Water hardness is neither good nor bad, depending on what style of beer you want to brew. For example, temporary hardness is good for dark beers and permanent hardness is good for brewing pale ales. Research the style of beer that you want to brew to figure out if the hardness of your brewing water is appropriate for what you want to brew.

• Magnesium should be in the range of 0–30 ppm. It also contributes to water hardness and is a yeast nutrient. Magnesium is best kept at small amounts because it can contribute off/bitter/metallic flavors to the beer. Magnesium can also give food and beverages a laxative effect, which is another reason to limit this ion in brewing water.

• Bicarbonate should be 0–250 ppm - or if your report reads as "total alkalinity" it should be in the 0–200 ppm range. More specifically (according to John Palmer's *How To Brew*), bicarbonate should be 0–50 ppm for pale, base-malt only beers. 50–150 ppm for amber colored, toasted malt beers and 150–250 ppm for dark, roasted malt beers (these levels assume calcium in the range of 50–100 ppm to balance the alkalinity of the bicarbonate). Bicarbonate affects the pH of your water. A high pH in the mash can cause poor extraction rates, darken the wort, and leach more tannins into your mash. (For more information about pH in brewing, visit www.byo.com/component/resource/article/1525)

• Sodium should be between 0 and 150 ppm. Sodium in moderate levels can accentuate malt flavor.

• Chloride can be anywhere between 0 and 250 ppm. Chloride is similar to sodium in that it can accentuate malt flavor if it is in a moderate range. If there is too much chloride, however, the beer can suffer from off flavors.

• Sulfate should be around 0 to 150 ppm. Sulfate can accentuate hop bitterness in moderation, but too much can make the bitterness seem harsh.

FIVE STAR™

Did you know

PBW™ not only makes clean beer. It also ...



- cleans grout
- removes stains from carpets
- can be used in your dishwasher and washing machine!

It does so much, you might need to buy a bigger container!

Biodegradable, Effective & User-Friendly

Visit your local homebrew store to find this great product.

Five Star Chemicals & Supply, Inc.


(800) 782-7019

www.fivestarchemicals.com

by marc martin

DEAR REPLICATOR, I WILL BE RETIRING AS A BOEING 777 CAPTAIN FOR A MAJOR PACKAGE DELIVERY COMPANY SOON, AND ONE FINE ESTABLISHMENT THAT WAS A REGULAR STOP FOR ME WAS GLACIER BREWHOUSE IN ANCHORAGE, ALASKA. THE ONE BEER THAT REALLY STANDS OUT FOR ME IS THEIR IMPERIAL BLONDE ALE. SINCE I WILL NO LONGER BE FLYING I HOPE YOU CAN HELP ME REPLICATE IT SO I CAN STILL ENJOY ONE OF MY ALL TIME FAVORITE BEERS.

CAPTAIN MICHAEL M. KEELEY
HOT SPRINGS VILLAGE, ARKANSAS



While Alaska is far from having as many breweries as Colorado, California or Oregon they have been doing their best to catch up. In fact, the state is now vying for the title of "most breweries per capita." Founded in May of 1996 Glacier BrewHouse has helped to lead the charge. They were one of the pioneers of bringing good craft beer to what was previously a macro beer stronghold. Now they are expanding Alaskan palates even further with their extensive barrel aging cellar.

Brewmaster Kevin Burton's college law degree and a lucrative law practice couldn't prevent him from succumbing to the brewing bug. His wife bought him a homebrewing kit for his 30th birthday and he was hooked. Attending the Siebel Institute and a two year stint at another Anchorage brewery, Midnight Sun, prepared him to take the helm at Glacier. Lead brewer, Drew Weber, was stranded in Anchorage on 9/11. He liked the area so much that he got a job at Glacier as a busser and eventually worked his way into the brewery. After completing the Siebel online course he quickly became Kevin's right hand man.

Glacier's beers are found only in limited distribution to Alaska and Washington state and fully 50% of their production is sold through their own taps. Total production for 2011 was 4,400 barrels.

The Imperial Blonde Ale was originally brewed as a request beer for the Denali mountain area climbers from Talketna, Alaska. They preferred to call it Ice Axe Ale. The goal was to produce a higher alcohol beer that was light in body, creamy and smooth but with low bitterness. Each gallon is made with a full half pound of honey which contributes to the light body and clean dry finish.

Michael, you will still be able to enjoy your favorite blonde ale because you can "Brew Your Own." For more about Glacier BrewHouse and their other fine beers visit the website www.glacierbrewhouse.com or call the brewery at 907-274-2739. BYO

GLACIER BREWHOUSE'S IMPERIAL BLONDE ALE clone

(5 gallons/19 L, extract with grains)

OG = 1.081 FG = 1.010 IBU = 25 SRM = 6 ABV = 9.0%

Ingredients

6.6 lbs. (3.0 kg) Muntons light, unhopped, malt extract
2.5 lbs. (1.13 kg) dried malt extract
14 oz. (0.39 kg) 2-row pale malt
14 oz. (0.39 kg) Pilsner malt
10 oz. (0.28 kg) flaked barley
12 oz. (0.34 kg) Carapils® dextrin malt
2.5 lbs. (1.13 kg) clover honey (last 5 min.)
6.8 AAU Centennial hop pellets (0.65 oz./18.4 g at 10.5 % alpha acid) (60 min.)
2.6 AAU Centennial hop pellets (0.25 oz /7.16 g at 10.5% alpha acid) (30 min.)
5.25 AAU Centennial hop pellets (0.5 oz /14.2 g at 10.5% alpha acid) (0 min.)
½ tsp. yeast nutrient (last 15 minutes of the boil)
½ tsp. Irish moss (last 30 minutes of the boil)
White Labs WLP 001 (American Ale) or Wyeast 1056 (American Ale) yeast
0.75 cup (150 g) of corn sugar for priming (if bottling)

Step by Step

Steep the crushed grain in 2 gallons (7.6 L) of water at 155 °F (68 °C) for 30 minutes. Remove grains from the wort and rinse with 2 quarts (1.8 L) of hot water. Add the liquid and dried malt extracts and boil for 55 minutes. Add the honey and boil for an additional 5 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. Now add the wort to 2 gallons (7.6 L) of cold water in a sanitized fermenter and top off with cold water up to 5 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer. Allow the beer to condition for 1 week and then bottle or keg. Allow the beer to carbonate and age for 3 to 4 weeks and enjoy your Imperial Blonde Ale.

All-grain option:

This is a single step infusion mash using an additional 3 lbs. (1.36 kg) 2-row pale malt and 8.5 lbs. (3.9 kg) of Maris Otter pale malt to replace the liquid and dry malt extracts. Mix the crushed grains with 4.5 gallons (17 L) of 175 °F (79 °C) water to stabilize at 155 °F (68 °C) for 60 minutes. Sparge slowly with 175 °F (79 °C) water. Collect approximately 6 gallons (23 L) of wort runoff to boil for 60 minutes. Reduce the 60-minute hop addition to 0.5 oz. (14 g) Centennial hop pellets (5.25 AAU) to allow for the higher utilization factor of a full wort boil. The remainder of this recipe and procedures are the same as the extract with grains recipe.

Note: For better flavor, Kevin recommends additional aging time for this high gravity beer.

Name of the Strain

Choosing the proper yeast

by Betsy Parks



THE GREAT THING ABOUT BEING A HOMEBREWER IN THIS DAY AND AGE IS THE WIDE ARRAY OF INGREDIENT CHOICES, INCLUDING YEAST. BUT HOW DO YOU ACTUALLY CHOOSE THE RIGHT STRAIN? IN THIS ISSUE, THREE YEAST EXPERTS SHARE SOME ADVICE.

If you aren't sure about what strain to use when you are trying to choose a yeast strain, always ask somebody who knows more about yeast strains. Also, choose a strain that is easy to work with at first. A lot of beginner homebrewers will start with a simple strain — like California Ale yeast, which is appropriate for a lot of different styles, and will also perform well. If you want to use just one strain for most of your beers, I think it's ok if you want your beers to all be very similar. On the other hand, do you want to make those beers a little more distinct? If you want to differentiate each beer somehow you don't have to change your recipe, just change up the strain of yeast you are using.

One method of experimenting with yeast strains, which is something that we do here a lot, is brewing up one big batch of beer, splitting it up into a bunch of small batches and fermenting each small batch with different yeast strains. This is a good controlled experiment that will show the different flavor characteristics of each strain.

The most common mistake I've seen with brewers choosing yeast strains is people not choosing the right strain that is appropriate for the style. It's fun to experiment with different strains, of course, but some strains just simply don't match the style and will produce unpleasant results.

If you are unsure about choosing a yeast strain, talk to people who have used a particular strain that you might be interested in using, or talk to your homebrew shop staff. Homebrew suppliers field these kinds of questions all the time. Also, definitely experiment with various yeast strains at home because you might find some that make a really great beer.



Neva Parker, Head of Laboratory Operations at White Labs Inc. in San Diego, California. Neva has been with the White Labs family since 2002. She earned her bachelor's degree in microbiology from Gonzaga University in Spokane, WA. She became interested in beer while studying abroad in London when she attended the annual Campaign for Real Ale (CAMRA) festival.

Flavor profile is the most important factor when selecting a strain for small scale brewing. Use a strain that complements the style (e.g. a phenolic positive strain when clove and other phenolics are desirable or a "clean" strain when the brewer does not want yeast character to interfere with the malt and hop aroma). Other factors to consider are temperature range (ability to control) and alcohol tolerance.

If you find a strain you like, it's ok to use it for a variety of beers. There are a lot of versatile strains that perform well in a broad spectrum of styles. It is very common for commercial breweries to use one "house" strain (typically an American or British strain) for the majority of their production. Once you find a strain that you like, try it in a few other styles. Some common versatile strains include 1056 American Ale, 1968 London ESB, 1098 British Ale, and 1272 American Ale II.

Try experimenting with strains at home by breaking up a batch. I typically brew 10-gallon (38-L) batches and split it between two fermenters with different strains. This is a great way to learn how different strains affect the flavor profile. Other parameters including temperature and pitch rate can also be manipulated with split batches. I am always experimenting with using different strains under different conditions. With split batches, I typically use a control strain (1056 or other favorite strain for the style) next to a new strain or one that I haven't played with for a while.



Greg Doss, QC Manager/ Microbiologist at Wyeast Laboratories in Odell, Oregon. Greg graduated from Oregon State University in 1996 where he earned a B.Sc. degree in microbiology. Following college he brewed professionally for five years. In 2000, he joined the staff of Wyeast.



Jamil Zainasheff, Co-Author of *Yeast: The Practical Guide To Beer Fermentation* (Brewers Publications, 2010) and *BYO* "Style Profile" columnist. Jamil started homebrewing in 1999, and was awarded the prestigious Ninkasi Award in 2004 and 2007. He has been the "Style Profile" columnist for *Brew Your Own* since 2007.

There are so many important differences between strains, that it is difficult to focus on just a few when choosing a proper strain. In general, however, probably the best starting point for yeast selection is the overall flavor profile. Do you want yeast that produces Belgian-style phenols? British-style esters? Or a lager-like low ester beer? That should narrow down the field. Then you can start to consider things like attenuation, temperature range, and more.

If you want to experiment at home, do side-by-side comparisons of different strains. Make sure all the fermentation vessels are the same and use the same wort for all. Keep an eye on pitching rates and fermentation temperatures, so you are comparing apples to apples. If you have never done this before, you will be shocked at the differences between the beers. In many cases, you would wonder if there were different malts, hops, or even spice additions in one beer versus another. You can also try blends of two or more strains with interesting results. The yeast companies are now posting more and more information about the fermentation characteristics of their yeasts. While this information cannot tell you what yeast you should use, it can help you compare various strains and decide which ones might be great for trials.

In my opinion, the most common mistake homebrewers make when choosing a yeast strain is worrying about alcohol tolerance. Most brewers yeast strains, when pitched in the proper amounts and given the right nutrients, will tolerate fairly high levels of alcohol. It isn't until you are pushing 15% ABV and greater that you start seeing a lot of trouble. So, for those 12% ABV and lower beers, alcohol tolerance should be the last thing you worry about. BYO



Fermentation Finish

Plus "hopbursting" decoded

by Ashton Lewis



Q I AM AN ALL-GRAIN BREWER WHO CANNOT SEEM TO HIT MY FINAL GRAVITY ON ANY OF MY BREWS. I JUST FINISHED A STOUT THAT SHOULD HAVE GOTTEN DOWN TO ABOUT 1.020 SPECIFIC GRAVITY EVEN WITH THE ROASTED GRAINS, BUT IT STOPPED AT 1.037 AFTER TWO WEEKS. I AM AERATING MY WORT WITH AN AIR PUMP AND AIR STONE, I AM USING A YEAST STARTER, ADDING YEAST NUTRIENT, AND USING A TEMPERATURE CONTROLLED FREEZER WITH A CONICAL FERMENTER. I DON'T KNOW WHAT I AM DOING WRONG!

JASON MANZANO
VIA EMAIL

A This is a difficult question to address because there are some important facts that are missing, such as wort original gravity (OG), grist bill, mashing method, yeast strain and fermentation temperature. But your problem is not uncommon to many new brewers and some general advice may help you with continuing to brew batches of beer that don't seem to finish.

I really want to know the wort OG because this has a real influence on the final gravity. A good rule of thumb for estimating expected final gravity is to multiply the number of gravity points in your wort (or °Plato for those like me who use Plato) by 0.2–0.25. For example, if the OG of this batch were 1.080 (80 gravity points) I would expect the batch to finish somewhere between 1.016 and 1.020. If the OG was actually 1.110, for example, the expected final gravity would be 1.022–1.028. If the recipe indicated something different from this range I would question the accuracy of the recipe. In your case, this brew really finished high and there is a problem beyond the obvious.

Culprit number one on my list is the grist bill, in particular the special malts that you used for your stout. I am assuming now that you either are an all-grain brewer or you used extract with some special malts added. High percentages of caramel/crystal malts in the grist will certainly increase the finish gravity because these malts contain a much higher percentage of non-fermentable carbohydrates than do paler malts that have been mashed. This is due to the formation of Maillard reaction products during the production of these special malts. If you used large additions of special malts, that could explain part of the problem.

Assuming that you brewed your stout using all-grains and no extracts, the high final gravity could be the result of an excessively high infusion mash temperature, too short of a mash at the proper temperature (148–158 °F; 65–70 °C), excessively thick mash or mash pH out of the range of 5.2–5.5. The goal of mashing is the conversion of starch to fermentables and it is very important to accomplish the goal through careful control of all variables that influence conversion.

Then there is the yeast strain and fermentation temperature. It is good that you aerated your wort using a rig that should do a good job, you used yeast nutrients and used a starter for the yeast. These are all things that should help ensure a healthy fermentation. But even when you perform all of these procedures properly, it is still possible to have problems if you selected a finicky strain that flocculates early, has a tendency of hanging up, like some saison strains, or has a particular temperature affinity. I honestly doubt that you have a yeast problem due to the care it sounds like you seem to have taken, but it is certainly a very common cause of fermentation issues.

"This brew really finished high and there is a problem beyond the obvious."



Photo courtesy of Istockphoto.com

SMARTPHONE QR CODE
FLAT RATE SHIPPING!
$7.95
32 QT KETTLE
STAINLESS STEEL
$99
W/ VALVE AND THERMOMETER
HOPS!
30+ VARIETIES
STARTING AT $1.00/OZ
WORT CHILLERS
25', 50' & CUSTOM
$49
WE MAKE THEM!
DOUBLE DRAFT TOWER
W/ STAINLESS DRIP TRAY
3" STAINLESS TOWER
$120
GET EVERYTHING. WWW.HOMEBREWSTUFF.COM BREW FOR LESS!

help me mr. wizard

Q I KEEP READING ABOUT "HOPBURSTING" AS A METHOD, BUT CAN'T SEEM TO FIND ANY DETAILED DEFINITION OF IT — LET ALONE A TECHNIQUE. SO WHAT IS HOPBURSTING AND WHAT CAN I EXPECT FROM THIS TECHNIQUE? WHO USES IT? HOW CAN I IMPLEMENT IT?

MATT REILLY
WASHINGTON, DC

A I must admit Matt that this is a method I have not heard of, until doing a little research to help me with an answer. The cool thing about homebrewing is that techniques often take on interesting names, and in the case of "hopbursting" made my research a little easier. This is in contrast to methods used by commercial brewers that frequently are used generically. I think the reason for this is that commercial brewers often develop methods that are viewed as "trade secrets" and as such are not named.

Mitch Steele, Brewmaster of Stone Brewing, helped me out on this one by digging around in the San Diego homebrew community and talking to Jamil Zainasheff, who has used this method. Here is what Jamil explained about it:

"Long ago I ran across a few commercial beers that were massively late hopped and had little or no bittering charge. The aroma wasn't anything more than you would expect from dropping in massive amounts of hops near the end of the boil, but the bittering had a "softer" character. It seemed to me at the time that boiling hops for a longer time not only resulted in more isomerized hop acids, but a harsher bittering the longer you boiled them. By switching to a shorter boil and a greater quantity of hops, you got a softer bittering and more hop character because you tossed in lots of late hops.

"I tried this when homebrewing for an article for *Zymurgy* a while back, and also had a number of other folks try the same thing. We used a standard boil time (60 to 90 minutes), a very small or no early hop addition (a few IBU at most), massive hopping the last 10 to zero minutes, and then rapidly chill the entire wort with an immersion chiller. Quick chilling of the entire wort retains more of the hop character. Of course, you are limited to how many IBU you can get so a really high IBU beer with this method is tough.

"In our initial commercial batches we tried this on a beer, adding massive hops at the end of the boil. Unfortunately, the hot stand in the whirlpool and during knockout was so long that we were getting 70 IBU even with no other additions. We switched to pre-chilling our water and also moved a lot of the hops over to dry hopping to get the IBUs down into the 40–50 range. The only issue is that dry hopping doesn't give the same character as late kettle hops. In our new brew plant we're going to try a hopback to see if we can get more of that late addition character instead."

I was just at the Craft Brewers Conference in San Diego and picked up some information related to the topic of new beers and brewing techniques. You ask who uses a method like hopbursting and why. A talk I listened to about Gen Y gives some insight into this general question. We know about the origins of this particular technique, but what about boundary pushing things in general? Many of these new methods are developed by brewers who want to try something completely contrary to conventional wisdom; apparently this is one of the traits of the Gen Y crowd. The "why" originated as simply doing something different in the kettle for a specific purpose, and this evolved into a method that delivers an intense hoppiness that is different than adding hops early in the boil for bitterness followed by aroma hops added late in the boil.

On a very practical note, Mitch commented that it may be a good idea to add a very small hop addition to the kettle when the boil begins, or right before the boil, to help control foaming. This is indeed sound advice since unhopped wort foams much more intensely than hopped wort. Like the old Dippity Do adds, a little dab will do you. If you are concerned about adding too much bitterness, select a low alpha variety for this purpose.

Many of the hop bombs I sampled while in San Diego during the CBC had hop intensities that defy normal brewing techniques. The Palate Wrecker brewed by Green Flash Brewing is one example of a brew with very high hop bitterness, coupled with aromas and flavors that I have never tasted in a brew that was simply "highly hopped." Some of these beers are being brewed with unbelievably high hop charges approaching 1/10th pound per gallon! I like to think the name hopburst may have been inspired by Green (hop?) Flash (burst?). I imagine that some creative naming may follow a tasting session of some of these monsters!

Being one of those brewers who likes to calculate things, large late additions presents a conundrum in my math. One can assume that hops boiled for 20–30 minutes have a utilization of somewhere around 15–20%, but what about hops added 5–10 minutes before the end of the boil? Depending on how long the hot wort is held to help settle hop solids the utilization reports found in the literature vary from about 5–15%. This makes it very difficult to "accurately" calculate late hop additions if you want to hit a target bitterness level. I think most brewers who are brewing these hoppy giants are more than likely relying on empirical methods more than anything. If the last brew had 30 pounds (14 kg) of hops dumped into a 10 BBL (310-L) batch and it turned out well, the next batch may contain 33 pounds (15 kg) because a 10% increase "feels right".

I was still trying to wrap my mind around this "hop-bursting" method when I listened to a talk presented by Dr. Tom Shellhammer from Oregon State University. Some of the data presented directly relates to this topic and raised some interesting ideas. For starters, Tom discussed how the "old school" IBU method, where iso-octane is used to extract iso-alpha acids from beer, responds to more than simply iso-alpha acids. For example, polyphenols and alpha acids from hops directly affect the results of the IBU measurement. Many brewers assume that 1 IBU corresponds to 1 mg/L of iso-alpha acids, and the data presented in Dr. Shellhammer's talk clearly showed that this is not correct. As it turns out, the error becomes greater when huge late hop additions are made since late additions increase the polyphenol content of wort and beer more than early additions (polyphenols precipitate with proteins during boiling) and late additions also increase the amount of alpha acids present in wort and beer. Neither class of compounds sig-

WEYERMANN

Weyermann : Superb German Malts

Weyermann is Germany's oldest and finest maltster, producing a wide range of barley, wheat and rye malts to optimize every beer!

- **Superb quality Pilsner, Pale Ale, Vienna and Munich base malts**
- **Specialty malts to match just about any recipe**
- Weyermann crystal and roast malts are produced in rotary roasting drums rather than in the usual flatbed kilns, producing a more consistent, high quality end product
- **NEW** authentic Bavarian Pilsner malt
- **SINAMAR®** Liquid All-Malt beer coloring extract now available in 4 oz. bottles for the homebrewer!

Distributed in the United States by Crosby & Baker, from wholesale (strictly!) warehouses in:

- Westport, Massachusetts
- Atlanta, Georgia
- Salt Lake City, Utah
- Baltimore, Maryland
- Sacramento, California

Websites for more information Specs & other great stuff:
www.WeyermannMalt.com www.Crosby-Baker.com Email: Info@Crosby-Baker.com

CROSBY & BAKER LTD

Call us for great products and prices: 1.800.999.2440

nificantly contribute to beer bitterness, meaning that the increase in IBUs measured using the iso-octane method is misleading.

I realize that I am drifting off topic, but this is interesting to me! Tom reported that this error is not seen when a more specific method is used to quantify iso-alpha acids in beer is used. The current standard accepted by the American Society of Brewing Chemists (ASBC) and the European Brewing Convention (EBC) is based on high performance liquid chromatography (HPLC). The HPLC method accepted by both the ASBC and EBC separates the constituents of beer using a chromatographic column and a detector to quantify the concentrations of the various compounds that are eluted from the column during the course of the run.

The interesting thing with all of this is that very few small breweries have HPLCs in their labs and do not use this method for measuring IBUs in beer. The iso-octane method, however, is pretty easy to perform if you have a UV spectrophotometer. The punch line is that an IBU is not an IBU . . . it depends on the method used in the lab. Most of you are probably thinking, "what's the big freaking deal, so what?" The big deal is that IBUs have become a bragging right in the community of extreme brewers. And based on the data I saw at the CBC I am thinking that some of the claims of very high IBUs, some as high as 150, are due to errors in the iso-octane method.

My point with all of this is that beers brewed by adding lots of hops late in the boil do indeed have interesting and different hop characters. But this method in general is a bit too new for much math to be available to help the brewer when it comes to beer formulation. This is one of those times when you need to rely on good notes, experimentation, patience and persistence to end up with the type of beer you seek. I saw an interesting show recently about the evolution of the guitar during the 20th century. Things got pretty interesting when the electric guitar was invented and then amped. Feedback was discovered and this led to the development of all sorts of pedals. None of these things could be put on paper with the musical notations used for centuries by composers, but that did not stop musicians like Jimi Hendrix from developing a whole new sound and style of guitar playing. I think this hopbursting method may be the brewing equivalent of feedback. As Wayne may have said, brew on, Garth! BYO

Ashton Lewis is the Brewmaster and Co-Owner at Springfield Brewing Co. in Springfield, Missouri. Do you have a question for Mr. Wizard? Email your questions with your name, city and state to wiz@byo.com.

Vacuum Sealed for Maximum Performance

Our new packaging offers a substantial level of protection to our premium yeast. This ***revolutionary vacuum-sealing technology*** minimizes packaged air, offering maximum performance throughout the rated life of our products. The new package allows brewers to see and feel that the sachet is sealed airtight and ready for use. ***No other brewing yeast offers this extra level of product assurance.***

Get the Dry Yeast Advantage with Danstar Premium Yeast from Lallemand.



WWW.LALLEMANDBREWING.COM

Belgian Dark Strong Ale

Big, malty and spicy

by Jamil Zainasheff



I used to hate judging the Belgian strong category in competitions. Long ago, so many of the beers were syrupy sweet alcohol bombs that I found it most unpleasant. While Belgian dark strong ale is a beer with a higher level of alcohol, it should not be syrupy sweet. Luckily, with brewers practicing better fermentation control the typical Belgian strong ale category in competitions is now much more pleasant to judge.

Belgian dark strong ale ranges from 8 to 11% ABV with significant fruity esters and optional spicy notes from fermentation. The warming alcohol should be subtle and smooth. The body should be medium to full and the malt character rich and complex. Good examples will have some malt sweetness as well, but it can range from somewhat dry to fairly sweet. Even though hops play a role in balancing the overall character of this style, fermentation is really the centerpiece. Belgian dark strong ale is a complex mix of fruity esters (raisin, fig, plum, cherry, and more), alcohols (floral, spicy, sweet, bitter), and sometimes a delicate phenolic spiciness (pepper, clove). One thing to note is that the color of this style has a wide range, from deep amber to copper-brown.

The base malt for this style is continental Pilsner malt. Pilsner malt lends a slightly sweet, grainy malt character to the beer. If you can source it, Belgian Pilsner malt is ideal. If you cannot, do not worry, even the Belgian brewers use other continental Pilsner malts. If you are an extract brewer, try to use an extract made from Pilsner malt. Recipes for this style range from very simple to overly complex. I have made award-winning examples using both. If you want to go with a simple, more traditional recipe, Pilsner, Munich and dark Belgian candi syrup is all you need.

Overly complex recipes are often too malty and the flavors are muddy. Yet, despite that, my early complex recipes for this style always scored higher than the less complex versions. Specialty malts such as aromatic, melanoidin, CaraMunich®, Special B®, and biscuit are all fair game in this style. The trick is to build a rich malt character, with a balanced malt sweetness, while avoiding an overall muddy, generic maltiness. Good fermentation helps with this, but keep the total specialty malts down below 20% of the total grist.

When brewing a bigger beer with high starting gravities, you normally target a lower mash temperature to ensure a highly fermentable wort. In the case of Belgian dark strong, most judges seem to prefer the fuller, richer character that a higher mash temperature provides. You do not want it to be excessive, but a mash temperature around 152 °F to 154 °F (67 to 68 °C) is a good starting point. For extract brewers, most light colored extracts attenuate well enough. Whether all-grain or extract you can use a portion of simple sugar, such as table sugar or a Belgian-type candi sugar. Keep in mind that you want a rich beer, with a medium to full body, so do not over do it. Generally, 5 to 10% of the grist is plenty. If you want to use lots of Belgian dark candi syrup for character, then you might also need to raise the mash temperature to compensate.

The dryness and firm bittering of most higher gravity Belgian ales comes from a combination of alcohols, phenols, carbonation and minimal hops. I prefer to stick with noble hops such as Saaz, Hallertau, or Tettnang. Traditionally, breweries also use Styrian Goldings and in a pinch other varieties such as Mount Hood, Liberty, or Kent Goldings are fine as well. I prefer a single large charge of low alpha hops near the beginning of the boil. The flavor of that early addition can carry through and will provide a subtle hop character. Nowadays more brewers are experi-

Continued on page 21

BELGIAN DARK STRONG ALE
by the numbers

OG:	1.075–1.110 (18.2–25.9 °P)
FG:	1.010–1.024 (2.6–6.1 °P)
SRM:	12–22
IBU:	20–35
ABV	8–11%



Photo by Charles A Parker/Images Plus

Belgian Dark Strong Ale

(5 gallons/19 L, all-grain)

OG = 1.103 (24.4 °P)
FG = 1.024 (6.0 °P)
IBU = 31 SRM = 21 ABV = 10.6%

Ingredients

13.44 lb. (6.10 kg) Best Malz Pilsen or similar Continental Pilsner malt (2 °L)
2.75 lb. (1.25 kg) Best Malz Munich malt (8 °L)
14.1 oz. (400 g) Franco-Belges Special Aromatic malt (20 °L)
14.1 oz. (400 g) Franco-Belges Caramel Munich 60 malt (60 °L)
14.1 oz. (400 g) Franco-Belges Caramel Munich 120 malt (150 °L)
13.4 oz. (380 g) cane or beet sugar (0 °L)
7.1 oz. (200 g) Best Malz melanoidin malt (28 °L)
7.1 oz. (200 g) Great Western wheat malt (2 °L)
8 AAU Hallertau pellet hops (2 oz./57 g at 4% alpha acids) (60 min.)
White Labs WLP530 (Abbey Ale) or Wyeast 1762 (Belgian Abbey II) yeast

Step by Step

Mill the grains and dough-in targeting a mash of around 1.5 quarts of water to 1 pound of grain (a liquor-to-grist ratio of about 3:1 by weight) and a temperature of 153 °F (67 °C). Hold the mash at 153 °F (67 °C) until enzymatic conversion is complete. With the low mash temperature, you may need to lengthen the rest time to 90 minutes or more to get full conversion. Infuse the mash with near boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168 °F (76 °C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 6.5 gallons (24.4 L) and the gravity is 1.080 (19.3 °P).

The total wort boil time is 90 minutes, which helps reduce the S-Methyl Methionine (SMM) present in the lightly kilned Pilsner malt and results in less Dimethyl Sulfide (DMS) in the finished beer. Add the bittering hops with 60 minutes left in the boil. Add the sugar and Irish moss or other kettle finings with 15 minutes left in the boil. Chill the wort rapidly to 68 °F (20 °C), let the break material settle, rack to the fermenter, pitch the yeast and aerate thoroughly.

You will need 3 packages of liquid yeast or you can make a 4-L starter from 1 package. Pitch yeast at 68 °F (20 °C), aerate or oxygenate, and let the temperature rise slowly to 72 °F (22 °C) by the last ⅓ of fermentation. Ferment until the yeast drops clear. With healthy yeast, the bulk of fermentation should be complete in a week, but do not rush it. It is important for the beer to attenuate fully. If you have trouble getting enough attenuation in big beers, you can hold off on adding the sugar to the boil. Instead, after the fermentation looks like it has started to slow, mix the sugar with just enough boiling water to make a syrup, then add that to the fermentation.When finished, carbonate the beer to approximately 2.5 to 3 volumes and serve at 45 to 50 °F (7 to 10 °C).

Belgian Dark Strong Ale

(5 gallons/19 L, extract with grains)

OG = 1.103 (24.4 °P)
FG = 1.024 (6.0 °P)
IBU = 31 SRM = 21 ABV = 10.6%

Ingredients

9.5 lb. (4.3 kg) Pilsner liquid malt extract (2 °L)
2.75 lb. (1.25 kg) Best Malz Munich malt (8 °L)
14.1 oz. (400 g) Franco-Belges Special Aromatic malt (20 °L)
14.1 oz. (400 g) Franco-Belges Caramel Munich 60 malt (60 °L)
14.1 oz. (400 g) Franco-Belges Caramel Munich 120 malt (150 °L)
13.4 oz. (380 g) cane or beet sugar (0 °L)
7.1 oz. (200 g) Best Malz melanoidin malt (28 °L)
7.1 oz. (200 g) Great Western wheat malt (2 °L)
8 AAU Hallertau pellet hops (2 oz./57 g at 4% alpha acids) (60 min.)
White Labs WLP530 (Abbey Ale) or Wyeast 1762 (Belgian Abbey II) yeast

Step by Step

Freshness is vital for a great beer. If you cannot get fresh liquid malt extract, it is better to use an appropriate amount of dry malt extract (DME) instead, since it does not oxidize nearly as fast and tends to be fresher. This recipe has several grains that need starch conversion: Munich, aromatic, melanoidin, and wheat malt. While there are Munich and wheat malt extracts that you can substitute, there are no substitutes for the others. The best thing to do is a partial mash. It is essentially the same as steeping your specialty grains, just pay attention to temperature. You will not get perfect conversion of the starches, but it is better than blindly steeping grains.

Mill or coarsely crack the specialty malt and place loosely in a grain bag. Avoid packing the grains too tightly in the bag, using more bags if needed. Steep the bag in about 2 gallons (~8 liters) of water at 160 °F (71 °C) for about 60 minutes. Lift the grain bag out of the steeping liquid and rinse with more warm water. Allow the bags to drip into the kettle for a few minutes while you add the malt extract. Do not squeeze the bags. Add enough water to the steeping liquor and malt extract to make a pre-boil volume of 6.5 gallons (24.4 L) and the gravity is 1.080 (19.3 °P). Stir thoroughly to help dissolve the extract and bring to a boil. Follow the boiling, fermentation, and packaging instructions for the all-grain version.

menting with increased hop character in all beers, but I would still avoid going with late additions in this style. The bitterness-to-starting gravity ratio (IBU divided by OG) ranges between 0.2 and 0.5, although most brewers will want to target approximately 0.3 unless you are getting a very dry finish from fermentation.

The characteristic fruity/spicy flavors and aromas of this style come from fermentation, not from the addition of fruits or spices. While some brewers may add spices, the problem is that spices will never really take the place of proper fermentation. The subtle complexity that comes from fermentation cannot be faked by spice additions. It is better to focus on perfecting fermentation.

There are several great yeast strains for brewing this style, but two of my favorites are White Labs WLP530 (Abbey Ale) or Wyeast 1762 (Belgian Abbey II). Other excellent choices are White Labs WLP500 (Trappist Ale), WLP540 (Abbey IV Ale Yeast), WLP545 (Belgian Strong Ale), WLP550 (Belgian Ale Yeast), Wyeast 3787 (Trappist High Gravity), and Wyeast 1214 (Belgian Abbey). When selecting yeast, keep in mind that this style is more about the fruity notes than spicy phenols.

One question many brewers have about Belgian beers is fermentation temperature. Often homebrewers will say, "Brewery X ferments their beer at xx °F, so that is the fermentation temperature I use." However, that most likely will not be the right temperature for you. Temperature is only one of many fermentation parameters. For example, fermenter height plays a role in flavor development, with very tall fermenters (like big commercial cylindroconical types) suppressing ester and fusel alcohol production. The shape of the brewery's fermenters, their pitching rates, their oxygen levels, their yeast collection and repitching methods may all be different from yours, which changes the production of esters, fusel alcohols and other aspects of fermentation. When you use the same fermentation temperature in your brewery with disregard for the other parameters, you may end up with fruit salad dissolved in paint thinner. Well, maybe not that bad, but pretty darn close. Do not let "how the classic brewery does it" determine your process unless you are using the same equipment and methods. Instead, get to know the beer style intimately and work on adjusting your process until you are making an outstanding example. It might take many tries and a vastly different process for you to achieve those results, but that is the fun of homebrewing.

With most of these yeasts I recommend pitching at a rate of 0.75 million cells per milliliter per degree Plato (see the pitching rate calculator at www.mrmalty.com for help in calculating this for your beer). Pitch the yeast and allow 12 to 36 hours for the

WASHING / SANITIZING



BetterBottle®

Has Been Thinking

Many Washing and Sanitizing Agents can Damage Glass, Rubber, Plastic, and Metal Equipment

What's The Solution?

Get the clean facts. Go to *What's New*, under the News tab, at www. Better-Bottle.com

majority of yeast growth, then ramp up the temperature for the rest of fermentation to ensure good attenuation. For example, pitch the yeast at 68 °F (20 °C) and at the end of the next day slowly begin raising the temperature each day. Try to end up at 72 °F (22 °C) by the last ⅓ of fermentation. You may find a higher or lower temperature or a faster or slower rise in temperature gives you the ideal result, so do not be afraid to tweak the parameters until you get it right.

One concern with a beer this big and full of specialty malts is getting enough attenuation to avoid too sweet a finish. Many brewers go with lower and lower mash temperatures in an attempt to achieve this, but that is not always the problem. It isn't that you need to get rid of all of the long chain dextrins. Those dextrins are not



Belgian Dark Strong Ale Commercial Examples

Achel Trappist Extra
Brouwerij der St. Benedictusabdij de Achelse
Hamont-Achel, Belgium
www.achelsekluis.org

Allagash Black
Allagash Brewing Co.
Portland, Maine
www.allagash.com

Brother Thelonious
North Coast Brewing Co.
Fort Bragg, California
www.northcoastbrewing.com

Chimay Grande Reserve (Blue)
Bières de Chimay S.A.
Baileux (Chimay), Belgium
www.chimay.be

Judgment Day
The Lost Abbey
San Marcos, California
www.lostabbey.com

Rochefort 10 (blue cap)
Brasserie de Rochefort
Rochefort, Belgium
http://users.pandora.be/gerritvdb/rochefort/English/RochefortIndex.htm

Salvation
Russian River Brewing Co.
Santa Rosa, California
http://russianriverbrewing.com/

St. Bernardus Abt 12
Brouwerij St. Bernardus
Watou, Belgium
www.sintbernardus.be

Trois Pistoles
Unibroue
Chambly, Quebec
http://www.unibroue.com/

Westvleteren 12 (yellow cap)
Brouwerij Westvleteren
Westvleteren, Belgium
www.sintsixtus.be

very sweet and they can be present in a dry beer. The important thing is to make sure you ferment out all of the simpler sugars completely. If you leave a lot of unfermented maltose, then the beer is going to taste sweet, even though it might attenuate well. The key to attenuation is starting with a healthy pitch of yeast, aerating or oxygenating properly and controlling fermentation temperatures.


Oxygen is important to yeast health and is necessary for fermentation to reach terminal gravity in a reasonable amount of time. However, too much or too little oxygen can have unintended consequences, so adding the right amount of oxygen is important. That is difficult for many homebrewers, but you should try to control the amount of oxygen added by measuring timing and flow rate. The amount of oxygen required is a balancing act and can result in excessively high or low esters and fusel alcohols. If you are using air, there is no chance of over-aerating your wort, but there is a chance of under-aerating. If you are using oxygen with a sintered stone, a good starting point for 5 gallons (19 L) is a flow of 1 L per minute for 1 minute. You might go up or down from there, as experience shows you what is right for your brewing. If you find yourself getting stuck fermentations when brewing high gravity beers, you can add a second dose of oxygen between 12 and 18 hours after pitching. The second dose should be about ½ to ¾ the normal amount of oxygen. This will give the yeast the ability to rebuild their cell membranes after having replicated. They will better tolerate the high alcohol environment ahead with this additional dose of oxygen.

If you are having trouble getting the beer to attenuate enough, one trick that might help a little is waiting until the fermentation is nearly done before adding the simple sugars. Wait until fermentation has started to slow and then add the sugar. When I do this I dissolve the sugar in just enough boiling water to make a thick syrup. Once it cools, I add it to the beer.

If all else fails and you still are not getting full attenuation, you can pitch an actively fermenting lager yeast into the stuck beer, which will consume some complex sugars that the ale yeast will not. Do not add this extra dose of yeast if they are not in an active fermentation state, because they will just settle out in a high alcohol, low sugar environment. Make a small starter and wait until the yeast are at high kräusen before you add it to the beer.

If your beer is attenuating properly but still tastes sweeter than it should, it might be fermentation related compounds that are making it seem sweet. If that is the case, then you need to revisit your fermentation parameters and /or try a different yeast strain. BYO

Jamil Zainasheff writes "Style Profile" in every issue of BYO.



BYO BACK ISSUE SALE!

Buy 5 Issues...Get 5 More Issues FREE!



We are offering readers a very special deal on our limited quantities of back issues. Buy any 5 issues for $25 (plus $12.50 shipping) and receive 5 more issues for **FREE!** Buy 5 and get 5 **FREE!** Choose from these collectible classics still in stock from 1998 through 2010, and now 2011 back issues as well!

HURRY! SUPPLIES ARE LIMITED!

NOW AVAILABLE ONLINE AT WWW.BREWYOUROWNSTORE.COM

JULY 98
- 15 Clone Recipes
- 3 Beers, 1 Mash

OCT. 98
- Great Bock Recipes
- Choose the Right Kit

JAN. 99
- Aging in Wood
- Figuring Hop Bitterness

FEB. 99
- Malta Yeast Starter
- Organic Homebrewing

MAR. 99
- Imported Clone Recipes
- Build an Electric Brew Stove

AUG. 99
- Wit, Kölsch Recipes
- American Lager Clones

JAN. 00
- 7 Czech Beer Recipes
- Your First Brew

FEB. 00
- High-Gravity Brewing
- Foreign Clone Recipes

OCT. 00
- 20 Autumn Extract Recipes
- Build a Counterflow Wort Chiller

JAN. 01
- Brew Indigenous Beers From 4 Continents
- Making Root Beer

FEB. 01
- 5 German Clone Recipes
- Decoction Step-by-Step

MAR. 01
- Growing Yeast Strains at Home
- Brew Low-Carb Beer with Beano®

MAY 01
- 20 Extract Recipes for Spring
- Build a Counter Pressure Bottle Filler

SUMMER 01
- 5 Clone Recipes for Summer
- Build a Big-Batch Mash Tun

JAN./FEB. 02
- 8 Ski Town Clone Recipes
- Thomas Jefferson's Homebrew

JULY/AUG. 02
- 21 Regional U.S. Recipes
- Brewing with Fruit

OCT. 02
- Better Extract Techniques
- One Batch, Two Beers

JAN./FEB. 03
- Brewing Porter
- Cleaning & Sanitation Made Easy

MAY/JUNE 03
- How to Control the Color of Your Beer
- Adding Oak to Beer

JULY/AUG. 03
- Light Beer Recipes
- Tips for Entering Homebrew Competitions

SEPT. 03
- Pale Ale Recipes
- Yeast Pointers

OCT. 03
- 17 Foolproof Extract Recipes
- Trappist Ale Tips & Recipes

NOV. 03
- Choosing and Using Homebrew Pumps
- Steeping vs. Partial Mash

DEC. 03
- High-Gravity Beers
- Brewing with Spices

MAR./APR. 04
- Brewing Sugars & How to use Them
- Yeast: Choose the Right Strain for your Beer

MAY/JUNE 04
- Making Low-Carb Homebrew
- Beer Barbecue Recipes

JULY/AUG. 04
- Brewing Bocks — American & German
- Water Tips for Extract Beer

OCT. 04
- Extract Experiments
- Lambic Brewing

MAY/JUNE 05
- 10 Classic Clones: Anchor Steam, Fuller's ESB, Guinness, Sierra Nevada Pale Ale, Orval, Duvel, Paulaner Hefeweizen, Pilsner Urquell, Celebrator, Warsteiner

JULY/AUG. 05
- Brewing Heineken and International Lagers
- Belgian Saison

MAR./APR. 08
- Hop Substitution Guide
- Batch & Continuous Sparging

MAY/JUNE 08
- Czech Pilsners
- Build a Hop Drying Oast

JULY/AUG. 08
- 6 Belgian Inspired Clones
- Fruit Meads

SEPT. 08
- Low-Hop Recipes
- Dry Stout, Scottish Ale

OCT. 08
- Organic & Green Brewing
- Convert a Keg to Kettle

MARCH/APRIL 09
- Australian Brewing
- Controlling Fermentation Temperatures

OCT. 09
- Imperial German Beers - Take Malty Classics Big and Extreme
- Zombie Clones: Bring 5 British Ales Back from the Dead

NOV. 09
- Small Space Brewing Tips
- Countertop All-grain Brewing System

DEC. 09
- Pro Brewers Who Homebrew
- Rise of Small Hop Farms

JAN./FEB. 10
- Dark Secrets of Porter
- Brewing with Scotland's Brewdogs

MARCH/APRIL 10
- Bicycle Themed Beer Clones
- Master Dry Hopping

MAY/JUNE 10
- Breakfast Beers
- Build Your Own Keg & Carboy Cleaner

JULY/AUG. 10
- Grain to Glass – Your First All-Grain Brew Session
- Cascadia Dark Ale

SEPT. 10
- 15 Tips from 15 Pro Brewers
- Cooking with Homebrew

OCT. 10
- Extract Brew Day: A Pictorial Guide
- Use Malt Extract Like a Pro

NOV. 10
- Tap Into Kegs
- Barleywine Clones

DEC. 10
- Recipes & Tips from New Belgium Brewing
- Build a Motorized Mill

MAR./APR. 11
- Lagering Techniques
- Build a Multi-Tap Kegerator

MAY/JUNE 11
- Scandinavian Brews
- Make a Viking Ale

JULY/AUG. 11
- Cult of American Saison
- Making Witbier

SEPT. 11
- Cool New Malts
- Welsh Beer

OCT. 11
- Retro Regional Beer Clones
- Cooking with Bock

NOV. 11
- Build the Ultimate Home Bar
- Build a Draft Tower

DEC. 11
- Brew Award-Winning Lagers
- Brooklyn Brewery Tips & Clone Recipes

BUY 5 ISSUES...GET 5 MORE ISSUES FREE!

SPECIAL ITEMS:

NEW!



30 GREAT BEER STYLES

• Tips, techniques and recipes to brew 30 of the world's best beer styles at home.
• Authored by beer style guru and "Style Profile" columnist Jamil Zainasheff.




25 GREAT HOMEBREW PROJECTS

• Best projects from 16 years of *BYO*
• Includes parts & tools list as well as detailed instructions & pictures for each build




BUILD BRUTUS TEN

•Build your own single-tier, 10 gal. (38 L) semi-automated brewing system
•Includes plans, photos and step-by-step diagrams
•Special re-print from sold out November '07 issue



HOP LOVER'S GUIDE

•Hopping methods for extract & all-grain brewers to get the most out of your hops
•Comprehensive charts for 102 hop varieties
•Backyard hop growing instructions
•36 hoppy recipes




250 CLASSIC CLONE RECIPES

•New edition of our popular special issue now with 100 more recipes
•Brew your favorite commercial beers at home



BEGINNER'S GUIDE

•How to brew with kits, extracts & all-grain
•Also provides introduction to winemaking!



THE HOME BREWER'S ANSWER BOOK

•Direct from the pages of *BYO*, this collection of Q&A from our "Mr. Wizard" column is the perfect reference for beginners and advanced brewers — and everyone in between!

www.brewyourownstore.com

Brew Your Own — THE HOW-TO HOMEBREW BEER MAGAZINE

Mark your 10 choices below.

Qty.	Issue	Qty.	Issue
____	July 98	____	May/June 05
____	October 98	____	July/Aug. 05
____	January 99	____	Mar./April 08
____	February 99	____	May/June 08
____	March 99	____	July/Aug. 08
____	August 99	____	September 08
____	January 00	____	October 08
____	February 00	____	Mar./April 09
____	October 00	____	October 09
____	January 01	____	November 09
____	February 01	____	December 09
____	March 01	____	Jan./Feb. 10
____	May 01	____	Mar./April 10
____	Summer 01	____	May/June 10
____	Jan./Feb. 02	____	July/Aug. 10
____	July/Aug. 02	____	September 10
____	October 02	____	October 10
____	Jan./Feb. 03	____	November 10
____	May/June 03	____	December 10
____	July/Aug. 03	____	Mar./April 11
____	September 03	____	May/June 11
____	October 03	____	July/Aug. 11
____	November 03	____	September 11
____	December 03	____	October 11
____	Mar./April 04	____	November 11
____	May/June 04	____	December 11
____	July/Aug. 04		
____	October 04		

*** previous issues not listed are sold out; 2012 back issues still cost the full $5.00**

5 copies . . . . . .$25 $_____
5 **BONUS** copies . . . . . .FREE **FREE**
30 Great Beer Styles _____ x $10 ea = $_____
25 Great Homebrew Projects _____ x $10 ea = $_____
Build Brutus Ten Brewing System _____ x $3 ea = $_____
Hop Lover's Guide _____ x $8 ea = $_____
250 Clone Recipes _____ x $10 ea = $_____
Beginner's Guide _____ x $7 ea = $_____
Homebrewer's Answer Bk. _____ x $14.95 ea = $_____
Shipping/Handling (see below)..... = $_____
1 unit = $3.00 • 2-9 units = $7.00
10-49 units = $12.50 • 50-99 units = $25.00
100+ units = $37.50
Orders outside the U.S. please call or e-mail for shipping quote.
BYO Binders _____ x $20 ea. (incl. shipping) $_____
(Binders hold 12 issues each)
Total $_____

Name _____
Address _____
City _____ State ____ Zip _____
E-mail _____
Phone _____

❑ Check Enclosed ❑ MasterCard ❑Visa
Card# _____
Exp. Date _____
Signature _____

MAIL ORDER FORM TO:
BYO Back Issues
5515 Main Street
Manchester Center, VT 05255

FAX FORM TO:
802-362-2377
or CALL:
802-362-3981

THE HOUSE of HEILEMAN



Story by **Bill Pierce**

THE RISE, FALL AND REBIRTH OF BEER FROM "GOD'S COUNTRY"

While two large brewing conglomerates — Anheuser-Busch InBev and MillerCoors — now account for more than 78% of US beer sales, and craft beers are enjoying a renaissance, these are relatively recent phenomena. As late as the 1990s, a significant number of regional breweries produced popular brands that had a major share of local markets in some of America's largest cities. Among these was the G. Heileman Brewing Company, which operated from the small city of La Crosse, Wisconsin, for nearly 140 years from 1858 to 1996. Their legacy includes names still familiar to, and fondly remembered by, many American beer drinkers.

From The Old Country To The New

The roots of Heileman, like so many American brewing stories, go back to Germany, where Johann Gottlieb Heileman was born in the southern state of Wurttemberg in 1824. In 1852 he left for America and soon settled among many other German immigrants in Milwaukee, where he helped to found a bakery. Five years later he moved to the western Wisconsin city of La Crosse, which was growing due to lumbering and shipping on the Mississippi River. His first job there was at a small brewery recently started by fellow German immigrant Johann (John) Gund. After less than a year, Gund sold the brewery building and entered into an agreement with Heileman to build the new City Brewery. The partnership between Gund and Heileman lasted for 14 years until 1872, when Gund sold his interest to Heileman and went on to found his own John Gund Brewing Company. Heileman continued, changing the company name to G. Heileman Brewing, but was outsold by his former employer and partner. Among the problems was the sudden death of Heileman himself in 1878 at the relatively young age of 54. His widow Johanna struggled, but succeeded in keeping the brewery open, becoming the first female CEO of an American brewing company. She continued her involvement in the business until 1911, although in the later years operations were managed by son-in-law Emil Mueller.




Photo courtesy of TheBeerCanGuide.com

RECIPE

Old Style Light clone (American light lager)
(5 gallons/19 L, all-grain)

OG = 1.037 FG = 1.005
IBU = 14 SRM = 2–4 ABV = 4.0%

Ingredients
5 lb 10 oz. (2.6 kg) 6-row pale malt
1.5 lbs. (0.68 kg) rice syrup solids (add at beginning of boil)
2.7 AAU Cluster hops (60 mins) (0.38 oz./11 g of 7.0% alpha acids)
1.3 AAU Mt. Hood hops (25 mins) (0.25 oz./7.1 g of 5.0% alpha acids)
1.9 AAU Sterling hops (0 mins) (0.25 oz./7.1 g of 7.4% alpha acids)
White Labs WLP840 (American Lager) or Wyeast 2272 (North American Lager) yeast

Step by Step
Mash 60 minutes at 149 °F (65 °C) Boiling time is 75 minutes. Ferment at 53 °F (12 °C). Use the following formula to calculate how much kräusen wort to set aside (after boiling the main batch of wort and before pitching the primary yeast):
V_k (qts.) = 12 * V_w (gallons)/D (sgp)

where V_k = is the volume of wort to set aside for kräusening, V_w is the the volume of post-boil wort and D is wort density in specific gravity points. Specific gravity points are the portion of the specific gravity to the right of the decimal point multiplied by 1000. For example, in this recipe 1.037 is 37 gravity points.
Metric brewers can use this version of the formula:
V_k (L) = 3.17 * V_w (L) / D (sgp)


Add approximately one pint (500 mL) of wort to the calculated volume. This will allow for variations in the degree to which it has fermented before being added to the beer. Freeze and store the retained wort in a sealed, clean container. Two days before bottling or kegging, add just a little water to account for the boiling losses, and boil the stored wort for 10 minutes to sanitize. Chill the wort after boiling and pour into a well sanitized vessel with enough volume to contain the saved wort plus an additional 10–15 percent. Pitch several grams (approximately 0.1 oz.) of dry, neutral yeast into the sanitized vessel. Stir or agitate well. Cover the vessel loosely with a sanitized lid or aluminum foil and allow it to ferment at room temperature. After two days (48 hours), the wort should be actively fermenting (at high kräusen), yet enough sugars should remain to provide carbonation. Add the fermenting kräusen wort in the same manner you would use priming sugar solution for the rest of the beer that is ready for bottling or kegging. You should leave behind most of the trub (sediment) that has settled to the bottom of the vessel used to ferment the kräusen wort. Carbonation should be completed in approximately 7–10 days at room temperature. (Thanks to homebrewer Kai Troester for the concepts and outline of this kräusening method.)

Old Style Light clone (American light lager)
(5 gallons/19 L, extract)

OG = 1.037 FG = 1.005
IBU = 14 SRM = 5 ABV = 4.0%
Extract brewers will need to find American lager extract (made with corn as an adjunct).

Ingredients
4.25 lbs. (1.93 kg) American lager liquid malt extract
1.0 lbs. (0.45 kg) rice syrup solids
2.7 AAU Cluster hops (60 mins) (0.38 oz./11 g of 7.0% alpha acids)
1.3 AAU Mt. Hood hops (25 mins) (0.25 oz./7.1 g of 5.0% alpha acids)
1.9 AAU Sterling hops (0 mins) (0.25 oz./7.1 g of 7.4% alpha acids)
White Labs WLP840 (American Lager) or Wyeast 2272 (North American Lager) yeast

Step by Step
Boiling time is 60 minutes. Add hops at times indicated and rice syrup with 15 minutes left in boil. Ferment at 53 °F (12 °C) and kräusen according to instructions given in the all-grain recipe.



A disastrous fire destroyed the Gund brewery in 1897. It was rebuilt, but the disruption allowed Heileman to expand operations and increase sales. In 1902 they produced more than 100,000 barrels and replaced their flagship brand, Golden Leaf, with Old Style Lager, a name that would be associated with Heileman throughout the rest of its history. In 1919, just before Prohibition ended the legal manufacture and sale of alcoholic beverages in the US, 285 people were employed at the brewery. During the more than 13 years of the "noble experiment," Heileman reduced its staff and produced non-alcoholic "near beer." In addition they sold malt, ostensibly to bakeries, but also to the public, including bootleggers and homebrewers who defied the law by brewing their own. Gund Brewing closed in 1920, with some of its facilities being used by Heileman. The Gunds moved to Cleveland, where they later became one of the city's most prominent and wealthy families.

A Good Time For Beer
With Prohibition's welcome repeal, Americans' long delayed thirst for beer created a tremendous demand for those breweries that still had the ability to produce it. Heileman was inundated



Photo courtesy of Wisconsin Historical Society

with calls from as far away as both the East and West Coast. Newly rehired workers labored during 7-day, 12-hour brewing shifts and managed to ship 2,500 barrels in the 48 hours following the legalization of beer on April 7, 1933. Office employees returned almost $100,000 in checks that accompanied orders that the brewery had no hope of filling.

The ensuing decades were good times for many American breweries, and Heileman was no exception. Often the easiest way to expand market territory and share was to acquire competitors. Businesses touted the economies of scale. Heileman responded by purchasing two smaller Wisconsin breweries, the first in 1959, followed by four more regional breweries in Minnesota and Kentucky during the 1960s. The largest acquisition came in 1969 with Milwaukee brewer Blatz, which had faltered after seeking to become a national brand. This expansion continued during the 1970s and included breweries from throughout the Midwest, as well as the East and Northwest with the purchase of Carling and Rainier, along with Texas brewer Lone Star in 1983. The number of American brewing companies shrank from nearly 700 in 1933 to 54 in 1975. While in 1956 Heileman was the

WANT TO BREW THE BEST?
START WITH THE BEST
NORTHWESTERN MALT EXTRACT
Celebrating 100 Years
ASK FOR US BY NAME AT YOUR FAVORITE BREWERS SUPPLY RETAILER
NORTHWESTERN EXTRACT
ESTABLISHED 1912
www.nwextract.com
Find Us on facebook

Quality Wine and Ale Supply
11 Year Anniversary 2000 - 2011
Wine and Beer Making Supplies for Home Brewers and Vintners
A proud sponsor of the Indiana State Fair Brewers Cup
Retailer of the Year - `05, `06, `07, `08, `09, `10 & 2011
WineMaker International Amateur Wine Competition
Beer Making Supplies, Kits and Equipment
Quality Products - Expert Advice - Fast Shipping
www.HomeBrewIt.com
Retail: 108 S. Elkhart Ave., Elkhart, IN 46516
Office: 530 E. Lexington Ave. #115, Elkhart IN 46516 ~ (574) 295-9975

39th largest American brewer with annual production of about 550,000 barrels, by 1978 they brewed more than 7 million barrels and were number five. In the 1980s, they briefly occupied third place behind Anheuser-Busch and Miller Brewing.

Marketing became increasingly important. Heileman was one of the earlier brewers to appeal to the then young generation of Baby Boomers who were coming of age. They updated the labels and packaging, promoted light beer lower in calories and alcohol, and found ways to enter new markets as well as to increase their share of traditional ones.

Among their biggest successes was their sales in Chicago, the nation's third largest beer market. Despite rival Milwaukee brewers Miller and Pabst being closer, Heileman and its distributors aggressively priced and promoted their beer, and by 1977 Old Style was the largest selling brand in the Chicago area, a title it did not relinquish to Budweiser until the mid-1990s.


Heileman advertising emphasized its Wisconsin heritage by stating their beers were "brewed in God's country." It also featured a technical aspect of the brewing process, boasting that both Old Style and Heileman's premium-branded beer, Special Export, were "fully kraeusened." Beer drinkers were not expected to understand the complexities of the term, but the ads stressed that this more expensive and labor-intensive traditional German method was not used by other large American brewers and resulted in better beer. (Of course, kräusening was used by some other breweries, including Anheuser Busch, but not all breweries did this.)


Another popular Heileman promotion was the "world's largest six-pack," a set of six large outdoor tanks adjacent to the flagship La Crosse brewery that were encased in a plastic covering that matched the labels on cans of Old Style. Visitors who toured the Heileman brewery were given souvenir post cards of this attraction.

In addition, the company helped the city of La Crosse found its annual Oktoberfest, a popular event that continues today as one of the largest such celebrations outside of Munich.

Bond . . . Alan Bond (Or, A Bad Time for Beer)

Dramatic as the growth was, Heileman realized that the future lay in national distribution. There was speculation and brief discussion of merging with Wisconsin rivals Joseph Schlitz and Pabst Brewing Company during the early 1980s. The struggling Schlitz, once America's largest brewer, was eventually purchased by Stroh, another relatively large Midwest brewery with expansion on its agenda. Nor was Heileman immune to corporate raiders. Among these was Alan Bond, who controlled mining and media businesses in Australia, and had recently taken over Australian brewers Swan,





Castlemaine and Tooheys. Bond greatly desired to enter the American brewing market.

A dashing figure and captain of Australia's victorious entry in the America's Cup yacht races, Bond set his sights on Heileman. In September 1987, after an initial offer had been rejected, he persuaded Heileman shareholders to accept a package that valued the company at more than $1.3 billion. The transaction, known as a leveraged buyout (LBO), was financed with "junk bonds" that had little security, but offered investors high yields. LBOs use the cash flow from the acquired business to pay off the debt, in this case estimated to be $850 million. Faced with such a high debt load, Bond was under pressure to make Heileman perform.

Costs were trimmed, but instead of spurring growth and profit, the result was that sales declined and the company began to lose money. The Bond empire unraveled as world financial markets reacted to the excesses of LBOs and junk bonds. Beset by accusations of financial misdeeds in Australia, and by Heileman's poor performance in the US, in 1990 Bond was forced to resign from his own holding company, which recorded the greatest single-year loss in Australian history. He later served four years in prison for financial fraud.

With the value of its growing debt exceeding its assets, Heileman declared bankruptcy in January 1991. They continued to operate under the protection of the court but were unable to hold back the tide of red ink. In 1993 the court allowed Heileman's creditors to sell the company for $390 million to a Texas investment partnership that specialized in turning around troubled firms. The new owners had no experience in brewing and made several missteps, including offering a menthol-flavored version of Colt 45 Malt Liquor that drew charges of racism and calls for a boycott. In early 1996, faced with the inability to make required interest payments and meet its payroll, Heileman declared bankruptcy a second time, agreeing to be acquired by the Stroh Brewery Company of Detroit, which was fighting for its own survival. Stroh closed several inefficient breweries and used the Heileman facility in La Crosse to brew a variety of brands. However, beer sales flattened for all brewers in the late 1990s, and Stroh announced in 1999 that it would cease brewing and sell its brands, including Heileman's, to competitors Miller and Pabst.

The End And A New (Old) Beginning

The La Crosse brewery, home to Heileman operations for 138 years, closed on August 8, 1999, marked by a black-bordered article in the local newspaper. More than 500 employees lost their jobs. A group of former Heileman managers and local business leaders sought to find a way to reopen the plant. There were several false



starts, but by early 2001 the newly resurrected City Brewery (the original name used by Heileman and Gund in 1848) was again brewing beer. They secured contracts from other brewing firms such as Pabst, which had closed all of its production to become strictly a marketing company. And they produced other beverages, including packaged cocktails, coolers, tea and energy drinks, as well as bottled water. Heileman had long promoted and used an artesian well on the brewery property as the source of its water.

City Brewery did not own any of the former Heileman brands, which now belonged to Miller and Pabst, although ironically one of the beers they brewed under contract to Pabst was Special Export. For their own sales, they created new brands: La Crosse Lager and La Crosse Light used the former Old Style and Old Style Light recipes, while City Lager imitated Special Export. These were promoted as being "fully kraeusened" using the same methods and resulting in the same flavor as the original beers, and distributed in the heart of Heileman's original Midwest market. The "world's largest six-pack" at the brewery was recovered to resemble cans of La Crosse Lager.


In 2006 Anheuser-Busch took over regional brand Rolling Rock and closed the brewery in Latrobe, Pennsylvania, where it had been brewed for 67 years. City Brewery stepped in with a plan to duplicate their modest success in La Crosse. Again they struggled, and the plant was idled briefly in 2008; since 2009 it has again been producing contract beers for other brewers. More recently, in early 2011 City purchased its largest property, a brewery in Memphis built by Schlitz and later operated by Coors. They say they hope to expand production there.


Today City Brewery survives as the largest contract beer and beverage producer in the US, with more than 800 employees and the fourth largest capacity among American brewers. Much of their production isn't beer, however — they produce 4 Loko, Mike's Hard Lemonade and other "alcopops." No doubt it's a different business than Gottfried Heileman envisioned back in 1858, but it does recall and preserve at least a portion of a long and proud brewing history.

The Recipe, Please

Many of today's popular American lagers approximate the beers brewed by Heileman, especially during its last 40 years. However, the author admits to an attempt early in his homebrewing days to please a friend who claimed to drink only light beers. The result was a beer that was surprisingly close to Old Style Light, and which went on to win a Bronze Medal in the Light Lager category of the National Homebrew Competition.

The recipe also employs a technique used and highly promoted by Heileman. Kräusening is the use of





newly fermenting wort that is added at bottling or kegging in order to carbonate the beer and provide additional conditioning.

In a lager fermentation, it is common for the yeast to produce vicinal diketones (VDKs) to such a level that they cannot take them all back up by the end of primary fermentation. The most well-known VDK is diacetyl, a molecule that lends a buttery or butterscotch character to beer and is generally considered undesirable. (A few ales, most notably Redhook ESB, intentionally retain a small amount of diacetyl as part of their flavor profile.)

One solution to the problem of diacetyl is to perform a diacetyl rest. The brewer allows the temperature of the fermentation to rise at the end of primary fermentation to around 60 °F (16 °C) from lager temperatures, which are lower than this. The higher temperature keeps the yeast active and they can then reduce the levels of diacetyl. Breweries that employ diacetyl rests monitor VDK levels and do not package the beer until they have dropped below the point at which they can be perceived by beer drinkers.

Kräusening is another method for lager brewers to deal with VDKs. Instead of allowing the fermentation temperature to rise, and the heat to spur the primary yeast to keep going, fresh yeast is added to the beer. The fresh yeast is added in the form of fermenting beer, or kräusen beer. The fresh yeast have no problem taking up the residual VDKs left behind by the primary yeast and, as a bonus, the carbon dioxide given off by the active yeast can be retained to carbonate the beer. There is no doubt that it adds another level of complexity to the brewing process, but there are those who claim it results in a finer, more even carbonation and smoother flavor.

Detailed instructions for this procedure are in the recipe on page 28. (The recipe also can be brewed with normal carbonation via priming sugar or forced carbonation if you wish.)

One problem with kräusening is getting freshly fermenting wort at packaging time. A good solution for this is to save (unpitched) wort from your brew day in a sanitized container stored in your fridge or freezer.

A second problem for homebrewers is achieving the right carbonation levels. Because the kräusen wort is added at the peak of fermentation (high kräusen), the amount of sugar in the kräusen wort is decreasing constantly. You need to add it at just the right time, or your carbonation level will be off. For those who keg, this problem is easily manageable. If the beer is over carbonated, you can vent the keg a few times to bring the carbonation levels down. If the beer is undercarbonated, let it sit under the CO_2 pressure you will use at serving for a few days. BYO

Bill Pierce is a frequent contributor to Brew Your Own *magazine.*



Oh, Say Can You "C"

BREWING HOPPY AMERICAN-STYLE BEERS




Photo by Charles A. Parker/Images Plus

During the past 15 years or so, there has been an obvious upward trend in modern American brewing culture when it comes to the creation and consumption of hoppy beers. Hoppy American-style pale ales have given way to even hoppier American IPAs, and American double IPAs have pushed hop character to its limits.

So why are we so crazy about these little green cones and what makes American hops so special? Generally speaking, hops are the yin to the malt's yang when it comes to the balance of bitter versus sweet in beer flavor. They also inhibit the growth of some beer-spoiling bacteria, promote head retention and even assist in clarification.

If you have ever tried to make a beer with just malt and no hops, you'd find out quickly that it's got very little foam, it's pretty sweet (not in a good way!) and aging of any kind would become a risky proposition.

American hops are unique because, well, they are American. Hops from Europe were transplanted here in the US, and find themselves in a new environment. Many of them were bred with native varieties in their respective regions which all have a distinct climate and soil profile. Over time, growers and brewers alike have driven the selection process to give us the high alpha, citrusy, piney and floral characteristics we know and love today. A few classic varieties that exemplify this hop evolution are Cascade, Centennial, Chinook and Columbus — the so-called "C" hops. With Rolling Stone-like staying power, they have

Story by **Justin Burnsed**

brought their coveted bitterness and unique flavors to our pint glasses for decades. These have been the backbone of many great beers and work well alone, with each other and some of the more recently released varieties.

What's in Hops?

Before we get into the heart of how to best brew a hop forward beer, I think we should briefly put on our lab coats and delve into the the composition of a hop cone as it pertains to brewing value. Most of the compounds that end up in our beer can be found in the lupulin glands. These are the yellow, sticky spots on the underside of each tiny bracteole (leaf). They contain the all powerful alpha acids that are the root source of bitterness. These acids go through a chemical change in the boil and become isomerized (and solubilized) so that they can stick to the bitterness receptors in your mouth. These iso-alpha acids are also responsible for the preservational quality of hops, as they prevent Gram-positive bacteria from being able to absorb nutrients, severely limiting their ability to reproduce. When purchasing hops, the percentage of alpha acids listed on the package is a direct indication of the hops bittering potential.

The oil content is a good baseline indicator of how much flavor and aroma a particular hop can add to your beer. Though not commonly listed on the package, the level of oil is typically expressed in mL/100g, generally ranging from 0.5–3.0. These oils contain varying degrees of volatile compounds that give them their individual character. Many of these compounds, such as myrcene, are highly volatile and are quickly lost in the vapor during the boil. While others, such as linalool, are more soluble and can survive into the final beer more easily.

The polyphenols in hops have almost a Dr. Jekyll and Mr. Hyde relationship when it comes to their contributions to beer. During the boil, they help coagulate proteins and drop them out in the kettle, preventing them from making it to fermentation. Further down the road, when the beer is chilled, these same compounds bind with remaining proteins to create chill haze. That is why dry hopped beers tend to be a bit cloudy, since some of the polyphenols were extracted post-boil. Tannins are the most notorious of this group because in large amounts they can cause your beer to become highly astringent. Since they mostly come from the plant material itself and not the lupulin glands, using high alpha hops in your bitter beers will get you the alpha acids you need and keep those pucker face inducing tannins in check. If you have any ideas about making an all Cascade Imperial IPA, you may want to think twice. It could end up a little rough around the edges—not to mention suffer from severe beer loss!


Brewing Hoppy Beers

Now we can get to the topic at hand. The beer styles that are most known for showcasing American-style hops are American pale ale (APA), American IPA and Imperial IPA. (These are located in the Beer Judge Certification Program (BJCP) style guidelines as 10A, 14B and 14C.) They are not what you would call balanced, but keeping your beer from going too far to the bitter side is critical. When planning out your recipe, you should keep an eye on the bitterness units vs. gravity units ratio (BU/GU). For example, if an IPA has a projected IBU of 75 and an OG of 1.075, then it would have a BU:GU ratio of 1.0 (75 IBUs/75 "gravity points"). This is a much better indicator of how bitter your beer will end up than if you just look at the projected IBUs. I'd shoot for the following values: APA (0.6–0.8), IPA (0.8–1.0), IIPA (1.0–1.3).


Ingredient Selection

As far as ingredient selection goes, I would say that it is mostly an area of personal preference, but here are a few guidelines. When selecting your malt bill, try not to make it too complicated. Remember, you want the hops to be the star of the show here and the malt is more like a supporting actor. Using 2-4 different malts in any of these styles should create enough complexity to keep things interesting. Keep the crystal malts under 10% for an APA and less than 5% for the IPA and especially the IIPA, if you use any at all. Slightly kilned malts like Munich make a nice complement to a standard 2-row pale malt base. You could also use a more robust base malt like Maris Otter or Golden Promise if you like. Sugars can be used in addition to malt to help keep the beer on the dry side, especially in the high gravity styles like an Imperial IPA. I would keep them at 15% or less if you choose

CASCADE




CENTENNIAL



CHINOOK



COLUMBUS



HOPPY RECIPES

Sam The Eagle American Pale Ale
(5 gallons/19 L, all-grain)

OG = 1.053 FG = 1.013
IBU = 36 SRM = 7 ABV = 5.3%

Ingredients

10 lbs. (4.5 kg) North American 2-row pale malt
1.0 lb. (0.45 kg) American crystal malt (40 °L)
1 tsp. Irish moss or 1 whirfloc tablet (15 min)
5.5 AAU Chinook hops (60 min) (0.50 oz./14 g of 13% alpha acids)
5.5 AAU Cascade hops (10 min) (1.0 oz./28 g of 5.5% alpha acids)
11.0 AAU Cascade hops (0 min) (2.0 oz/57 g of 5.5% alpha acids)
White Labs WLP001 (California Ale), Wyeast 1056 (American Ale) or Fermentis Safale US-05 yeast (1.25 qt./~1.25 L yeast starter)
0.75 cup (150 g) priming sugar

Step by Step

Mill the grains. Dough in using 2.5 gallons (9.5 L) of water with a target mash holding temperature of 152 °F (67 °C). Hold the mash temperature for approximately 60 minutes or until the conversion is complete. Raise the temperature of the mash to 168 °F (76 °C) and begin sparging with 170 °F (77 °C) water until you collect 6.0 (23 L) gallons of wort in the kettle. The total wort boiling time for this recipe is 60 minutes. At the onset of a full rolling boil add your scheduled hop addition. When there are 10 minutes remaining in the boil, add the second hop addition and be sure to add your Irish moss or whirfloc tablets to help with precipitation of the hot break. At flame-out, prior to cooling the wort, add the final hop addition. Cool the wort to 70 °F (21 °C), transfer to your fermentation vessel and aerate the wort adequately. Add the contents of your yeast starter (if using liquid yeast) to the chilled wort. Ferment around 70 °F (21 °C) until the final gravity is reached, which should be in 5 to 7 days. Rack to a secondary vessel and allow the beer to mature another 5 to 7 days around the same temperature. Rack into a keg or bottle along with the priming sugar.

Sam The Eagle American Pale Ale
(5 gallons/19 L, extract with grains)

OG = 1.053
FG = 1.013
IBU = 36 SRM = 8 ABV = 5.3%

Ingredients

6.75 lbs. (3.1 kg) light liquid malt extract (such as Briess or Alexander's)
1.0 lbs. (0.45 kg) American crystal malt (40 °L)
1 tsp. Irish moss or 1 whirfloc tablet (15 min)
5.5 AAU Chinook hops (60 min) (0.50 oz./14 g of 13% alpha acids)
5.5 AAU Cascade hops (10 min) (1.0 oz./28 g of 5.5% alpha acids)
11.0 AAU Cascade hops (0 min) (2.0 oz./57 g of 5.5% alpha acids)
White Labs WLP001 (California Ale), Wyeast 1056 (American Ale) or Fermentis Safale US-05 yeast (1.25 qt./~1.25 L yeast starter)
0.75 cup (150 g) priming sugar

Step by Step

Mill the specialty grains. Place the milled grains in a grain bag. Steep them in 2 gallons of 152 °F (67 °C) water for 30 minutes. Rinse the grain bag with about 2.0 quarts (1.9 L) of water and allow it to drip into the kettle for about 15 minutes, but be sure not to squeeze the bag. Add enough water for a pre-boil volume of 6.0 gallons (23 L). (If you cannot perform a full-wort boil, boil at least 3 gallons/11 L of wort and reserve about half of the malt extract for the final 15 minutes of the boil.) Stir in the malt extract and begin the boil. The total wort boiling time for this recipe is 60 minutes. At the onset of a full rolling boil, add your scheduled hop addition. When there are 10 minutes remaining in the boil, add the second hop addition and be sure to add your Irish moss or whirfloc tablets to help with precipitation of the hot break. At flame out prior to cooling the wort, add the final hop addition. Cool the wort to 70 °F (21 °C), transfer to your fermentation vessel and aerate the wort adequately. Add the contents of your yeast starter to the chilled wort. Ferment around 70 °F (21 °C) until the final gravity is reached, which should be in 5 to 7 days. Rack to a secondary vessel and allow the beer to mature another 5 to 7 days around the same temperature. Your beer is now ready to rack into a keg or bottles along with the priming sugar.

Hop Skip & A Jump American IPA
(5 gallons/19 L, all-grain)

OG = 1.069 FG = 1.017
IBU = 66 SRM = 6 ABV = 6.9%

Ingredients

12.0 lbs. (5.45 kg) North American 2-row pale malt
2.0 lbs. (908 g) Munich malt (10 °L)
0.50 lbs. (227 g) American crystal malt (15 °L)
1 tsp. Irish moss or 1 whirfloc tablet (15 min)
13.1 AAU Columbus hops (60 min) (0.85 oz./24 g of 15.4% alpha acids)
4.0 AAU Amarillo® hops (30 min) (0.50 oz./14 g of 8.0% alpha acids)
6.5 AAU Simcoe® hops (10 min) (0.5 oz./14 g of 13.0% alpha acids)
4.0 AAU Amarillo® hops (0 min) (0.5 oz./14 g of 8.0% alpha acids)
13.0 AAU Simcoe® hops (dry hop) (1.0 oz./28 g of 13.0% alpha acids)
8.0 AAU Amarillo® hops (dry hop) (1.0 oz./28 g of 8.0% alpha acids)
White Labs WLP001 (California Ale), Wyeast 1056 (American Ale) Fermentis Safale US-05 yeast (2.25 qt./~2.25 L yeast starter)
0.75 cup (150 g) priming sugar

Step by Step

Mill the grains. Dough in using 3 gallons (11 L) of water with a target mash holding temperature of 150 °F (65 °C). Hold the mash temperature for approximately 60 minutes or until the conversion is complete. Raise the temperature of the mash to 168 °F (76 °C) and begin sparging with 170 °F (77 °C) water until you collect 6.0 (23 L) gallons of wort in the kettle. The total wort boiling time for this recipe is 60 minutes. At the onset of a full rolling boil, add your first hop addition and the other three additions as scheduled above. When there are 10 minutes remaining in the boil, be sure to add your Irish moss or whirfloc tablet to help with precipitation of the hot break.

Cool the wort to 70 °F (21 °C), transfer to your fermentation vessel and aerate the wort adequately. Add the contents of your yeast starter to the chilled wort. Ferment around 70 °F (21 °C) until the final gravity is reached, which should be in 5 to 7 days. Rack to a secondary vessel and allow the beer to mature another 5 to 7 days around the same temperature. Your beer is now ready to rack into a keg or bottles along with the priming sugar.

Hop Skip & A Jump American IPA
(5 gallons/19 L, extract with grains)

OG = 1.069 FG = 1.017
IBU = 66 SRM = 8 ABV = 6.9%

Ingredients

8.25 lbs. (3.75 kg) light liquid malt extract (such as Briess or Alexander's)

1.0 lb. (454 g) Munich malt extract (10 L)
0.5 lbs. (227 g) American crystal malt (15 °L)
1 tsp Irish moss
or 1 whirfloc tablet (15 min)
13.1 AAU Columbus hops (60 min) (0.85 oz./24 g of 15.4% alpha acids)
4.0 AAU Amarillo® hops (30 min) (0.5 oz./14 g of 8.0% alpha acids)
6.5 AAU Simcoe® hops (10 min) (0.5 oz./14 g of 13.0% alpha acids)
4.0 AAU Amarillo® hops (0 min) (0.5 oz./14 g of 8.0% alpha acids)
13.0 AAU Simcoe® hops (dry hop) (1.0 oz./28 g of 13.0% alpha acids)
8.0 AAU Amarillo® hops (dry hop) (1.0 oz./28 g of 8.0% alpha acids)
White Labs WLP001 (California Ale), Wyeast 1056 (American Ale) Fermentis Safale US-05 yeast (2.25 qt./~2.25 L yeast starter)
0.75 cup (150 g) priming sugar

Step by Step

Mill the specialty grains. Place the milled grains in a grain bag. Steep them in 2 gallons of 150 °F (66 °C) water for 30 minutes. Rinse the grain bag with about 2.0 quarts (1.9 L) of water and allow it to drip into the kettle for about 15 minutes, but be sure not to squeeze the bag. Add enough water for a pre-boil volume of 6.0 gallons (23 L). (If you cannot perform a full-wort boil, boil at least 4 gallons/15 L of wort and reserve about half of the malt extract for the final 15 minutes of the boil.) Stir in the malt extracts and begin the boil.

The total wort boiling time for this recipe is 60 minutes. At the onset of a full rolling boil, add your scheduled hop addition. When there are 10 minutes remaining in the boil, add the second hop addition and be sure to add your Irish moss or whirfloc tablets to help with precipitation of the hot break. At flame out prior to cooling the wort, add the final hop addition.

Cool the wort to 70 °F (21 °C), transfer to your fermentation vessel and aerate the wort adequately. Add the contents of your yeast starter to the chilled wort. Ferment around 70 °F (21 °C) until the final gravity is reached, which should be in 5 to 7 days. Rack to a secondary vessel and allow the beer to mature another 5 to 7 days around the same temperature. Your beer is now ready to rack into a keg or bottles along with the priming sugar.

The Tri-Centennial DIPA

(5 gallons/19 L, all-grain)

OG = 1.096
FG = 1.021
IBU = 106 SRM = 11 ABV = 10.0%

Ingredients

18.0 lbs (8.17 kg) Maris Otter pale malt
1.0 lb. (454 g) Carared® (17 °L)
1 tsp Irish moss
or 1 whirfloc tablet (15 min)
30.0 AAU Centennial hops (first wort) (3.0 oz./85 g of 10% alpha acids)
30.0 AAU Centennial hops (5 min) (3.0 oz./85 g of 10% alpha acids)
30.0 AAU Centennial hops (dry hop) (3.0 oz./85 g of 10% alpha acids)
White Labs WLP001 (California Ale), Wyeast 1056 (American Ale) Fermentis Safale US-05 yeast (4.25 qt./~4.25 L yeast starter)
0.75 cup (150 g) priming sugar

Step by Step

Mill the grains. Dough in using 4.5 gallons (17 L) of water with a target mash holding temperature of 148 °F (65 °C). Hold the mash temperature for approximately 60 minutes or until the conversion is complete. Raise the temperature of the mash to 168 °F (76 °C) and begin sparging with 170 °F (77 °C) water until you collect 6.0 gallons (23 L) of wort in the kettle. As runoff begins, add the first wort hops to the kettle.

The total wort boiling time for this recipe is 60 minutes. When there are 10 minutes remaining in the boil, be sure to add your Irish moss or whirfloc tablets to help with precipitation of the hot break. Add the second hop addition 5 minutes prior to flame out.

Cool the wort to 70 °F (21 °C), transfer to your fermentation vessel and aerate the wort adequately. Since this is a very high gravity beer, you will likely need to use pure oxygen to get the levels of 10–12 ppm needed to ensure a complete fermentation. It should also be noted that normal pitching rates will be inadequate as well. To be on the safe side, you should pitch about 2–3 times the amount of yeast you normally do for a 1.050 beer. (The yeast starter size listed in the ingredients list a compromise between the optimal amount of yeast for fermenting a beer of this gravity and the fact that overpitching can scrub some hop character.) Add the contents of your yeast starter to the chilled wort. Ferment around 70 °F (21 °C) until the final gravity is reached, which should be in 10 to 14 days. Rack to a secondary vessel and allow the beer to mature for 1 week around the same temperature. Then dry hop the beer for an additional week. Your beer is now ready to rack into a keg or bottles along with the priming sugar.

The Tri-Centennial DIPA

(5 gallons/19 L, extract with grains)

OG = 1.096 FG = 1.021
IBU = 106 SRM = 11 ABV = 10.0%

Ingredients


12.25 lbs (5.55 kg) liquid light malt extract (such as Muntons)
1.0 lbs (454 g) Carared® (17 °L)
1 tsp Irish moss
or 1 whirfloc tablet (15 min)
30.0 AAU Centennial hops (first wort) (3.0 oz./85 g of 10% alpha acids)
30.0 AAU Centennial hops (5 min) (3.0 oz./85 g of 10% alpha acids)
30.0 AAU Centennial hops (dry hop) (3.0 oz./85 g of 10% alpha acids)
White Labs WLP001 (California Ale), Wyeast 1056 (American Ale) Fermentis Safale US-05 yeast (4.25 qt./~4.25 L yeast starter)
0.75 cup (150 g) priming sugar

Step by Step

Mill the specialty grains. Place the milled grains in a grain bag. Steep them in 2 gallons (7.6 L) of 148 °F (66 °C) water for 30 minutes. Add the first wort hops to the kettle. Rinse the grain bag with about 2.0 quarts (1.9 L) of water and allow it to drip into the kettle for about 15 minutes, but be sure not to squeeze the bag. Add enough water for a pre-boil volume of 6.0 gallons (23 L). (If you cannot perform a full-wort boil, split your wort into two 2.5-gallons (9.5-L) batches and boil individually. Split the ingredients proportionally between batches.) Stir in the malt extracts and begin the boil. The total wort boiling time for this recipe is 60 minutes. When there are 10 minutes remaining in the boil, be sure to add your Irish moss or whirfloc tablets to help with precipitation of the hot break. Add the second hop addition 5 minutes prior to flame out.

Cool the wort to 70 °F (21 °C), transfer to your fermentation vessel and aerate the wort adequately. Since this is a very high gravity beer, you will likely need to use pure oxygen to get the levels of 10–12 ppm needed to ensure a complete fermentation. It should also be noted that normal pitching rates will be inadequate as well. To be on the safe side, you should pitch about 2–3 times the amount of yeast you normally do for a 1.050 beer.

Add the contents of your yeast starter to the chilled wort. Ferment around 70 °F (21 °C) until the final gravity is reached, which should be in 10 to 14 days. Rack to a secondary vessel and allow the beer to mature for 1 week around the same temperature. Then dry hop the beer for an additional week. Your beer is now ready to rack into a keg or bottles along with the priming sugar.





to use them.

Extract brewers should stick to a pale malt extract as a base and possibly include some Munich extract in your recipe if you can get your hands on it. A small addition of some crystal malt steeped for about 30 minutes in a nylon bag wouldn't be a bad idea either.

Hop selection will be critical to how these beers end up tasting. You can do some research on beers you already like and see if you can find out the variety of hops that were used in them or just use some of the ones mentioned above. In addition to those, there are others like Simcoe®, Amarillo®, Citra®, Willamette, and many more, that blend well with the "C" hops. There really is no limit to how many varieties you can include in your recipe, but some people choose to do the exact opposite and go for a single hop beer. That's a great way to explore what a variety is truly like.

Another decision you will come across is what form of hops you would like to use. Some people prefer pellets, whole hops, hop extracts or a combination of these options at different points of the process. Traditionalists tend to lean toward whole hops and usually feel that they benefit from being less processed giving a more pure hop flavor to the beer. This is due to the lupulin glands remaining intact until you are ready to unleash them. On the other hand, those that prefer pellets would argue that a higher utilization rate and less plant material contributing to beer loss more than makes up for it. The debate on whether there is a flavor difference between the two has been going on for some time. I will only point out that many commercial breweries use pellets from start to finish without any complaints from their customers. And if you really want to maximize the yield on your next batch, you could give hop extracts a shot. The ones I have seen are 90% pure iso-alpha acids that can add bitterness to the beer post boil. I wouldn't eliminate the use of hops entirely in lieu of extracts, as you would miss out out on many of the benefits we've already covered, not to mention a lack of hop flavor in the beer.

I think it is also worth mentioning

what to look for when you rip open that chilled, vacuum sealed or nitrogen purged package. That is the state you found your hops when you purchased them right? I hope it was, since air, heat and sunlight are enemies of the hop and your beer if it was exposed to one or more of these degredational factors for any length of time. You'll know fairly quickly if your hops are in trouble just by looking at them. They tend to turn yellow, tan and even brown as they progressively go downhill. Also, if the first whiff you get reminds you of stinky cheese or sulfur, you know it's time to find another supplier and call your brew buddy to borrow some of his secret stash of hops.

The yeast strain you choose will have two major impacts on how bitter your beer ends up being. The first is the yeast's ability to metabolize sugars in the wort, also known as attenuation. The higher the attenuation, the less sugar is left in the beer. The less sugar that is left in the beer, the more bitterness you will taste. The three beer styles mentioned should be on the dry side, so a strain with an apparent attenuation of 72–80% would be ideal. The other impact that it has on bitterness is the yeast's ability to adsorb alpha acids. Some strains promote bitterness and others eat up a fair portion of it. There isn't a number associated with this characteristic, but the yeast supplier's description or your local homebrew shopkeeper should be able to point you in the direction of one that will best suit a hopped up brew.

Water

The last and most abundant ingredient in your beer is obviously water. Depending on your source and water profile, you may or may not already be treating it with brewing salts. When it comes to promoting a crisp hop bitterness to your beer, an addition of calcium sulfate (gypsum) can help get you there. And yes, that's the stuff that sheet rock is made of, although I wouldn't recommend scraping some off the piece that's showing in your garage and dropping it into your kettle. If you don't have a clue what's in your brewing water and your beers usually turn out fine, I wouldn't mess with it. If you do have that information available, then I would try to get a sulfate vs. chloride ratio from 2–3 to 1 with a max of 300 ppm for the sulfate. Chloride accentuates maltiness, while sulfate brings out the bitter side in a beer, but not so much that it gets harsh tasting. For every gram of gypsum you add to a 5-gallon (19-L) batch, you will get about a 30 ppm increase in sulphate in your wort.

Techniques


Let's now look at the process of brewing a solid American hoppy beer. A single infusion mash with a temperature range of 148 °F (65 °C) through 152 °F (68 °C) will help you achieve a high conversion of starch to fermentable sugars, giving you the low final gravity and subsequent dryness you are looking for. The higher the gravity or percentage of specialty malts you use in your recipe, the lower mash temperature should be on this spectrum.

The timing of your hop additions will largely determine what flavors and aromas get into your beer. The earlier you add your hops, the more bitterness you will get, but less hop aroma and flavor. The later you add them, the reverse is true. This is why hoppy beers rely on multiple additions during the brewing process to get the best of both worlds. Some brewers go as far as "continually hopping" during the entire boil in an attempt to harness every possible flavor from the hop spectrum.

Utilization is a term that refers to the degree to which the alpha acids added to the wort get converted to iso-alpha acids and remain in the wort after the boil is completed. There are many different factors of varying degrees that impact this number. They include: Length and vigor of the boil (More vigor/longer boil = higher utilization%), wort gravity (lower gravity = higher utilization%), wort composition (varies), wort pH (Higher pH = higher utilization%), hopping rate (more hops = lower utilization%) and whole cone vs pellets (pellet utilization% is slightly higher). Most homebrewers rely on a computer program like BeerSmith, ProMash or Beer Calculus to calculate their estimated IBUs. (Note that this number is an estimate, and other factors can impact how bitterness is perceived — a 40 IBU sweet stout brewed with chloride-rich water will likely not taste as hoppy as a 40 IBU dry pale ale made with high-sulfate water.)

The mash is the first point where you can add your hops, although this is not a very common practice. Some brewers believe you're able to get a more smooth bitterness, a higher utilization rate by adding the hops this early and also reduce wort loss in the


AMARILLO®



SIMCOE®



CITRA®



WILLAMETTE



American Hop Varieties

Four of the classic "C" hops

Cascade

Type:	Aroma
Alpha Acids:	4.5–7.0%
Cohumulone:	33–40% of alpha acids
Total Oil:	0.7–1.4 mL/100g
Aroma:	Floral, citrus (grapefruit)
Description:	One of the earliest American bred hops, Cascade has been a favorite among craft brewers and homebrewers alike since the 1970s. Its aromatic properties and low alpha acids lend its use to late boil and dry hopping.

Commercial Beer Highlighting This Hop: Sierra Nevada Pale Ale

Centennial

Type:	Dual purpose
Alpha Acids:	9.5–11.5%
Cohumulone:	29–30% of alpha acids
Total Oil:	1.5–2.3 mL/100g
Aroma:	Medium Intense, floral, citrus
Description:	Sometimes referred to as Super Cascade, it lacks the signature grapefruit character of the Cascade hop, but makes up for it with a higher oil content and alpha acid percentage, hence its selective use at all points of the brewing process.

Commercial Beers Highlighting This Hop: Stone Ruination IPA, Bell's Two-Hearted Ale

Chinook

Type:	Dual purpose
Alpha Acids:	12.0–14.0%
Cohumulone:	29–35% of alpha acids
Total Oil:	1.7–2.7 ml/100g
Aroma:	Spicy, piney, grapefruit
Description:	Developed by the U.S.D.A. in the 1980s, this dual purpose hop tends to be used commercially for bittering and flavoring during the boil. It can be used for dry hopping as well and will give a distinct aroma to your beer.

Commercial Beer Highlighting This Hop: Stone Arrogant Bastard

Columbus

Type:	Super high alpha
Alpha Acids:	14.5–16.5%
Cohumulone:	28–32% of alpha acids
Total Oil:	2.0–3.0 ml/100g
Aroma:	Pungent
Description:	This hop also goes by the names Tomahawk and Zeus, depending on which farm it was grown on. It is used primarily for bittering due to its very high alpha acid content and moderate levels of cohumulone.

Commercial Beer Highlighting This Hop: Dick's Bottleworks IPA

Hops that blend well with the "4 Cs"

Amarillo®

Type:	Dual purpose
Alpha Acids:	8.0–11.0%
Cohumulone:	21–24% of alpha acids
Total Oil:	1.5–1.9 ml/100g
Aroma:	Floral, tropical fruit, citrus
Description:	A highly prized dual purpose hop in the brewing industry. Its combination of low cohumulone levels, good oil content and desirable aroma properties have brewers scrambling to get their hands on it.

Commercial Beer Highlighting This Hop: Brewdog Punk IPA

Simcoe®

Type:	Dual purpose
Alpha Acids:	12–14%
Cohumulone:	15–20% of alpha acids
Total Oil:	2.0–2.5 ml/100g
Aroma:	Intense, pine-like
Description:	Released in 2000 and developed by the Yakima Chief Ranches, this hop is often used in conjunction with citrusy hops to round out its strong pine aroma and flavor.

Commercial Beer Highlighting This Hop: Russian River Pliny the Elder

Citra®

Type:	Dual purpose
Alpha Acids:	11.0–13.0%
Cohumulone:	22–24% of alpha acids
Total Oil:	2.2–2.8 ml/100g
Aroma:	Intense citrus
Description:	One of the more recently developed hop varieties, it lives up to its namesake by delivering large amounts of citrus flavor and aroma when added late in the boil to the hopback or by dry hopping.

Commercial Beer Highlighting This Hop: Sierra Nevada Torpedo

Willamette

Type:	Aroma
Alpha Acids:	4.0–6.0%
Cohumulone:	30–35% of alpha acids
Total Oil:	1.0–1.5 mL/100g
Aroma:	Mild, pleasant, spicy
Description:	As a descendent of the English Fuggle hop, it exhibits much of the same characteristics. Not as potent in flavor or aroma as many of the other American hop varieties, it is often used to complement them.

Commercial Beer Highlighting This Hop: Odell 5 Barrel Pale Ale

kettle. I don't know of any scientific evidence to support this, as the temperature is pretty low in relation to boiling and the leftover malt could hold some of the alpha acids back. Give it a try and you can be the judge of that.

First wort hops are added to the kettle when the runoff is being transferred over from the mash. This practice began as a way to prevent boilovers, but some brewers today feel first wort hopping adds a distinct character, although the evidence does not support this idea.

Once the wort starts boiling, that's when most people begin their hop additions. Hop utilization increases as the time they are boiled increases. However, the return on investment for boiling your hops longer than 60 minutes is minimal. Any hops added to the kettle prior to 30 minutes remaining, will contribute a significant amount of bitterness and very little in the way of actual hop flavor. This is where high-alpha hops typically come into play. Inside the final 30 minutes of the boil is when flavoring hops are usually added. The later you add them, the more of the volatile compounds from the hop oils will make it on to fermentation.

If you are using pellets, you can just throw them into the kettle freely and create a whirlpool once the boil is finished to separate them from the wort. Whole cones can be added this way too or you can put them in a nylon bag for ease of removal later on. Placing them in the bag may reduce the amount of contact the hops get with the wort, resulting in a little less extraction of alpha acids and oils.

Once the boil is finished and we have reached flame out, you can add one last hop charge prior to cooling or you can employ the use of a hop back or hop jack. These two names refer to the same concept of a small, covered storage container capable of holding a few ounces of hops with an inlet and an outlet for wort flow. It works by flowing the hot, but not boiling, wort through the hop filled container on its way to being cooled through a counterflow or plate heat exchanger or back to the kettle prior to being cooled there. The idea is that the hot work will pick up much of the hop oils and retain most of them on its way to the fermentor as it cools down.

As with any other beer, the wort should be sent off to the fermenter, aerated and the yeast added. Dissolved oxygen levels in the wort when using air for aeration should be okay for both the APA and the IPA. Where it could get a little tricky is the IIPA as the higher gravity wort and subsequently higher pitching rate of yeast will greatly benefit from the use of pure oxygen. Pitch rate can be determined by what has worked for you in the past for certain beers of a similar gravity or you can use a pitching rate calculator, such as that found at mrmalty.com (Jamil Zainasheff's site). In regard to a a big beer like a IIPA, for those that want to keep it simple, I would pitch 2-3 times what you normally would for a 1.050 gravity beer.

The next port of call for adding hops is when the yeast has finished its magic and you now have green beer in your fermenter. At this point, you can take it to the next level by dry-hopping — add hops (usually whole hops) to your conditioning beer. This is usually conducted at room temperature from 5 days to 2 weeks. Any longer than that will likely impart vegetal flavors to the beer which is not pleasant. During this process, the newly created ethanol in the beer acts as an organic solvent and pulls the flavorful hop oils into the beer. Since there is no heat involved, no isomerization of alpha-acids occurs. That means you are getting all hop flavor and aroma with no bitterness!

Make sure you are using a hop variety that brings the characteristics you are looking for in that particular beer. You should be safe by choosing a hop labeled as aroma or as dual purpose. Some high alpha hops like Summit can add an onion-like aroma to the beer when used this way. Dry-hopping can be used in any of the styles I have discussed. Some commercial APAs are dry hopped, and the vast majority of IPAs and IIPAs are. Depending on the oil content of the varieties used, anywhere from 0.5– 4.0 oz (14–113 g) per 5-gallon (19-L) batch is appropriate, with the high end reserved for the 8% ABV and above beers. For you worry worts out there, hops are very resistant to bacteria on their own, so don't go soaking them with sanitizer beforehand.

Post-Fermentation

When transferring and packaging your beer, be sure to purge whatever you can with CO_2, as many of the compounds in hops can become oxidized, producing off flavors. Just when you thought it was over, there is one place you can add even more hops to the beer, just before serving. The Randall, invented by the Dogfish Head Brewery, is a small chamber containing whole cone hops, similar to a hop jack, that the draft beer flows through on the way to the glass. They can be purchased or easily made at home. More recently I've seen that some people are pouring their beer into a French press filled with hops prior to dispensing it.

So to sum it up: don't let your malt bill interfere with the hop character, and don't let the sweetness of a beer detract from the bitterness. Use fresh hops and think about the form — whole, pellets or extracts — you use in your hoppiest beers. Choose a yeast strain that won't dull your hops and make your water sulfate-rich enough to accentuate them. Add high-alpha bittering hops early in the boil, lower-alpha aroma or dual-purpose hops later in the boil, and be aware of other possibilities (mash hopping, first wort hopping, using a hop jack or using a Randall).

So there you have it. The groundwork for creating a perfectly hoppilicious beer has been laid before you. The question is: What do you intend to do about it? You could just walk over to your fridge and grab a cold one, but where's the fun in that? I think the answer is pretty obvious. Get out there and brew your own! BYO

Justin Burnsed is Partner and Brewmaster at Prospectors Brewing Company in Mariposa, California near Yosemite National Park, which is opening this summer in late July/early August. He is a frequent contributor to Brew Your Own.

2012 LABEL CONTEST WINNERS

One event that never gets old for the *BYO* staff is the annual label contest. Each year we all look forward to seeing what homebrewers have come up with for designs for their cherished homebrews. From the handdrawn to the computer designed (and this year to the hand-stitched), the label contest is a fun way for homebrewers to express their creativity outside of the bottle. This year we sorted through hundreds of entries to find our favorites: a beer fit for a French Canadian beast, a Ukrainian design made entirely from needlepoint, a label for a brew to honor a great dog, and finally a label that any "C" hop lover can appreciate.

Thank you to everyone who entered this year, we had a great time choosing this year's winning designs, which wasn't an easy task. Congratulations to all the winners, and thank you to our sponsors for providing all of the great prizes. And for all of you homebrew artists out there, start thinking about what your next designs will be — next year will come around sooner than you think!



GRAND

KRIS MERRILL
Sandy, Utah

Kris' top-winning design is for a beer that he and his friend Baker made for a friend's birthday, La bête noire de cerise — the black cherry beast. "With some research I found that black cherries grow near the French speaking area of Canada, so the name got to En Français. I got a kick out of coming up with the mythology of 'the beast.'"

PRIZES: Gift certificate from **Northern Brewer**; Stainless steel double draft tower from **HomeBrewStuff.com**; Gift certificate from **Midwest Homebrewing & Winemaking Supplies**; 30 qt. brew kettle from **Polar Ware Company**; Gift certificate from **Bader Beer & Wine Supply**; BrewLab from **LaMotte Company**; Gift certificate from **Quality Wine and Ale Supply**.



SILVER

JASON FERSTER
Englewood, Colorado

Jason's design is part of a series of labels made in honor of his pack of dogs: Tessa, Sasha and Nanook. Tessa is "named after our Harlequin Great Dane, Tessa." The background image is a figure ground (black and white image) profile of a Harlequin Great Dane.

PRIZES: Gift certificate from **Midwest Homebrewing & Winemaking Supplies**; 30 qt. brew kettle from **Polar Ware Company**; Gift certificate from **Brew Your Own Brew and Wine**; Gift certificate from **Quality Wine and Ale Supply**; Neoprene bottle cozy from **HomeBrewStuff.com**




GOLD

THOMAS CRAWFORD
Tallahassee, Florida

Thomas is not only a homebrewer, he is also adept at needlepoint. "My mom and sister taught me in the late 1970s and it has been a source of stress relief ever since. I have always wanted to incorporate my love of beer into my craft," he said of his kvass label.

PRIZES: Gift certificate from **Midwest Homebrewing & Winemaking Supplies**; 30 qt. brew kettle from **Polar Ware Company**; BrewLab from **LaMotte Company**; Gift certificate from **Quality Wine and Ale Supply**; Neoprene growler cozy from **HomeBrewStuff.com**




BRONZE

ERIC MILOT
Dayville, Connecticut


The name of Eric's beer, of which this label was created for, is inspired by the Citra® and Cascade hops he used for flavor, aroma and dry hopping. "The artwork is inspired by my love of hops as a major hophead when it comes to my choice in beers."

PRIZES: Gift certificate from **Midwest Homebrewing & Winemaking Supplies**; *Designing Great Beers* book and 1 oz. Cascade hops from **Above The Rest Homebrewing Supplies**; Gift certificate from **Maryland Homebrew**; Gift certificate from **Quality Wine and Ale Supply**; Neoprene bottle cozy from **HomeBrewStuff.com**


honorable mention



Aaron Winey • Warsaw, Indiana
Prize: Gift certificate from **Quality Wine and Ale Supply**




Andy Wilhite • El Cajon, California
Prize: Gift certificate from **Original Home Brew Outlet**



Brian Miller • Sonora, California
Prize: Gift certificate from **Hop Tech Home Brewing Supplies**



Brad Eaton • Broken Arrow, Oklahoma
Prize: Gift certificate from **High Gravity**



Craig Werkheiser • Wescosville, Pennsylvania
Prize: Gift certificate from **Homebrew4less.com LLC**




John B. McDonald • Shady Shores, Texas
Prize: *The Beer Book* from **Home Brew Party**




Shane Dubay • Chicago, Illinois
Prize: Gift certificate from **Leeners**



Eddie L. Angleton • Indianapolis, Indiana
Prize: Gift certificate from **Quality Wine and Ale Supply**




Joshua A. Webb • Murrieta, California
Prize: Thermometer from **Hobby Beverage Equipment**




Mike Person/Sean Ryan • Elgin, Illinois
Prize: Gift certificate from **Home Brew Ohio**



Matt Thomas • Pearland, Texas
Prize: Gift certificate from **High Gravity**




Rich Lindeman • Atlanta, Georgia
Prize: Gift certificate from **The Flying Barrel**



Todd McCallister • San Diego, California
Prize: Gift certificate from **Bader Beer & Wine Supply**




Andy Swaggerty • Greenville, North Carolina
Prize: Tap Board marker from **myLHBS.com**




Heath Gelinas • Vernon, CT
Prize: Gift certificate from **Quality Wine and Ale Supply**



Steve Pribek • Hales Corners, Wisconsin
Prize: Gift certificate from **Shrivers Pharmacy**



Tomer Ronen • Sderot, Israel
Prize: *Hop Lover's Guide*, *250 Classic Clone Recipes* and *25 Great Homebrew Projects* from **Brew Your Own**




Ryan DeLutis • Lancaster, PA
Prize: Gift certificate from **TheBeerTapStore.com**


Web extra:

Check out our "Editor's Choice" label contest winners on the Web:

www.byo.com/component/resource/article/2553

HOMEBREWING CASK ALES







serve homebrew as real ale

On a recent road trip through eastern Oregon, my wife and I finally got to visit a brewpub that has been on our list for a long time, Deschutes Brewing in Bend. The atmosphere and food were excellent, but obviously the star attraction was the beer. Getting to drink Mirror Pond, Black Butte Porter, and Obsidian Stout at the source was an unforgettable experience, though one beer in particular triggered that unique homebrewer war cry — "I have to brew that!"

Deschutes' Bachelor Bitter showcases complex toasty and nutty English malts, an earthy and floral hop bouquet and complementary fruity esters from the yeast. The brewery emphasizes each of these characters by serving the beer on cask, as would be done with traditional real ales in Great Britain. The lower carbonation and cellar temperature make this 5.3% ABV beer drink very smoothly and we had no trouble downing a couple of pints in addition to all the other tasters that night. As we passed back through the area on the return trip, we filled a growler to go.


While I have drank craft beer "on cask" at many breweries in the past, that generally entailed the brewer simply putting some of their regular carbonated beer in a firkin (a vessel holding approximately 11 gallons (41 L) of beer), serving it slightly warmer, pulled through a beer engine. Each time I found the experience interesting, but the balance was off in the final product due to the tacked on gimmick. Deschutes, on the other hand, made the cask character an integral part of the beer.


Returning home, thoughts of brewing and drinking real ale consumed my free time. I gathered and read everything I could find on the topic and began plotting my first batch. Those efforts ultimately culminated in a very successful cask party with my friends and family in which we made short work of a cask of standard bitter. The experience convinced me that more homebrewers would enjoy brewing and serving cask ales.

Cask Ale


Britain's Campaign for Real Ale (CAMRA, www.camra.org.uk) movement defines real ale as "a natural product brewed using traditional ingredients and left to mature in the cask (container) from which it is served in the pub through a process called 'secondary fermentation.'" As such, you can see that homebrewed beer that is carbonated in the bottle through the addition of priming sugar already


Story and photos by **Dave Louw**











shares a lot of traits with this packaging and serving technique.

Beyond this fairly broad definition, most drinkers would recognize real ale as typically having a lower carbonation level than most lagers and American ales, served at cellar temperatures (~50 °F/10 °C), appearing brilliantly clear and showcasing the yeast character. All this leads to a supreme drinkability across many pints. (And of course, pints of cask ale are the original session beers.) Oftentimes drinkers will identify a unique character in the beers at their favorite pub that develops over the time the cask is consumed.

Why would a homebrewer want to make cask ale at home? The most obvious reason is the same reason we brew anything. There are many styles of beer that are best experienced in their original cask form including English pale ales, Scottish and Irish ales, English brown ales, porters and stouts. In the US, we often have to settle for less than fresh bottled examples (which are often higher gravity and car-

1. Keystone Bung — Seat the keystone bung all the way.
2. Filling the Cask — Rack into the cask as you would with any keg. Note that I'm filling through the keystone bunghole, although the recommended approach is to fill through the shive bunghole.
3. Filled Cask — Pin all sealed up and labeled, ready to condition in a room temperature location.
4. Venting the Cask — A venting tool with blow-off hose ensures any gushing does not end up on the ceiling.
5. Cask with Chocks and Cooling Towels — The homemade wooden chocks are positioned two in the front and one at the back. Placing all three on a single towel prevents them from slipping out of place.
6. Ready to Tap — Before tapping be sure to sanitize the keystone and tap. Pull out the spile from the top as well.
7. Tapping — Here is the birthday boy lining up to drive the tap through the keystone. Note the large wooden mallet; this is the style I recommend.
8. Tapped — Turndown spout attached and ready to pour. Cheers!

MATERIALS

Cask (pin (5.4 US gal./20.4 L) or firkin (10.8 US gal./40.9 L) size)
Keystone bung (plastic or wood)
Shive bung (plastic or wood)
Heavy wooden mallet
Three wooden chocks
Venting tool
Hard spile
Soft spile
Tap
Turndown spout (or beer engine)
Washer
Nut

RECIPE

Oxfordshire Ordinary Bitter

(6 gallons/23 L, all-grain)

OG = 1.034 (8.5 °Plato)
FG = 1.005 (1.3 °Plato)
IBU = 47 SRM = 9 ABV = 3.8%

This beer is ideal for the no-sparge method, which emphasizes the malt character. The 6-gallon (23-L) batch size is enough to fill a pin, with enough beer left over to fill a few 22 oz. bottles.

Ingredients

6.75 lbs. (3.1 kg) Maris Otter pale ale malt
1.2 oz. (34 g) UK dark crystal malt (75–80 °L)
1.2 oz. (34 g) black malt
9.5 oz. (270 g) granulated cane sugar
11 AAU UK Challenger hops (60 mins) (1.45 oz./41 g at 7.6% alpha acid)
0.25 oz. (7.1 g) Styrian Goldings hops (flameout)
0.25 oz. (7.1 g) East Kent Goldings whole hops (dry hop in cask)
1 tablet whirlfloc
White Labs WLP023 (Burton Ale) yeast
2 oz. (57 g) granulated cane sugar (for priming)
10 mL Biofine Clear finings (at venting)

Step by Step

Mill the grains and dough-in targeting a temperature of 151 °F (66 °C). Hold the mash at 151 °F (66 °C) until enzymatic conversion is complete (roughly 60 minutes.) Collect 7.25 gallons (27 L) of SG 1.026 wort. The total boil time will be 60 minutes. Add the bittering hops at the start of the boil and boil for 45 minutes. Add the whirlfloc tablet to encourage coagulation in the kettle with 15 minutes to go. At roughly the same time, turn off the flame, add the granulated sugar. Stir well before turning the flame back on to avoid scorching. Complete the boil and add the flameout hop addition before chilling to 68 °F (20 °C), racking, oxygenating, and pitching yeast. Ferment at 68 °F (20 °C) until fermentation subsides, roughly one week later.

Rack to cleaned and sanitized cask along with priming sugar solution. Condition for roughly two weeks at about 70 °F (21 °C). Chill cask to 50 °F (10 °C) and then vent through the shive. Add finings, plug shive with soft spile, and mix gently. Let the cask settle for at least 24 hours, switching the soft spile for a hard spile as soon as visible off-gassing completes. Set up for final serving at 50 °F (10 °C), tap and enjoy.

Based on the Brakspear Bitter clone recipe from "Brew Your Own British Real Ale," by Graham Wheeler.

Extract Option

Replace the Maris Otter pale ale malt in the recipe with 4.5 lbs. (2.0 kg) of malt extract. Steep the remaining grains for 30 minutes at 151 °F (66 °C) before adding the malt extract. Otherwise follow the rest of the recipe as described above.

bonation than their draught counterparts) or Americanized interpretations. Homebrewing is a way to drink something we could not easily buy.

For homebrewers who do not have the space, funds or desire to have a dedicated kegerator, packaging in casks provides a great option for sharing a large amount of beer at once. Rather than cleaning, filling, and conditioning 50–100 bottles, you just deal with one cask. During conditioning, you treat the cask like a primed bottle, leaving it somewhere at around room temperature to carbonate. Any closet should do just fine. When it comes time to serve, you only need to chill the cask down in a fridge or cellar for a short period of time. As I will describe below, the serving equipment is minimal and easy to maintain.

Finally, cask ale fascinates people. While I seldom have trouble attracting a crowd of friends to a party with free beer, the turnout for my first cask party was astonishing. I had naively worried that the cask would go to waste because I would not get enough beer drinkers to finish the entire 5 gallons (19 L) in one night. To my surprise, a little over an hour after tapping the beer, I started seeing signs the cask was on its last legs. People eagerly downed multiple pints and the low alcohol level kept the discourse civil. I think they really enjoyed participating in something special and ultra-local. Few had experienced true cask ale and discussion between brewing friends and non-brewing friends was lively.

Equipment and Supplies

The equipment for brewing cask ale is no different than what you would use for any other beer. You can brew the beer as extract, mini-mash or all-grain and should expect similar results as with non-cask beers. Along the same lines, primary fermentation does not require any special procedures. Of course there will be different ingredients and techniques unique to the styles you typically cask, but I will cover that later.

Packaging and serving require unique equipment, though. Northern Brewer (www.northernbrewer.com)

has shown a consistent dedication to spreading the cask ale message and supplying homebrewers with everything they need. At the 2011 National Homebrew Convention in San Diego, for example, they brought several casks of homebrewed ale for demonstration and served them in the hospitality suite. I recall a particularly excellent mild ale they tapped on that Saturday. Additionally you'll find that their Brewing TV (www.brewingtv-.com) video podcast covers cask beers in a fair amount of depth. In any case, the easiest way to get into cask beer is to purchase their homebrew cask kit that includes a pin cask and all equipment short of a mallet and chocks.

The equipment itself can be broken into three categories: packaging, stillaging and serving. The packaging equipment is what you need to store and age your beer. It comprises the cask, keystone bung and shive bung.

Modern casks are typically stainless steel and very well-built. They come in multiple sizes, but the two most common are the pin (5.4 US gallons/20.4 L) and the firkin (10.8 US gallons/40.9 L). So, the pin holds just slightly more than a standard 5-gallon (19-L) Cornelius keg. The sizes go up from there, but are more appropriate for a brewpub setting that can handle the significant challenge of moving around the increased weight. Pins and firkins cost roughly the same, so the choice really comes down to how much beer you want to brew at once and how much you think you can consume before it stales.

There are two holes in the cask itself that you bung up during the packaging process. The hole in the cask head is the keystone bunghole and the other one is the shive bunghole. The bungs can be either made of traditional wood or the more modern and consistent plastic. As far as I can tell, there is not a compelling reason to use one material over the other, but I chose plastic because I was more confident I could properly sanitize it. Both bungs have a recessed and partially bored out center. Later on you will knock these out and so you will need to replace the bungs for each batch. Their cost is less than that of the required crown caps to bottle an equivalent amount of beer, so this is not a big deal.

Unlike Sankey kegs (and most other modern beer packaging vessels) traditional casks are stored and served in a horizontal position with the heads on the front and back rather than the top and bottom. Storing the keg, or stillaging, faces the challenge that the cask is round and so would roll around without something to keep it in place. In many commercial settings there are special racks for holding the casks. For the homebrewer the best choice is to make wooden chocks. You need three of them (I will explain why later), but these are the one item I have not found for sale. Making the chocks yourself is simply a matter of cross cutting a 2x4 at a 30 degree angle. You should also trim the tip off the sharpest point so that the chocks do not hit each other when in use. While it may be tempting to make these out of a nice hardwood and apply a glossy finish, in practice rough-cut softwood is better. You want them to be somewhat rough so they don't slip out of place in use.

Once the beer has carbonated and is almost ready to serve, you will vent the pressure from the keg to get it to the level you desire. Doing so involves knocking the center, or tut, out of the shive bung. You can use a metal punch of some sort or purchase a fancy venting tool that has a blow-off hose. The benefit of the venting tool is, if your keg is over-carbonated, the resulting beer spray will be diverted through the tube into whatever catch-vessel you set up rather than shooting up at you and the ceiling.


Once the keg is vented, your job as cellarmaster involves maintaining the right condition or carbonation level. If the carbonation is higher than intended, you drive a porous wooden peg, or soft spile, into the shive bung. This allows excess carbonation to slowly leave the beer while preventing contaminants from entering the cask. Once the beer is at the condition you want, you replace the soft spile with a non-porous wooden peg, or hard spile, to seal it up. New spiles should be used for each batch since sanitizing the wood would be fairly difficult. Much like the bungs, this is not much concern as they are trivially cheap.

Of course all of this effort is for naught unless you can get the beer out of the cask and into a glass to drink. This is where the traditional tap comes in. The tap has a tapered end that you will drive through the keystone bung. A quarter turn valve controls the flow of beer. Taps typically have either one or two threaded fittings to allow attaching spouts or serving lines. Taps come in affordable plastic or in much more expensive and durable stainless steel. The brass taps common from earlier in the 20th Century have all but disappeared.

Which brings us to the biggest choice you have to make when serving cask beer. Do you want to go simple with a gravity spout or do you want to use a beer engine? While many beer drinkers automatically picture the ubiquitous beer engine when thinking of cask ale, its real practical purpose is for something homebrewers rarely face. At a pub the casks are stored in the cellar and left undisturbed to prevent sediment from kicking up. This cooler room is often a floor below the pub. Rather than have the barman walk down to the cellar to pour each pint, the beer engine (sometimes called hand pump) was developed. Basically the pump is a piston that fills and pours beer when the barman pulls the handle. Luckily this is much simpler for the homebrewer or someone serving at a festival because you can simply station the keg on a table or bar where you will be serving. There is no need for a fancy contraption to get the beer out of the cask as gravity is always at hand. A simple turndown spout can be fixed to the threaded fitting with a washer and nut. Turn the valve and beer comes flowing out to fill your pint glass.

The one trick you can employ with a beer engine that is not available on a gravity setup is using a sparkler. The sparkler is a fitting that goes on the end of the beer engine spout and forces the beer through lots of little holes. This agitation knocks a significant amount of carbon dioxide (CO_2) out of solution making the beer less gassy and helping





to kick up a head and enhance the aromatics in the glass. Like many aspects of real ale serving, drinkers do not universally accept the use of sparklers. Given the roughly $500 price tag for a new beer engine in the US, it would be difficult to make the case for buying one based on the sparkler effect alone.

The final piece of equipment to consider is something I will not go into much detail about. CAMRA's definition of real ale does not allow for additional CO_2 to be added to the beer, so the cask is simply vented to the atmosphere. As the beer is served from the keg, the air from around the cask is drawn in through the shive leading to oxidation and eventual spoilage. If the cellarman does not expect to serve the entire cask quickly enough, a special valve called a cask breather can be used. Essentially it attaches to the shive and supplies CO_2 to blanket the beer rather than regular air. The ingenious design of the valve ensures that the CO_2 is at atmospheric pressure to prevent over-carbonation. This could be a good solution for anyone who wants to drink their cask over a longer period of time.

Brewing for the Cask

While technically the wort production and fermentation for a beer you intend to serve in a cask is identical to any other beer, there are some things to keep in mind. When brewing any beer you need to consider how all the aspects of the finished beer interplay. There are no hard and fast rules, but consider how to make the best use of the following characteristics.

Cask ale has a much lower carbonation level than many modern beers. Carbonation plays several important roles in beer. The carbonic acid "CO_2 bite" is greatly reduced in these beers, so you must pay particular attention to any residual sweetness in the beer, which will effectively be heightened. Similarly, since carbonation can help dry out a beer you may want to replace some of the malt with simple fermentable sugars, as is commonly done in Great Britain.

Finally, note that any roasty character in your beer will shift more

towards a chocolate note rather than the acrid quality it can sometimes take in the presence of higher levels of CO_2.

Since it is usually served at cellar temperatures, cask beer amplifies otherwise subtle flavors and aromas. Any harsh notes that might be imperceptible at colder temperatures will move to the forefront. Be extra careful with your fermentation and sanitation, as there is less room to hide. That said these tend to be much more flavorful beers than macro-brewed light lagers. The drinker will notice the yeast, malt and hop characters even more than usual. Splurge for quality grains such as the excellent choices from Simpson's, Muntons, Thomas Fawcett, and Crisp Malting. Choose a characterful English yeast strain and experiment with temperatures that cause them to express their wonderful esters. Consider dry hopping your cask with fresh hops or the freshest quality hops you can find. On the positive side, you will likely be drinking this beer very fresh so you do not have to worry about losing character over time to staling.

In terms of timing, you are likely to be brewing a fairly low alcohol beer (though stronger beers like old ales and barleywines certainly are not out of the question.) As such the time from brewing to consumption is actually quite short. Assuming a healthy pitch of yeast and a vigorous fermentation, you would be racking your beer to the cask with priming sugar after about 7 days and then drinking the final product at the three-week mark. Note that since this is a live beer and there is active yeast in the cask, you do not have to worry as much about acetaldehyde and diacetyl problems you can otherwise get from taking the beer off the yeast too soon.

For my inaugural batch, I tracked down and slightly modified a recipe for traditional English ordinary bitter. (See the sidebar on page 48 for the Oxfordshire Ordinary Bitter recipe.)

Packaging and Serving

Once primary fermentation completes, you are ready to package your beer in a cask. Prepare the cask by cleaning it well. Since the cask has smaller open-

Brew-Magic™ by SABCO




Fermenters and Storage Vessels

SABCO produces an entire line of 'Pro-Level' brewing equipment.



Brewing

Ready to take your brewing skills to the 'next-higher' level?



Chill-Wizard System

Our equipment is designed by professionals for pro-level, high quality brewing. However, it remains easily affordable to advanced home brewers. We simply suggest that you consider buying equipment that you can 'grow with' !



Brew-Kettles

Visit BREW-MAGIC.COM for seasonal specials that are sure to make you drool!



Frames

SABCO
BREW-MAGIC.COM
419-531-5347

Proud Member of:

50 POUND SACK
HOPS AND GRAIN BY THE ASSLOAD
Grain by the Bag ONLY!!
All your favorite Maltsters
Hops by the Pound
30 Varieties to choose from
ALWAYS FREE SHIPPING!!!
U.S. MAINLAND ONLY (AK AND HI CONTACT US FOR QUOTE)
www.50PoundSack.com

ings that prevent you from reaching into it, as with Corny kegs, you might want to soak it in a hot solution of percarbonate based cleaner such as Powdered Brewery Wash (PBW.) You can gently put in the spile bung at this time to allow the cask to hold a full volume of cleaning solution while standing on one of its heads with the keystone bunghole facing up. Rinse the keg well and then sanitize the shive and keystone bungs.

Use a heavy wooden mallet to drive the keystone bung into the cask to seal it. Do not use a metal hammer or anything that might damage the keystone hole surface because over the long run you may not be able to achieve a leak-free seal. A shot-filled dead-blow mallet can also work in a pinch. Rubber mallets often do not have enough heft and are simply frustrating to use as they bounce away. It takes a surprising amount of force to get the keystone bung to seat completely, so invest in a substantial wooden mallet.


Once the keystone bung is in place set the keg on its side with the shive hole facing upwards. At this point you may want to use the chocks you made to keep the cask from rolling around. Make your priming solution to achieve 1.5 to 2.0 volumes of CO_2 and add it to the cask through the shive hole. Then gently rack your beer into the cask, leaving a small amount of headspace. Seal up the cask by driving the shive bung home with a series of firm hits with your wooden mallet. There is a slight lip on the plastic bung and you want to drive it in all the way till the lip seats firmly against the cask. On my first attempt, I was shocked at how much effort this took but that was mostly because I was using a light 10-ounce (280 g) wooden mallet. I later upgraded to a 20-ounce (570 g) model, which was much easier to use.

Go ahead and roll your cask around a bit at this point to mix in the priming solution. Carefully inspect the keystone and shive bungs to make sure they're not leaking. A few good taps should solve any problems. If you are using wooden bungs and observe some leaking, know that they will soak up some beer and swell to seal any leaks within an hour or two.

Now you wait. Just like when bottle conditioning beers, you want to store the cask in a room temperature location to allow the remaining yeast to work through the priming sugar and provide carbonation. This is a fairly forgiving process, though. The biggest things to avoid are storing the keg so cold that the yeast goes dormant without carbonating the beer or storing the keg so warm that the beer starts to degrade. Again, this is no different than when bottle conditioning beers. Carbonation should take roughly a couple of weeks under ideal conditions.

When you know when you are going to serve the beer, you need to plan a few days ahead of the event. Ideally you want to store the cask on





its side (with heads facing front and back and shive upwards) in the serving location for as long as possible for the yeast and other sediment to settle to the bottom of the cask. The trick of course is that you also need to get the cask down to serving temperature of 50 °F (10 °C). As a homebrewer I will assume you don't have a dedicated cellar at this temperature, so I will tell you what I do. I put the cask in a fridge and set the temperature to 45 °F (7.2 °F) then pull it out and set it up in its final location the morning of the event. I cover the cask with an insulating blanket of some form to keep it cool. This is when you will definitely need those chocks you built. Place two under the front of the cask from the sides and one in the back with the sharper point facing forward. Set the keg up to be roughly level.

At least 24 hours before you serve the cask, you need to vent it to ensure you have the right level of carbonation, or condition. It is critical that the beer be at roughly serving temperature since a warmer beer will off-gas too much CO_2 (think of the gushing you see if you open a warm beer or serve a warm keg). Start by cleaning and sanitizing the shive bung surface. As mentioned in the equipment section earlier, drive the tut through the center of the shive bung into the cask using a sanitized metal punch or venting tool. Once any initial foaming subsides (which may be almost immediately for a beer that is already close to serving condition) it is time to fine the beer.

The goal of fining is to get the yeast and sediment to drop out and settle inside the bottom of the cask leaving brilliantly clear beer. There are multiple choices for fining agents including isinglass, gelatin and Biofine Clear. I personally prefer Biofine Clear as it is easier to use and is entirely vegetarian and vegan friendly (using it avoids awkward conversations where I would have to ask if people eat meat before handing them a pint of my beer). Follow the directions for your fining of choice, but in general I use about 10 mL of Biofine Clear in a 5.4 US gallon (20 L) pin cask.

Once you have added the fining through the newly created hole in the shive bung, sanitize and gently press a soft spile into the shive hole. Rock the keg back and forth to ensure the fining is mixed well into the beer. Spray some sanitizer on and around the soft spile. You are looking to see bubbles from the gas coming through the spile as it leaves the beer. Check back on the cask regularly and spray with sanitizer to check for active venting. As long as you see a significant off-gassing, the beer is probably too carbonated. This is more art than science and you will learn over time what gets you the results you want. Once visible off-gassing (bubbling) subsides, you want to lock in the remaining CO_2. Remove the soft spile and replace it by gently tapping in a hard spile.

To be clear, unless you have a

WATERPROOF, DURABLE LONG-LASTING, PLASTIC BEER CASES FOR 12 OZ. AND 22 OZ. BOTTLES

CARRY YOUR BEER WITH CONFIDENCE



MADE IN THE U.S.A.

AVAILABLE AT

★ C&W ★

CRATE CO

WWW.CWCRATE.COM 616-245-2728

KEYSTONE HOMEBREW SUPPLY

24,000 square feet of fermentation fun!



IT'S

Humongous selection of equipment, supplies & clever gizmos

Ultra-fresh ingredients including Wyeast & White Labs

Great service where your needs always come first

Expert advice from award-winning brewers & BJCP judges

That's what she said.

DO YOU HATE TO WAIT?

1 day UPS shipping in the Mid-Atlantic from Connecticut to Virginia



Montgomeryville, PA 215-855-0100

Bethlehem, PA 610-997-0911

www.KeystoneHomebrew.com

The Language of Real Ale

Most of the individual ideas behind serving real ale are not new to homebrewers, but much of the terminology is. Here's a quick guide to help you tell your spile from your bung hole.

Real ale and CAMRA — Real ale is ale conditioned in and served from a single vessel. CAMRA is the Campaign for Real Ale, a British group that champions serving real ale in pubs.

Cask, pin, firkin and kilderkin — A cask is the vessel real ale is served from, and casks come in many different sizes. Homebrewers most frequently chose the pin (5.4 gallons/20.4 L) or firkin (10.8 gallons/40.9 L), while commerical pubs often serve from kilderkins (22 gallons/83 L)

Bungs and bungholes — Casks have two holes, called bungholes. The keystone bunghole is on the front head of the cask. This is the hole that is tapped when the beer is served. The shive bunghole is on the body of the cask and faces upward when the cask is filled. The cask is filled through this hole, and is opened to the air when beer is served (unless a cask breather is being used). While the beer is being conditioned, both bungholes are sealed by wooden or plastic plugs called bungs.

Spile — The spile can be thought of as a "bung within a bung." Once the shive bung is punched to release pressure on the cask, it is resealed by inserting a spile. A soft spile allows CO_2 to exit from the cask. A hard spile creates an airtight seal. Bungs and spiles must be replaced with every batch.

Tap — The tap is driven through the keystone bung, and beer flows out through it. The tap may be connected to a simple spout or a beer engine.

Beer engine — A beer engine is a device that allows the barman to hand pump beer from a cask, as opposed to pushing it out with CO_2 pressure.

mechanism for keeping the cask at cellar temperatures in its final serving location, it is likely that you will be venting the beer while you store it in a refrigerator. This is not a problem at all. In any case, as mentioned before I move the cask to the serving location the morning of the event to let it settle clear. The finings will be kicked up along with any yeast and will help reclarify the beer.

In a commercial setting, a cellarman will often tap a beer hours in advance of pouring the first pint to ensure that the disturbance has time to settle. Part of the fun of serving a homebrewed keg at an event is the showmanship of driving the tap through the keystone, so I like to wait till everyone shows up. At a recent event, I had my neighbor who was turning 40 do the honors. You can see the fun in a video I posted online at http://www.youtube.com/watch?v=xiaGOFikmd8.

In terms of technique, there's not much to it. Examine the keystone and ensure it is clean and sanitized, as the middle will be driven into the beer. Either brace the cask or have someone hold it in place. Remove the spile from the shive to vent the keg. Hold the tapered end of the tap against the center of the keystone and square to the keg. Make sure that the threaded fitting and valve is facing the direction you want as it is difficult to adjust later. With everything in place, wind up and land a solid blow on the end of the tap to drive it directly into the cask through the keystone. Be prepared to follow that up with a couple more taps if the first one does not complete the job.

If you are using a gravity spout, attach it to the threaded fitting on the tap with the supplied washer and nut. Connecting a beer engine is beyond the scope of this article, but it is pretty straightforward.

Pouring a beer is a simple task of opening the valve and filling the glass. The spile that you removed during the tapping should remain out as long as you are serving the beer since make-up air needs to enter the keg to replace the beer you drink. If you take a break in serving the beer, immediately replace a sanitized hard spile into the shive bung to ensure that you don't lose too much carbonation.

If you look at a cask you will see that the level of the tap is higher than the lowest point when in serving position. Left horizontal there will be at least a half-gallon (~2 L) of beer that you cannot pour. This finally answers the question of why we use three chock blocks on the cask. When you have served the cask down enough so that beer will not spill out of the shive hole you want to tilt the cask forward in one smooth motion and then slide that rear center chock forwards. The final position is a little over 10 degrees forward such that the bottom front taper of the cask is effectively level.

That is it. Eat, drink and be merry.

Challenges

While packaging and serving cask beer is pretty straightforward once you have done it a few times, it does have some unique challenges. Hopefully my experience and research can help mitigate some of them for you.

Getting the carbonation right can be a bit hit or miss, just like with bottle conditioning. Ensuring you have healthy yeast, carefully following recipes or priming charts, and storing the cask at room temperature go a long way avoiding problems. It is easy to vent off a little excess CO_2, but it is not feasible to add carbonation when it comes time to serve the beer so aim slightly on the high side when in doubt. Beyond nailing your carbonation, the best cask ale is brilliantly clear with all yeast and sediment settled out of the beer. Those things affect the aroma and flavor of beer so it is not simply a matter of looks. If you have haze problems, consider trying a different type or amount of fining. Also ensure that you are disturbing the cask as little as possible shortly before and during serving. If those do not work then consider a different yeast variety that settles out more solidly.

Depending on the resources at your disposal, keeping the cask at the ideal 50 °F (10 °C) can also be a significant challenge. British pubs have come up with all kinds of mechanisms to cool

casks that do not have the benefit of being kept in the cellar. Most of these are out of reach of the homebrewer as they involve glycol, pumps and fancy stainless piping. You could, though, make an insulating jacket or cooler to cover the cask. Evaporative cooling is another alternative and relies on a damp towel on the cask to provide modest cooling. Finally, the old standby of bags of ice works, but pay attention to ensure that you do not accidentally cool the beer too much.


The challenge I thought would be the biggest issue may not be a concern at all. Once you have started serving the keg and drawing air you effectively start a countdown before the beer is spoiled. The exact amount of time you have depends on numerous factors but it is safe to say you have at least 12 hours and perhaps 36–48 hours. On a homebrew scale and without a cellar at a consistent temperature, it is best to plan to finish the keg by the end of the evening. If you want to serve and store the keg for longer than that, you will want to investigate cask breathers and cooling jackets.

Your best option, though, is to invite over your friends, family and neighbors and ask for their help. A pin holds just over 40 pints of beer, so base your number of invitations on this. Make it a potluck or bring-your-own-meat BBQ and you will have an event that leaves a lasting impression.

Conclusion

While I have yet to replicate Deschutes' Bachelor Bitter, the journey into cask ales has reinvigorated my brewing enthusiasm and creativity. I have a long list of styles I plan to brew and share with friends including dry stout and mild. For more information on cask ales, CAMRA has published several very affordable books, including "Cellermanship: 5th Edition," by Patrick O'Neill (2011, CAMRA) and "Brew Your Own British Real Ale: 3rd Edition," by Graham Wheeler (2010, CAMRA). BYO

Dave Louw's article on no-sparge brewing can be found in the November 2011 issue of BYO.





Ruby Street Brewing

- Accessible safe height
- Unique storage feature
- 10" pneumatic tires
- Pump, fittings & tubing included
- All SS kettles & fittings
- No tools required for assembly




Exceptional Form


Intuitive Design


Incredible Function

www.RubyStreetBrewing.com

Visit our website for a dealer near you!
Ruby Street Brewing, LLC PO Box 271722 Ft Collins, CO 80527

FLAT RATE SHIPPING · ONLY $6.99 · FLAT RATE SHIPPING

BREW MASTERY

Our custom recipe application, **BrewBuilder™**, allows you to create, edit, share & buy recipes right from one convenient page.

Create one of your own recipes or customize one of **OVER 1,100 HOMEBREW RECIPES** - and then buy it with the click of a button!

Create & buy a **BrewBuilder™** recipe and **SAVE 10%** when you enter: BBBYO

Brewmasters WAREHOUSE

brewmasterswarehouse.com

AT CROSBY HOP FARM,
WE'RE ALL ABOUT HOPS

5 Generations of Premium Hops
CROSBY
HOP FARM

PRODUCTS

Type 90 Hop Pellets :: 44 lb, 11 lb, 5 lb, and 1 lb packs
Leaf Hops :: Full bales, 1/2 bales, 1/4 bales, and mini-bales
Decorative Hop Vines *(Seasonal)*
Hop Rhizomes :: Grow Your Own! *(Seasonal)*
Green Fresh Hops :: "Wet" Whole Hops *(Seasonal)*

Office: 503.982.5166 • Hops@bcrosbyhops.com
8648 Crosby Road NE • Woodburn, Oregon 97071
WWW.BCROSBYHOPS.COM

The Grape and Granary

THE GRAPE AND GRANARY

YOUR HOMETOWN BREW SHOP
ON THE WEB

FEATURING

EXTENSIVE SELECTION
FAST SHIPPING/ EXPERT ADVICE

WE CATER TO NEW BREWERS!

Visit our online store or call to request a catalog. You'll be glad you did!

800-695-9870

WWW.THEGRAPE.NET

AKRON OHIO USA

Second Generation

Recycle your homebrew yeast

by Terry Foster



My March-April 2012 "Techniques" column dealt with making an adequately sized starter in order to ensure proper fermentation performance in high gravity beers. If you read it you may have wondered what the connection is between that and repitching yeast from one batch to another. Well, quite simply, repitching ensures that you have a plentiful supply of healthy, active yeast without having to prepare a starter every time you brew.

Repitching is a technique widely used by commercial brewers mainly because of its convenience, rather than the relatively trivial cost savings it offers. Do note that you can't do it forever, as the yeast will eventually mutate and will then need to be replaced with a fresh sample. But commercial breweries brew all the time and it is easy for them to ensure that they have one fermentation finished and ready for cropping just when the next batch of wort needs to be pitched. This is not so simple a matter for a homebrewer, who usually has a much more irregular pattern of brewing and often brews beers of quite a different nature. In fact, if you brew only once a month or less, this method will not work for you at all. Should you brew more frequently then repitching is an option for you, but only if you carefully plan your schedule in advance. This is true even if you brew the same beer each time, but it is especially so if you are going to turn out a line of different beers.

It's always the same isn't it? No matter how great the idea may be there are always limitations on it. In this case when you have harvested yeast from one batch you do not really want to store it for much more than a week before pitching it into your next brew. That means you have to brew at least every two weeks to make this work well. And you do not want to take it from a beer that is strongly flavored, like an IPA or doppelbock and pitch it into something more neutral like a pale ale or Pilsner. So there should be a progression in intensity of flavor with each successive brew and I'll offer some suggestions as to how to go about this. At BrüRm @BAR here in New Haven, Connecticut our approach is straightforward. Yeast is only repitched from our Toasted Blonde, which is a fairly bland, pale beer low in bitterness and OG 1.040 (10 °P). It is our biggest seller, and so is brewed more often than any other beer. Yeast is taken from this at the end of fermentation and used to pitch all our other beers — pale ale, amber, stout and all our specialty beers, and the yeast from these is discarded. The next batch of Blonde is repitched from the last, and its yeast will be used for the subsequent batch. In short we only continually repitch from and to the same beer.

Therefore it would seem that you should only carry over the yeast into identical beers, or into beers falling into a narrow band of OG, flavor, color and hop bitterness. That is certainly true if you want to re-use the yeast indefinitely, but what if you don't want to brew more than a few weeks at a time, and/or you want to make some very different beers? And what if you only want to make a couple of brews for the foreseeable future and these are very different in nature? The answer to the last question is that this is no problem. In fact if you want to make a big beer, say an imperial stout at around OG 1.090 (20.4 °P), a good way to make sure you have sufficient yeast to handle this wort, is to repitch all the yeast from another beer. This could be another stout, or pale ale but it should be brewed from a wort with an OG of no greater than 1.050 (12.5 °P). In short you are effectively using the lesser beer as your yeast starter for the imperial stout, which is a somewhat specialized case of repitching.

So back to the first question, and

> "Repitching is a technique widely used by commercial brewers mainly because of its convenience, rather than the relatively trivial cost savings it offers."



Photo by Les Jörgensen

the answer is that you can brew a progression of beers, repitching one to the next, and with the last beer being very different in strength and style from the first one. All you have to do is to ensure that you do not have a big jump in wort gravity at each stage of repitching, and that changes in flavor are progressive. By the latter I mean that you are always going from a lighter level of flavor to a higher one, and that each stage leads naturally to the next. For example, you could start with an English bitter at 1.040 then repitch from that to an ESB, from there to a robust porter at a similar gravity, and from there on to an oatmeal stout and finally to an imperial stout. Or you could start with a lightly-hopped Pilsner, and move along to stronger lagers such as bock, then doppelbock. Just note in the latter case that you should be more careful with lager yeasts than their ale cousins. Professional brewers generally repitch lager yeasts after eight or ten cycles, whereas ale yeasts have been taken much farther along the chain. In all cases, you should check the fermentation carefully at each stage. If the last one has been sluggish, or the finishing gravity at the end of the primary is higher than you targeted, then the yeast should not be re-pitched.

How to repitch

The bottom layer of yeast sediment will contain whatever trub (hop residue and/or proteinaceous from the hot and cold breaks) is present in the fermenter; it will also contain a high proportion of dead yeast cells. The top layer may contain alpha-acids which precipitate during fermentation, and the cells in it will have been exposed to the alcohol in the beer for longer than any other cells, and may therefore be somewhat weakened. So, the ideal is to collect only the middle layer for repitching, as this will be the cleanest and will have the highest concentration of "normal" active cells. If your yeast forms a thick skin on the surface you still do not want the top layer which has been exposed to air and will contain precipitated hop alpha-acids. However, the layer beneath that is fine and will contain plenty of active cells, as most of the dead cells will have settled to the bottom of the vessel. Collecting yeast is much easier, by the way, when you ferment with a wide-mouth vessel such as a brewing bucket.

So you need to try and scrape off the top layer from the head or from the sediment after racking. Be sure fermentation has finished before doing so, which should be no longer than five to six days after pitching the wort. Take a suitable scraper and carefully remove the first ¼ inch (0.64 cm) or so, then do the same for the next layer, and try not to take the very bottom layer in doing so. I use a rubber spatula that is reserved for brewing yeast only and sanitized with iodophor before use. I collect the yeast in a wide-mouthed glass screw-top jar, which has also been sanitized beforehand. I then store the sealed jar in a refrigerator and repitch within six to seven days. Be careful with screwtops, though, as some further fermentation may occur and there is a risk of the jar exploding. If you are lucky enough to have a conical fermenter you can collect the yeast through the racking arm, or run off the bottom layer through the drain valve and collect the middle layer the same way. Whatever system you use, collect a half to two-thirds of a pint for repitching in the next brew.

Pitching schemes

Now, before I list some schemes there are a couple more caveats about re-pitching I should mention. First, make sure the first brew in the series is pitched with a good supply of yeast, either by using more than a single pack or vial, or more preferably by making a good-sized starter — a quart (1 L) being a good size. The second is that you must be very careful with your hygiene. Every vessel and utensil must be properly cleaned and sanitized, or you may simply be repitching spoilage organisms along with the yeast.

Scheme one: (The lager path):
Start with a clean, straightforward lager yeast, such as White Labs WLP830 (German Lager) or Wyeast 2001 (Pilsner Urquell), both of which tend to emphasize malt characteristics and offer a reasonable compromise for the listed beers.

First: American lager (1.045, 11.2 °P, 15 IBU)
Second: premium lager (1.050, 12.4 °P, 20 IBU)
Third: Munich helles (1.048, 11.9 °P, 20 IBU)
Fourth: Dortmunder export (1.052, 12.9 °P, 30)
Fifth: German Pilsner (1.050, 12.4 °P, 40 IBU)
Sixth: classic American Pilsner (1.055, 13.6 °P, 35 IBU
Seventh: Märzen (1.055, 13.6 °P, 24 IBU)
Eighth: bock (1.070, 17.1 °P, 24 IBU)

This is about as simple a repitching series as you can get, with only a little variation in OG until the last jump to the bock, and only modest variations in bitterness and color. Yeast contributions to flavor are relatively, maltiness being the main characteristic flavor of these beers. On those grounds Kölsch is not included in this series, despite its similar color and bitterness level to those of the beers listed, because of the yeasts I selected. If you want to make a genuine Kölsch you have to live in Köln, but to get as close as you can to the style you should really use a Kölsch yeast strain.

Note that you could at any stage repeat any of the individual beers in this series, before progressing to the next, except for the last of them. Once you have got to the high OG of the bock it's the end of the road for that yeast, no more repitching. Note also that you would not have to make the last beer a bock, as you could have gone straight from the Märzen to a doppelbock just as easily.

Scheme two: (The pale ale path):
First: ordinary bitter (1.038, 9.5 °P, 30 IBU)
Second: special bitter (1.046, 11.4 °P, 35 IBU)
Third: Irish red ale (1.050, 12.4 °P, 28 IBU)
Fourth: extra special bitter (1.055, 13.6 °P, 40 IBU)
Fifth: American pale ale (1.052, 12.9 °P, 40 IBU)

Sixth: English IPA (1.065, 15.9 °P, 60 IBU)
Seventh: double IPA (1.085, 20.3 °P, 90 IBU)

For this series I would suggest White Labs WLP051 (California V), or Wyeast 1272 (American Ale II), because most of these beers need a little fruity, estery character, but not too much or the American pale ale will be thrown out of character. If you eliminate that beer from the series, then you use a more typical English yeast, such as White Labs WLP005 (British Ale), or Wyeast 1098 (British Ale).

Note that this scheme is relatively brief, because, unlike Scheme one it is necessary to balance bitterness levels as well as OG in this progression. Also, you do not have to follow this roughly similar color scheme. For example, if you did not want to make an IPA at this stage, but instead wanted to move to porters and/or stouts this can easily be done as you will see below.


Scheme three: (The dark path):
First: ordinary bitter (1.038, 9.5 °P, 30 IBU)
Second: special bitter (1.046, 11.4 °P, 35 IBU)
Third: Irish red ale (1.050, 12.4 °P, 28 IBU)
Fourth: northern English brown ale (1.047, 11.7 °P, 25 IBU)
Fifth: brown porter (1.046, 11.4 °P, 30 IBU)
Sixth: robust porter (1.053, 13.1 °P, 35 IBU)
Seventh: dry stout (1.045, 11.2 °P, 40 IBU)
Eighth: foreign extra stout (1.064, 15.7 °P, 50 IBU) or imperial stout (1.090, 21.5 °P, 80 IBU)


You can have your pick of English yeast strains for this one, but I think White Labs WLP004 (Irish ale), or Wyeast 1084 (Irish ale) would be a good choice. Of course, you can repeat any individual step as often as the yeast will take it. For the porters and dry stout you can even take a step backwards and brew a robust porter after the dry stout, and from there back to a brown porter. But you can't go back from the foreign extra stout, and as I have indicated you should not expect repitched yeast to handle going from that beer to an imperial stout.

Final thoughts

I have not mentioned the fact that the yeast grows at each stage, so you actually end up with more than you need to pitch your next beer. You can do a split at any stage, and use half the collected yeast for one beer, and the other half for a different beer. That means that you could do a full sequence of pale beers, and at any point cross over to a dark beer or series of dark beers. If you do this, however, you are going to be pretty busy, and your planning must be even more detailed than for a single series. BYO

Terry Foster writes "Techniques" in every issue of BYO.





AVAILABLE NOVEMBER 2012

Hopsteiner

CALYPSO

An exciting new hop variety from S.S. Steiner, Inc. - Founded 1845

A new hop variety grown in Washington state U.S.A., Calypso provides a bright, pleasant, fruity aroma, with hints of apple, pear and tropical fruitiness. An alpha acid level of 12-14% and total oils of 1.6-2.5% v/w packs a pleasant bitterness and full flavor for producing unique beers.

Ask for Calypso at your homebrew supply store.

"Hopsteiner Quality...The Proof Is In The Pour"

Hopsteiner.com

www.breworganic.com

Great organic beer starts with great organic ingredients!





30 Organic Hop Varieties:
Admiral, American Fuggles, Belgian Cascade, Belgian Saaz, Bravo, Cascade, Centennial, Challenger, Chinook, Fuggles, Hallertaur Tradition, Hershbrucker, Horizon, Ivanhoe, Kent Goldings, Motueka, Nelson Sauvin, New Zealand Hallertaur, Nugget, Opal, Pacific Gem, Palisade, Perle, Pilgrim, Rakau, Saphir, Smaragd, Spalt Select, Summit, Whitbread Goldings Variety.

28 Organic malts:
From Briess, Crisp, Gambrinus, Great Western, & Weyermann

The world's best selection of organic ingredients to make the world's best organic beer.. whether it's your first brew ever or a 200 gallon batch in your craft brewery.

Better Brew 7 Bridges For a Better World


Green Coffee Too! Fair Trade certified, which supports fair wages for the growers who craft the best organic coffee in the world.

800-768-4409
325A River Street, Santa Cruz, CA 95060
Retail Store Hours:
Mon- Sat 10 am to 6 pm, Sun 12 to 6 pm
7bridges@breworganic.com

Home Beermaking
by William Moore

New 4th edition

Home Beermaking has sold over 450,000 copies since first being published in 1980. This completely rewritten 4th edition includes updated recipes for everything from Honey Cream Ale to Belgian Triple. A classic beginner's book. Available now at fine home brewing retailers.



Distributed to retailers by:


L.D. Carlson Company
800-321-0315
ldcarlson.com

Brewcraft USA.
877-355-2739
brewcraftusa.com

Brewmaster Inc.
800-288-8922
brewmasterinc.com

Crosby & Baker
877-675-9463
crosby-baker.com

BNAC
BN ARMY CLOTHING



All new homebrew wear for the homebrew lifestyle: BNARMY Clothing now available online

HTTP://BNACLOTHING.COM

Temperature Control

Importance of probe placement

by Chris Bible



Fermentation temperature is a critical brewing variable. Temperature directly influences the metabolic rate of the yeast and the rate of the biochemical reactions associated with fermentation. Fermentation temperature has a significant impact on the quality of the finished beer, so control of this variable is very important for the brewer.

There are numerous ways for a homebrewer to control fermentation temperature. One very common method used by homebrewers is to place the fermentation vessel inside a temperature-controlled chamber (e.g. a converted refrigerator or chest freezer). The temperature control system that is most commonly used is an external controller with a temperature sensor probe that is installed in the system in such a way as to override the built-in thermostat on the refrigerator or freezer. The temperature sensor that is used for this type of controller is commonly a thermocouple, thermistor or sealed-bulb-type probe. The temperature sensor is designed to detect the temperature of whatever it is in contact with, and transmit this information to the controller. The controller receives the temperature information from the sensor and takes action depending upon the difference between the temperature setpoint on the controller and the temperature data that is being received from the temperature sensor.

In a system such as this, the placement of the temperature sensor is an important consideration. The temperature sensor detects the temperature of its immediate surroundings. If the sensor is mounted to the wall of the chamber, it is detecting (mostly) the temperature of the chamber wall. If the sensor is dangling from the wire and hanging in the air within the chamber, it is detecting the temperature of the air. If the sensor is immersed in the wort, it is detecting the temperature of the wort in contact with the sensor. The temperature controller responds to the signal that is being sent by the sensor. The controller doesn't know or care where the sensor probe is located. It only sees the temperature output signal from the sensor and takes action based on deviation from the temperature set-point in a way that is governed by the logic programmed into the controller.

Comparison of temperature responses

For the purposes of our discussion, assume that the temperature controlled chamber is a cooling chamber (i.e. a refrigerator or chest freezer). Two common locations for a temperature sensor in a homebrewer's temperature-controlled chamber are in the air of the chamber and submerged in the wort being fermented.

When a signal is sent by the sensor indicating that the temperature is higher than the controller set-point, the temperature controller sends a signal to the system to activate the cooling unit. The cooling unit then begins to lower the temperature within the chamber until such time as the temperature is reduced below the controller set-point. The controller then tells the cooling unit to stop cooling. Depending upon the location of the temperature sensor, the on/off cycle duration of the cooling unit will be different because the controller will be responding to a temperature sensor signal that will be different in the two different system configurations.

The air temperature within the chamber will quickly become cooler when the cooling unit is operating. If the sensor is reading the temperature of the air, the controller will respond accordingly and will stop the cooling cycle fairly quickly when the air temperature falls below the set point.

For a fixed temperature differential, wort in the fermenter will take a much longer time to become cooler as compared to the temperature of the

> "Fermentation temperature has a significant impact on the quality of the finished beer, so control of this variable is very important for the brewer."





Figure 1: Temperature Controller Sensor in Air



air. This is because the cooling unit cools the air, which then cools the fermenter, which then cools the fermenting wort. All of these cooling steps take time. Additionally, it generally takes much more time to reduce the temperature of solids (the fermenter) and liquids (the wort) due to the relatively higher heat capacity of solids and liquids vs. gasses. Heat capacity is defined as the amount of energy required to change the temperature of a unit-amount of a substance. The heat capacity for air is approximately 0.24 BTU/lb. The heat capacity for water is approximately 1.0 BTU/lb.

Additionally, there is not a large mass of air in a sealed refrigerator or freezer. There is a much greater mass of water (wort) inside our example sealed refrigerator or freezer (even though the volume of air is greater). Cooling the smaller mass of air happens much more quickly than cooling the larger mass of water (wort).

The cooling unit cools the chamber until such a time as the temperature of the sensor is equal to the setpoint temperature on the controller. If the sensor is immersed in the wort, it will tell the cooling unit to continue lowering the temperature of the chamber more and more, even to a point such that the temperature of the air in the chamber is much lower than the temperature of the sensor immersed in the wort.

Dallas Home Brew
a division of
The Wine Maker's Toy Store

FROM LIGHT TO DARK
AND EVERY STYLE IN BETWEEN



We have all
of the ingredients,
supplies and
equipment
to make your
favorite brews!




1300 N. I-35E, Suite 106., Carrollton, TX 75006
http://www.finevinewines.com
1-866-417-1114

NEW UPDATED EDITION

TONS of HOPPY GOODNESS in one SPECIAL ISSUE!

the best of BrewYourOwn HOP LOVER'S GUIDE



We've collected and updated the best hops information from the past 12 years of BYO and included updated charts with the specs for 102 hop varieties including new varieties and suggested substitutions for hard-to-find hops. We've also detailed different hopping methods, hop growing info, hop-related build-it projects and 36 hoppy recipes. A few of the reasons you will love this new reference...


- Hopping methods for extract & all-grain brewers to get the most out of their hops
- Comprehensive charts for selecting the best hops or a substitute for a hard-to-find variety
- Backyard hop growing instructions

At just $8.00 retail, you won't find a hop information source as complete at such a value!

This special newsstand only issue is available at better homebrew retailers or order today by calling 802-362-3981 also available online at brewyourownstore.com

The figures on page 62 and 63 illustrate representative temperature response data for these two different temperature sensor location scenarios. The figures illustrate temperature response data for the chamber air and the wort when a temperature setpoint adjustment is made at the 10 minute point on the graphs. In the system configuration where the sensor measures wort temperature, the chamber air temperature is allowed to become much cooler than that of the controller setpoint.

Figure 2: Temperature Controller Sensor in Wort




Important considerations for the brewer

Yeast generates heat as a by-product during fermentation. Because the wort within the fermenter is cooled from the outside by the cold air in the chamber, temperature gradients will always be present to some extent within the wort (even though the wort is slightly mixed by the action of evolution of CO_2 during fermentation). The wort nearest to the fermenter wall will have the lowest temperature and the wort in the center of the fermenter will have the highest temperature. The graphic on page 61 illustrates this temperature gradient concept.

This means that if the temperature sensor is placed in the wort in the center of the fermenter, all of the other wort within the fermenter will be at a lower temperature than the temperature the sensor is reporting. The wort

Brew Brothers



Homebrew Products

PAY LESS, BREW MORE!™

225 malts in stock starting @ 72¢ / lb or $29.50 / 50 lb bag

45+ hop varieties in stock starting @ $1.30 / 2 oz pack

See why Brewing News readers named us "Best Homebrew Shop in Oregon"

Use code BYO1208

at checkout for a 10% Discount on your order

Please, one per customer; not valid with other offers

Expires 8/31/12

WWW.BREWBROTHERS.BIZ

info@brewbrothers.biz

Toll Free (888) 528-8443

"Come join the family!"™

AMERICAN BREWERS GUILD BREWING SCHOOL

New Classes From the American Brewers Guild...



The American Brewers Guild would like to announce a brand new classroom, laboratory and brewery facility on Route 7 South in Middlebury, Vermont. This facility is also home to our new commercial brewery, Drop In Brewing Company. Along with the usual twice annual IBS&E and CBA distance learning programs there will be some new class offerings:

Grain to Glass and Boots-On Brewing
July 29 to August 4, 2012 Tuition $2,350
A 7 day course in the science, art and practical essentials of producing quality beer.

Brewing Science for the Advanced Homebrewer
September 8 & 9, 2012 Tuition $550
A two day weekend class aimed at describing the essential brewing science underpinning the process of brewing.

These classes will take place at The American Brewers Guild's 5,600 square foot, modern facility which features a classroom, laboratory and the nation's only full scale brewing facility dedicated to brewing education.

TRAINING THE BREWERS OF TOMORROW TODAY!

Call us or email for more information (800) 636-1331
www.abgbrew.com • email: info@abgbrew.com

adjacent to the fermenter wall will be the coolest and the wort at the center will be the warmest.

If the temperature sensor is placed in the air within the chamber, the sensor will indicate a temperature that is lower than the temperature of the wort. In this instance, the wort in the center will still be warmer than the wort near the fermenter wall.

Since the biological activity of the yeast is strongly temperature dependent, it is important to understand and manage these thermal details within the fermenter.

Practical considerations

Management of the temperature within the fermenter is a very critical control variable for a brewer. To brew great beer a brewer must keep the yeast happy and try to optimize their environment in a way that is appropriate for the style of beer that is being produced. As homebrewers, we have limited methods available to allow us to control fermentation temperature, and we are forced to brew our beer within the realities of the physical constraints of the system that we have. Since temperature gradients within the fermenter exist, we must manage them as best we can. Here are some recommendations that might be useful.

Sensor in wort configuration

This configuration is generally preferred over the sensor-in-air configuration because the sensor is actually measuring the temperature of the wort, not the temperature of the air. Understand that the wort near the wall of the fermentation vessel will be cooler than indicated by the sensor. Use LCD adhesive-strip-type thermometers on the exterior of the fermentation vessel in order to monitor the temperature of the fermenter wall. Adjust the setpoint on the temperature controller as needed to ensure that the wort near the fermenter vessel wall does not become too cold.

Sensor in air configuration

Understand that the temperature the sensor is reporting to the controller will always be cooler than the actual temperature of the wort. Use LCD adhesive-strip-type thermometers on the exterior of the fermentation vessel in order to monitor the temperature of the fermenter wall. Take note of the differential between the sensor temperature and the temperature shown by the thermostrip. Adjust the setpoint on the controller so that the temperature shown by the adhesive-strip is approximately 1–2 °F (0.5–1 °C) lower than your desired fermentation temperature. An even better approach is to immerse a separate thermometer into the wort and adjust the setpoint on the controller to sustain the desired temperature on the other thermometer. BYO

Chris Bible is BYO's *"Advanced Brewing" columnist.*

ANNAPOLIS HOME BREW

$7.95 Flat-Rate Shipping!

Orders to 'lower 48' only
See our website for details

GREAT BEER KITS

Tested & proven exclusive AHB recipes.
Top-quality ingredients - we don't skimp!
Fresh kits - measured & packed for you.
70 available - Extract, Partial, & All-Grain




Wide range of top-notch kits in stock.
All available with Flat Rate shipping!
Seasonal & Limited Edition wine kits.
Many options on beginner equipment.

GREAT WINE KITS

Open 7 Days - Secure Online Ordering
800-279-7556
www.annapolishomebrew.com

250 CLONE RECIPES IN ONE GREAT SPECIAL ISSUE!

FEATURES
132 pages of recipes & know-how to brew 250 commercial craft and import beers



the best of BrewYourOwn
THE HOW-TO HOMEBREW BEER MAGAZINE
250 CLASSIC CLONE RECIPES

Replicate your favorite commercial beers featuring the best clone recipes from the last fifteen years of BYO.

- Intro on how to clone brew commercial beers
- 250 recipes provided for all-grain and extract brewers - includes 150 recipes from the now out-of-print "150 Classic Clone Recipes" plus 100 more clone recipes!
- Cross indexed so you can easily find your favorite recipes by brewery or style
At just $10.00 ($10.00 CAN) retail, you won't find a more valuable recipe collection to brew beers like the pros make!

This special newsstand-only issue is available at better homebrew retailers or order today by calling 802-362-3981
Also available online at brewyourownstore.com

* Attention homebrew supply shop owners - call us today at 802-362-3981 to discuss volume discounts to resell the BYO 250 Classic Clone Recipes issue in your shop

BEDFORD BROWN ALE

OG= 1.044 FG= 1.011 ABV= 3.8% IBU= 21 COLOR(L)= 29

Description: This brown ale was crafted to emulate those of southern England. The Bedford yeast will result in a dry finish with a distinctively English ester profile. Recipe for 5 US gallons (19 L).

Quantity	Ingredients	Comment
3.3 lbs.	Briess CBW® Sparking Amber LME	
1 lb.	Briess CBW® Pilsen Light DME	
2 lbs.	Briess Pale Ale Malt	
1 lb.	Briess Carabrown® Malt	
1/2 lb.	Briess Carapils® Malt	
1/4 lb.	Briess Chocolate Malt	
1/2 oz.	Nugget (10% AA hop)	(boil 60 min.)
1/2 oz.	Fuggle (4% AA hop)	(boil 20 min.)
1 oz.	Fuggle (4% AA hop)	(boil 1 min.)
1 vial	White Labs WLP006 Bedford British Ale Yeast	
1 capsule	Servomyces Yeast Nutrient	(boil 10 min.)

Instructions:

1. Steep grains in 150-158° F water for 30 minutes.
2. Remove grains. Bring to boil.
3. Remove from heat, add liquid extract, and first hop addition.
4. Boil 40 minutes. Add second hop addition.
5. Boil 19 minutes. Add final hop addition.
6. Boil 1 minute. Cool to 66° F, oxygenate wort.
7. Pitch 1 vial White Labs WLP006 Bedford British Ale Yeast.

Fermentation: Primary: 2 weeks at 66° F. • Secondary: 2 weeks

DUBBEL BLACK

OG= 1.068 FG= 1.015 ABV= 6.9% IBU= 21 COLOR(L)= 58

Description: Trappist style beer formulated to appear deceptively dark while exhibiting the dramatic fruit and malt flavors expected from a Belgian Dubbel. Recipe for 5 US gallons (19 L).

Quantity	Ingredients	Comment
10 lbs.	Briess pale Ale Malt	
1 lb.	Briess Caramel Malt 120L	
1/2 lb.	Briess Wheat Malt, White	
1/2 lb.	Briess Blackprinz® Malt	
1/4 lb.	Briess Carapils® Malt	
1 lb.	Sugar	
1 1/2 oz.	Saaz (5% AA hop)	(boil 60 min.)
1/2 oz.	Saaz (5% AA hop)	(boil 15 min.)
1/2 oz.	Spalt (4.5% AA hop)	(boil 15 min.)
1/2 oz.	Coriander	(boil 1 min.)
1/2 oz.	Saaz (5% AA hop)	(dry hop)
1/2 oz.	Spalt (4.5% AA hop)	(dry hop)
2 vials	White Labs WLP540 IV Yeast	
1 capsule	Servomyces Yeast Nutrient	(boil 10 min.)

Instructions:

1. Mash grains at 154-158° F for 45 minutes.
2. Heat to 170° F. Lauter.
3. Boil with bittering hops for 45 minutes.
4. Add second hop addition, boil 14 minutes.
5. Add Coriander, boil 1 minute. Cool to 70° F, oxygenate wort.
6. Pitch 2 vials White Labs WLP540 Abbey IV Yeast

Fermentation: Primary: 2 Weeks at 68° F • Secondary: 2 weeks, add dry hops

DIY Water Filter

Add some insurance to your homebrew

by Christian Lavender



As homebrewers we strive for perfection in our brews. There is a lot going on to get that water flowing into your home and more that a homebrewer can do to control the quality of the largest ingredient in the brewing process.

Mineral content, particulate matter, pH, hardness, alkalinity levels, salts, chlorine, microbes and temperature levels. Water can seem overwhelming if you try and address everything at once, so start with the basics and work your way up into more advanced chemistry constructs.

Once water reaches the tap in your home you as a brewer have a choice: trust the water from the magical source or add some insurance to the next batch of brew with a simple DIY filtration system.

A simple filter set at a proper flow rate can help remove contaminants (scale, sediment, and rust particulate) that your water picked up in the pipes from the treatment plant to the homebrewery. Filtration is also recommended for those using well water.


Chlorine, chloramines and pollutants have also got to go. When brewing beer with treated water, chlorine and chloramines can combine with malt phenols in the wort to create a compound called chlorophenol, which can give the beer a medicinal taste. Also, cleaning your brewing gear with unfiltered water and not allowing it to dry properly will leave chlorine on the surface and lead to the same production of chlorophenols. So, cleaning with filtered water is suggested. Activated carbon filtration will also remove chlorinated compounds including Trihalomethanes (THMs) and organic pollutants such as pesticides. Cartridge carbon filtration is inexpensive and requires no presoaking, sterilization or backwashing. The filters can be replaced quickly once the flow rates start to diminish due to accumulation of suspended solids on the filter.

Filters, filter housings and copper, brass or stainless fittings can be found at your local big box hardware store. You may need a dual filtration or a reverse osmosis system in extreme cases of ion imbalance or contaminants in your water, so it's a good idea to get a water analysis report from your city or town before you start.

"Once water reaches the tap in your home you as a brewer have a choice: trust the water from the magical source or add some insurance to the next batch of brew with a simple DIY filtration system."

Tools and Materials

- GE Household Pre-Filtration System - Model # GXWH20S
- GE FXWTC Carbon Water Filter
- ¾-inch MPT to ½-inch FPT bushings
- ½-inch MPT to ½-inch FPT elbow
- ½-inch MPT adaptor
- Copper pipe
- ¾-inch MPT to ¾-inch FPT Shutoff valve
- ¾-inch MPT Quick disconnect
- Filter wrench
- Teflon tape
- Adjustable wrench
- Welding Torch, tinning flux & lead-free solder
- Propane striker







1. GET FITTED

Incorporating a standard hose quick disconnect, shutoff valve and bent elbow on the water outlet can help shave time off the brew day, so think about your filter design and modify it to fit your specific needs. There are many different materials and fittings you can choose for the water outlet. I have seen PVC and silicone tube setups, but on this design I chose a copper pipe elbow. To make this fitting you can either use instant push fittings which do not require any welding, but check to make sure it is food grade and safe for drinkable water sources. Another component of the filter that you can modify to your needs is the cutoff valve. You can go for extreme control using automated ball valves. These can be controlled by a computer system or float sensor, but manual quick cutoff valves work great too.



2. WRAP AND HEAT

Clean and Teflon wrap all MPT fittings. Make a clean, burr-free cut on your copper pipe with a pipe cutter. Brush the joints with a pipe brush before fluxing. Assemble pipe and adaptor, apply heat and solder the joint together. If you are going to weld please use caution when operating the torch. Read up on safety standards and precautions when doing any welding or plumbing. Put on your safety glasses and high heat resistant gloves. Keep a bucket of water within reach and have a fire extinguisher on hand.




3. ALL TOGETHER NOW

Once you have decided on your elbow and cutoff valve designs gather up all the parts and lay them out. Thoroughly clean the water filter housing. On the inlet side of the filter screw on your cutoff valve ½-inch MPT to ½-inch FPT bushing and the elbow and copper pipe fitting. You can cut your copper pipe to fit the length of your kettle. The copper pipe will also act as a hanging arm and allow you to add water to a HLT or boil kettle hands free.

4. FILTER IS IN THE HOUSE

To install the filter unscrew the housing and wash inside the housing with warm soapy water and lubricate o-ring gasket. Remove the shrinkwrap and install the new filter. Reassemble the housing and turn on your water supply. Run water through the filter for 5 minutes to flush the system. The filter will remove particulate from 1-5 micron and will last around three months (15,000 gallons/ 56,781 L) depending on usage. The filter has a spiral wound carbon paper construction and reduces chlorine taste and odor, sand, soil, silt, sediment and rust.



5. HANG'N OUT

Click in your water source/hose and you are ready to dispense some purified water. You can easily hang the filter on the side of a hot liquor tank and fill to the desired level. This design adds another level of safety with its cutoff valve by allowing the operator to cut the water off locally instead of from a distant wall faucet. Leaving any brew system unattended is never advised especially if you are using open flames.



6. FUTURE UPGRADES

A final upgrade for this filter was an added automated ball valve with float sensor, which could be set to a certain water level. Design inspiration was from Randy Mosher's "automate everything" mantra. BYO



Christian Lavender is a homebrewer in Austin, Texas and the founder of the websites Kegerators.com and HomeBrewing.com.

classifieds

APPAREL

BEER GEEK TEES
Get 10% off with
Coupon: BYOMAG
Wholesale pricing for resellers.
BrewerShirts.com

BEERSHIRTZ - FREE SHIPPING!
www.beershirtz.com

GET YOUR BYO GEAR!
BYO logo shirts, sweats, hats & lots more.
www.cafepress.com/brewyourown

BAR SUPPLIES

BUILDING A BAR?
Call the Kegman. Pro Equipment, Wholesale Pricing.
973-512-2028
www.kegman.net

BREWING EQUIPMENT

#1 BREWING SYSTEM
All stainless steel, American-made, TIG welded.
Visit us at synergybrew.com

1-3 BARREL BREWING SYSTEMS
Affordable, High Quality, Custom Built Brewing Systems.
www.psychobrewLLC.com

BARGAINFITTINGS.COM
High quality weldless, stainless steel kits to convert your kegs, kettles and coolers.

BEER WORT CHILLERS
High efficiency plate heat exchangers. Great prices.
www.dudadiesel.com
256-417-4337

BrewHardware.com
Specializing in brewing measurement gadgets: Sight Glasses, Thermometers, Refractometers and More!

BREWHEMOTH - SIZE MATTERS
22 gallon fermenter and accessories.
www.brewhemoth.com

KEGGLE BREWING
Corny Kegs, Tap Systems and Parts, Refrigerator Conversion Kits, Keggles and Weldless Fittings.
www.KeggleBrewing.com

RANCO TEMPERATURE CONTROLLERS and accessories.
Single stage pre-wired $74.99
Stopper thermowell $21.99
www.ETCsupply.com
888-840-1442

RUBY STREET BREWING
Beer brewing equipment & accessories.
www.rubystreetbrewing.com

STOUT TANKS & KETTLES
Stainless conical fermenters, mashtuns, & HLTs. 5-150 gallons.
conical-fermenter.com

TEMPERATURE CONTROL MATTERS BCS-462 programmable controller. Web based user interface, data logging, timers.
www.embeddedcontrolconcepts.com

TESCO PUMPS
March Homebrew Pumps & Parts Since 1977.
www.tescopumps.com
Email: tescoincnc@aol.com
(714) 357-3400

DRAFT & BOTTLING EQUIPMENT

www.TheBeerTapStore.com
Great prices on quality draft beer tapping equipment.
Many items ship for free.

BOOTLEGGER CRATES
Handcrafted wood crates for beer and wine storage. Made in the USA.
www.bootleggersupplies.com

EDUCATION

FREE HOW TO BREW Guide Reveals 7 Most Common Mistakes Home Brewers Make. Visit:
BrewBeerAndDrinkIt.com/byo

FOOD-BEER PAIRING

LIKE BEER & CHOCOLATE?
Have them both! Hop infused Chocolates, for craft beer enthusiasts.
www.HopCandyInc.com

HOMEBREW SUPPLIES

CUSTOM BEER LABELS
Easily create unique beer labels!
10% off. Promo code: BEER10
www.BottleYourBrand.com

DRAFTSMAN BREWING COMPANY
You'll love our prices!
Call today for our FREE homebrew supply catalog.
1-888-440-BEER
www.draftsman.com

FARMHOUSE BREWING SUPPLY
55 Varieties of hops in semi-bulk 4 ounce packages. Starting at $.60/oz
www.farmhousebrewingsupply.com

HOMEBREWING EQUIPMENT:
Over 2,400 items! Hard to find parts. Great prices.
www.chicompany.net

HOP GROWING

NEED QUALITY HOPS?
Hops grow best in the Northwest
Female Rhizomes, Dried Hops, Potted Hops.
www.NorthwestHops.com
(503) 902-0902

INGREDIENTS

VALLEY MALT
New England's Micro-Malthouse
All organic and locally grown.
www.valleymalt.com
(413) 349-9098

LABORATORY & TESTING SUPPLIES

NEW BrewLab™ KIT,
six water tests for quality control of the brewing process
www.lamotte.com/brewlab

SOFTWARE

BEERSMITH BREWING SOFTWARE
Take the guesswork out of brewing!
Free 21 day trial!
www.beersmith.com

BREWTIMER FOR iPHONE
or iPod Touch. Never miss a boil addition again!
http://brewtimerapp.com

For details on running a classified call Dave at 802-362-3981 ext. 107

Brew YOUR OWN THE HOW-TO HOMEBREW BEER MAGAZINE

Shirts, Sweats, Hats & Lots More!

GREAT Gifts For You or Your Brewing Buddies













Go to www.cafepress.com/brewyourown and order your Brew Gear today!

www.cafepress.com/brewyourown

SHOW THE WORLD YOU'RE A HOMEBREWER!

FOXX EQUIPMENT COMPANY



Quality equipment for the Home Brewer

Visit foxxequipment.com to find a Home Brew Shop near you!

MONSTER BREWING HARDWARE

Monster Mills by Monster Brewing Hardware are made in the USA on modern CNC equipment with state of the art accuracy for discriminating home brewers.

Why settle for second best?



WWW.MONSTERBREWINGHARDWARE.COM

"IT'S ALWAYS BETTER TO HAVE A BIGGER TOOL THAN YOU NEED" -MONSTER MACHINIST

GET YOUR BYO WORK SHIRT!



Perfect for brew days and beer fests. This navy blue button-up shirt has the *BYO* logo over the front left pocket and a large *BYO* Euro Sticker logo across the back. A classic work shirt that lives up to your classic homebrews. Available in Men's M, L, XL & XXL. $40

Order at www.brewyourownstore.com or call 802-362-3981 ext. 106

Just Brew It !!

Larry's BREWING SUPPLY

1-800-441-2739

www.larrysbrewsupply.com

BYO BINDERS!



- Gold-stamped logo on front and spine
- Opens flat for easy use
- Leather-grained in royal blue
- Each binder holds 10 issues

Only $20 each (includes shipping)

Order Today at brewyourownstore.com

FOR ALL FOR BREW & BREW FOR ALL FOR BREW & BREW FOR ALL FOR BREW & BREW

reader service

for direct links to all of our advertisers' websites, go to **www.byo.com/resources/readerservice**

50 Pound Sack.....51
www.50PoundSack.com

Adventures in Homebrewing.....52
313-277-2739
www.homebrewing.org

American Brewers Guild Brewing School.....63
1-800-636-1331
www.abgbrew.com
info@abgbrew.com

American Homebrewers Association.....50
www.HomebrewersAssociation.org

Annapolis Home Brew.....64
1-800-279-7556
www.annapolishomebrew.com
email@annapolishomebrew.com

Austin Homebrew Supply.....59
1-800-890-BREW (2739)
www.austinhomebrew.com
info@austinhomebrew.com

B. Crosby Hop Farm.....56
503-982-5166
www.bcrosbyhops.com
hops@bcrosbyhops.com

Best of Brew Your Own
25 Great Homebrew Projects.....3
30 Great Beer Styles..... 79
250 Classic Clone Recipes.....64
Hop Lover's Guide.....62
802-362-3981
www.brewyourownstore.com

Better-Bottle division of High-Q, Inc.21
1-800-435-4585
www.Better-Bottle.com
sales@better-bottle.com

Blichmann Engineering, LLC.....33
www.blichmannengineering.com
john@blichmannengineering.com

Brew Brothers Homebrew Products, LLC.....63
888-528-8443
www.brewbrothers.biz
info@brewbrothers.biz

Brew Your Own Back Issue Binders.....69
802-362-3981
www.brewyourownstore.com

Brew Your Own Back Issues.....24-25
802-362-3981
www.brewyourownstore.com
backissues@byo.com

Brew Your Own Merchandise.....69
1-877-809-1659
www.cafepress.com/brewyourown

Brew Your Own Work Shirt.....69
802-362-3981
www.brewyourownstore.com

Brewers Publications.....38
1-888-822-6273
shop.beertown.org
info@brewersassociation.org

The Brewing Network.....60
www.thebrewingnetwork.com

Brewing TV.....69
www.brewingtv.com

Brewmasters Warehouse.....56
1-877-973-0072
www.brewmasterswarehouse.com
info@brewmasterswarehouse.com

Briess Malt and Ingredients Co......23
920-849-7711 & Recipe Cards
www.brewingwithbriess.com
info@briess.com

C&W Crate Company.....53
616-245-2728
www.cwcrate.com
info@cwcrate.com

Crosby & Baker.....17
508-636-5154
www.crosby-baker.com
info@crosby-baker.com

Dallas Home Brew a division of The Wine Maker's Toy Store.....62
1-866-417-1114
www.finevinewines.com
geocorn@finevinewines.com

E.Z. Cap.....38
403-282-5972
www.ezcap.net
ezcap@ezcap.net

Essencia Distributors Ltd......30
1-888-977-0027
www.essenciana.com
sales@essenciana.com

Five Star Chemicals & Supply Inc......11
1-800-782-7019
www.fivestarchemicals.com
support@fivestarchemicals.com

Foxx Equipment Company.....69
1-800-821-2254
www.foxxequipment.com
kcsales@foxxequipment.com

Grape and Granary.....56
1-800-695-9870
www.grapeandgranary.com
info@grapeandgranary.com

High Gravity.....55
918-461-2605
www.highgravitybrew.com
store@highgravitybrew.com

Hobby Beverage Equipment.....32
951-676-2337
www.minibrew.com
john@minibrew.com

Home Brewery (MO).....32
1-800-321-2739 (BREW)
www.homebrewery.com
brewery@homebrewery.com

Homebrew Heaven.....30
1-800-850-2739 or 425-355-8865
www.homebrewheaven.com
info@homebrewheaven.com

Homebrewer's Answer Book.....79
802-362-3981
www.brewyourownstore.com

HomeBrewStuff.com.....16
1-888-584-8881 or 541-830-0100
www.HomeBrewStuff.com
info@HomeBrewStuff.com

Hopsteiner.....60
1-800-339-8410
www.hopsteiner.com
sales@hopsteiner.com

Hopunion LLC.....59
1-877-875-6642
www.hopunion.com

Jet Carboy and Bottle Washer Co....52
231-935-4555
www.jetcarboy.com
mike@antonco.com

Kegs.com Ltd. dba SABCO.....51
419-531-5347
www.brew-magic.com
office@kegs.com

Keystone Homebrew Supply.....53
215-855-0100
www.keystonehomebrew.com
info@keystonehomebrew.com

Lallemand Inc......18
www.LallemandBrewing.com
homebrewing@lallemand.com

Larry's Brewing Supply.....69
1-800-441-2739
www.larrysbrewsupply.com
customerservice@larrysbrewsupply.com

Midwest Homebrewing & Winemaking Supplies.....Cover III
1-888-449-2739
www.midwestsupplies.com
info@midwestsupplies.com

Monster Brewing Hardware LLC.....69
678-350-1731
www.monsterbrewinghardware.com
ffrancis@monsterbrewinghardware.com

MoreBeer!.....14
1-800-600-0033
www.morebeer.com
sales@morebeer.com

Muntons Malted Ingredients.....7
425-372-3082
www.muntons.com
brian.perkey@muntons.com

My Own Labels.....50
www.myownlabels.com
info@myownlabels.com

NorCal Brewing Solutions.....10
530-243-BEER (2337)
www.norcalbrewingsolutions.com
sales@norcalbrewingsolutions.com

Northern Brewer, LLC.....Cover II
1-800-681-2739
www.northernbrewer.com/byo
info@northernbrewer.com

Northwestern Extract Company.....29
262-781-6670
www.nwextract.com
flavors@nwextract.com

Polar Ware Company.....31
1-800-237-3655
www.polarware.com
customerservice@polarware.com

Quality Wine and Ale Supply.....29
574-295-9975
www.HomeBrewIt.com
info@HomeBrewIt.com

Rebel Brewer.....22
615-859-2188
www.rebelbrewer.com
info@rebelbrewer.com

Ruby Street Brewing, LLC.....56
970-673-RUBY (7829)
www.rubystreetbrewing.com
questions@rubystreetbrewing.com

Seven Bridges Co-op Organic Homebrewing Supplies.....60
1-800-768-4409
www.breworganic.com
7bridges@breworganic.com

White Labs Pure Yeast & Fermentation.....6
1-888-5-YEAST-5 & Recipe Cards
www.whitelabs.com
info@whitelabs.com

William's Brewing.....55 & 60
1-800-759-6025
www.williamsbrewing.com
service@williamsbrewing.com

Wyeast Laboratories, Inc. - 100% Pure Liquid Cultures.....Cover IV
541-354-1335
www.wyeastlab.com
customerservice@wyeastlab.com

ALABAMA

Deep South Brewing Supply
1283 Newell Pkwy
Montgomery 36110
(334) 260-0148
www.DeepSouthBrew.com
email: cf@sharpnet.com
Serving Central Alabama and Beyond.

The Flying Pig, LLC
6374 US Highway 11
Springville 35146
(205) 467-0155
www.theflyingpigllc.com
We are a Wine and Craft Beer Boutique that offers a great selection of homebrew supplies and wine kits.

Werner's Trading Company
1115 Fourth St. SW
Cullman 1-800-965-8796
www.wernerstradingco.com
The Unusual Store.

The Wine Smith
6800 A Moffett Rd. (US Hwy. 98)
Mobile 36618
(251) 645-5554
e-mail: winesmith@bellsouth.net
www.thewinesmith.biz
Serving Central Gulf Coast Homebrewers

ARIZONA

Brew Your Own Brew and Wine
525 East Baseline Rd., Ste 108
Gilbert 85233
(480) 497-0011
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brew Your Own Brew and Wine
2564 N. Campbell Ave., Suite 106
Tucson 85719
(520) 322-5049 or 1-888-322-5049
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brewers Connection
1435 E. University Drive, #B103
Tempe 85821
(480) 449-3720
ami@brewersconnection.com
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week.

Brewers Connection
4500 E. Speedway Blvd. #38
Tucson 85711
(520) 881-0255
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week!

Homebrewers Outpost & Mail Order Co.
801 S. Milton Rd., Suite 2
Flagstaff 86001
1-800-450-9535
www.homebrewers.com
Free Shipping in Arizona on orders over $50.

Hops & Tannins
New Location!
3434 W. Anthem Way, Ste. 140
Anthem 85086
(623) 551-9857
www.hopsandtannins.com
Offering up a full line of brewing equipment & supplies, draft equipment, craft brews and specialty wines for a one-stop beer & wine shop.

What Ale's Ya
6363 West Bell Road
Glendale
(623) 486-8016
www.whatalesya.com
Great selection of beer & wine making supplies.

ARKANSAS

Fermentables
3915 Crutcher St.
North Little Rock 72118
(501) 758-6261
www.fermentables.com
Complete homebrew & winemakers supply

The Home Brewery
455 E. Township St.
Fayetteville
1-800-618-9474
homebrewery@arkansasusa.com
www.thehomebrewery.com
For all your beer & wine making needs.

CALIFORNIA

Addison Homebrew Provisions
1328 E. Orangethorpe Ave.
Fullerton 92831
(714) 752-8446
www.homebrewprovisions.com
Beer, Wine & Mead.
Free brewing demos, club & message board.

All About Brewing
700 N. Johnson Ave., Suite G
El Cajon 92020
(619) 447-BREW
jimallaboutbrewing@att.net
www.AllAboutBrewing.com
San Diego County's newest full-service home brew and wine supply store. Ongoing free beer brewing demonstrations, both malt extract and all-grain.

Bear Valley Hydroponics & Homebrewing
17455 Bear Valley Rd.
Hesperia 92345
(760) 949-3400 fax: (760) 948-6725
www.bvhydro.com
info@bvhydro.com
Excellent customer service and selection whether you grow or brew your own or both. Open 7 days a week.

The Beverage People
1845 Piner Road, Suite D
Santa Rosa 1-800-544-1867
www.thebeveragepeople.com
Fast Shipping, Great Service, Cheesemaking too!

Brew Ferment Distill
3527 Broadway, Suite A
Sacramento 95817
(916) 476-5034
tim@brewfermentdistill.com
www.brewfermentdistill.com
"Promoting the Slow Drink Movement, One Bottle at a Time." Stop in for all your brewing needs.

Culver City Home Brewing Supply
4358 1/2 Sepulveda Blvd.
Culver City 90230
(310) 397-3453
www.brewsupply.com
Full supply of extracts, malts & hops. Personal service you can't get online.

Doc's Cellar
855 Capitolio Way, Ste. #2
San Luis Obispo
(805) 781-9974
www.docscellar.com

Fermentation Solutions
2507 Winchester Blvd.
Campbell 95008
(408) 871-1400
www.fermentationsolutions.com
Full line of ingredients and equipment for beer, wine, cheese, mead, soda, vinegar and more!

Hop Tech Home Brewing Supplies
6398 Dougherty Rd. Ste #7
Dublin 94568 1-800-DRY-HOPS
www.hoptech.com
Owned by people who are passionate about beer! Visit our online store or stop by to find only fresh ingredients & top-quality equipment. We carry a large selection for beer & wine making.

MoreBeer!
995 Detroit Ave., Unit G
Concord 94518
(925) 771-7107 fax: (925) 671-4978
concordshowroom@moreflavor.com
www.morebeer.com
Showrooms also in Los Altos and Riverside.

Murrieta Homebrew Emporium
38750 Sky Canyon Dr., Ste A
Murrieta 92563
(951) 600-0008
toll-free: 888-502-BEER
www.murrietahomebrew.com
Riverside County's Newest Full Serve Homebrew and Wine Making Supply Store! Taking orders online now! Free shipping on orders over $100. Free monthly demonstrations.

NorCal Brewing Solutions
1768 Churn Creek Rd.
Redding 96002
(530) 243-BEER (2337)
www.norcalbrewingsolutions.com
Full line of beer supplies, hardware and custom made equipment including the world famous "Jaybird" family of false bottoms.

Original Home Brew Outlet
5528 Auburn Blvd., #1
Sacramento
(916) 348-6322
Check us out on the Web at www.ehomebrew.com

O'Shea Brewing Company
28142 Camino Capistrano
Laguna Niguel
(949) 364-4440
www.osheabrewing.com
Southern California's Oldest & Largest Homebrew Store! Large inventory of hard to find bottled & kegged beer.

Stein Fillers
4160 Norse Way
Long Beach 90808
(562) 425-0588
www.steinfillers.com
brew@steinfillers.com
Your complete Homebrew Store, serving the community since 1994. Home of the Long Beach Homebrewers.

COLORADO

Beer and Wine at Home
1325 W. 121st. Ave.
Westminster
(720) 872-9463
www.beerathome.com

Beer at Home
4393 South Broadway
Englewood
(303) 789-3676 or
1-800-789-3677
www.beerathome.com
Since 1994, Denver Area's Oldest Homebrew Shop. Come See Why.

HOMEBREW DIRECTORY

The Brew Hut
15120 East Hampden Ave.
Aurora
1-800-730-9336
www.thebrewhut.com
Beer, Wine, Mead, Soda, Cheese, Draft & CO_2 refills — WE HAVE IT ALL!

Hop To It Homebrew
2900 Valmont Rd., Unit D-2
Boulder 80301
(303) 444-8888
fax: (303) 444-1752
www.hoptoithomebrew.com
Because Making It Is Almost As Fun As Drinking It!

Hops and Berries
125 Remington St.
Fort Collins 80524
(970) 493-2484
www.hopsandberries.com
Shop at our store in Old Town Fort Collins or on the web for all your homebrew and winemaking needs. Next door to Equinox Brewing!

Lil' Ole' Winemaker
516 Main Street
Grand Junction 81501
(970) 242-3754
Serving Colorado & Utah brewers since 1978

Stomp Them Grapes! LLC
4731 Lipan St.
Denver 80211
(303) 433-6552
www.stompthemgrapes.com
We've moved! Now 4,000 additional sq. ft. for MORE ingredients, MORE equipment, MORE kegging supplies & MORE classes to serve you even better!

Wine or Wort Home Brew Supply
150 Cooley Mesa Rd.
(next to Costco)
Gypsum 81637
970.524.BEER (2337)
www.wineorwort.com
Beer and Wine making supplies for the novice to the advanced brewer.

CONNECTICUT

Beer & Wine Makers Warehouse
290 Murphy Road
Hartford 06114
(860) 247-BWMW (2969)
e-mail: bwmwct@cs.com
www.bwmwct.com
Area's largest selection of beer & winemaking supplies. Visit our 3000 sq ft facility with demo area, grain crushing and free beer & wine making classes with equipment kits.

Brew & Wine Hobby
Now Full Service!
Area's widest selection of beer making supplies, kits & equipment
98C Pitkin Street
East Hartford 06108
(860) 528-0592 or
Out of State: 1-800-352-4238
info@brew-wine.com
www.brew-wine.com
Always fresh ingredients in stock! We now have a Pick Your Own grain room!

Maltose Express
246 Main St. (Route 25)
Monroe 06468
In CT.: (203) 452-7332
Out of State: 1-800-MALTOSE
www.maltose.com
Connecticut's largest homebrew & winemaking supply store. Buy supplies from the authors of "CLONEBREWS 2nd edition" and "BEER CAPTURED"! Top-quality service since 1990.

Rob's Home Brew Supply
1 New London Rd, Unit #9
Junction Rte 82 & 85
Salem 06420
(860) 859-3990
robshomebrew@sbcglobal.net
www.robshomebrew.com

Stomp N Crush
140 Killingworth Turnpike (Rt 81)
Clinton 06413
(860) 552-4634
www.stompncrush.com
email: info@stompncrush.com
Southern CT's only homebrew supply store, carrying a full line of Beer & Wine making supplies and kits.

DELAWARE

How Do You Brew?
Shoppes at Louviers
203 Louviers Drive
Newark 19711
(302) 738-7009
fax: (302) 738-5651
joe@howdoyoubrew.com
www.howdoyoubrew.com
Quality Supplies and Ingredients for the Home Brewer including: Beer, Wine, Mead, Soft Drink and Kegging. One of the Mid-Atlantic's largest and best-stocked Brew Stores!

Xtreme Brewing
18501 Stamper Dr. (Rte 9)
Lewes
(302) 684-8936
fax: (302) 934-1701
www.xtremebrewing.com
contact@xtremebrewing.com
Make your own great beer or wine.

FLORIDA

AJ's Beer City & Homebrew Supplies
221 Center St.
Jupiter 33458
(561) 575-2337
www.ajsbeercitybuzz.com
South Florida's Newest Homebrew Supply Store!

Beer and Winemaker's Pantry
9200 66th St. North
Pinellas Park 33782
(727) 546-9117
www.beerandwinemaking.com
Complete line of Wine & Beer making supplies and ingredients. Huge selection, Mail orders, Great service. Since 1973.

BrewBox Miami
8831 SW 129th Street
Miami 33176
(305) 762-2859
www.brewboxmiami.com
A full-service homebrew supply shop, offering free classes every Saturday morning. We also carry a full range of hops, grains, extracts and yeast, as well as homebrewing equipment.

BX Beer Depot
2964 2nd Ave. N.
Lake Worth 33461
(561) 965-9494
www.bxbeerdepot.com
South Florida's Full Service Home Brew Shop. We supply craft beer, kegging equipment, fill CO_2 on site, homebrew supplies & ingredients, classes every month and also have an online store with next day delivery in Florida.

Just BREW It
Beer and Wine making Supplies
Two locations serving the First Coast
2670-1 Rosselle St.
Jacksonville 32204
(904) 381-1983
www.justbrewitjax.com
Second location serving Jacksonville Beach on North 3rd St.

Southern Homebrew
634 N. Dixie Freeway
New Smyrna Beach 32168
(386) 409-9100
info@SouthernHomebrew.com
www.SouthernHomebrew.com
Largest store in Florida! Complete inventory of beer & wine making supplies at money saving prices.

GEORGIA

Barley & Vine
1445 Rock Quarry Rd., Ste #204
Stockbridge 30281 (770) 507-5998
www.BarleyNvine.com
Award winning brewers serving all of your brewing (and winemaking) needs with the best stocked brew shop in Metro Atlanta! Our friendly, knowledgeable staff will help you with your first batch or help design your next perfect brew. Located just 1/2 mile off I-75, exit 224, just minutes from the ATL airport. $6.99 Flat Rate Shipping. Same day shipping on most orders.

Brew Depot - Home of Beer Necessities
10595 Old Alabama Rd. Connector
Alpharetta 30022
(770) 645-1777 fax:(678) 585-0837
877-450-BEER (Toll Free)
e-mail: beernec@aol.com
www.BeerNecessities.com
Georgia's Largest Brewing Supply Store. Providing supplies for all of your Beer & Wine needs. Complete line of draft dispensing equipment, CO_2 and hard to find keg parts. Award winning Brewer on staff with Beginning and Advanced Brew Classes available. Call or email to enroll. www.Brew-Depot.com

Brewmasters Warehouse
2145 Roswell Rd., Suite 320
Marietta 30062
(877) 973-0072 fax: (800) 854-1958
info@brewmasterswarehouse.com
www.brewmasterswarehouse.com
Low Prices & Flat Rate Shipping!

Just Brew It!
1924 Hwy 85
Jonesboro 30238
1-888-719-4645
www.aardvarkbrewing.com
Atlanta's favorite homebrew shop since 1993. Great prices with the most complete line of ingredients and kegging supplies in the region. Just 8 miles south of the perimeter on Georgia hwy 85.

Savannah Home Brew Shop
2102 Skidaway Rd. (at 37th St.)
Savannah 31404 (912) 201-9880
email: savhomebrew@hotmail.com
savannahbrewers.com
Full service store offering one on one service. Call or email orders in advance for quicker service. Call/email for store hours. Check us out on facebook.

Wine Craft of Atlanta
5920 Roswell Rd., C-205
Atlanta 30328
(404) 252-5606
www.winecraftatl.com
winecraftatl@bellsouth.net

HAWAII

HomeBrew in Paradise
2646-B Kilihau St.
Honolulu 96819
(808) 834-BREW
mike@homebrewinparadise.com
www.homebrewinparadise.com
The Best Homebrew Supply Store in Hawaii

IDAHO

HomeBrewStuff.com
9165 W. Chinden Blvd., Ste 103
Garden City 83714
(208) 375-2559
www.homebrewstuff.com
"All the Stuff to Brew, For Less!" Visit us on the web or at our new Retail Store!

ILLINOIS

Bev Art Brewer & Winemaker Supply
10033 S. Western Ave.
Chicago
(773) 233-7579
email: bevart@bevart.com
www.bev-art.com
Mead supplies, grains, liquid yeast and beer making classes on premise.

Brew & Grow (Bolingbrook)
181 W. Crossroads Pkwy., Ste A
Bolingbrook 60440
(630) 771-1410
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Chicago)
3625 N. Kedzie Ave.
Chicago 60618
(773) 463-7430
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Chicago West Loop)
19 S. Morgan St.
Chicago 60607
(312) 243-0005
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Crystal Lake)
176 W. Terra Cotta Ave., Ste. A
Crystal Lake 60014
(815) 301-4950
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Rockford)
3224 S. Alpine Rd.
Rockford 61109
(815) 874-5700
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Roselle)
359 W. Irving Park Rd.
Roselle 60172 (630) 894-4885
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Chicagoland Winemakers Inc.
689 West North Ave.
Elmhurst 60126
Phone: 1-800-226-BREW
info@chicagolandwinemakers.com
www.chicagolandwinemakers.com
Full line of beer & wine making supplies.

Crystal Lake Health Food Store
25 E. Crystal Lake Ave.
Crystal Lake (815) 459-7942
Upstairs brew shop - Complete selection incl. Honey, Maple Syrup & unusual grains & herbs.

Home Brew Shop LTD
225 West Main Street
St. Charles 60174
(630) 377-1338
www.homebrewshopltd.com
Complete line of beer, wine & mead making supplies, varietal honey. Draft equipment specialists encompassing all kegging needs, line cleaning service, system installation. Classes offered in-store.

Perfect Brewing Supply
619 E. Park Ave.
Libertyville 60048
(847) 816-7055
info@perfectbrewingsupply.com
www.perfectbrewingsupply.com
Providing equipment and ingredients for all of your hombrewing needs, a full line of draft beer equipment and expert staff to answer your questions.

Somethings Brewn'
401 E. Main Street
Galesburg 61401 (309) 341-4118
www.somethingsbrewn.com
Midwestern Illinois' most complete beer and winemaking shop.

Weber Organic Homebrew Supply
Naperville 60565
email: service@weberorganic.com
www.weberorganic.com
Specializing in organic and sustainably grown brewing ingredients. Visit us online.

INDIANA

The Brewer's Art Supply
1425 N. Wells Street
Fort Wayne 46808
(260) 426-7399
brewersartsupply@gmail.com
www.brewingart.com
Friendly, Reliable service in house and on-line.

Butler Winery Inc.
1022 N. College Ave.
Bloomington 47404
(812) 339-7233
e-mail: intown@butlerwinery.com
Southern Indiana's largest selection of homebrewing and winemaking supplies. Excellent customer service. Open daily or if you prefer, shop online at: butlerwinery.com

Great Fermentations of Indiana
5127 E. 65th St.
Indianapolis 46220
(317) 257-WINE (9463)
Toll-Free 1-888-463-2739
www.greatfermentations.com
Extensive lines of yeast, hops, grain and draft supplies.

Kennywood Brewing Supply & Winemaking
3 North Court Street
Crown Point 46307
(219) 662-1800
kennywood@comcast.net
www.kennywoodbrew.com
A Minute Ride from I-65, take exit 249 turn West to Main St. Knowledgeable Staff to serve you. Come visit us, we talk beer. Open Tu-Fr 11:30am - 7pm, Sat 9am-4pm.

Quality Wine and Ale Supply
Store: 108 S. Elkhart Ave.
Mail: 530 E. Lexington Ave. #115
Elkhart 46516
Phone (574) 295-9975
E-mail: info@homebrewit.com
Online: www.homebrewit.com
Quality wine & beer making supplies for home brewers and vintners. Secure online ordering. Fast shipping. Expert advice. Fully stocked retail store.

Superior Ag Co-op
5015 N. St. Joseph Ave.
Evansville 47720
1-800-398-9214 or
(812) 423-6481
CoopCountryCorner@insightBB.com
Beer & Wine. Brew supplier for Southern Indiana.

IOWA

Beer Crazy
3908 N.W. Urbandale Dr./100 St.
Des Moines 50322
(515) 331-0587
www.gobeercrazy.com
We carry specialty beer, and a full-line of beer & winemaking supplies!

Bluff Street Brew Haus
372 Bluff Street
Dubuque
(563) 582-5420
jerry@bluffbrewhaus.com
www.bluffbrewhaus.com
Complete line of wine & beermaking supplies.

KANSAS

Bacchus & Barleycorn Ltd.
6633 Nieman Road
Shawnee 66203
(913) 962-2501
www.bacchus-barleycorn.com
Your one stop home fermentation shop!

Homebrew Pro Shoppe, Inc.
2061 E. Santa Fe
Olathe
(913) 768-1090 or
Toll Free: 1-866-BYO-BREW
Secure online ordering: www.homebrewproshoppe.com

KENTUCKY

My Old Kentucky Homebrew
1437 Story Ave.
Louisville 40204
(502) 589-3434
www.myoldkentuckyhomebrew.com
Beer & Wine supplies done right. Stop by and see for yourself.

Winemakers & Beermakers Supply
9475 Westport Rd.
Louisville 40241
(502) 425-1692
www.winebeersupply.com
Complete Beermaking & Winemaking Supplies. Premium Malt from Briess & Muntons. Superior Grade of Wine Juices. Family Owned Store Since 1972.

HOMEBREW DIRECTORY

LOUISIANA

Brewstock
3800 Dryades St.
New Orleans 70115
(504) 208-2788
www.brewstock.com
e-mail: aaron@brewstock.com
The Largest Selection of Homebrewing Supplies in Louisiana!

MAINE

Maine Brewing Supply
542 Forest Ave.
Portland (207) 791-BREW (2739)
www.BrewBrewBrew.com
From beginner to expert, we are your one stop shop for all your brewing supplies. Friendly and informative personal service. Conveniently located next to The Great Lost Bear.

MARYLAND

Annapolis Home Brew
836 Ritchie Hwy., Suite 19
Severna Park 21146
(800) 279-7556 fax: (410) 975-0931
www.annapolishomebrew.com
Friendly and informative personal service; Online ordering.

Cheers!
1324 South Salisbury Blvd.
Salisbury 21801
(410) 742-8199 fax: (410) 860-4771
We sell Beer, Wine, Cigars and Supplies for the Home Brewer and Home Vintner!

The Flying Barrel
1781 North Market St.
Frederick
(301) 663-4491 fax: (301) 663-6195
www.flyingbarrel.com
Maryland's 1st Brew-On-Premise; winemaking and homebrewing supplies!

Maryland Homebrew
6770 Oak Hall Lane, #108
Columbia 21045
1-888-BREWNOW
www.mdhb.com
6,750 square feet of all your beer, wine & cheesemaking needs. We ship UPS daily.

MASSACHUSETTS

Beer and Wine Hobby, Inc.
155 New Boston St., Unit T
Woburn 01801
1-800-523-5423
e-mail: shop@beer-wine.com
Web site: www.beer-wine.com
Brew on YOUR Premise™
One stop shopping for the most discriminating beginner & advanced beer & wine crafter.

Modern Homebrew Emporium
2304 Massachusetts Ave.
Cambridge 02140
(617) 498-0400
fax: (617) 498-0444
www.modernbrewer.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1991.

NFG Homebrew Supplies
72 Summer St.
Leominster
(978) 840-1955
Toll Free: 1-866-559-1955
www.nfghomebrew.com
nfghomebrew@verizon.net
Great prices! Personalized service! Secure on-line ordering.

South Weymouth Homebrew Emporium
58 Randolph Street
South Weymouth
1-800-462-7397
www.beerbrew.com
Visit 7,000 square feet of space devoted to the freshest supplies and equipment to make beer, wine, cheese, and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week.

Strange Brew Beer & Winemaking Supplies
416 Boston Post Rd. E. (Rt. 20)
Marlboro
1-888-BREWING
e-mail: dash@Home-Brew.com
Website: www.Home-Brew.com
We put the dash back in Home-Brew!

West Boylston Homebrew Emporium
Causeway Mall, Rt. 12
West Boylston
(508) 835-3374
www.wbhomebrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1999.

The Witches Brew, Inc.
12 Maple Ave.
Foxborough 02035
(508) 543-0433
steve@thewitchesbrew.com
www.thewitchesbrew.com
You've Got the Notion, We've Got the Potion

MICHIGAN

Adventures in Homebrewing
6071 Jackson Rd.
Ann Arbor 48103
(313) 277-BREW (2739)
Michigan's Largest Supplier of Brewing Equipment & Ingredients
Visit us at
www.homebrewing.org

Adventures in Homebrewing
23869 Van Born Rd.
Taylor 48180
(313) 277-BREW (2739)
Full Line of Kegging Supplies!
Visit us at
www.homebrewing.org

Bell's General Store
355 E. Kalamazoo Ave.
Kalamazoo 49007
(269) 382-5712
www.bellsbeer.com
Visit us next door to Bell's Eccentric Café or online at www.bellsbeer.com

Brewers Edge Homebrew Supply, LLC
650 Riley Street, Suite E
Holland 49424
(616) 399-0017
www.brewersedgehomebrew.com
email: brewersedge@gmail.com
Your Local Homebrewing & Winemaking Supply Shop...get the Edge!

Brew Gadgets
Store: 328 S. Lincoln Ave.
Mail: PO Box 125
Lakeview 48850
Online: www.BrewGadgets.com
E-mail: edw@BrewGadgets.com
Call us on our Dime @
(866) 591-8247
Quality beer and wine making supplies. Secure online ordering and retail store. Great! Prices and personalized service.

Brewingworld
5919 Chicago Rd.
Warren 48092
(586) 264-2351
Brew on Premise, Microbrewery, Homebrewing & Winemaking Supplies
www.brewingworld.com
www.kbrewery.com

Cap 'n' Cork Homebrew Supplies
16812 - 21 Mile Road
Macomb Twp.
(586) 286-5202
fax: (586) 286-5133
info@capncorkhomebrew.com
www.capncorkhomebrew.com
Wyeast, White Labs, Hops & Bulk Grains!

Hopman's Beer & Winemaking Supplies
4690 W. Walton Blvd.
Waterford 48329
(248) 674-4677
www.hopmanssupply.com
All your needs from brew to bottle and then some.

The Red Salamander
902 E. Saginaw Hwy.
Grand Ledge 48837
(517) 627-2012
www.theredsalamander.com
Check us out on Facebook!

Siciliano's Market
2840 Lake Michigan Dr. N.W.
Grand Rapids 49504
(616) 453-9674 fax: (616) 453-9687
e-mail: sici@sbcglobal.net
www.sicilianosmkt.com
The largest selection of beer and wine making supplies in west Michigan. Now selling beer & wine making supplies online.

thingsBEER
1093 Highview Dr.
Webberville 48892
1-866-521-2337 fax: (517) 521-3229
thingsbeer@michiganbrewing.com
www.thingsbeer.com
Your Full-Service Homebrew Shop With A Home Town Feel!

MINNESOTA

Midwest Homebrewing & Winemaking Supplies
5825 Excelsior Blvd.
Minneapolis 55416
1-888-449-2739
www.MidwestSupplies.com
The Ultimate Resource for Homebrewing & Winemaking

Northern Brewer
6021 Lyndale Ave. South
Minneapolis 55419
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Northern Brewer
1150 Grand Ave.
St. Paul 55105
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Still-H_2O, Inc.
14375 N. 60th St.
Stillwater 55082
(651) 351-2822
www.still-h2o.com
Our grains, hops and yeast are on a mission to make your beer better! Wine and soda making ingredients and supplies available too. Locally owned/Family operated.

MISSOURI

The Home Brewery
1967 W. Boat St. (P.O. Box 730)
Ozark 65721
1-800-321-BREW (2739)
brewery@homebrewery.com
www.homebrewery.com
Over 25 years of great products and great customer service. One Stop Shopping for all your Beer, Wine, Soda and Cheese Making Supplies.

Homebrew Supply of Southeast Missouri, LLC
3463 State Hwy FF
Jackson 63755
(573) 579-9398
www.homebrewsupply.biz
homebrewsupply@gmail.com
Hour: W-F 5:00pm - 6:30pm Saturday 9:00am - 3:00pm or By Appointment.

St Louis Wine & Beermaking LLC
231 Lamp & Lantern Village
St. Louis 63017
1-888-622-WINE (9463)
www.wineandbeermaking.com
Making the Buzz in St. Louis

NEBRASKA

Fermenter's Supply & Equipment
8410 'K' Plaza, Suite #10
Omaha 68127
(402) 593-9171
e-mail: FSE@tconl.com
www.fermenterssupply.com
Beer & winemaking supplies since 1971. Same day shipping on most orders.

Kirk's Do-It-Yourself Brew
1150 Cornhusker Hwy.
Lincoln 68521
(402) 476-7414
fax: (402) 476-9242
www.kirksbrew.com
e-mail: kirk@kirksbrew.com
Serving Beer and Winemakers since 1993!

NEVADA

U Bottle It
2230 West Horizon Ridge Pkwy., Suite 100
Henderson 89052
(702) 565-5040
info@ubottleit.com
www.ubottleit.com
Come on in and see Southern Nevada's newest homebrew store with a wide selection of beer & wine supplies. Like us on Facebook!
www.facebook.com/ubottleit

NEW HAMPSHIRE

Fermentation Station
72 Main St.
Meredith 03253
(603) 279-4028
badabingnh@yahoo.com
www.2ferment.net
The Lake Region's Largest Homebrew Supply Shop!

Kettle to Keg
123 Main Street
Pembroke 03275
(603) 485-2054
www.kettletokeg.com
NH's largest selection of homebrewing, winemaking and soda ingredients, supplies & equipment. Located conveniently between Concord and Manchester.

Smoke N Barley
485 Laconia Rd.
Tilton 03276
(603) 524-5004
fax: (603) 524-2854
SmokeNBarley.com
smokenbarley@metrocast.net
Mention This Listing For 10% Off Any Brewing Supplies Purchase.

Yeastern Homebrew Supply
455 Central Ave.
Dover 03820
(603) 343-2956
www.yeasternhomebrewsupply.com
info@yeasternhomebrewsupply.com
Southeastern NH's source for all your homebrewing needs.

NEW JERSEY

The Brewer's Apprentice
856 Route 33
Freehold 07728
(732) 863-9411
www.brewapp.com
Online Homebrew Shopping.

Cask & Kettle Homebrew
904-B Main St.
Boonton 07005
(973) 917-4340
www.ckhomebrew.com
email: info@ckhomebrew.com
New Jersey's #1 place for the homebrew hobbyist. Local convenience at online prices. Plenty of extra parking and entrance in rear of building.

Corrado's Wine & Beer Making Center
600 Getty Ave.
Clifton 07011
(973) 340-0848
www.corradosmarket.com

Tap It Homebrew Supply Shop
144 Philadelphia Ave.
Egg Harbor 08215
(609) 593-3697
www.tapithomebrew.com
contact@tapithomebrew.com
From beginners to experienced all-grain brewers, Southeastern NJ's only homebrew, wine & soda making supply shop!

NEW MEXICO

The Grain Hopper
4116 Jackie Rd., Suite 104
Rio Rancho 87124
customerservice@thegrainhopper.com
www.thegrainhopper.com
Great service, excellent selection, fast shipping!

Southwest Grape & Grain
9450-D Candelaria NE
Albuquerque 87112
(505) 332-BREW (2739)
www.southwestgrapeandgrain.com
For all your homebrew needs. Open 7 Days a Week.

Victor's Grape Arbor
2436 San Mateo Pl. N.E.
Albuquerque 87110
(505) 883-0000
fax: (505) 881-4230
www.victorsgrapearbor.com
email: victors@nmia.com
Serving your brewing needs since 1974. Call for a Free Catalog!

NEW YORK

American Homesteader
6167 State Hwy 12
Norwich 13815
(607) 334-9941
americanhomesteader@frontier.com
www.AmericanHomesteader.net
Very large line of beer and wine making supplies. We stock some of the more unusual supplies and equipment as well. We take phone mail orders. Please visit our online store. Hours are 10-6 Mon-Sat.

Brewshop @ Cornell's True Value
310 White Plains Rd.
Eastchester 10709
(914) 961-2400
fax: (914) 961-8443
www.brewshop.com
email: john3@cornells.com
Westchester's complete beer & wine making shop. We stock grain, yeast, kits, bottles, hops, caps, corks and more. Grain mill on premise.

Doc's Homebrew Supplies
451 Court Street
Binghamton 13904
(607) 722-2476
www.docsbrew.com
Full-service beer & wine making shop serving NY's Southern Tier & PA's Northern Tier since 1991. Extensive line of kits, extracts, grains, supplies and equipment.

Homebrew Emporium
470 N. Greenbush Rd.
Rensselaer 12144 (800) 462-7397
www.beerbrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1988.

Mistucky Creek Co.
331 Rt 94 S.
Warwick 10990
(845) 988-HOPS fax: (845) 987-2127
www.mistuckycreek.com
email: mistuckycreek@yahoo.com
Come visit us @ Mistucky Creek. Homebrew & Wine making supplies & equipment. Check out our Country Gift store too!

Niagara Tradition Homebrewing Supplies
1296 Sheridan Drive
Buffalo 14217
(800) 283-4418 fax: (716) 877-6274
On-line ordering. Next-day service. Huge Inventory.
www.nthomebrew.com

Pantano's Wine Grapes & Homebrew
249 Rte 32 S.
New Paltz 12561
(845) 255-5201 (845) 706-5152 (cell)
www.pantanosbeerwine.com
pantanowineandbeer@yahoo.com
Find Us On Facebook.
Carrying a full line of homebrewing equipment & ingredients for all your brewing needs. Here to serve Hudson Valley's homebrewers.

Party Creations
345 Rokeby Rd.
Red Hook 12571
(845) 758-0661
www.partycreations.net
Everything for making beer and wine.

Saratoga Zymurgist
112 Excelsior Ave.
Saratoga Springs 12866
(518) 580-9785
email: oosb@verizon.net
www.SaratogaZ.com
Now serving Adirondack Park, lower Vermont and Saratoga Springs area with supplies for beer and wine making. "Home to all your fermentation needs"

HOMEBREW DIRECTORY

NORTH CAROLINA

Alternative Beverage
1500 River Dr., Ste. 104
Belmont 28012
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
37 years serving all home brewers' & winemakers' needs! Come visit for a real Homebrew Super Store experience!

American Brewmaster
3021-5 Stonybrook Dr.
Raleigh 27604
(919) 850-0095
www.americanbrewmaster.com
abrew@americanbrewmaster.com
Expert staff. Friendly service. We make brewing FUN! Serving the best ingredients since 1983. Now open Brewmasters Bar & Grill on W. Martin St.

Asheville Brewers Supply
712-B Merrimon Ave
Asheville 28804
(828) 285-0515
www.ashevillebrewers.com
The South's Finest Since 1994!

Beer & Wine Hobbies, Int'l
4450 South Blvd.
Charlotte 28209
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
Large inventory, homebrewed beer making systems, quality equipment, fresh ingredients, expert advice, fast service and all at reasonable prices.

Beer & Wine Hobbies, Int'l
168-S Norman Station Blvd.
Mooresville 28117
Voice Line: (704) 527-2337
Fax Line: (704) 522-6427
www.ebrew.com
Large inventory, over 150 recipe packages, home brewing and wine making systems, quality equipment, fresh ingredients, expert advice, and reasonable prices.

Brewers Discount
Greenville 27837
(252) 758-5967
sales@brewersdiscount.net
www.brewersdiscount.net
Lowest prices on the web!

OHIO

The Grape and Granary
915 Home Ave.
Akron 44310
(800) 695-9870
www.grapeandgranary.com
Complete Brewing & Winemaking Store.

Home Brew Ohio
3708 Columbus Ave. #6
Sandusky 44870
(419) 502-9019
www.homebrewohio.com
email: mike@homebrewohio.com
Offering a full range of homebrew supplies.

The Hops Shack
1687 Marion Rd.
Bucyrus 44820
(419) 617-7770
www.hopsshack.com
Your One-Stop Hops Shop!

Label Peelers Beer & Wine Making Supplies
137 East Ave., Suite 34
Tallmadge 44278
Toll Free: (877) 752-9997
(330) 677-1687 fax: (330) 678-6400
info@labelpeelers.com
www.labelpeelers.com
Specializing in winemaking / homebrew supplies & equipment. Free monthly classes.

Listermann Mfg. Co.
1621 Dana Ave.
Cincinnati 45207
(513) 731-1130 fax: (513) 731-3938
www.listermann.com
Beer, wine and cheesemaking equipment and supplies.

Main Squeeze
229 Xenia Ave.
Yellow Springs 45387
(937) 767-1607
www.mainsqueezeonline.com
Award Winning Brewers helping all Brewers!

Miami Valley BrewTensils
2617 South Smithville Rd.
Dayton 45420
(937) 252-4724
www.brewtensils.com
email: darren@schwartzbeer.com
Next door to Belmont Party Supply. Redesigned online store @ www.brewtensils.com. All your beer, wine & cheese supplies.

Paradise Brewing Supplies
7766 Beechmont Ave.
Cincinnati (513) 232-7271
www.paradisebrewingsupplies.com
Mention This Ad And Get a Cool Prize. The Brew Dogz Are Waiting to See You!

Shrivers Pharmacy
406 Brighton Blvd.
Zanesville 43701
1-800-845-0560
fax: (740) 452-1874
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Titgemeier's Inc.
701 Western Ave.
Toledo 43609
(419) 243-3731
fax: (419) 243-2097
e-mail: titgemeiers@hotmail.com
www.titgemeiers.com
An empty fermenter is a lost opportunity – Order Today!

OKLAHOMA

The Brew Shop
3624 N. Pennsylvania Ave.
Oklahoma City 73112
(405) 528-5193
brewshop@juno.com
www.thebrewshopokc.com
Oklahoma City's premier supplier of home brewing and wine making supplies. Serving homebrewers for over 15 years! We ship nationwide.

High Gravity
7164 S. Memorial Drive
Tulsa 74133
(918) 461-2605
store@highgravitybrew.com
www.highgravitybrew.com
Build your own beer from one convenient page! No Fine Print $9.99 flat rate shipping on everything in our store.

Learn to Brew, LLC
2307 South Interstate 35 Frontage Rd.
Moore 73160
(405) 793-BEER (2337)
info@learntobrew.com
www.learntobrew.com
Learn To Brew is run by a professionally trained brewer and offers a complete line of beer, wine, and draft dispense products and equipment and also offers beer and wine classes for all levels.

OREGON

Above the Rest Homebrewing Supplies
11945 SW Pacific Hwy, Ste. #235
Tigard 97223
(503) 968-2736
fax: (503) 639-8265
atr.homebrewing@gmail.com
www.abovetheresthomebrewing.com
Serving Beer & Wine Makers since 1993.

Brew Brothers Homebrew Products, LLC
2020 NW Aloclek Dr., Ste 104
Hillsboro (Aloha area) 97124
Toll-free: (888) 528-8443
info@brewbrothers.biz
www.brewbrothers.biz
Pay less, brew more! Hugest selection of grain, anywhere. "Come join the family!!!"

F.H. Steinbart Co.
234 SE 12th Ave
Portland 97214
(503) 232-8793
fax: (503) 238-1649
e-mail: info@fhsteinbart.com
www.fhsteinbart.com
Brewing and Wine making supplies since 1918!

Falling Sky Brewshop (formerly Valley Vintner & Brewer)
30 East 13th Ave.
Eugene 97401
(541) 484-3322
www.brewabeer.com
email: ordering@brewabeer.com
Oregon's premier, full-service homebrew shop, featuring unmatched selection of whole hops and organically grown ingredients.

Grains Beans & Things
820 Crater Lake Ave., Suite 113
Medford 97504
(541) 499-6777
www.grains-n-beans.com
email: sales@grains-n-beans.com
Largest homebrew and winemaking supplier in Southern Oregon. We feature Wine, Beer, Mead, Soda and Cheese making supplies and equipment. Home coffee roasting supplies and green coffee beans from around the world. Best of all - Great Customer Service!

The Hoppy Brewer
328 North Main
Gresham 97030
(503) 328-8474
thehoppybrewer@gmail.com
OregonsHoppyPlace.com
Homebrewing Supplies, Draft Equipment, Bottle Shop & Tap Room.

Mainbrew
23596 NW Clara Lane
Hillsboro 97124
(503) 648-4254
www.mainbrew.com
Since 1991 providing excellent customer service and serving only top quality ingredients!

The Thyme Garden Herb Company
20546 Alsea Highway
Alsea 97324
1-800-487-8670
Visit us at: www.thymegarden.com
Email: herbs@thymegarden.com
Growing organic hop rhizomes and rooted cuttings for 22 years. Over 20 varieties of hop rhizomes, extra large and rooted rhizomes. Wholesale by phone only. Also dried cones and pellets.

PENNSYLVANIA

Bald Eagle Brewing Co.
315 Chestnut St.
Mifflinburg 17844
(570) 966-3156
fax: (570) 966-6827
tsweet@baldeaglebrewingco.com
www.baldeaglebrewingco.com
Novice, we will help. Experienced, we have what you need. Very competitive prices, customer service oriented. Daily hours closed Sunday.

Beer Solutions
507 Blackman St.
Wilkes-Barre 18702
(570) 825-5509
email: sacz@ptd.net
www.beersolutionsinc.com
Complete line of supplies. We specialize in kegging equipment with kegs, parts & we fill CO_2 & Nitrogen tanks. 3 Blocks from Rt. I-81.

Country Wines
3333 Babcock Blvd., Suite 2
Pittsburgh 15237
(412) 366-0151 or
Orders toll free (866) 880-7404
www.countrywines.com
Manufacturer of Super Ferment® complete yeast nutrient/energizer, Yeast Bank®, and the Country Wines Acid test kit. Wholesale inquiries invited. Visit us or order online.

Homebrew4Less.com
890 Lincoln Way West (RT 30)
Chambersburg 17202
(717) 504-8534
www.Homebrew4Less.com
Full line of homebrew and wine supplies and equipment.

Keystone Homebrew Supply
599 Main St.
Bethlehem 18018
(610) 997-0911
sales@keystonehomebrew.com
www.keystonehomebrew.com
Your source for everything beer and wine!

Keystone Homebrew Supply
435 Doylestown Rd.
Montgomeryville 18936
(215) 855-0100
sales@keystonehomebrew.com
24,000 sq. ft. of Fermentation Fun
www.keystonehomebrew.com

Lancaster Homebrew
1944 Lincoln Highway E
Lancaster 17602
(717) 517-8785
www.lancasterhomebrew.com
info@lancasterhomebrew.com
Your source for all your beer brewing and wine making needs!

Mr. Steve's Homebrew Supplies
3043 Columbia Ave.
Lancaster 17603
(717) 397-4818
www.mrsteves.com
email: mrsteve@mrsteves.com
Celebrating 17 years of friendly knowledgeable service!

Mr. Steve's Homebrew Supplies
2944 Whiteford Rd., Suite 5
York 17402
(717) 751-2255 or
1-800-815-9599
www.mrsteves.com
email: mrsteve@mrsteves.com
Celebrating 17 years of friendly knowledgeable service!

Porter House Brew Shop, LLC
1284 Perry Highway
Portersville 16051
(just north of Pittsburgh)
(724) 368-9771
www.porterhousebrewshop.com
Offering home-town customer service and quality products at a fair price. Large selection of home brewing, winemaking and kegging supplies. Now offering Winexpert Kits!

Ruffled Wine & Brewing Supplies
616 Allegheny River Blvd.
Oakmont 15139
(412) 828-7412
www.ruffledhomebrewing.com
Carrying a full line of quality kits, grains, hops, yeast & equipment. Also serving all your winemaking needs. Stop by or check us out online. Gift Cards Available!

Scotzin Brothers
65 N. Fifth St.
Lemoyne 17043
(717) 737-0483 or
1-800-791-1464
www.scotzinbros.com
Wed. & Sat. 10-5pm
Central PA's Largest IN-STORE Inventory!

South Hills Brewing - Greentree
2212 Noblestown Rd.
Pittsburgh 15205
(412) 937-0773
www.southhillsbrewing.com
Growing again to serve you better. Now stocking Spagnols wine kits and an expanded line of beer equipment. Visit our 3000 square foot showroom, or order online.

South Hills Brewing - Monroeville
2526 Mosside Blvd.
Monroeville 15146
(412) 374-1240
www.southhillsbrewing.com
Located within minutes of Interstate 376, Rt 22, and the Pennsylvania Turnpike to serve our customers east of Pittsburgh. Visit us or order online.

Weak Knee Home Brew Supply
North End Shopping Center,
1300 N. Charlotte St.
Pottstown 19464
(610) 327-1450
fax: (610) 327-1451
www.weakkneehomebrew.com
BEER and WINE making supplies, varieties of HONEY; GRAPES & JUICES in season; KEGERATORS, equipment & service; monthly classes and our unique TASTING BAR.

Windy Hill Wine Making
10998 Perry Highway
Meadville 16335
(814) 337-6871
www.windyhillwine.net
Northwest PA's beer and wine making store.
Hours: Tues - Fri 9am-6pm
Sat 9am-4pm, Closed Sun & Mon

Wine & Beer Emporium
100 Ridge Rd. #27
Chadds Ford 19317
(610) 558-BEER (2337)
winebeeremporium@aol.com
www.winebeeremporium.com
We carry a complete line of beer & winemaking supplies, honeys, cigars and more! Call for directions, please don't follow your GPS or online directions.

Wine & Beer Makers Outlet
202 South 3rd St. (Rt. 309)
Coopersburg 18036
(484) 863-1070
www.wineandbeermakersoutlet.com
info@wineandbeermakersoutlet.com
Great Beer • Great Wine • Outlet Prices

Wine Barley & Hops Homebrew Supply
248 Bustleton Pike
Feasterville 19053
(215) 322-4780
info@winebarleyandhops.com
www.winebarleyandhops.com
Your source for premium beer & wine making supplies, plus knowledgeable advice.

RHODE ISLAND

Blackstone Valley Brewing Supplies
407 Park Ave.
Woonsocket
(401) 765-3830
www.blackstonevalleybrewing.com
Quality Products and Personalized Service!

SOUTH CAROLINA

Bet-Mar Liquid Hobby Shop
736-F Saint Andrews Rd.
Columbia 29210
(803) 798-2033 or
1-800-882-7713
www.liquidhobby.com
Providing unmatched Value, Service & Quality to you for over 42 years!

Keg Cowboy
108 E. Main St.
Lexington 29072
(281) 772-2070
www.kegcowboy.com
Covering all your draft and kegging needs and wants. We also now carry homebrew supplies, CO_2 gas and organic ingredients. Visit our website or stop by our showroom in Lexington.

SOUTH DAKOTA

GoodSpirits Fine Wine & Liquor
3300 S. Minnesota Ave.
Sioux Falls 57105
(605) 339-1500
www.gsfw.com
Largest selection in South Dakota for the home brewer and winemaker. We are located in the Taylor's Pantry Building on the corner of 41st & Minnesota Ave.

TENNESSEE

All Seasons Gardening & Brewing Supply
924 8th Ave. South
Nashville 37203
1-800-790-2188
fax: (615) 214-5468
local: (615) 214-5465
www.allseasonsnashville.com
Visit Our Store or Shop Online. Nashville's Largest Homebrew Supplier!

TEXAS

Austin Homebrew Supply
9129 Metric Blvd.
Austin 78758
1-800-890-BREW or
(512) 300-BREW
www.austinhomebrew.com
Huge online catalog!

Dallas Home Brew a division of The Wine Maker's Toy Store
1300 North Interstate 35E, Ste 106
Carrollton 75006
(866) 417-1114
www.finevinewines.com
Dallas' newest full service home brew supply store.

DeFalco's Home Wine and Beer Supplies
9223 Stella Link
Houston 77025
(713) 668-9440
fax: (713) 668-8856
www.defalcos.com
Check us out on-line!

Home Brew Party
15150 Nacogdoches Rd., Ste 130
San Antonio 78247
(210) 650-9070
info@homebrewparty.com
www.homebrewparty.com
Beer and wine making classes and supplies.

Homebrew Headquarters
300 N. Coit Rd., Suite 134
Richardson 75080
(972) 234-4411 or
1-800-966-4144
www.homebrewhq.com
Proudly serving the Dallas area for 30+ years!

Pappy's HomeBrew
3334 Old Goliad Rd.
Victoria 77905
(361) 576-1077
www.Pappyshomebrew.com
Register for Monthly Drawing.

Stubby's Texas Brewing Inc.
5200 Airport Freeway, Ste. B
Haltom City 76117
(682) 647-1267
www.texasbrewinginc.com
info@texasbrewinginc.com
Your local home brew store with on-line store prices.

UTAH

The Beer Nut
1200 S. State
Salt Lake City 84111
(888) 825-4697
fax: (801) 531-8605
www.beernut.com
"Make Beer not Bombs"™

Salt City Brew Supply
750 E. Fort Union Blvd.
Midvale 84047
(801) 849-0955
www.saltcitybrewsupply.com
Salt Lake valley's newest Home Brew Supply Store that feels like it has been around for generations.

VERMONT

Brewfest Beverage Co.
199 Main St.
Ludlow 05149
(802) 228-4261
www.brewfestbeverage.com
Supplying equipment & ingredients for all your homebrewing needs. Largest selection of craft beer in the area. Growlers poured daily! "We're hoppy to serve you!"

VIRGINIA

Blue Ridge Hydroponics & Home Brewing Co.
5327 D Williamson Rd.
Roanoke 24012
(540) 265-2483
www.blueridgehydroponics.com
Hours: Mon-Sat 11am - 6pm and Sunday 10am - 2pm.

Fermentation Trap, Inc.
6420 Seminole Trail
Seminole Place Plaza #12
Barboursville 22923
(434) 985-2192
fax: (434) 985-2212
questions@fermentationtrap.com
www.fermentationtrap.com

HomeBrewUSA
96 West Mercury Blvd.
Hampton 23669
(757) 788-8001
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

HomeBrewUSA
5802 E. Virginia Beach Blvd., #115
JANAF Shopping Plaza
Norfolk 23502
1-888-459-BREW or (757) 459-2739
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

Jay's Brewing Supplies
9790 Center St.
Manassas 20110
(703) 543-2663
www.jaysbrewing.com
email: info@jaysbrewing.com
No matter if you're a novice or advanced brewer, we have what you need. Setting the standard for brewing supplies & ingredients at competitive prices.

myLHBS (my Local Home Brew Shop)
6201 Leesburg Pike #3
Falls Church (703) 241-3874
www.myLHBS.com
All the basics plus unique and hard-to-find Belgian and other specialty ingredients.

WeekEnd Brewer - Home Beer & Wine Supply
4205 West Hundred Road
Chester/Richmond area 23831
1-800-320-1456 or (804) 796-9760
beerinfo@weekendbrewer.com
www.weekendbrewer.com
LARGEST variety of malts & hops in the area!

WASHINGTON

Bader Beer & Wine Supply, Inc.
711 Grand Blvd.
Vancouver, WA 98661
1-800-596-3610
Sign up for our free e-newsletter at www.baderbrewing.com

The Beer Essentials
2624 South 112th St., #E-1
Lakewood 98499
(253) 581-4288
www.thebeeressentials.com
Mail order and secure on-line ordering available. Complete line of brewing and kegging supplies.

The Cellar Homebrew
Make your own beer & wine
14320 Greenwood Ave. N.
Seattle 98133
1-800-342-1871
FAST Reliable Service, 40 Years!
Secure ordering online
www.cellar-homebrew.com

Homebrew Heaven
9109 Evergreen Way
Everett 98204
1-800-850-BREW (2739)
fax: (425) 290-8336
info@homebrewheaven.com
www.homebrewheaven.com
Voted Best Online Web Site for Ordering

Larry's Brewing Supply
7405 S. 212th St., #103
Kent 1-800-441-2739
www.larrysbrewsupply.com
Products for Home and Craft Brewers!

Mountain Homebrew & Wine Supply
8530 122nd Ave. NE, B-2
Kirkland 98033
(425) 803-3996
info@mountainhomebrew.com
www.mountainhomebrew.com
The Northwest's premier home brewing & winemaking store!

Northwest Brewers Supply
1006 6th Street
Anacortes 98221
(800) 460-7095
www.nwbrewers.com
All Your Brewing Needs Since 1987

Sound Homebrew Supply
6505 5th Place S.
Seattle 98108
(855) 407-4156
info@soundhomebrew.com
soundhomebrew.com
Knowledgeable Staff.
Great Selection.

WISCONSIN

Brew & Grow (Madison)
3317 Agriculture Dr.
Madison 53716
(608) 226-8910
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

Brew & Grow (Waukesha)
2246 Bluemound Rd.
Waukesha 53186
(262) 717-0666
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

House of Homebrew
410 Dousman St.
Green Bay 54303
(920) 435-1007
staff@houseofhomebrew.com
www.houseofhomebrew.com
Beer, Wine, Cider, Mead, Soda, Coffee, Tea, Cheese Making.

Northern Brewer
1306 S. 108th St.
West Allis 53214
1-800-681-2739
www.northernbrewer.com
Call or Write for a FREE CATALOG!

Point Brew Supply & O'so Brewing Co.
3038 Village Park Dr.
I-39/Exit 153
Plover 54467
(715) 342-9535
marc@pointbrewsupply.com
www.pointbrewsupply.com
www.osobrewing.com
"The Feel Good Store with a team of Professional Brewers on Staff"

The Purple Foot
3167 South 92nd St.
Milwaukee 53227
(414) 327-2130
fax: (414) 327-6682
wineandbeer@purplefootusa.com
www.purplefootusa.com
Top quality wine and beer supply - Call for a FREE catalog!

WindRiver Brewing Co., Inc
861 10th Ave.
Barron 54812
1-800-266-4677
www.windriverbrew.com
FREE catalog. Fast nationwide shipping.

Wine & Hop Shop
1931 Monroe Street
Madison 53711
1-800-657-5199
www.wineandhop.com
Southern Wisconsin's largest selection of beer & winemaking supplies. 10 varieties of wine-making grapes from Mitchell Vineyard.

AUSTRALIA

VICTORIA

Grain and Grape Pty LTD.
5/280 Whitehall St.
Yarraville 3013
(03) 9687 0061
www.grainandgrape.com.au
Equipment, ingredients and advice for the beginner & expert. Full mail order service.

CANADA

BRITISH COLUMBIA

Bosagrape Winery Supplies
6908 Palm Ave.
Burnaby V5E 4E5
(604) 473-9463
www.bosagrape.com
Not only for wineries! Best selection of Beer & Wine Making Ingredients, Supplies & Equipment.

Hop Dawgs Homebrewing Supplies
Vernon (250) 275-4911
www.hopdawgs.ca
Fast mail order service for,
Brewing Equipment.
Kegging Equipment.
Malts, Hops, Yeasts.

ONTARIO

Beer Grains Supply Co.
8 Frontenac Crescent
Deep River K0J 1P0
(888) 675-6407
www.beergrains.com
info@beergrains.com
We connect Canadian home brewers with fresh brewing ingredients and home brewing supplies. Count on us to support you and your passion for brewing.

Canadian Homebrew Supplies
10 Wilkinson Rd., Unit 1
Brampton L6T 5B1
(905) 450-0191
chs-store@bellnet.ca
www.homebrew-supplies.ca
Drink a Beer, Waste an Hour.
Brew a Beer, Waste a Lifetime!
For all your homebrew supply needs and wants.

NORWAY

Bryggeland
Gjerdrumsgata 20
Lillestrøm
Tel: (+47) 63 80 38 00
www.Bryggeland.no
Alt man trenger for å lage øl og vin.
"Fra råvare til nytelse"
Butikker i Oslo og Lillestrøm.

Petit Agentur AS
7977 Hoylandet
Phone: (0047) 7432-1400
Web: petit-agentur.no
Mail: post@petit-agentur.no
Home made beer made fun!
Your best source for everything you need to brew your own Beer.


SWEDEN

Humlegårdens Ekolager AB
Fabriksvägen 5 B
SE-18632 Vallentuna
(+46) 8 514 501 20
fax: (+46) 8 514 501 21
Email: info@humle.se
Website: shop.humle.se
50+ book titles, 50+ malt types, 60+ hop varieties, 100+ yeast strains. Fast order handling and shipping to 25 countries in Europe.

SHOP OWNERS:
List your store in the Homebrew Directory
call Dave @
802-362-3981 ext 107

GOT BREWING QUESTIONS?

The Homebrewer's Answer Book



Direct from the pages of *Brew Your Own* magazine, this comprehensive collection of questions and answers from our popular "Mr. Wizard" department offers advice for both the novice and the advanced hobby homebrewer – and everyone in between!

Covering nearly every situation a homebrewer could encounter, this 432-page guide is the perfect reference for any amateur brewer. Fully indexed and organized by themes. Find answers to your questions and fixes to your problems fast.

Get Yours Today!

Available at better brewing supply retailers and bookstores

Order your copy now for just $14.95 online at
brewyourownstore.com
or by calling 802-362-3981

Brew the World's Great Beer Styles at Home!



Join beer style guru Jamil Zainasheff as he offers tips, techniques and recipes for brewing 30 of the world's greatest beer styles. Collected from his popular "Style Profile" column and fully updated! All for just $10!

This special newsstand only issue is available at better homebrew retailers or order today by calling 802-362-3981 also available online at brewyourownstore.com

Sharing A Brew

A tasty website for homebrewers

Matt Gauzza • Lancaster, Pennsylvania

By day, I'm a Web developer, and to keep my sanity at night, I homebrew. It has been around three years since I made my first batch. What I love most about homebrewing is sharing what I've created; watching as a friend or family member takes their first cautious sip of my homebrew and putting the glass down with a smile. I wanted a way to share that experience with other homebrewers, so I combined my skills to create BrewShuffle.com.

For months I scoured the Web to plan my site. I thought that the idea of the communal sharing of homebrew had to already exist. To my surprise, nothing really fully encapsulated what I was looking for. I wanted a place where homebrewers and beer geeks could come together and share our homebrew; a place where I could try that homebrew recipe I was always cautious about brewing myself.

Perhaps, invite some local homebrewers over to have a great brew day with a collective mishmash of different types of equipment and ingredients I wouldn't be able to amass on my own.

Many months later, after lots of long nights and weekends the website BrewShuffle.com was "launched." I knew it still needed some polish, but it was time to get some real feedback. Initially the hits were slow, but soon they started to pick up. A few months after its launch BrewShuffle.com is doing pretty well for a site as young as it is. Hopefully it has a very bright future and finds its place in the homebrewing community. I think it is a great place to get feedback on your beers without submitting to competitions, try a homebrew that you haven't brewed yet and learn about how ingredients affect flavors. So go forth and share your homebrew! visit us at http://brewshuffle.com. And to share a little bit of my homebrewing with you, check out my Imperial IPA:

> "I wanted a place where homebrewers and beer geeks could come together and share our homebrew . . ."



Photo Courtesy of Matt Gauzza

Matt Gauzza's Imperial IPA

(5 gallons/19 L, all-grain)

OG = 1.084 FG = 1.020
IBU = 91 SRM = 9 ABV = 8.5%

Ingredients

11 lbs. (5 kg) North American 2-row pale malt
4 lbs. (1.8 kg) Munich malt (7 °L)
2 lbs. (0.9 kg) Carapils®/dextrine malt (2 °L)
1 lb. (0.45 kg) Vienna malt (3 °L)
15 AAU Warrior hops (1 oz./28 g at 15% alpha acids) (first wort)
6.5 AAU Simcoe hops (0.5 oz./14 g at 13% alpha acids) (60 min.)
8.5 AAU Amarillo Gold hops (1 oz./28 g at 8.5% alpha acids) (15 min.)
6.5 AAU Simcoe hops (0.5 oz./14 g at 13% alpha acids) (15 min.)
8.5 AAU Amarillo Gold hops (1 oz./28 g at 8.5% alpha acids) (1 min.)
13 AAU Simcoe hops (1 oz./28 g at 13% alpha acids) (1 min.)
1 oz. (28 g) Simcoe hops 13% alpha acids (dry hop)
1 Tb. Irish Moss (15 min.)
1 package each Safale S-04 and Safale US-05 yeast

Step by Step

Mash in for 60 minutes with 5.5 gallons (21 L) of water at 164 °F (73 °C). At mash out add 3 gallons of water at 200 °F (93 °C) for 10 minutes. Fly sparge 0.5 gallons (1.9 L) of 168 °F (75 °C). Add the hops and Irish moss according to the ingredients list. Rapidly chill the wort to yeast pitching temperatures and pitch the yeast. When the primary fermentation is complete, dry hop for 7 days. BYO

WHAT'S MISSING FROM THIS PICTURE?



SUMMER IS NO TIME TO BE LOW ON HOMEBREW.

ORDER YOUR SUPPLIES TODAY!


MIDWEST SUPPLIES

HOMEBREWING & WINEMAKING

MidwestSupplies.com • 888-449-BREW (2739)

Wyeast Culture Collection

100% Pure Liquid Yeast



1007 German Ale • 1010 American Wheat • 1028 London Ale • 1056 American Ale® • 1084 Irish Ale • 1098 British Ale • 1099 Whitbread Ale • 1187 Ringwood Ale • 1214 Belgian Abbey 1272 American Ale II • 1275 Thames Valley Ale • 1318 London Ale III • 1332 Northwest Ale • 1335 British Ale II • 1388 Belgian Strong Ale • 1450 Denny's Favorite 50 • 1469 West Yorkshire Ale 1728 Scottish Ale • 1762 Belgian Abbey II • 1968 ESB Ale • 2000 Budvar Lager • 2001 Urquell Lager • 2007 Pilsen Lager • 2035 American Lager • 2042 Danish Lager • 2112 California Lager • 2124 Bohemian Lager • 2206 Bavarian Lager • 2278 Czech Pils • 2308 Munich Lager • 2565 Kolsch 2633 Octoberfest Lager Blend • 3056 Bavarian Wheat Blend • 3068 Weihenstephan Weizen • 3278 Belgian Lambic Blend • 3333 German Wheat • 3463 Forbidden Fruit • 3522 Belgian Ardennes 3638 Bavarian Wheat • 3711 French Saison • 3724 Belgian Saison • 3763 Roeselare Ale Blend 3787 Trappist High Gravity • 3942 Belgian Wheat • 3944 Belgian Witbier • 5112 Brettanomyces bruxellensis • 5335 Lactobacillus • 5526 Brettanomyces lambicus • 5733 Pediococcus

WYEAST™
LABORATORIES

Private Collection

Available July through September 2012

3191-PC Berliner-Weisse Blend • 3726-PC Farmhouse Ale • 3789-PC Trappist Blend

www.wyeastlab.com

© 2012 Wyeast Laboratories Inc.