GET FUNKY WITH WILD FERMENTATION | ADD YOUR EXTRACT LATE | BREWING UP BEER HISTORY

BrewYour Own

THE HOW-TO HOMEBREW BEER MAGAZINE

SEPTEMBER 2012, VOL.18, NO.5

FIX YOUR BEER!

A Homebrewer's Troubleshooting Guide



4 Collaboration Clones

Build a Bottle Washer

Home Beer Lab Tips

www.byo.com

$4.99US $4.99CAN

09>

0 09281 02485 9

+ Robust Porter

NORTHERN BREWER

Quality Ingredients, Supplies and Service Since 1993

800.681.BREW

EVERY DAY SHIPPING $7.99

STOCK UP FOR THE BREWING SEASON.



Visit us today to check out our wide selection of fresh ingredients, brewing equipment, and request a FREE catalog!

northernbrewer.com/byo >>>>>>>>>>

CONTENTS

September 2012 Volume 18 Number 5

36

58

46

features

26 Collaborative Clones

Brewing is better with a buddy, and commercial breweries are increasingly collaborating to release beers that combine their strengths. **Plus:** four collaborative clones.
by Glenn BurnSilver

36 Troubleshooting

Learn the most commonly encountered problems in homebrewing and how to avoid or fix them. **Plus:** a quick reference chart for more common problems.
by Justin Burnsed

46 American Wild Ales

A handful of American brewers are braving the wild world of spontaneous fermentations — letting "wild" microbes ferment their beer. We'll show you how to increase your chances of doing this successfully at home.
by Michael Tonsmeire

58 Drewrys

This American brewery played a bit part in US history and was a big part of the brewing scene in its region.
by Bill Pierce

departments

5 Mail
Yeast, kegging and the metric system.

8 Homebrew Nation
Grab a brew from the Ale Camino, see an engineer's brewery and we clone C.H. Evans Kick Ass Brown Ale.

13 Tips from the Pros
What laboratory tests do pros run on their beers and what should you be doing at home?

15 Mr. Wizard
The Wiz tops off a question on topping up and comes clean on the topic of cleaning for gluten-free brewing.

19 Style Profile
Roasty, hoppy, frequently with a healthy dose of caramel sweetness, robust porter is a dark, satisfying brew.

65 Techniques
The pros and cons (it's mostly pros) of adding some or all of your malt extract late in the boil.

69 Advanced Brewing
A review of the important parts of yeast metabolism, from a brewing perspective.

73 Projects
Clean or sanitize 12 bottles at a time with a recirculating washer in this do-it-yourself project.

88 Last Call
Two brewing buddies score big in a collaborative effort.

where to find it

76 Classifieds & Brewer's Marketplace
78 Reader Service
79 Homebrew Supplier Directory

RECIPE INDEX

C.H. Evans Brewing Co.'s Kick Ass Brown Ale clone. 12
Black Widow Porter 20
Regan Dillon Porter 20
Jack and Ken's Ale clone 30
More Brown than Black IPA clone 31
Allies Win the War clone 32
El Camino (Un)Real Black Ale clone 33
DCambic 48
Genesee My Butt 60

BYO RECIPE STANDARDIZATION

Extract efficiency: *65%*
(i.e. — 1 pound of 2-row malt, which has a potential extract value of 1.037 in one gallon of water, would yield a wort of 1.024.)

Extract values for malt extract:
liquid malt extract (LME) = 1.033–1.037
dried malt extract (DME) = 1.045

Potential extract for grains:
2-row base malts = 1.037–1.038
wheat malt = 1.037
6-row base malts = 1.035
Munich malt = 1.035
Vienna malt = 1.035
crystal malts = 1.033–1.035
chocolate malts = 1.034
dark roasted grains = 1.024–1.026
flaked maize and rice = 1.037–1.038

Hops:
We calculate IBUs based on 25% hop utilization for a one hour boil of hop pellets at specific gravities less than 1.050.



MUNTONS
GREAT BRITISH MALT

EST. 1921

Muntons Malted Ingredients has been producing the highest quality malt since 1921. Call us to discuss your requirements for grain malt, liquid and dried malt extract and natural beer colorant.

Now available direct from USA warehouse locations.

MUNTONS - The independent choice for the free thinking brewer

Muntons
Passionate about malt

sales@muntons-inc.com
Muntons Malted Ingredients
800 Bellevue Way NE Suite 435, Bellevue, WA 98004

ASSURED UK MALT

what's happening at BYO.COM

20 Tips for New Brewers

Looking for some expert advice to get your first homebrews off the ground and into the fermenter? Check out some tips from homebrew suppliers around the US to make those first few batches as good as they can be.

www.byo.com/component/resource/article/1777

Open Fermentation Advice



Many commercial sour beer brewers also employ open fermentations with their wild brews. If you've considered trying an open fermentation at home, read about building your own open fermenter, as well as some expert advice from open fermentation pro Ron Jeffries of Jolly Pumpkin Artisan Ales.

www.byo.com/component/resource/article/390

Brew a Prohibition-Era Pilsner

A Colorado brewer recreated the recipe for a lager originally brewed during Prohibition in an illegal Chicago distillery owned by Al Capone. Don't forget the soy beans!

www.byo.com/component/resource/article/1280

Follow Jamil Zainasheff's Pro Brewing Career

BYO's longtime "Style Profile" columnist (and award-winning homebrewer) is now in his second year as owner and brewmaster for Heretic Brewing Company in Pittsburg, California. Follow along as he experiences the ins and outs of the world of commercial brewing in his *BYO* blog.

www.byo.com/blogs/blogger/Jamil/

Cover Photo: **Charles A. Parker**

Brew Your Own — THE HOW-TO HOMEBREW BEER MAGAZINE

EDITOR
Chris Colby

ART DIRECTOR
Coleen Jewett Heingartner

ASSOCIATE EDITOR
Betsy Parks

TECHNICAL EDITOR
Ashton Lewis

CONTRIBUTING WRITERS
Chris Bible, Christian Lavender, Marc Martin, Terry Foster, Glenn BurnSilver, Kristin Grant, Forrest Whitesides, Jamil Zainasheff

CONTRIBUTING ARTISTS
Shawn Turner, Jim Woodward, Chris Champine

CONTRIBUTING PHOTOGRAPHERS
Charles A. Parker, Les Jörgensen

◆

PUBLISHER
Brad Ring

ASSOCIATE PUBLISHER & ADVERTISING DIRECTOR
Kiev Rattee

ADVERTISING SALES COORDINATOR
Dave Green

EVENTS & MARKETING COORDINATOR
Alex Ramsvig

BOOKKEEPER
Faith Alberti

SUBSCRIPTION CUSTOMER SERVICE MANAGER
Linda Marlowe

NEWSSTAND DIRECTOR
Carl Kopf

EDITORIAL REVIEW BOARD

Tomme Arthur • Port Brewing/Lost Abbey Steve Bader • Bader Beer and Wine Supply
David Berg • August Schell Brewing Co. John "JB" Brack • Austin Homebrew
Horst Dornbusch • Beer Author Greg Doss • Wyeast Laboratories
Chris Graham • MoreBeer! Bob Hansen • Briess Malt & Ingredients Co.
Anita Johnson • Great Fermentations (IN) John Maier • Rogue Ales Paul Manzo • Homebrew Consultant
Ralph Olson • Hopunion USA Inc. John Palmer • Palmer Brewing Solutions, Inc.
Mitch Steele • Stone Brewing Co. Mark & Tess Szamatulski • Maltose Express
John Weerts • Homebrew Consultant Chris White • White Labs
Anne Whyte • Vermont Homebrew Supply David Wills • Freshops

SUBSCRIPTIONS ONLY
Brew Your Own P.O. Box 469121 • Escondido, CA 92046
Tel: (800) 900-7594 • M-F 8:30-5:00 PST
E-mail: byo@pcspublink.com • Fax: (760) 738-4805
Special Subscription Offer
8 issues for $28.00

EDITORIAL & ADVERTISING OFFICE
Brew Your Own
5515 Main Street
Manchester Center, VT 05255
Tel: (802) 362-3981 Fax: (802) 362-2377
Email: BYO@byo.com

ADVERTISING CONTACT: Kiev Rattee (kiev@byo.com)
EDITORIAL CONTACT: Chris Colby (chris@byo.com)
FACEBOOK: www.facebook.com/BrewYourOwn
TWITTER: @BrewYourOwn

Brew Your Own (ISSN 1081-826X) is published monthly except February, April, June and August for $28.00 per year by Battenkill Communications, 5515 Main Street, Manchester Center, VT 05255; tel: (802) 362-3981; fax: (802) 362-2377; e-mail: BYO@byo.com. Periodicals postage rate paid at Manchester Center, VT and additional mailing offices. Canada Post: Return undeliverables to P.O. Box 25542, London, ON, N6C 6B2. POSTMASTER: Send address changes to *Brew Your Own,* P.O. Box 469121, Escondido, CA 92046-9121. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write *Brew Your Own,* P.O. Box 469121, Escondido, CA 92046-9121. Tel: (800) 900-7594. Fax: (760) 738-4805. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The subscription rate to Canada and Mexico is $33; for all other countries the subscription rate is $45.

All contents of *Brew Your Own* are Copyright © 2012 by Battenkill Communications, unless otherwise noted. *Brew Your Own* is a registered trademark owned by Battenkill Communications, a Vermont corporation. Unsolicited manuscripts will not be returned, and no responsibility can be assumed for such material. All "Letters to the Editor" should be sent to the editor at the Vermont office address. All rights in letters sent to *Brew Your Own* will be treated as unconditionally assigned for publication and copyright purposes and subject to *Brew Your Own's* unrestricted right to edit. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.

All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in the United States of America.

Volume 18, Number 5: September 2012



Make mine metric

G'day, I just subscribed to your magazine, and I am from Australia.

I didn't know anything about it before I signed up, but I had to let you know how grateful I am that you've put metric equivalents in brackets after your US imperial values. It makes reading (and understanding of course) the articles so much easier as well as making me a more engaged reader.

If it was imperial only, I would probably just gloss over articles, similar to how I am when reading on-line stuff. So anyway, thanks for making my life easier, I really appreciate it.

Matt Hopsun
via email

Glad you enjoy the magazine. We added metric equivalents a few years ago for our non-US readers, but have found that many of our US readers — particularly those with a scientific background — also prefer the metric system.

Yeast origins insight?

I was just rereading your excellent article on the origin of lager yeast (March-April 2012), while finally reading Noonan's "Brewing Lager Beer." I think I stumbled upon the connection between the wild yeast from Patagonia and European lagers.

"When the kraeusen tradition is being followed, a lattice of beech chips is laid on the bottom of the secondary fermenter and covered with the nearly fermented or ruh beer. From 5 to 15 percent new beer at up to 39 degrees F is roused into it."
— pg 163–164, "Brewing Lager Beer."

So just a thought, but if traditional German breweries used beech chips in the secondary that could explain how yeast from a Patagonian beech tree ended up in beer.

Steve Mills
via email

Justin Burnsed made the journey from homebrewer to professional brewer and blogged about his time enrolled in the UC Davis Master Brewers program and out in the real world at byo.com. He is currently Partner and Brewmaster at Prospectors Brewing Company in Mariposa, California (near Yosemite National Park), which opened this summer.

In the previous issue, Justin wrote about brewing hoppy, American-style ales and how to get the best hop character from your hops.

In this issue, he tackles the topic of troubleshooting — what to do when something goes wrong with your beer. His article begins on page 36.

Michael Tonsmeire is a homebrewer and fermentation enthusiast from Washington DC. His blog, The Mad Fermentationist, at www.madfermentationist.com, chronicles his fermenting experiments ranging from beer to sake to vinegar to cheese. He is especially fond of soured beers and has written multiple articles on that topic for *BYO*. See, for example, "Sour Beer Orientation," in the November 2010 issue and "Adding Fruit to Sour Beer," in the September 2010 issue.

In this issue of *BYO*, he returns to the topic and discusses brewing beer via spontaneous fermentation — fermentation powered by wild microbes instead of cultured yeast. His article begins on page 46.

Glenn BurnSilver is a freelance writer who enjoys outdoor activities such as hiking and camping in the backwoods. He has lived in Colorado and Alaska and now resides in Scottsdale, Arizona. BurnSilver is also an avid record collector and travels to record conventions across the country. He also maintains a music review blog, Liner Notes, which can be found at www.burnsilver.com.

Glenn has compiled several collections of homebrew clone recipes for *BYO*, including summer beer clones in the July-August 2009 issue and Belgian-inspired brews in the July-August 2008 issue. On page 26, he explores the growing trend of collaborations between commercial breweries and provides homebrew clone recipes from brewers including Sierra Nevada, Stone Brewing Co. and others.

That sounds like a very reasonable hypothesis.

Two words, keg stand

Last year I took the Beer Judge Certification Program (BJCP) course and after some 8 years of extract brewing realized it was time to move to all-grain. I did my first all-grain brew last September and have loved the challenge of it, and especially the flexibility. While my brew library is good sized, I found that your July-August 2010 article, "From Grain to Glass" was just an outstanding help. I use it as a constant reference and it has helped me think through setting up a brew sheet that keeps me on task and marks my critical points in the process.

Last week I bought a kegerator (one that will hold and tap 3 kegs). I have decided to move from bottling to draft now as a logical extension of continuing the brew journey. I must admit, my husband and I were a bit shocked when the instructions seemed to indicate that the beer would need to be drunk within 60 days. We have friends, but not that many! Anyway, we find ourselves quite confused about making this change. We will use our brew club buddies as a source of information, but it made me realize that I have not read much about kegging in *BYO*. Sure, you have articles about fitting kegs for beer, and how to build draft systems; but I think it is time for a more expansive article about kegging. For example, can you fill them half way and bottle the rest, if it will only hold for 60 days? Does the beer really go south after 60 days? How do people truly get rid of so much beer? If I put really different styles of beer in the kegs do I just keep the same CO_2 setting for all the beers? Can you change it for each keg? I just feel like this is truly uncharted territory for me so the assumption is that others who are making the change from bottle to keg must have similar questions.

Susan Ryan
Head Brewer
Dead Cricket Brewery
Floyds Knobs, Indiana

We're not sure why anyone would claim that kegged beer only lasts 60 days. That simply isn't true. Like all homebrew, kegged beer can remain fresh for several months, and often even longer. No need for keg stands to drain your kegs of your precious creations that quickly. The last big traditional kegging article we ran was in the November 2010 issue. However, we have a kegging special issue coming out soon. It collects all the best articles we've ever published on the subject. We believe it will be a useful resource for brewers who are new to kegging. BYO

Vacuum Sealed for Maximum Performance

Our new packaging offers a substantial level of protection to our premium yeast. This ***revolutionary vacuum-sealing technology*** minimizes packaged air, offering maximum performance throughout the rated life of our products. The new package allows brewers to see and feel that the sachet is sealed airtight and ready for use. ***No other brewing yeast offers this extra level of product assurance.***

Get the Dry Yeast Advantage with Danstar Premium Yeast from Lallemand.

WWW.LALLEMANDBREWING.COM

Brew Fresh
Never Boxed

GET FREE HOPS*

"Tootsie Roll" Porter

"Real" IPA

"Lawn Mower" Blonde

"Look Under My Kilt"
Scottish Strong

Specially priced kits
Order online now!

MAIN GRAIN

HOME BREW SUPPLIES

70271 Highway 59 Suite C
Abita Springs, LA 70420

(985) 441-9ALE • (985) 441-9253
WWW.MAINGRAIN.COM
FACEBOOK.COM/MAINGRAIN

Kits are custom assembled, and picked fresh daily.
*Receive a 10% discount on kits or FREE 2oz. bag of hops-
Use coupon code BYOSEPT.

homebrew nation

READER PROFILE

The Ale Camino

Michael Frenn • Placerville, California

There are many sayings I'm fond of. One is, "Give a man a beer, he'll waste an afternoon. But teach a man to brew, and he'll waste a lifetime!" One has to look no further than my Ale Camino to realize how true that statement is. And there can be no mistaking my passion for beer and brewing.

Admittedly, I bought the "Camino" for several reasons, including needing a truck, wanting a mid 80s GM product (because I can work on those), and for schlepping around all of my brewing stuff, especially for the various team brews that my homebrew club HAZE (Hangtown Association of Zymurgy Enthusiasts) holds throughout the year. But one afternoon, when I was pleasantly wasting time with a frosty pint of homebrew, it occurred to me that the tailgate of the Camino looked awfully dry and barren. Two sips more of my brew and a recurring phrase from grad school began running through my head: "Form follows function!" And then a formula: Brewer + Tailgate + X = Party. X = Taps! At last, my higher education returned a dividend!

The installation took all of 30 minutes (and another pint), once I overcame the fear of drilling two holes in otherwise unblemished sheet metal. I first used some duct tape to help get a visual balance for height and width, and left that in place as I drilled the 1-inch holes. The shank length isn't critical beyond being long enough to get the job done (a law of nature, I'm told). There is one trick, though — I cut several small pieces of dowel the same length as the internal width of the tailgate and wedged them in, two at each hole. This is necessary because if you don't do this, the external tailgate skin will sink in as you tighten down the shanks. But that's all there is to it. When pouring at events, I use two single circuit cold plates in an ice chest. When not in use, two "Road Rubbers" keep the dirt out.

The Ale Camino was a huge hit from the second I first drove it. It gets photographed at least once a week when I'm out driving it around (which is every day). But here's the most important fact of all, I didn't name it Ale Camino! That idea came from Greg Tobin, an excellent homebrewer in HAZE. But once he said it, I knew it was gold! BUV (Beer Utility Vehicle) was a runner-up name that came from Rob Bates, who owns the Reno Homebrew Store. I will take credit for the 350 IBUs, though. And the two questions I get asked more than any other: "Do the cops hassle you?" Nope, don't even give me a second look. And "Do they work?" To which I can't resist, "Do I look like someone who would waste his time on fake taps?!"

byo.com brew polls

Have you ever tried a spontaneous or "wild" fermentation?

No, but I would like to 53%
No, I'm not interested 37%
Yes, a few times 7%
Yes, many times 3%

social homebrews

Join *BYO* on Facebook: www.facebook.com/BrewYourOwn

Follow *BYO* on Twitter at: @BrewYourOwn

what's new?

White Labs Alcohol Test Kits

Based on the hugely popular Big QC Day, which has raised awareness about the importance of testing in craft beer, White Labs' new Alcohol Test Kit Plus gives homebrewers and home winemakers the ability to get accurate numbers about their creations. The kit measures alcohol by volume and alcohol by weight for one sample with the option to purchase additional tests.
http://whitelabs.com/lab/alcoholtestkits_info.html

Cool Brewing Fermenter Insulator

An inexpensive and easy solution to keeping your homebrewed beer fermentation temperatures in control, the Cool Brewing fermenter insulator is designed specifically to accommodate standard 6.5- and 5-gallon (25- and 19-L) fermenters and carboys. Just add ice packs, ice, (frozen 2-liters work great) or anything cold and switch out as needed to reach the desired temperature. $55
www.cool-brewing.com

BeerSmith 2.1 Brewing Software and BeerSmithRecipes.com New Releases

BeerSmith 2.1 is now available for download from beersmith.com. In addition, the folks at BeerSmith have also launched BeerSmithRecipes.com recipe sharing site and cloud service. BeerSmith 2.1 includes a new recipe timer (open any recipe and click on the timer tab) which shows you step-by-step how to mash, steep and boil your recipe and also plays an alarm as each step is reached. BeerSmithRecipes.com is a new cloud folder feature in BeerSmith. BeerSmithRecipes.com is a large online repository for BeerSmith 2 recipes, both public and private. You can visit the site and search from more than 10,000 recipes that others in the BeerSmith community have published.
http://beersmith.com

calendar

September 8
Brighton, Colorado
Orpheus Cup

The second annual Orpheus Cup mead tasting and competition offers a chance to experience more than 30 different meads at a private event to benefit the Orpheus Pagan Chamber Choir. It is not a requirement to compete to come and taste.
Deadline: September 7
Entry fee: $10 per subcategory
Contact: Andrew Adams, orpheuspcc@gmail.com
Web: www.orpheuspcc.org/orpheus-cup.html

September 15
Racine, Washington
Schooner Homebrew Competition

The Belle City Home Brewers and Vintners (Racine), The Bidal Society of Kenosha and The Milwaukee Beer Barons homebrew clubs will again combine forces to present the 8th annual southeast Wisconsin homebrew competition. Held each year in conjunction with Great Lakes Brew Fest, the Schooner features a one-of-a-kind "Club Challenge," which offers a cash reward to the club with the most medal points earned.
Deadline: September 1
Entry fee: $6
Contact: Jay Mollerskov, jay@theschooner.org
Web: www.theschooner.org

September 21–23
Central Point, Oregon
Southern Oregon Beer & Wine Festival Amateur Competition

Held in conjunction with the annual Harvest Festival, this event is the largest amateur wine, beer, soda and label art competitions south of Portland, Oregon.
Deadline: September 6
Contact: Bob Bacolas, 541-499-6777
Web: www.attheexpo.com

FIVE STAR™

Did you know

PBW™ not only makes clean beer. It also...

- cleans grout
- removes stains from carpets
- can be used in your dishwasher and washing machine!

It does so much, you might need to buy a bigger container!

Biodegradable, Effective & User-Friendly

Visit your local homebrew store to find this great product.

Five Star Chemicals & Supply, Inc.

(800) 782-7019

www.fivestarchemicals.com

homebrew drool systems

Brammer's Beer Machine

Chris Brammer • Crowley, Louisiana

Being an engineer and machine/fabrication shop owner can be a real plus when the brewing bug bites you. Several months ago, while enjoying a brew with a friend with a brewing background, the bug bit and I had to try it. Having a degree in mechanical engineering I tend to get involved in various projects to relax, from designing and building a hovercraft, to rebuilding a 1972 Corvette Stingray. After surfing the web, reading all I could about homebrewing beer (including getting a subscription and back issues of *BYO* magazine) I decided to build a machine that could boil, ferment, chill and serve. Along the way I added a cooler to chill my mugs and mounted it all on a cart so as to be able to roll it out on the patio.

The unit works very well with the extract brews I have made thus far, and I have gotten good reviews along the way. Not only of the looks and functionality of my machine, but great reviews on the beers I've made. The basic fermenter is a purchased unit that I modified to take the pressure I wanted, with zero leakage and an adjustable pressure relief. It is wrapped with a cooling coil and has an electric heating element, with dual circuit control of +/- 1 degree from boiling to about 26 °F (-3 °C). It works great for critical temperatures of many yeast. A vessel and valve was added at the bottom of the fermenter to catch fermentation residue without having to rack to a second vessel.



A circulation pump of 1 GPM is incorporated to move fluid and maintain an even temperature throughout the fermenter. The stainless steel lid of the fermenter contains dual thermo wells for temperature readout and control, as well as pressure gauge, relief valve, airlock fitting and extraction tube for the sanke valve supplying CO_2 and taking my brew to the tower. Two small refrigeration units are used, one to chill the fermenter and one to chill mugs. I am very careful with sanitation, but find it quite easy, since once yeast is pitched and the airlock installed, NO air hits the brew until bottled or served. Brewing is so much fun that I built a dual 5-gallon (19-L) kegerator, using a 5-cu.-ft. freezer with added controls, so I can have three brews on tap when friends stop by.

beginner's block

YOUR FIRST RECIPE

by betsy parks

Once you feel comfortable homebrewing with pre-written recipes, it's only natural to wonder how to formulate an original recipe of your own. With a little up-front planning and research, you can successfully start coming up with your own original beer.

Decide your objective

The first step toward putting together a recipe idea is to decide exactly what it is you would like to brew. Do you want to brew something to a specific style, such as an IPA? Or would you like to brew something that tastes like a favorite commercial beer, which is known as a clone recipe? Perhaps you want to brew something entirely original — that's fine too! Each objective has a bit of a different approach, however they all involve researching what other brewers have done first.

If you would like to brew something to style, the first step is, of course, to research that style and find out how it is most successfully brewed. There is a wealth of information out there about brewing to style, including the Classic Beer Styles series of books, which covers several classic beer styles in individual titles. *BYO*'s Jamil Zainasheff has also covered the basics of many beer styles during his tenure as the author of "Style Profile," and you can check out his special issue *30 Great Beer Styles* (www.byo.com/store) or check out *BYO* recipes at www.byo.com/stories/recipeindex. The important part of the research is to read several recipes to see what proportions are commonly used and the brewing processes involved.

Similarly, if you want to brew something to taste like a commercial beer you will again need to research the background of the beer. Many, many commercial beers have already been recreated successfully by homebrewers, several of them in the pages of *BYO*, and many thousands more on the Web in homebrew forums. If you can't find it there, however, often times you can contact the brewery who may have a homebrew-friendly brewer on staff who can point you in the right direction. (This is in fact the way that clone recipes are formulated, in part, at *BYO*. For more information about developing clone recipes, visit www.byo.com/component/resource/article/890.)

If you want to brew something not to style and not to replicate an existing beer, you will be attempting a more advanced kind of recipe formulation. You can of course brew anything you want any time you want, but to be able to create an original beer based only on an idea requires practicing brewing existing styles and beers to be the most successful. Try formulating some simple recipes to styles or clones first until you start to master the skill of recipe development.

Try a consensus recipe

Once you have decided on what to brew, the easiest way to put together a simple recipe is by consensus — that is selecting the most common ingredients found in similar recipes and going with an average amount of each. Do the same with the brewing procedure — adopt the most common techniques (boil times, hop schedule, fermentation temps, etc.). From that jumping off point you can brew the recipe over and over, tweaking ingredients and techniques to suit your taste, resulting in your own individual recipe. You can use brewing software, such as BeerSmith or ProMash to calculate your efficiencies and keep track of your recipes as they evolve. You can also do some simple beer recipe calculations on the Web at http://byo.com/resources/brewing.

NOR CAL
BREWING SOLUTIONS

Keg & Cooler Conversion Kits

Dip Tubes



Exclusive Manufacturer

"Jaybird" Custom False Bottoms



Lowest hardware prices

530-243-BEER

NorCalBrewingSolutions.com

by marc martin



DEAR REPLICATOR, I AM FORTUNATE IN MY LINE OF WORK TO TRAVEL AROUND THE WORLD AND SAMPLE SOME FANTASTIC BEERS. RECENTLY, I FOUND MYSELF IN ALBANY, N.Y. AT THE C.H. EVANS BREWING COMPANY AT THE ALBANY PUMP STATION. WHILE THERE I TRIED THEIR AWARD-WINNING KICK ASS BROWN ALE. TO BE HONEST, I AM NOT A FAN OF BROWN ALES BUT THIS WAS TRULY EXCEPTIONAL. IT WAS WELL BALANCED AND JUST HOPPY ENOUGH. I WOULD GLADLY BREW MORE BROWN ALES IF I COULD FIND A RECIPE CLOSE TO THEIR KICK ASS BROWN. ANY CHANCE YOU COULD HELP ME REPLICATE THIS FANTASTIC BEER?

DOUG MCCABE
DOUGLAS, MASSACHUSETTS

It is difficult to find a U.S. brewery with a 225 year history but that is exactly what the C.H. Evans Brewing Company can claim. With Neil Evans at the helm this now represents five generations of the Evans family brewing tradition. The original brewery was started in 1786 in Hudson, New York. The Great American Experiment of Prohibition proved to be too much of a burden and the brewery closed in 1920. In the late 1980s Neil started to develop a plan to revive the brewery and produce the Evans' beers that had been so loved by the eastern New York locals. As a first step he began homebrewing in 1990.

After acquiring the famous Albany Pump Station in Albany, New York, Evans Brewery officially opened in 1999. Neil had been successful with homebrewing but soon discovered that he would need much more actual brewing science education to brew on a large commercial scale. He was fortunate to find professional brewer George DePiro who stayed on with him until just this May when he left to open his own brewery. George was responsible for re-creating many of the recipes and for development of the Kick Ass Brown Ale. The new brewer, Ryan Demler, began homebrewing in 2003. After working at the Old Saratoga Brewery in Saratoga Springs, New York for two years he became a production brewer at Cameron's Brewery in Oakville, Ontario before coming home to the Albany area to be C.H. Evans' sole production brewer.

This brown ale is brewed to fit the American style category. Its deep mahogany color is accented by dark ruby highlights and is topped by a fine light tan head. Munich and Caramunich® malts combine to build a heavier body than its English Brown counterpart. Dry hopping leads to a very hop forward nose. The flavor is well balanced and exhibits medium chocolate and caramel flavors.

Doug, now you can enjoy an excellent brown ale anytime because you can "Brew Your Own." For further information about the C.H. Evans Brewing Company and their other fine beers visit the Web site www.evansale.com or call the brewery at 518-447-9000. BYO

C.H. EVANS BREWING COMPANY KICK ASS BROWN ALE CLONE

(5 gallons/19 L, extract with grains)

OG = 1.056 FG = 1.014 IBU = 35 SRM = 14.7 ABV = 5.5%

Ingredients

3.3 lbs. (1.5 kg) Briess light, unhopped, malt extract
1.5 lbs. (0.68 kg) dried malt extract
2 lb. 6 oz. (1.08 kg) Pilsner malt
10 oz. (0.28 kg) CaraMunich® II malt (50 °L)
7 oz. (0.19 kg) Victory® malt (25 °L)
2 oz. (57 g) Carafa® II malt (425 °L)
9.2 AAU Columbus hop pellets (60 min.) (0.65 oz./18.4 g of 14.1 % alpha acid)
1.7 AAU Cascade hop pellets (10 min.) (0.3 oz./8.5 g of 5.75 % alpha acid)
1.1 AAU Crystal hop pellets (10 min.) (0.3 oz./8.5 g of 3.6 % alpha acid)
1.7 AAU Cascade hop pellets (0 min.) (0.3 oz./8.5 g of 5.75 % alpha acid)
1.1 AAU Crystal hop pellets (0 min.) (0.3 oz./8.5 g of 3.6% alpha acid)
10 AAU Amarillo® hop pellets (1.0 oz./28 g of 10 % alpha acid) (dry hop)
5.25 AAU centennial hop pellets (0.5 oz./14 g of 10.5 % alpha acid) (dry hopped)
½ tsp. yeast nutrient (last 15 minutes of the boil)
½ tsp. Irish moss (last 30 min.)
White Labs WLP 001 (American Ale) or Wyeast 1056 (American Ale) yeast
0.75 cup (150g) of corn sugar for priming (if bottling)

Step by Step

Steep the crushed grain in 2 gallons (7.6 L) of water at 151 °F (66 °C) for 30 minutes. Remove grains from the wort and rinse with 2 quarts (1.8 L) of hot water. Add the liquid and dry malt extracts and boil for 60 minutes. While boiling, add the hops, Irish moss and yeast nutrient as per the schedule. Now add the wort to 2 gallons (7.6 L) of cold water in the sanitized fermenter and top off with cold water up to 5 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer and add the Amarillo® and Centennial dry hops. Allow the beer to condition for one week, remove the dry hops and then bottle or keg. Allow the beer to carbonate and age for two weeks and enjoy your Kick Ass Brown Ale.

All-grain option:

This is a single step infusion mash using an additional 2 lbs. 6 oz. (1.08 kg) of 2-row pale malt and 6 lbs. (2.72 kg) of Munich malt to replace the liquid and dried malt extracts. Mix the crushed grains with 3.7 gallons (14 L) of 172 °F (78 °C) water to stabilize at 151 °F (66 °C) for 60 minutes. Sparge slowly with 175 °F (79 °C) water. Collect approximately 6 gallons (23 L) of wort runoff to boil for 60 minutes. Reduce the 60 minute hop addition to 0.55 oz. (16 g) of columbus hop pellets (7.8 AAU) to allow for the higher utilization factor of a full wort boil. The remainder of this recipe and procedures are the same as the extract with grains recipe.

In The Lab

Pro advice for quality control

by Betsy Parks

BEHIND MANY GREAT BREWS ARE SCIENTISTS TESTING AND TASTING BEERS IN THE LAB. IN FACT, EVERY BEER — BE IT COMMERCIAL OR HOMEBREW — CAN BENEFIT FROM BETTER QUALITY CONTROL. IN THIS ISSUE, TWO BEER LAB EXPERTS SHARE THEIR ADVICE.

We run three testing programs at Bell's: analytical, microbiological, and sensory. All are carried out to ensure consistency and conformance to the original design of the brew (and, most importantly, to the expectations of our customers). Analytical (chemical/physical) testing includes the measurement of alcohol, bitterness, carbonation, color, pH and diacetyl. Extensive microbiological testing is carried out 1) to ensure the viability and vitality of our yeast and 2) to ensure no contamination has occurred anywhere in the process. Sensory testing encompasses all of the above and it is, at the end of the day, our most important analytical tool.

Sensory analysis is the go-to technique of the homebrewer. Everyone at every skill level can become a better taster. Virtually all of the potential defects that brewers are concerned with have a unique sensory signature. Most everyone has the ability to recognize any given defect with a little bit of training and LOTS of practice. On the flipside of that, most everyone is anosmic to one or more sensory stimuli. In addition, any given person on any given day could have sensory fatigue and not detect something that would normally hit them like a smack in the face. That is why if you are serious about using sensory analysis as a quality control tool, it is imperative to maintain a panel of trained tasters, and to constantly challenge them and "keep them on their nose."

By far the most common flaw I find in my line of work is inconsistent yeast/protein levels. Our ales are unfiltered and unpasteurized. The nature of yeast is such that it tends to flocculate into clumps. We employ a dizzying array of procedures designed to standardize the amount of yeast that makes its way into package, but still discover packages — both bottle and keg — that contain more yeast than we'd like.

If you want to perform better quality control on your homebrews, or if you want to do this kind of work on the professional level, here are my recommendations.

1. Join the American Society of Brewing Chemists (ASBC) (www.asbcnet.org/) and Master Brewers Association of the Americas (MBAA) (mbaa.com) and attend as many meetings, conferences, and webinars as you can. Sign up for the online Methods of Analysis from ASBC and incorporate methods into your operation wherever practical. Take a class at the Siebel Institute. All of these organizations have tons of offerings.
3. Join the Brewers Association (brewersassociation.org); attend their "power hour" webinars.
4. Tour breweries. The lab — in my humble opinion — is the most important stop on the tour! If you can get a few minutes with lab folks, that's a great time to get informed answers to very specific questions.
5. Sensory, sensory, sensory. Hone your tasting skills. Have your friends blind test you. For example, let a beer get infected and see how many times your friend can dilute it and you still detect the spoilage. There are many different beer spoiling organisms — get familiar with the flavors and aromas that the spoilers in your area impart to your brews.
6. Keep excellent records of the procedures and raw materials you use. Lot numbers, age, storage conditions, temperatures — anything that changes from one brew to the next can impact the final product.



Luke Chadwick, Quality/Lab Manager at Bell's Brewery in Kalamazoo, Michigan. Luke earned his B.A. in Chemistry from Kalamazoo College in 1995 and his Ph.D. in Pharmacognosy in 2004 from the University of Illinois at Chicago. His graduate research was focused on the chemistry and pharmacology of compounds derived from the hard resins of hops. After one year of postdoctoral work at the UIC/NIH Center for Botanical Dietary Supplements Research - again working on hops - Luke joined Kalsec, Inc. in 2005 as a Research Scientist and soon became a Lead Research Scientist. In 2008, Luke co-founded Wrightwood Technologies, Inc., went on to spend a year as a Research Scientist on a Metabolomics project within University of Michigan's Center for Translational Pathology, and since October 2010 Luke has been working at Bell's. His work interests include method development, process optimization, and sensory science.

Jim Crooks, Quality Control Manager at Firestone Walker Brewing Company in Paso Robles, California. Jim earned his B.S. in Food Science from California Polytechnic San Luis Obispo in 1997. He began working as the lab manager at SLO Brewing Company in 1999 and was trained to operate in all facets of the brewery. He has been Firestone Walker's Quality Control Manager since 2001.

Many of the routine tests we do in the Firestone Walker lab can be easily done at the homebrew scale. The merits of a quality brew start with healthy yeast and without a microscope and a hemacytometer to look at viability and density, you are just guessing about the quality of your yeast. This tool, as well as with other tools like refractometers/hydrometers for checking gravity, thermometers, pH strips, beer color wheels and basic water testing kits can all be purchased inexpensively ($30–100).

For the advanced homebrewer, setting up a field micro lab can be a little more involved but not out of the question. A homemade laminar hood and sterile sampling technique is the basic backbone of a small scale micro program. WhiteLabs.com is a great homebrewing resource that offers a premade media test kit bundle that can be geared toward either anaerobic or aerobic bacteria as well as wild yeast. The White Labs site also offers a number of educational links as well as actual pictures of what bacteria look like when growing on the media. The potential cost savings to be had by doing a little micro investigation of your process can be well worth the cost of the tools, versus the potential cost of losing a few batches to poor sanitation technique.

Some of the common brewing flaws we catch in the lab are %ABV and color deviations from batch to batch. Although slight color deviation is not a pressing quality flaw, most people drink with their eyes and color is one of the first noticeable attributes a customer will see so we take it seriously. Rushing a sample through the program can also give rise to careless mistakes and often wastes more time by raising questions due to erroneous data. When in doubt, repeat your analysis. BYO



Mystery Spots

Temperature control, oxidation

by Ashton Lewis

Q I'M AN EXTRACT BREWER (THAT ALSO STEEPS) AND I RECENTLY NOTICED A BUNCH OF WHITE SPOTS ON TOP OF MY BREW (WHICH WAS A WHEAT RECIPE) AFTER I TRANSFERRED IT TO THE SECONDARY (SEE PICTURE BELOW). I THOUGHT IT WAS MOLD FORMING BUT READ THAT IT'S PROBABLY "YEAST RAFTS" OR FLOCCULATED YEAST CLUMPS. THE BEER TURNED OUT NICELY BUT I'M CURIOUS AT WHAT CAUSES THIS TO HAPPEN? ARE CERTAIN BEER STYLES MORE SUSCEPTIBLE TO THIS PHENOMENON?

ANDREAS BETTIN
TORONTO, ONTARIO

A I am not completely sure about the nature of these little floaters. I think, however, that it is possibly either yeast, as you suggest, or protein clumps. Some yeast strains have a tendency to form a dense top crop. When these beers are racked some of the top cropping yeast is carried over and the appearance is at times strange. Weizen yeast is an example of an aggressive top-cropper. In the case of *Brettanomyces,* a pellicle is formed on the surface of the beer and also has an odd appearance.

This could very well be the early signs of a *Brettanomyces* pellicle forming on the surface of your beer. If this is the case it is an indication of a problem, unless you intentionally added this yeast type. *Brettanomyces* is one of those strains considered to be "wild" and can be a problem to control if you bring it into your brewery and do not have rigorous sanitation procedures.

The other thing that may be responsible for the unusual appearance in the fermenter is trub carryover from the brewhouse. Wheat contains a significant amount of gluten proteins and when wheat malt is mashed the glutens tend to be retained in the mash and discarded with the spent grain. If you steeped some wheat malt it is possible that some of these gluten proteins made it into the fermenter and resulted in the odd appearance.

The good news about things like trub and yeast that collect on the top of fermenting beer is that you can rack the beer away from the solids and there is no detrimental effect on beer quality. If this beer begins to start smelling leathery, earthy and like a barnyard after a few months of storage the source was likely *Brettanomyces*. If that proves to be the case you should be careful handling the bottles since *Brettanomyces* is a super-attenuating strain that will slowly ferment dextrins in your beer that *Saccharomyces* species cannot. This can result in bottle grenades.

> "This could very well be the early signs of a *Brettanomyces* pellicle forming on the surface of your beer."

Q FOR THOSE OF US WITHOUT TEMPERATURE CONTROLS THROUGH FERMENTATION, HAS ANYONE DONE ANY EXPERIMENTS WITH CHANGES IN WORT TEMPERATURES? IT WOULD BE GREAT TO HOLD 65 TO 68 °F (18 TO 20 °C), BUT WHAT ABOUT A 70 °F (21 °C) START, DIPPING INTO THE 60s (~18 °C) THEN ALLOWING THE TEMPERATURE TO INCREASE BACK INTO THE 70s (~20S °C)? OR, STARTING IN THE 60s (18 TO 20 °C) AND CREEPING UP INTO THE MID 70s (23 TO 24 °C)? IS THERE ANY WAY TO PREDICT THE YEAST FLAVORS WHEN THE TEMPERATURE IS MOVING?

MICHAEL FLOREZ
VIA FACEBOOK



Photo courtesy of Andreas Bettin

SMARTPHONE QR CODE
FLAT RATE SHIPPING!
$7.95
32 QT KETTLE
STAINLESS STEEL
$99
W/ VALVE AND THERMOMETER
HOPS!
30+ VARIETIES
STARTING AT $1.00/OZ
WORT CHILLERS
25', 50' & CUSTOM
$49
WE MAKE THEM!
DOUBLE DRAFT TOWER
W/ STAINLESS DRIP TRAY
3" STAINLESS TOWER
$120
GET EVERYTHING. HOMEBREWSTUFF.COM BREW FOR LESS!

help me mr. wizard

A The batch size for most homebrewers has been around 5 gallons (19 L) for a very long time, and keeping this volume of fermenting beer cool is not difficult. Recently, however, many homebrewers have become interested in controlling fermentation and aging temperature and all types of fancy rigs are being built to make little fermentation cellars for use at home. To boot, batch sizes for many homebrewers has increased and the heat of fermentation is more difficult to remove in these larger vessels.

The short answer to your question is yes; there is a long history of fermenter temperatures moving up and down during fermentation. At one time it was common for tanks to be equipped with attemperation coils, or pipes inserted into fermenters for the purpose of temperature control. A fairly common method used for attemperature coil operation is to monitor the fermenter temperature with a thermometer and to simply turn the cooling valve on for enough time to cool the fermenter and then after some time the valve is turned off. This method of tank control is called "on/off" control and is how most thermostatic controls are operated. Since manually controlling fermenters with attemperation coils requires brewers to manually monitor and control fermenters the result is a temperature profile that moves up and down around the desired temperature.

Predicting how temperature affects flavor is not an exact science, but in general terms the effects of fermentation temperature on beer flavor are well known. Beer flavor is cleanest when the fermentation temperature is as low as possible for a given yeast strain without causing problems with sluggish and/or incomplete fermentations. As temperature increases the production of esters increases and fruity aromas increase, especially for beers made with strains that are noted for the production of aromatics. The production of these compounds is greatest at the peak of fermentation and it follows that the most critical point to consider for temperature control is this peak in activity.

Commercial brewers often begin fermentations cooler, usually about 5 °F (3 °C) cooler, than the controlled temperature, which you can try. One reason for allowing the fermentation to experience this "free rise" is that tank temperature is easier to control when the fermenter is being mixed by the activity of fermentation. After fermentation is complete the temperature is lowered. If you plot temperature over time the result is a curve that goes up and down.

To summarize, temperature fluctuations are normal and the most important temperature to control is the peak temperature experienced during peak activity. Also, starting cool and allowing your fermenter to warm up is a good method to consider if you lack refrigerated cooling. To keep the peak from getting too high you can use a low tech method such as plunging your carboy into an ice bath for 20 minutes or so at a time, a method that mimics turning on the valve of an attemperation coil.

Q I AM WRITING IN REGARDS TO THE ANSWER YOU GAVE IN THE MAY-JUNE 2012 ISSUE TO THE QUESTION "DOES ADDING PRE-BOILED WATER TO THE CARBOY AFTER I RACK MY BEER HELP AGAINST OXIDATION (LESS HEADSPACE) OR HURT IT (RISK OF SPLASHING)". I AM BREWING BEER TO FILL A 13-GALLON (49-L) OAK BARREL. WHEN I FILL THE BARREL I AM GOING TO PITCH A SMACK PACK OF WYEAST ROESELARE AND A WHITE LABS BELGIAN SOUR ALE I VIAL. I AM BREWING TWO 5-GALLON (19-L) BATCHES THAT ARE HIGHER IN GRAVITY THAN DESIRED IN THE BARREL AND GOING TO DILUTE IT WITH BOILED AND COOLED WATER TO TOP OFF THE BARREL. MY QUESTION IS WILL THE YEAST THAT I AM PITCHING METABOLIZE THE OXYGEN THAT IS STILL DISSOLVED IN THE WATER DURING THE AEROBIC GROWTH PHASE OR IS IT DESTINED TO BE OXIDIZED.

RONALD MCGUIRE
VIA EMAIL

A This is a great follow-up to the question I recently was asked about adding water to top-up a carboy in an attempt to minimize oxidation. You are absolutely correct that adding water to the fermenter as the fermenter is filled, or even to the wort following boiling, is not a problem because the yeast will indeed metabolize the oxygen in the early stages of fermentation.

I am a bit confused by your method, however. It seems that you are planning to pitch a mixed culture of yeast and bacteria into your wort and conduct your primary fermentation in the barrel. While there is nothing wrong with this approach, you will experience excessive foaming and beer loss if you top the barrel up before the primary fermentation begins.

An alternate approach that may work best is to adjust your batch size so that you end up with a total of about 14 gallons (53 L) of wort after you have added the dilution water. If you typically ferment in 5 gallon (19 L) carboys you will want to split the batch into three carboys and conduct the primary fermentation. After the peak activity has slowed down in about seven days you can then rack the beer into the barrel. The advantage to this method is that you will be able to completely fill the barrel without worrying about a big mess due to over-foaming during the primary.

If this is your first sour beer you will be tempted to taste the beer during aging. This is hard to avoid and the truth is that tasting is an important part of producing these kinds of beers. But there are a few practical rules that will benefit your end product.

Rule #1 is to taste very infrequently, if at all, for the first several months of aging and then when you feel that the beer is approaching the finish line limit your tasting sessions to once every month or two.

Rule #2 is to keep the pellicle intact to protect the surface of the beer from oxygen and to prevent/limit the potential of acetic acid bacteria from growing on the surface of the beer. One of the best ways to protect the pellicle is to drill a small hole in the head about 9 inches (23 cm) above the bottom of the barrel when it is laid on its side and to plug the hole with a stainless steel nail. As long as the hole is about 1/16-inch smaller than the nail you need not worry about the nail coming loose from the hole. This is your sample valve. Although a wine thief is a handy device, they can damage the pellicle and this really should be avoided at all cost. I have violated this rule in the past and strongly suggest using the sample nail project.

Q

CAN GLUTEN PROTEINS BE REMOVED BY USING A CHLORINATED CLEANER WHEN I WANT TO USE MY NORMAL BREWING EQUIPMENT TO MAKE GLUTEN-FREE BEER?

LAWRENCE BANACHOWSKI
OXFORD, MICHIGAN

A

As long as the equipment that touches wort or beer is cleaned immediately after use with an appropriate cleaner there will be no problem. I personally do not like chlorinated cleaners because they have the potential to pit stainless steel and have an odor that I find objectionable, but that is just my own pickiness.

The area that poses a challenge for gluten-free brewing is the dry ingredient side of the operation. At Springfield Brewing Company we store our pale malt in an outdoor malt silo and keep our specialty malts in bags stored in the mill room. A conveyor is used to transfer malt from the silo to the mill and a bucket elevator is used to lift special malts from the floor into the top of our mill. The milled malt flowing from our 4-roll mill with shaker box falls into the grist case where it is batched up before dropping it into the mash mixer.

Malt dust is a rich source of gluten proteins and is extremely difficult to clean for one simple reason. Malt handling equipment and dry mills are not designed to be cleaned with cleaning solutions. The goal with dry material handling is to keep the equipment dry, free of dust and to allow for ingredients to be cleanly brought into the operation. These measures greatly help to prevent problems in the dry side of the operation, and eliminate the need to use liquid cleaning in this part of the brewery.

When it comes to eliminating gluten proteins from a brewery, the design of the dry side makes the challenge very real to the commercial brewer. One obvious solution is to invest in dedicated equipment that is only used for the production of gluten-free products. In a commercial operation this solution may not be a realistic thing to do and is one of the reasons that gluten-free beers are not very common. At home the challenge is not nearly as difficult. You may need to buy a separate mill or buy a mill than can be disassembled and cleaned to address the issue. And anything you use to weigh, transfer or store dry materials needs to be thoroughly cleaned before use. BYO

Robust Porter

Brown and roasty

by Jamil Zainasheff

I remember the genesis of my first all-grain robust porter recipe. I was an extract brewer making the transition to all-grain and I wanted to brew a robust porter on my new MoreBeer sculpture. Luckily, I had a chance to ask Regan Dillon, who is a fanatic about robust porter, for a recipe. He came up with a recipe that served me well over the years, winning many awards. I have tweaked that first recipe many times, but the general idea is still the same. When we recently brewed a robust porter at my brewery, Heretic Brewing Company, that recipe was yet another branch from that original tree. It was just coincidence that Regan happened to stop by one day as the beer was ready for packaging. It was a great moment for me to share my first commercial batch of porter with Regan, the person who gave me my first robust porter recipe, and to have him voice his approval of the result.

Robust porter is a complex, rich, roasty ale. Examples of the style range quite a bit, from bigger, bolder American interpretations to less bold English interpretations. This style should always have a fair amount of roasted character, reminiscent of coffee and chocolate. The best examples also exhibit other malt character, such as bready, biscuit, and caramel flavors and aromas. The appearance of a good robust porter ranges from dark brown to almost black. Hop bitterness is firm, but the overall balance can range from slightly sweet to firmly bitter with the finish ranging from dry to medium sweet.

A common mistake many brewers make when attempting this style is on the roast character. Either the amount of roast is too little or too much or the flavor of the roast is far too acrid. It can be tricky getting the right balance, because you also need to account for the effects of residual malt sweetness and specialty grains versus the effects of hopping and yeast attenuation. If you decide to brew an American style robust porter, use clean, neutral ale yeast and a higher starting gravity. The hop bitterness, flavor and aroma are also higher in an American version. If brewing an English version, use a lower starting gravity, less hops and an English-style yeast strain.

You have some flexibility in choosing base malt for robust porter. My preference for almost all "American-style" beers is to use North American two-row, which gives the beer a clean, subtle, background-malt character common to many fine American craft beers. For robust porter you could also use North American pale ale malt which adds a slightly richer background malt character or British pale ale malt which adds an even deeper, fuller rich malt character. When using North American malt, I like to add about 10% Munich malt to the grain bill. It adds a background malt note that helps fill out the character of the beer. Extract brewers should use a light color North American malt extract. All-grain brewers can use a single infusion mash at a mid-range mash temperature, 150 to 156 °F (66 to 69 °C). Use a lower mash temperature when using lower attenuating yeasts or high starting gravities and use a higher temperature when using the higher attenuating yeasts or lower starting gravity beers.

Specialty malts are an important element of robust porter, but there is lots of room for experimenting with rich malt flavors. Every robust porter needs roasted malt notes and most examples include some level of caramel malt flavors. Not including any caramel malt can leave the beer tasting more like a dry stout if there isn't plenty of unfermented sugar in the beer. Experimenting with the amounts and colors of crystal and roasted malts is a great way to change the character of your beer. The roast, chocolate, and coffee character of the style comes from the use of highly

Continued on page 21

ROBUST PORTER
by the numbers

OG:	1.048–1.065 (11.9–15.9 °P)
FG:	1.012–1.016 (3.1–4.1 °P)
SRM:	22–35
IBU:	25–50
ABV:	4.8–6.5%



Photo by Charles A. Parker/Images Plus

Black Widow Porter
(5 gallons/19 L, all-grain)

OG = 1.064 (15.7 °P)
FG = 1.015 (3.8 °P)
IBU = 37 SRM = 37 ABV = 6.5%

Ingredients

10.6 lb. (4.82 kg) Great Western pale malt 2 °L
1.3 lb. (600 g) Best Malz Munich malt 8 °L
14.1 oz. (400 g) Great Western pale malt (or similar) Crystal 40 °L
10.6 oz. (300 g) Briess chocolate malt (or similar) 350 °L
7 oz. (200 g) Briess black patent malt (or similar) 525 °L
7.2 AAU Kent Goldings, pellet hops, (1.44 oz./41 g) at 5% alpha acids) (60 min.)
3.15 AAU Fuggle, pellet hops, (0.63 oz./18 g at 5% alpha acids) (15 min.)
3.15 AAU Kent Goldings, pellet hops, (0.63 oz./18 g at 5% alpha acids) (0 min.)
White Labs WLP001 (California Ale) or Wyeast 1056 (American Ale) yeast

Step by Step

Mill the grains and dough-in targeting a mash thickness that will enable your system to achieve the necessary pre-boil volume and gravity. Hold the mash at 153 °F (67 °C) until enzymatic conversion is complete. Infuse the mash with near boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168 °F (76 °C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 5.9 gallons (22.3 L) and the gravity is 1.054 (13.4 °P).

The total wort boil time is 60 minutes. Add the first hop addition once the wort starts boiling. Add Irish moss or other kettle finings and the second hop addition with 15 minutes left in the boil. Add the last hop addition at flame out. Chill the wort to 67 °F (19 °C) and aerate thoroughly. The proper pitch rate is 2 packages of liquid yeast or 1 package of liquid yeast in a 2.4-liter starter.

Ferment at 67 °F (19 °C) until the yeast drops clear. At this temperature and with healthy yeast, fermentation should be complete in about one week. Allow the lees to settle and the brew to mature without pressure for another two days after fermentation appears finished. Rack to a keg and force carbonate or rack to a bottling bucket, add priming sugar, and bottle. Target a carbonation level of 2.5 volumes.

Black Widow Porter
(5 gallons/19 L, extract with grains)

OG = 1.063 (15.5 °P)
FG = 1.015 (3.7 °P)
IBU = 37 SRM = 36 ABV = 6.4%

Ingredients

6.6 lb. (3 kg) Alexander's Light liquid malt extract (or similar) 2 °L
1.3 lb. (600 g) Best Malz Munich malt (or similar) 8 °L
14.1 oz. (400 g) Great Western pale malt (or similar) Crystal 40 °L
10.6 oz. (300 g) Briess chocolate malt (or similar) 350 °L
7 oz. (200 g) Briess black patent malt (or similar) 525 °L
7.2 AAU Kent Goldings, pellet hops, (1.44 oz./41 g) at 5% alpha acids) (60 min.)
3.15 AAU Fuggle, pellet hops, (0.63 oz./18 g at 5% alpha acids) (15 min.)
3.15 AAU Kent Goldings, pellet hops, (0.63 oz./18 g at 5% alpha acids) (0 min.)
White Labs WLP001 (California Ale) or Wyeast 1056 (American Ale) yeast

Step by Step

Mill or coarsely crack the specialty malt and place loosely in a grain bag. Avoid packing the grains too tightly in the bag, using more bags if needed. Steep the bag in about 1.5 gallon (~6 liters) of water at 165 °F (74 °C). The idea is that your temperature, once you add the grain, is in the malt conversion range and will convert some of the starch from the Munich malt. After about 30 to 60 minutes, lift the grain bag out of the steeping liquid and rinse with warm water. Allow the bags to drip into the kettle for a few minutes while you add the malt extract. Do not squeeze the bags. Add enough water to the steeping liquor and malt extract to make a pre-boil volume of 5.9 gallons (22.3 L) and the gravity is 1.054 (13.3°P). Stir thoroughly to help dissolve the extract and bring to a boil.

The total wort boil time is 60 minutes. Add the first hop addition once the wort starts boiling. Add Irish moss or other kettle finings and the second hop addition with 15 minutes left in the boil. Add the last hop addition at flame out. Chill the wort to 67 °F (19 °C) and aerate thoroughly. The proper pitch rate is 2 packages of liquid yeast or 1 package of liquid yeast in a 2.4-liter starter. Follow the remainder of the all-grain recipe at left.

Regan Dillon Porter
(5 gallons/19 L, all-grain)

OG = 1.063 (15.4 °P)
FG = 1.015 (3.7 °P)
IBU = 36 SRM = 39 ABV = 6.4%

This was my first porter recipe!

Ingredients

9.4 lb. (4.25 kg) North American pale malt 2 °L
1.4 lb. (630 g) Munich malt 8 °L
1.4 lb. (630 g) crystal malt 40 °L
11.3 oz. (320 g) chocolate malt 350 °L
7.4 oz. (210 g) black patent malt 525 °L
7.4 oz. (210 g) CaraPils® malt 2 °L
5.5 AAU Kent Goldings pellet hops, (1.23 oz./35 g at 4.5% alpha acids) (60 min.)
3 AAU Fuggle, pellet hops, (0.67 oz./19 g at 4.5% alpha acids) (30 min.)
2.7 AAU Fuggle, pellet hops, (0.60 oz./17 g at 4.5% alpha acids) (15 min.)
2.7 AAU Kent Goldings, pellet hops, (0.31 oz./9 g at 4.5% alpha acids) (0 min.)
1.4 AAU Fuggle, pellet hops,

(0.31 oz./9 g at 4.5% alpha acids) (0 min.)
White Labs WLP001 (California Ale) or Wyeast 1056 (American Ale) yeast

Step by Step

Mill the grains and dough-in targeting a mash thickness that will enable your system to achieve the necessary pre-boil volume and gravity. Hold the mash at 154 °F (68 °C) until enzymatic conversion is complete. Infuse the mash with near boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168°F (76°C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 5.9 gallons (22.3 L) and the gravity is 1.053 (13.2 °P).

The total wort boil time is 60 minutes. Add the first hop addition once the wort starts boiling. Add Irish moss or other kettle finings and the second hop addition with 15 minutes left in the boil. Add the last hop addition at flame out. Chill the wort to 67 °F (19 °C) and aerate thoroughly. The proper pitch rate is 2 packages of liquid yeast or 1 package of liquid yeast in a 2.4-liter starter.

Ferment at 67 °F (19 °C) until the yeast drops clear. At this temperature and with healthy yeast, fermentation should be complete in about one week. Allow the lees to settle and the brew to mature without pressure for another two days after fermentation appears finished. Rack to a keg and force carbonate or rack to a bottling bucket, add priming sugar, and bottle. Target a carbonation level of 2.5 volumes.

Web extra:

For an extract with grains version of Jamil's first porter recipe, visit us on the Web:

www.byo.com/component/resource/article/2587

kilned grain, such as chocolate, black patent, and roasted barley. When I first learned to brew porter, other brewers told me roasted barley was for stout and black patent was for porter. I still follow that guidance to this day, but I think it is just from habit more than anything else. Each maltster has their own way of crafting black malt and roasted barley and the flavors of one product might be far better in your ideal porter than another. Highly kilned malts vary considerably from maltster to maltser, varying 100 °L or more for a similarly named malt or roasted grain. Experimenting with side-by-side taste tests is the best way to decide on which grain to use. Using a blend of highly kilned and lighter kilned roasted malts will give the best result. These roasted malts should be no more than 10% of the

Wow!

BetterBottle®

has developed a new way to demonstrate why the carboys are better



Get the inside scoop. Go to *What's New*, under the News tab, at www. Better-Bottle.com

> "Most robust porter fermentation should be around the 65 to 70 °F (18 to 21 °C) range depending on the yeast strain and recipe. Try to pick a temperature and stick with it, holding the temperature steady throughout fermentation."

grist. Keep in mind that beers at the higher end of this range can be acrid depending on the blend of roasted malts. A 40/60 mix of highly kilned and lighter kilned grain, like black patent and chocolate malt, strikes a nice balance of sharper roasted notes and less burnt coffee/chocolate notes. It really depends on the other balancing factors in the beer, such as hopping and residual sweetness, which can either emphasize the acrid sharpness or mellow it out.

Crystal malts add caramel flavors and residual sweetness, which helps balance the bitterness of the roast grains and hops. For caramel flavors, I like a mid-color crystal for this style, but the type of crystal malt you use can range dramatically. The quantity and the color of crystal malt is a key part of the balancing act. The lower the color of the crystal malt the sweeter it often seems. Darker crystal malts (80–150 °L) add caramelized, raisin-plum notes, but do not seem as sweet. You want to try to balance the sweetness of the crystal malt, the residual sweetness from unfermented sugars, the sharpness of the highly roasted grains, and the hop bittering to achieve a balanced, drinkable finish. In general, your crystal malt amounts are going to range from 5 to 10% of the total grist, although exceptions are possible.

If you are looking for more complexity, mouthfeel, or increased head retention, it is possible to add other malts as well. Oats, wheat malt, CaraPils®, and more are common additions. Just use restraint so the beer does not become saturated with unfermentable dextrins or cloying flavors. Target between 0 and 5% for these additional specialty grains.

Hop flavor and aroma comes from British or American-type hops and can vary from low to high. While you have plenty of leeway when making your hop choices, watch out for citrus hop character. Trying to combine sharp citrus notes with roasted malt flavors and carbonation often results in a sharp, acidic bite that is too much for this style. Keep in mind you are trying to build a malty ale, not a dark

IPA. My preference for this style is to stick with British or American-grown versions of traditional British hops. They lend mostly floral and earthy notes, which go well with the dark malt character.

Robust porter should have a medium to high bitterness, with the balance of bittering versus malt sweetness ranging from balanced to firmly bitter. The calculated bitterness to starting gravity ratio (IBU divided by OG) can range anywhere from 0.4 to 1.0, but the extremes of that range are not likely to produce the best results. Stick in the range from 0.5 to 0.7 and it should be correct for most recipes. While you can bitter with a neutral flavor higher alpha acid hop, I like to use some lower alpha acid British-type hops, such as Kent Goldings or Fuggles, for the bittering addition. Since they are lower alpha acid, you end up using enough that the bittering addition provides a background, subtle hoppy character instead of just bittering.

Fermentation should result in a well-attenuated, low ester beer. If you prefer a cleaner, less fruity, more American ale version, ferment with one of the clean American-type strains, such as White Labs WLP001 (California Ale) or Wyeast 1056 (American Ale), which are my favorites for this style. You will not have to worry about having an overly sweet beer with these yeasts either, as they usually attenuate well and at a range of temperatures. Other good choices along these lines are White Labs WLP051 (California V Ale Yeast) and Wyeast 1272 (American Ale II). If you want a more complex beer, you can try British or Irish ale yeast, such as White Labs WLP004 (Irish Stout) or WLP002 (English Ale) and Wyeast 1968 (London ESB) or 1084 (Irish Ale Yeast).

Regardless of the yeast, you want good attenuation and a relatively clean profile so make certain you oxygenate the wort and pitch an appropriate amount of clean, healthy yeast. Most robust porter fermentation should be around the 65 to 70 °F (18 to 21 °C) range depending on the yeast strain and recipe. Try to pick a temperature and stick with it, holding the temperature steady throughout fermentation. Holding the temperature steady is important to getting a proper level of attenuation and avoiding off-flavors, especially if you are making a bigger beer. Letting the beer go through large temperature swings can result in the yeast flocculating early or producing solventy and/or overly estery beers. You can raise the temperature a few degrees near the end of fermentation to help the yeast clean up some of the intermediate compounds produced during fermentation, but with an appropriate pitch and proper temperature control, it shouldn't be necessary. BYO

Jamil Zainasheff writes "Style Profile" in every issue of BYO.

BYO BACK ISSUE SALE!

Buy 5 Issues...Get 5 More Issues FREE!

We are offering readers a very special deal on our limited quantities of back issues. Buy any 5 issues for $25 (plus $12.50 shipping) and receive 5 more issues for **FREE!** Buy 5 and get 5 **FREE!** Choose from these collectible classics still in stock from 1998 through 2010, and now 2011 back issues as well!

HURRY! SUPPLIES ARE LIMITED!

NOW AVAILABLE ONLINE AT WWW.BREWYOUROWNSTORE.COM

OCT. 98
- Great Bock Recipes
- Choose the Right Kit

FEB. 99
- Malta Yeast Starter
- Organic Homebrewing

MAR. 99
- Imported Clone Recipes
- Build an Electric Brew Stove

AUG. 99
- Wit, Kölsch Recipes
- American Lager Clones

JAN. 00
- 7 Czech Beer Recipes
- Your First Brew

FEB. 00
- High-Gravity Brewing
- Foreign Clone Recipes

OCT. 00
- 20 Autumn Extract Recipes
- Build a Counterflow Wort Chiller

JAN. 01
- Brew Indigenous Beers From 4 Continents
- Making Root Beer

FEB. 01
- 5 German Clone Recipes
- Decoction Step-by-Step

MAR. 01
- Growing Yeast Strains at Home
- Brew Low-Carb Beer with Beano®

MAY 01
- 20 Extract Recipes for Spring
- Build a Counter Pressure Bottle Filler

SUMMER 01
- 5 Clone Recipes for Summer
- Build a Big-Batch Mash Tun

JAN./FEB. 02
- 8 Ski Town Clone Recipes
- Thomas Jefferson's Homebrew

JULY/AUG. 02
- 21 Regional U.S. Recipes
- Brewing with Fruit

OCT. 02
- Better Extract Techniques
- One Batch, Two Beers

JAN./FEB. 03
- Brewing Porter
- Cleaning & Sanitation Made Easy

MAY/JUNE 03
- How to Control the Color of Your Beer
- Adding Oak to Beer

JULY/AUG. 03
- Light Beer Recipes
- Tips for Entering Homebrew Competitions

SEPT. 03
- Pale Ale Recipes
- Yeast Pointers

OCT. 03
- 17 Foolproof Extract Recipes
- Trappist Ale Tips & Recipes

NOV. 03
- Choosing and Using Homebrew Pumps
- Steeping vs. Partial Mash

DEC. 03
- High-Gravity Beers
- Brewing with Spices

MAY/JUNE 04
- Making Low-Carb Homebrew
- Beer Barbecue Recipes

JULY/AUG. 04
- Brewing Bocks — American & German
- Water Tips for Extract Beer

OCT. 04
- Extract Experiments
- Lambic Brewing

MAY/JUNE 05
- 10 Classic Clones: Anchor Steam, Fuller's ESB, Guinness, Sierra Nevada Pale Ale, Orval, Duvel, Paulaner Hefeweizen, Pilsner Urquell, Celebrator, Warsteiner

JULY/AUG. 05
- Brewing Heineken and International Lagers
- Belgian Saison

MAR./APR. 08
- Hop Substitution Guide
- Batch & Continuous Sparging

MAY/JUNE 08
- Czech Pilsners
- Build a Hop Drying Oast

JULY/AUG. 08
- 6 Belgian Inspired Clones
- Fruit Meads

SEPT. 08
- Low-Hop Recipes
- Dry Stout, Scottish Ale

OCT. 08
- Organic & Green Brewing
- Convert a Keg to Kettle

MARCH/APRIL 09
- Australian Brewing
- Controlling Fermentation Temperatures

OCT. 09
- Imperial German Beers - Take Malty Classics Big and Extreme
- Zombie Clones: Bring 5 British Ales Back from the Dead

NOV. 09
- Small Space Brewing Tips
- Countertop All-grain Brewing System

DEC. 09
- Pro Brewers Who Homebrew
- Rise of Small Hop Farms

JAN./FEB. 10
- Dark Secrets of Porter
- Brewing with Scotland's Brewdogs

MARCH/APRIL 10
- Bicycle Themed Beer Clones
- Master Dry Hopping

MAY/JUNE 10
- Breakfast Beers
- Build Your Own Keg & Carboy Cleaner

JULY/AUG. 10
- Grain to Glass – Your First All-Grain Brew Session
- Cascadia Dark Ale

SEPT. 10
- 15 Tips from 15 Pro Brewers
- Cooking with Homebrew

OCT. 10
- Extract Brew Day: A Pictorial Guide
- Use Malt Extract Like a Pro

NOV. 10
- Tap Into Kegs
- Barleywine Clones

DEC. 10
- Recipes & Tips from New Belgium Brewing
- Build a Motorized Mill

MAR./APR. 11
- Lagering Techniques
- Build a Multi-Tap Kegerator

MAY/JUNE 11
- Scandinavian Brews
- Make a Viking Ale

JULY/AUG. 11
- Cult of American Saison
- Making Witbier

SEPT. 11
- Cool New Malts
- Welsh Beer

OCT. 11
- Retro Regional Beer Clones
- Cooking with Bock

NOV. 11
- Build the Ultimate Home Bar
- Build a Draft Tower

DEC. 11
- Brew Award-Winning Lagers
- Brooklyn Brewery Tips & Clone Recipes

BUY 5 ISSUES...GET 5 MORE ISSUES FREE!

SPECIAL ITEMS:

NEW!

30 GREAT BEER STYLES

• Tips, techniques and recipes to brew 30 of the world's best beer styles at home.
• Authored by beer style guru and "Style Profile" columnist Jamil Zainasheff.



25 GREAT HOMEBREW PROJECTS

• Best projects from 16 years of *BYO*
• Includes parts & tools list as well as detailed instructions & pictures for each build

BUILD BRUTUS TEN

•Build your own single-tier, 10 gal. (38 L) semi-automated brewing system
•Includes plans, photos and step-by-step diagrams
•Special re-print from sold out November '07 issue



HOP LOVER'S GUIDE

•Hopping methods for extract & all-grain brewers to get the most out of your hops
•Comprehensive charts for 102 hop varieties
•Backyard hop growing instructions
•36 hoppy recipes



250 CLASSIC CLONE RECIPES

•New edition of our popular special issue now with 100 more recipes
•Brew your favorite commercial beers at home

BEGINNER'S GUIDE

•How to brew with kits, extracts & all-grain
•Also provides introduction to winemaking!



THE HOME BREWER'S ANSWER BOOK

•Direct from the pages of *BYO*, this collection of Q&A from our "Mr. Wizard" column is the perfect reference for beginners and advanced brewers — and everyone in between!

www.brewyourownstore.com

Brew YOUR OWN — THE HOW-TO HOMEBREW BEER MAGAZINE

Mark your 10 choices below.

Qty.	Issue	Qty.	Issue
____	October 98	____	July/Aug. 05
____	February 99	____	Mar./April 08
____	March 99	____	May/June 08
____	August 99	____	July/Aug. 08
____	January 00	____	September 08
____	February 00	____	October 08
____	October 00	____	Mar./April 09
____	January 01	____	October 09
____	February 01	____	November 09
____	March 01	____	December 09
____	May 01	____	Jan./Feb. 10
____	Summer 01	____	Mar./April 10
____	Jan./Feb. 02	____	May/June 10
____	July/Aug. 02	____	July/Aug. 10
____	October 02	____	September 10
____	Jan./Feb. 03	____	October 10
____	May/June 03	____	November 10
____	July/Aug. 03	____	December 10
____	September 03	____	Mar./April 11
____	October 03	____	May/June 11
____	November 03	____	July/Aug. 11
____	December 03	____	September 11
____	May/June 04	____	October 11
____	July/Aug. 04	____	November 11
____	October 04	____	December 11
____	May/June 05		

* previous issues not listed are sold out; 2012 back issues still cost the full $5.00

5 copies . . . . . .$25 $_____
5 **BONUS** copies . . . . . .FREE **FREE**
30 Great Beer Styles _____ x $10 ea = $_____
25 Great Homebrew Projects _____ x $10 ea = $_____
Build Brutus Ten Brewing System _____ x $3 ea = $_____
Hop Lover's Guide _____ x $8 ea = $_____
250 Clone Recipes _____ x $10 ea = $_____
Beginner's Guide _____ x $7 ea = $_____
Homebrewer's Answer Bk. _____ x $14.95 ea = $_____
Shipping/Handling (see below)..... = $_____
1 unit = $3.00 • 2-9 units = $7.00
10-49 units = $12.50 • 50-99 units = $25.00
100+ units = $37.50
Orders outside the U.S. please call or e-mail for shipping quote.
BYO Binders _____ x $20 ea. (incl. shipping) $_____
(Binders hold 12 issues each)
Total $_____

Name _____
Address _____
City _____ State ____ Zip _____
E-mail _____
Phone _____
❑ Check Enclosed ❑ MasterCard ❑Visa
Card# _____
Exp. Date _____
Signature _____

MAIL ORDER FORM TO:
BYO Back Issues
5515 Main Street
Manchester Center, VT 05255

FAX FORM TO:
802-362-2377
or CALL:
802-362-3981

Teaming up to brew is twice the fun

Story by **Glenn BurnSilver**

In the brewing world, everything typically starts off with a beer. So, you and your homebrew buddies sit around sampling the latest from your cellar, and the words start flying: "This is great." "What type of hops is in here?" "Which yeast strain did you use?" "Can I have another?" "We should brew together."

There it is. In the blink of an eye, the seed of a brewing collaboration has been planted.

Considering how much fun it is to share the homebrew, it's even more fun to share the brewing experience as well. It's something major craft brewers like Russian River, Stone Brewing Co., Ninkasi, Firestone Walker, Dogfish Head, Sierra Nevada and many others have been doing for years, though it's become a much more popular pastime in the last five years. And more often than not, it starts just as described above — over a beer.

"Our collaborations often are the result of drinking too much at a festival or a brewing convention, and telling your buddy at another brewery, 'Hey! We should do collaboration!'" explains The Bruery founder Patrick Rue, who has done several collaborations, including a recent pairing with Dogfish Head. "We tend to look at it as a friendly endeavor."

Firestone Walker Brewing brewmaster Matt Brynildson agrees, "A conversation might start about a common desire to make a crazy concept brew or simply how one brewer would like to visit another brewer's facility . . . Then you wake up in the morning and realize that you have committed to traveling to the Czech Republic to brew."

That's all well and good, but these brewers all stress that before committing to a brew session with another brewer that your brewing philosophies are in the same ballpark. There are many steps to the brewing process, from deciding what to brew and what ingredients will be used, to boil times and

COLLABORATIVE CLONES

Shaun O'Sullivan (21st Amendment), Mitch Steele (Stone Brewing Co.) and Matt Brynildson (Firestone Walker) mug it up while collaboratively brewing El Camino (Un)Real Black Ale (clone recipe on p. 33) at Stone Brewing Co.

Photo courtesy of Stone Brewing Co.

fermentation temperatures. If you like big, crazy hop-forward beers and your buddy prefers malty lagers, it might be hard to find a middle ground. Collaborating is a meeting of the minds, but they must begin more or less with the same ideals.

"If (we) have similar philosophies towards craft brewing (not necessarily with what beers we brew, but with how we approach brewing), that is where we start," says Stone Brewing Co. brewmaster Mitch Steele.

What to Brew

Once you've settled on a collaborative partner, the next step is deciding what to brew. Do you want to make a hoppy Pilsner or milk stout, imperial IPA or German-style wheat beer? This is where the collaborations take root. It's also important to consider brewing knowledge, skill and techniques. Collaboration should be a positive learning experience for everyone involved.

"I always look at collaboration as an opportunity to commune with a fellow brewer, to live a day in his or her moccasins and see how he or she thinks," says Brynildson, who has collaborated with a handful of breweries, including Bell's, De Proef (Belgium), 21st Amendment and Stone Brewing Co. "(But) there are always those moments when you are in another brewer's space and you think to yourself, 'What the hell is he doing!?' But you have to go into these things with an open mind. You do these things to create something new and to learn."

This brings up the question: What is expected of the style? Does your vision of an IPA pack a hop wallop, while your partner prefers a maltier British style? Or do you want to merge recipes, as 21st Amendment and Ninkasi did when creating Allies Win the War? Be clear on the beer's direction and desired outcome so there are no surprises along the way, then determine the specifications required to achieve that goal.

Formulating the Recipe

Deciding which ingredients to use, even with a clear goal in mind, can still be tricky as every brewer has favorite touches they like to add. Steve Dressler, brewmaster at Sierra Nevada Brewing, notes that he uses a signature blend of finishing hops for many beers and wanted to incorporate them into Sierra's collaboration with Boulevard Brewing in Kansas City. In other words, communicate precisely what you think the beer, in your eyes, must have. If at all possible, Dressler suggests a literal hands-on approach to ingredient selection by rubbing hops to assess characteristics and examining grains for color. This, of course, is easy for breweries, which have bulk materials at hand, so lacking such access the homebrewer should hit the books to find the proper ingredient mix.

But if these aspects of the process seem tedious, it shouldn't be. While homebrew shops these days have

Continued on page 34



Brew the World's Great Beer Styles at Home!

Join beer style guru Jamil Zainasheff as he offers tips, techniques and recipes for brewing 30 of the world's greatest beer styles. Collected from his popular "Style Profile" column and fully updated! All for just $10!

This special newsstand only issue is available at better homebrew retailers
or order today by calling 802-362-3981
also available online at brewyourownstore.com

COLLABORATIVE BEER

Jack and Ken's Ale Sierra Nevada 30th Anniversary Ale

Collaboration between Sierra Nevada and Jack McAuliffe from New Albion Brewing

(Black barleywine)
(5 gallons/19 L, all-grain)

OG = 1.101 (24 °P)
FG = 1.025 (6.2 °P)
IBU = 80 SRM = 90 ABV = 10.4%

Sierra Nevada put together this recipe in collaboration with Jack McAuliffe from New Albion Brewing (1976–1982) in Sonoma, California using raw materials available in the late 1970s. This was one of four Sierra Nevada 30th Anniversary Collaboration Ales.

Ingredients

20 lbs. (9.1 kg) 2-row pale malt
1 lb. 2 oz. (0.52 kg) caramel malt (60 °L)
5.2 oz. (0.15 kg) roasted barley
13 AAU Brewers Gold hops (60 mins) (1.5 oz./43 g of 8.5% alpha acids)
14 AAU Cluster hops (60 mins) (2 oz./57 g of 7% alpha acids)
1.0 oz. (28 g) Cascade hops (0 mins)
0.75 oz. (21 g) Northern Brewer hops (0 mins)
1.5 oz.(43 g) Cascade hops (dry hop)
1.5 oz. (43 g) Northern Brewer hops (dry hop)
Wyeast 1056 (American Ale), White Labs WLP001 (California Ale) or Fermentis US-05 yeast (7 qt./7 L yeast starter or 18 g dried yeast)

Step by Step

Heat 6.75 gallons (25 L) of strike water. Mash at 150 °F (66 °C) for 60 minutes. Mash out to 168 °F (76 °C) and hold for 5 minutes. Recirculate and then collect the wort. Fully sparging the grain bed would yield over 11 gallons (42 L) of wort. Decide how much wort you want to collect. (It takes about an hour to boil away a gallon/4 L of liquid on a typical homebrew system). Boil to reduce wort volume to 5 gallons (19 L), adding hops at times indicated. (If you collected less than the full amount of wort, you may need to add malt extract to hit your target OG. Take a hydrometer reading with 10 minutes left in the boil. For every "gravity point" you are low, add 1.8 oz. (51 g) of dried malt extract.) Chill wort and transfer to fermenter. Aerate and pitch sediment from yeast starter. Ferment at 68 °F (20 °C). Dry hop for 1 week.

Jack and Ken's Ale (Black barleywine) (5 gallons/19 L, partial mash)

OG = 1.101 (24 °P)
FG = 1.025 (6.2 °P)
IBU = 80 SRM = 90 ABV = 10.4%

Ingredients

2.5 lbs. (1.1 kg) 2-row pale malt
1 lb. 2 oz. (0.52 kg) caramel malt (60 °L)
5.2 oz. (0.15 kg) roasted barley
4 lb. 14 oz. (2.2 kg) light dried malt extract
6.0 lbs. (2.7 kg) light liquid malt extract (late addition)
13 AAU Brewers Gold hops (60 mins) (1.5 oz./43 g of 8.5% alpha acids)
14 AAU Cluster hops (60 mins) (2 oz./57 g of 7% alpha acids)
1.0 oz. (28 g) Cascade hops (0 mins)
0.75 oz. (21 g) Northern Brewer hops (0 mins)
1.5 oz.(43 g) Cascade hops (dry hop)
1.5 oz. (43 g) Northern Brewer hops (dry hop)
Wyeast 1056 (American Ale), White Labs WLP001 (California Ale) or Fermentis US-05 yeast

Step by Step

Mash grains at 150 °F (66 °C) for 60 minutes. (One option is to put the 4 lbs./1.8 kg of grain in a grain bag and place the bag in a 2.0-gallon/7.6-L insulated beverage cooler.) Collect wort and sparge grains with hot water (~190 °F/88 °C, but don't let the temperature of the grain bed rise above 170 °F/77 °C). (If you are using the beverage cooler option, collect one cup of wort from the spigot, then add one cup of hot sparge water to the top of the cooler and repeat until you collect around 2.0 gallons (7.6 L) of wort.) Add water to wort to make at least 3.5 gallons (13 L) of wort, stir in dried malt extract and bring to a boil. Boil for 60 minutes, adding hops at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68 °F (20 °C). Dry hop for 1 week.

Jack and Ken's Ale (Black barleywine) (5 gallons/19 L, extract with grains)

OG = 1.101 (24 °P)
FG = 1.025 (6.2 °P)
IBU = 80 SRM = 90 ABV = 10.4%

Ingredients

0.5 lbs. (0.23 kg) 2-row pale malt
1 lb. 2 oz. (0.52 kg) caramel malt (60 °L)
5.2 oz. (0.15 kg) roasted barley
6.0 lbs. (2.7 kg) light dried malt extract
6.0 lbs. (2.7 kg) light liquid malt extract (late addition)
13 AAU Brewers Gold hops (60 mins) (1.5 oz./43 g of 8.5% alpha acids)
14 AAU Cluster hops (60 mins) (2 oz./57 g of 7% alpha acids)
1.0 oz. (28 g) Cascade hops (0 mins)
0.75 oz. (21 g) Northern Brewer hops (0 mins)
1.5 oz.(43 g) Cascade hops (dry hop)
1.5 oz. (43 g) Northern Brewer hops (dry hop)
Wyeast 1056 (American Ale), White Labs WLP001 (California Ale) or Fermentis US-05 yeast

Step by Step

Place grains in a steeping bag. In a large (at least 4 qt/4 L) kitchen pot, steep grains at 150 °F (66 °C) for 60 minutes in 2.7 qts. (2.6 L) of water. Begin heating at least 3.0 gallons (11 L) of water in your brewpot as the grains steep. Rinse grains with 1.5 qts. (1.4 L) of 170 °F (77 °C) water and add "grain tea" to water in brewpot. Stir in dried malt extract and bring wort to a boil. Boil for 60 minutes, adding hops at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68 °F (20 °C). Dry hop for 1 week.

Tips for Success

This is a big beer, so pitching an adequate amount of yeast is critical. If you make a simple yeast starter (not continuously stirred and/or continuously aerated), it should optimally be about 7 qts. (7 L). You can get by with one half this size, but don't go any lower than that. If you aren't going to make a starter, use just short of two 11-g sachets of dried yeast.

Adding some yeast nutrients in the final 15 minutes of the boil is not a bad option and be sure to aerate your wort well. In addition, watch that your fermentation temperature doesn't rise too high.

CLONE RECIPES



More Brown Than Black IPA

Collaboration among The Alchemist, Ninkasi and Stone Brewing Co.

(Black IPA)

(5 gallons/19 L, all-grain)

OG = 1.066 (16.5 °P)
FG = 1.016 (4 °P)
IBU = 100 SRM = 23 ABV = 6.4%

"We decided to brew a dark IPA, because John Kimmich from The Alchemist is one of the first brewers in the United States to ever brew one, back in the early/mid 90s when he worked with Greg Noonan at The Vermont Pub and Brewery."

Ingredients

12 lbs. (5.4 kg) Maris Otter pale ale malt
1.0 lb. (0.45 kg) light Munich malt
5.6 oz. (0.16 kg) Carafa® Special III malt
4.6 oz. (0.13 kg) Carahelles malt
0.071 oz. (2 g) Super Galena CO_2 hop extract
1.9 oz. (55 g) Delta hops (0 mins)
1.9 oz. (55 g) Nelson Sauvin hops (0 mins)
1.9 oz. (55 g) Citra® hops (dry hop)
1.9 oz. (55 g) Galaxy hops (dry hop)
White Labs WLP090 (San Diego Super) yeast
(2.75 qts./2.75 L yeast starter)

Step by Step

You will need 4.25 gallons (16 L) of strike water. Infusion mash at 152 °F (67 °C) for 60 minutes, then raise temperature to 165 °F (74 °C) for mash off. Recirculate wort, then run off and sparge to yield about 6.5 gallons (25 L) of wort. Use sparge water hot enough to maintain grain bed temperature at around 170 °F (77 °C), but not over. Boil wort for 90 minutes, adding hops at times indicated. Chill wort and transfer to fermenter. Aerate well and pitch sediment from yeast starter. Ferment at 68 °F (20 °C). At end of fermentation, dry hop and hold warm for 3 days, then chill to 34 °F (1.1 °C) and age for a week.

More Brown Than Black IPA

(Black IPA)

(5 gallons/19 L, partial mash)

OG = 1.066 (16.5 °P)
FG = 1.016 (4 °P)
IBU = 100 SRM = 23 ABV = 6.4%

Ingredients

2 lb. 6 oz. (1.1 kg) Maris Otter pale ale malt
1.0 lb. (0.45 kg) light Munich malt
5.6 oz. (0.16 kg) Carafa® Special III malt
4.6 oz. (0.13 kg) Carahelles malt
2.0 lbs. (0.91 kg) light dried malt extract
4.5 lbs. (2.0 kg) light liquid malt extract
0.071 oz. (2 g) Super Galena CO_2 hop extract
1.9 oz. (55 g) Delta hops (0 mins)
1.9 oz. (55 g) Nelson Sauvin hops (0 mins)
1.9 oz. (55 g) Citra® hops (dry hop)
1.9 oz. (55 g) Galaxy hops (dry hop)
White Labs WLP090 (San Diego Super) yeast

Step by Step

Mash grains at 152 °F (67 °C) for 60 minutes. (One option is to put the 4 lbs./1.8 kg of grain in a grain bag and place the bag in a 2.0-gallon/7.6-L insulated beverage cooler.) Collect wort and sparge grains with hot water (~190 °F/88 °C, but don't let the temperature of the grain bed rise above 170 °F/77 °C). (If you are using the beverage cooler option, collect one cup of wort from the spigot, then add one cup of hot sparge water to the top of the cooler and repeat until you collect around 2.0 gallons (7.6 L) of wort.) Add water to wort to make at least 3.5 gallons (13 L) of wort, stir in dried malt extract and bring to a boil. Boil for 60 minutes, adding hops at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68 °F (20 °C). Dry hop for 3 days.

More Brown Than Black IPA

(Black IPA)

(5 gallons/19 L, extract with grains)

OG = 1.066 (16.5 °P)
FG = 1.016 (4 °P)
IBU = 100 SRM = 23 ABV = 6.4%

Ingredients

6.0 oz. (0.17 kg) Maris Otter pale ale malt
1.0 lb. (0.45 kg) light Munich malt
5.6 oz. (0.16 kg) Carafa® Special III malt
4.6 oz. (0.13 kg) Carahelles malt
2.5 lbs. (1.1 kg) light dried malt extract
5.25 lbs. (2.4 kg) light liquid malt extract
0.071 oz. (2 g) Super Galena CO_2 hop extract
1.9 oz. (55 g) Delta hops (0 mins)
1.9 oz. (55 g) Nelson Sauvin hops (0 mins)
1.9 oz. (55 g) Citra® hops (dry hop)
1.9 oz. (55 g) Galaxy hops (dry hop)
White Labs WLP090 (San Diego Super) yeast

Step by Step

Place grains in a steeping bag. In a large (at least 4 qt/4 L) kitchen pot, steep grains at 152 °F (67 °C) for 60 minutes in 2.7 qts. (2.6 L) of water. Begin heating at least 3.0 gallons (11 L) of water in your brewpot as the grains steep. Rinse grains with 1.5 qts. (1.4 L) of 170 °F (77 °C) water and add "grain tea" to water in brewpot. Stir in dried malt extract and bring wort to a boil. Boil for 60 minutes, adding hops at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68 °F (20 °C). Dry hop for 3 days.

Tips for Success

What do you mean you don't have any Super Galena CO_2 extract laying around? Doesn't everybody? In reality, hop extracts generally aren't available on the homebrewing market. So, try substituting any neutral high-alpha hop that will get you to 100 IBUs — for example, 1.6 oz. (45 g) of Summit™ hops, at 17.5% alpha acids (for 28 AAU total), boiled for 60 minutes.

This is a very hoppy beer, but also moderately dark. It is likely that adjusting your water chemistry will help you bring out the best in this beer. If you aren't familiar with how to adjust your water chemistry, try downloading John Palmer's water worksheet from his website (www.howtobrew.com, see chapter 15).

For this beer, adjust your water's chemistry to an appropriate residual alkalinity (RA) for the color and the right amount of sulfates (and sulfate to chloride ratio) for a bitter or very bitter beer. When brewing this beer, gypsum is your friend.

COLLABORATIVE BEER



Allies Win the War

Collaboration between
21st Amendment and Ninkasi
(5 gallons/19 L, all-grain)
OG = 1.072 (18 °P)
FG = 1.018 (4.5 °P)
IBU = 49 SRM = 32 ABV = 7.1%

Ingredients

11 lb. 12 oz. (5.3 kg) 2-row pale malt
12 oz. (0.34 kg) English crystal malt (15 °L)
12 oz. (0.34 kg) English crystal malt (45 °L)
12 oz. (0.34 kg) English crystal malt (120 °L)
8 oz. (0.23 kg) English crystal malt (155/165 °L)
12 oz. (0.34 kg) English light Munich malt
1.6 oz. (45 g) chocolate malt
6.0 oz. (170 g) dates (macerated, in the secondary)
8.4 AAU Warrior hops (90 mins) (0.5 oz./14 g of 16.8% alpha acids)
7.0 AAU Willamette hops (30 mins) (0.9 oz./26 g of 7.8% alpha acids)
0.6 oz. (17 g) East Kent Goldings hops (0 mins)
Wyeast 1968 (London ESB) or White Labs WLP002 (English Ale) yeast (3.3 qt./3.3 L yeast starter)

Step by Step

For the mash, you will need 4.5 gallons (17 L) of strike water. Mash at 155 °F (68 °C) for 50 minutes. Mash out to 168 °F (76 °C) and hold for 5 minutes. Recirculate and then collect enough wort such that you can boil it down to 5.0 gallon (19 L) in 90 minutes. Boil wort for 90 minutes, adding hops at times indicated in ingredient list. Chill wort and transfer to fermenter. Aerate well and pitch sediment from yeast starter. Ferment at 68 °F (20 °C). Rack to secondary and add dates. Bottle or keg after 5 days in secondary.

Allies Win the War

(5 gallons/19 L, partial mash)
OG = 1.072 (18 °P) FG = 1.018 (4.5 °P)
IBU = 49 SRM = 32 ABV = 7.1%

Ingredients

4.0 lbs. (1.8 kg) 2-row pale malt
12 oz. (0.34 kg) English crystal malt (15 °L)
12 oz. (0.34 kg) English crystal malt (45 °L)
12 oz. (0.34 kg) English crystal malt (120 °L)
8 oz. (0.23 kg) English crystal malt (155/165 °L)
12 oz. (0.34 kg) English light Munich malt
1.6 oz. (45 g) chocolate malt
1.5 lbs. (0.68 kg) light dried malt extract
3.5 lbs. (1.6 kg) light liquid malt extract
6.0 oz. (170 g) dates (macerated, in the secondary)
8.4 AAU Warrior hops (90 mins) (0.5 oz./14 g of 16.8% alpha acids)
7.0 AAU Willamette hops (30 mins) (0.9 oz./26 g of 7.8% alpha acids)
0.6 oz. (17 g) East Kent Goldings hops (0 mins)
Wyeast 1968 (London ESB) or White Labs WLP002 (English Ale) yeast

Step by Step

For this partial mash recipe, you'll need two large grain steeping bags and a 2-gallon (7.6-L) beverage cooler. Place the 4.0 lbs. (1.8 kg) of 2-row pale malt in one steeping bag and the remaining specialty grains in the other. In the cooler, mash the pale malt grains at 155 °F (68 °C) for 50 minutes. This will take 5.5 quarts (5.2 L0 of water. In your brewpot, steep the specialty grains at 155 °F (68 °C) in 1 gallon (3.8 L) of water while you are mashing. Collect wort from the cooler in the following manner. Collect one cup of wort from the spigot, then add one cup of hot sparge water to the top of the cooler and repeat until you collect around 2.0 gallons (7.6 L) of wort. Use ~190 °F (88 °C) water for sparging, but don't let the temperature of the grain bed rise above 170 °F (77 °C). As you collect the wort, add it to your brewpot, where the specialty grains are steeping (and still being held at 155 °F/ 68 °C). Once all the wort is collected from the cooler, add water to brewpot to make at least 3.5 gallons (13 L) of wort, stir in dried malt extract and bring to a boil. Boil wort for 90 minutes, adding hops at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68 °F (20 °C).

Allies Win the War

(5 gallons/19 L, extract with grains)
OG = 1.072 (18 °P)
FG = 1.018 (4.5 °P)
IBU = 49 SRM = 32 ABV = 7.1%

Ingredients

12 oz. (0.34 kg) English crystal malt (15 °L)
12 oz. (0.34 kg) English crystal malt (45 °L)
12 oz. (0.34 kg) English crystal malt (120 °L)
8 oz. (0.23 kg) English crystal malt (155/165 °L)
12 oz. (0.34 kg) English light Munich malt
1.6 oz. (45 g) chocolate malt
2.5 lbs. (1.1 kg) light dried malt extract
5.0 lbs. (2.3 kg) light liquid malt extract
6.0 oz. (170 g) dates (macerated, in the secondary)
8.4 AAU Warrior hops (90 mins) (0.5 oz./14 g of 16.8% alpha acids)
7.0 AAU Willamette hops (30 mins) (0.9 oz./26 g of 7.8% alpha acids)
0.6 oz. (17 g) East Kent Goldings hops (0 mins)
Wyeast 1968 (London ESB) or White Labs WLP002 (English Ale) yeast

Step by Step

Place grains in a large steeping bag. In a large (at least 6 qts./6 L) kitchen pot, steep grains at 155 °F (68 °C) for 50 minutes in 3.9 qts. (3.7 L) of water. Begin heating at least 3.0 gallons (11 L) of water in your brewpot as the grains steep. Rinse grains with 2.0 qts. (1.9 L) of 170 °F (77 °C) water and add "grain tea" to water in brewpot. Stir in dried malt extract and bring wort to a boil. Boil for 60 minutes, adding hops at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68 °F (20 °C).

Tips for Success

This recipe contains a lot of specialty grains, including a high percentage of dark crystal malts and some chocolate malt. Darkly roasted grains are, of course, very flavorful, but they are also more likely to give up an excessive amount of tannins if handled improperly.

Be careful not to oversparge when collecting wort. If you have a pH meter, monitoring the final runnings and ensuring they don't climb above 5.8 would be a good idea. And of course, use the best quality crystal malts you can find.

Also, be sure to make a yeast starter. This yeast strain has a tendency to flocculate early if the pitching rate is too low.

CLONE RECIPES

El Camino (Un)Real Black Ale

Collaboration among 21st Amendment, Firestone Walker and Stone Brewing Co.

(5 gallons/19 L, all-grain)

OG = 1.096 (23 °P)
FG = 1.021 (5.2 °P)
IBU = 49 ABV = 7.1%

Ingredients

15 lb. 8 oz. (7.0 kg) North American 2-row pale malt
13 oz. (0.38 kg) Caramunich® malt
12 oz. (0.34 kg) Special B malt
10.5 oz. (0.30 kg) Carafa® III malt
9.5 oz. (0.27 kg) roasted barley
6.1 oz. (0.17 kg) flaked oats
5.3 oz. (0.15 kg) chocolate malt
15 oz. (0.41 kg) Belgian dark candi sugar (90 mins)
14 AAU Challenger hops (90 mins) (2.1 oz./60 g of 6.5% alpha acids)
1.3 oz. East Kent Goldings hops (10 mins) (1.3 oz./37 g of 4.5% alpha acids)
1.5 oz. (43 g) Styrian Goldings hops (0 mins)
0.46 oz. (13 g) fennel seeds (0 mins)
0.46 oz. (13 g) chia seeds (0 mins)
0.25 oz. (7.1 g) pink peppercorns (0 mins)
1.7 oz. (48 g) Styrian Golding hops (dry hop)
0.9 oz. (26 g) dried black mission figs (steep 7 days) (chopped, soaked in bourbon)
8.0 oz. (230 g) oak chips (steep 3 days)
White Labs WLP001 (California Ale) yeast (6 qt./6 L yeast starter)

Step by Step

For mashing in, you will need 6.0 gallons (23 L) of strike water. Mash at 149 °F (65 °C) for 60 minutes. Mash out to 165 °F (74 °C). Recirculate and collect wort. Collect enough to be able to boil wort for 90 minutes. (Fully sparged, you would get at least 10 gallons/38 L out of the grain bed, but then you would have to boil your wort longer to concentrate it. If you boil less than you can get from the grain bed, you may have to supplement the wort with a little malt extract to reach your target OG.) Boil wort to reduce volume to 5 gallons (19 L), adding hops and other spices at times indicated. Chill and transfer to fermenter. Aerate and pitch yeast sediment from yeast starter. Ferment at 68–70 °F (20–21 °C). Transfer to secondary and add dry hops and figs, then 4 days later add the oak chips; 3 days after that, package the beer.

El Camino (Un)Real Black Ale

(5 gallons/19 L, partial mash)

OG = 1.096 (23 °P)
FG = 1.021 (5.2 °P)
IBU = 49 ABV = 7.1%

Ingredients

4.0 lbs. (1.8 kg) North American 2-row pale malt
13 oz. (0.38 kg) Caramunich® malt
12 oz. (0.34 kg) Special B malt
10.5 oz. (0.30 kg) Carafa® III malt
9.5 oz. (0.27 kg) roasted barley
6.1 oz. (0.17 kg) flaked oats
5.3 oz. (0.15 kg) chocolate malt
15 oz. (0.41 kg) Belgian dark candi sugar (90 mins)
2.0 lbs. (0.91 kg) light dried malt extract
5 lb. 10 oz. (2.6 kg) light liquid malt extract
14 AAU Challenger hops (90 mins) (2.1 oz./60 g of 6.5% alpha acids)
1.3 oz. East Kent Goldings hops (10 mins) (1.3 oz./37 g of 4.5% alpha acids)
1.5 oz. (43 g) Styrian Goldings hops (0 mins)
0.46 oz. (13 g) fennel seeds (0 mins)
0.46 oz. (13 g) chia seeds (0 mins)
0.25 oz. (7.1 g) pink peppercorns (0 mins)
1.7 oz. (48 g) Styrian Golding hops (dry hop)
0.9 oz. (26 g) dried black mission figs (steep 7 days) (chopped, soaked in bourbon)
8.0 oz. (230 g) oak chips (steep 3 days)
White Labs WLP001 (California Ale) yeast

Step by Step

For this partial mash recipe, you'll need two large grain steeping bags and a 2-gallon (7.6-L) beverage cooler. Place the 4.0 lbs. (1.8 kg) of 2-row pale malt in one steeping bag and the remaining specialty grains in the other. In the cooler, mash the pale malt grains at 149 °F (65 °C) for 60 minutes. This will take 5.5 quarts (5.2 L) of water. In your brewpot, steep the specialty grains at 149 °F (65 °C) in 4.5 qqts. (4.2 L) of water while you are mashing. Collect wort from the cooler in the following manner. Collect one cup of wort from the spigot, then add one cup of hot sparge water to the top of the cooler and repeat until you collect around 2.0 gallons (7.6 L) of wort. Use ~190 °F (88 °C) water for sparging, but don't let the temperature of the grain bed rise above 170 °F (77 °C). As you collect the wort, add it to your brewpot, where the specialty grains are steeping (and still being held at 149 °F/65 °C). Once all the wort is collected from the cooler, add water to brewpot to make at least 3.5 gallons (13 L) of wort, stir in dried malt extract and bring to a boil. Boil wort for 90 minutes, adding hops and other spices at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68–70 °F (20–21 °C). Transfer to secondary and add dry hops and figs, then 4 days later add the oak chips; 3 days after that, package the beer.

Extract with grains option:

Omit 2-row pale malt from partial mash recipe and increase liquid malt extract to a total of 8.5 lbs. (3.9 kg) Place specialty grains in a steeping bag. In a large (at least 6 qt./6 L) kitchen pot, steep grains at 149 °F (65 °C) for 60 minutes in 1.1 gallons (4.2 L) of water. Begin heating at least 2.0 gallons (7.6 L) of water in your brewpot as the grains steep. Rinse grains with 2.0 qts. (1.9 L) of 170 °F (77 °C) water and add "grain tea" to water in brewpot. Stir in dried malt extract and bring wort to a boil. Boil for 90 minutes, adding hops and spices at times indicated. Stir in liquid malt extract during the final 15 minutes of the boil. (Stir well to avoid scorching malt extract.) Cool wort and transfer to fermenter. Top up to 5.0 gallons (19 L) with cool water, aerate well and pitch yeast. Ferment at 68–70 °F (20–21 °C). Transfer to secondary and add dry hops and figs, then 4 days later add the oak chips; 3 days after that, package the beer.

Tips for Success

This is a big beer, be sure to make a yeast starter with enough volume to grow a sufficient number of cells to ferment the wort efficiently — a minimum of roughly 3 qts. (3 L), but optimally twice that. Barring that, 17 g of Fermentis US-05 dried yeast would also work. Aerate the wort well and consider adding yeast nutrients in the final 15 minutes of the boil.

Getting the right amount of spice in a beer can be tricky. Consider adding half of the amount of each of the spices listed here, and soaking the remaining spices in vodka. If, when it comes time to bottle or keg the beer, the beer seems underspiced, add some or all of the vodka.

When adding the figs, put these in a dry hopping bag and do not add the bourbon used for soaking to the beer.

almost anything anyone could need or want to brew, sourcing as many local or regional ingredients as possible adds to the fun.

21st Amendment brewmaster Shaun O'Sullivan sourced dates from Indio, California, the only place dates are grown in North America, to regionally balance the Oregon hop blend used in Allies. Dressler sites his collaborations with Boulevard and Dogfish Head as examples of regional pride. With the Boulevard collaboration, which is a barrel-aged beer, Midwest wheat was selected as the primary grain while Midwest oak was used in the barrels. With Dogfish Head, east coast maple and birch syrups were used. In both collaborations, from California came the hops.

One advantage to brewing on the homebrew scale is a lack of government regulations that could get in the way of long distance collaborations. Various state or federal regulations prevent the transport of beer in certain forms across state lines. When Colorado's Avery Brewing and California's Russian River Brewing decided to blend their like-named Salvation ales and create Collaboration Not Litigation Ale, they discovered rules in place to prevent beer made at one brewery being mixed with beer from another. Thus, Russian River's recipe was produced in Colorado and then blended with Avery's. Other brewers noted similar issues and the need to produce collaborations in one place. Returning to the homebrew scale, it's never a bad idea to brew in someone else's kitchen. Everyone operates in a slightly different manner and brewing outside the carboy, as it were, is a great way to learn.

"When we collaborate at another brewery, we get to see how they do their processes and often we leave with some things we could do better in our own processes," Rue says.

"Sharing brewing philosophies and experiences make all of us better at what we do," Steele adds. "You can learn something new and valuable from anyone. I'm a big believer in that. And, if you stop learning, you stagnate, and craft brewers cannot afford to stagnate!"

The First Sip

Of course, after picking the style, determining the ingredients and formulating the recipe, and finally, brewing the beer, the most difficult part of the collaboration arrives: the wait. It's important that the first collaborative beer be opened together and shared together. That's what collaborations are all about.

"The anticipation of drinking that beer together is the beauty of it," Dressler says. "That's the end game. If you're homebrewers and friends, sharing that first beer together is the ultimate." BYO

Glenn BurnSilver is a frequent contributor to Brew Your Own. *He lives and brews in Arizona.*



25 GREAT HOMEBREW PROJECTS

in one great special issue!



25 project plans include:

Cooler Mash Tun
Continuous Sparging System
Countertop All-Grain System
Electric Heat Stick
Convert Brew Pot to Kettle
Convert Keg to Kettle
Counterpressure Bottle Filler
Portable Kegerator
Rebuild a Keg & Spunding Valve
Counterflow Wort Chiller
Recirculating Wort Chiller
Carboy Spray Wand
Keg & Carboy Cleaner
Tap Handles
Home Kegerator
Nitro Kegerator
Glycol Fermenter
Inline Aerator
Yeast Stir Plate
Inline Thermometer
Pump Toolbox Combination
Water Filter
Randall-Style Hop Filter
French Press Hopback
Hop Dryer

The Ultimate Do-It-Yourself guide for homebrewers! Includes the best projects stories to run in *BYO* magazine over the past 16 years! All projects include a parts & tools list as well as detailed instructions on the build and pictures to help guide you through the project. All this for just $10.00 retail!

This special newsstand-only issue is available at better homebrew retailers or order today online at brewyourownstore.com Also available by calling 802-362-3981

* Attention homebrew supply shop owners — call us today at 802-362-3981 to discuss volume discounts to resell the BYO 25 Great Homebrew Projects issue in your shop

Story by **Justin Burnsed**

TROUBLE SHOOTING...

Avoiding the Most Common Brewing Mistakes

Photo by Charles A. Parker/Images Plus

Learn from experience. We've made these mistakes so you don't have to.

In the early years as a rookie homebrewer, there were many times where I poured myself a beer from a newly readied batch and said, "You know, this didn't turn out quite how I expected." Most of these variations were fairly minor and the beer was still quite good, just different than anticipated. Admittedly there were a few batches where saying a few words over a case of bottles before letting them flow down the drain crossed my mind. This was obviously a last resort of course, as it takes a pretty bad beer to make me want to commit such a dastardly act.

As with anything in life, practice only makes you better equipped to prevent these surprises and allows your liquid masterpiece to more closely mimic your artistic vision. In the hopes of helping the less than expert brewer avoid some of the most troublesome issues I encountered way back when, I am here to share a handful of tips to ensure your path to brewing success is as smooth as a cask conditioned stout.

Problem: Inconsistent Original Gravities (OG)

Other than watching a beer that is stuck in fermentation purgatory, having your hydrometer settle in at 10 or 20 gravity points off what you thought it was going to be can be pretty frustrating. Some people may say that is just part of homebrewing, but so much of what we do is about control and I feel this subject deserves a fair amount of attention.

Dialing in the efficiency of your individual equipment takes time and can be very trying if you allow other variables to come into play. Having the right amount of extraction has a huge impact on how your beer will taste and its eventual alcohol level. This is more of an issue for all-grain brewers than for those of you that use mostly extracts, but it is good information to have if you ever want to make that leap of faith.

The first culprit that I identified for variation in original gravity was how the malt was getting milled. Sometimes I would mill it myself using a Corona mill or have it milled at one of my favorite homebrew suppliers. There was an obvious difference between doing it myself, and the various roller mills from the guys I bought my malt from. Different gap sizes in these devices can have an impact on how much starch gets extracted during the mash. You need to make sure your grains are getting crushed the same way each time you brew. If you have an issue with wheat or rye based beers coming in at low gravity, adjusting the mill for a finer grind may help as their kernels are a little smaller than barley.

It should also be noted that there are small variations in brewing grains that are from the same category, which could have a small impact on your wort gravity. Don't expect all 2-row base malts (pale, pale ale, Pilsner, etc.) to perform the same.

Your water to grist ratio should also be consistent and not range too far outside the norm of 1.0 to 1.5 quarts per gallon (1 to 3 L/kg). Mash thickness has a direct impact on wort fermentability and extraction levels and should be tailored to beer style. Keep it the same when brewing a particular recipe multiple times, unless you are looking for different results. Mash and sparging temperature will also have an impact on how much carbohydrate is pulled from the grain, so keep an eye on that as well.

This may seem like a no brainer, but when you conduct the boil, be sure that the starting boil volume, boiling time and the heat source output are consistent each time you brew. Variations in these factors will either concentrate or dilute your wort.

One of the most exciting days as a homebrewer is when you get some new equipment to add to your arsenal. But when you upgrade from that little 3-gallon (11-L) pot on your stove to that Blichmann stainless steel 10-gallon (38-L) pot with a 50,000 BTU burner, there will be a big difference in how your wort turns out. Just be aware of that and consider your first batch on any new equipment as a test run, then adjust accordingly.

When it comes to measuring your OG, also be sure to follow the guidelines on your hydrometer in terms of temperature correction. It is always best to cool your wort down if possible to the baseline level when taking a reading. If you want the ability to make any adjustments to your wort's gravity, I would suggest taking a reading with about 15 minutes left in your boil and add a small amount of malt extract or sugar to get it right if it looks like it will finish a bit low. If it's on the high side, you can always boil a measured amount of water and add it to the kettle just before cooling (although this will dilute the hop character).

If you are like me and you are the type of person that likes to create their own recipes rather than follow the path of others, then you may only have to look in the mirror for your gravity woes. Being off on your calculations when formulating a recipe just a little bit can have a big impact on your OG. My recommendation is to make use of any of the great beer recipe programs out there like ProMash, BeerTools, BeerSmith or Beer Calculus (which is free and only requires internet access). This will severely reduce the chance of human error and it's a heck of a lot easier to boot!

Bottom Line: Consistency in all areas you have control over during the mash and the boil is key for an accurate original gravity.

Problem: All of Your Beers Have Signature Harshness

My very first batch of beer was supposed to mimic the flavors of Sierra Nevada's Celebration Ale. It had all the right ingredients in terms of malt, hop varieties and yeast. But when I took that first sip, I noticed this taste that I couldn't quite put my finger on. I just knew that whatever it was, it was the complete opposite of smooth. If you've entered your beer into a contest and have gotten a BJCP scoresheet back with the "astringent" box checked or comments about it having a strange/harsh bitterness, you know

Troubleshooting

Key: "X": For beers made with malt extract, "AG": For all-grain beers

Problem	Cause
Fermentation does not start	• Inadequate amount of yeast pitched • Wort too hot (yeast stunned/killed) • Wort too cold (yeast dormant) • Fermentation fine, but bucket not sealed (so you can't see bubbles in airlock) • Fermentation already complete (look for ring of "crud" around inside of fermenter)
Stuck fermentation	• Not enough yeast pitched • Inadequate aeration • Wort temperature too low • Yeast strain flocculated early (rousing yeast may help) • Fermentation is finished, not stuck (take specific gravity to check)
A puckering, tea-like quality; sometimes confused with bitterness (astringency)	• X: steeped grains in too much water (over 3 quarts water per pound of grain) • X: steeping water too hot (over 170 °F) • AG: excessive volume of sparge water (collected wort less than SG 1.008 or above a pH of 5.8) • AG: excessively hot sparge water (over 170 °F)
Sour or tart beer	• Contamination • Tart ingredients (like raspberries or cranberries) • AG: mash sat overnight and temperature dropped to 120 °F (or below)
A buttery or butterscotch-like flavor or aroma (diacetyl)	• Yeast did not absorb diacetyl (a diacetyl rest is required for some lager yeast strains) • Contamination • Racked beer too early • Yeast strain
Overly fruity aromas, especially banana (estery)	• High fermentation temperatures • Inadequate pitching rate • Yeast strain (some British and Belgian ale strains are supposed to be very fruity)
Chloraseptic-like or Band-aid-like aroma or flavor (phenolic)	• Contamination
Vinegar flavor or aroma (acetic)	• Contamination, especially in conjunction with exposure to oxygen
Wort darker than expected	• X: concentrated wort boil • X: scorching of malt extract (stir in thoroughly)
Stuck mash	• Running off wort too quickly • Grains crushed too finely • High percentage of wheat or rye
Low extract efficiency	• Crush too coarse • Collecting wort too fast • Collecting too little volume of wort per unit of grain • Poor lauter tun design • Water chemistry not conducive to good mash (check calcium levels first) • pH outside of 5.2-5.6 range

Chart

Problem	Cause
Overly high final gravity (FG)	• Maybe the beer was supposed to have a high FG • High percentage of specialty malt in recipe • Yeast strain • Any of causes listed under "stuck fermentation" on page 42
Chill haze	• Use Irish moss (at rate of 1 tsp. per 5 gallons) • Boil too short or not vigorous enough
Poor foam	• Glassware dirty • Weak fermentation • Too little protein in wort (esp. when high amounts of adjunct are used) • AG: overly-long rest at 122-131 °F
Mold on surface of beer	• It may be yeast, not mold (different yeast strains behave differently) • Wort is exposed to oxygen, which encourages surface growths
Bottle-conditioned beer is flat	• Move bottles to warmer location for conditioning • Give beer more time to condition • Beer and priming sugar not adequately mixed in bottling bucket • You forgot the priming sugar • Not enough yeast left in beer to bottle condition (rarely happens)
Bottle-conditioned beer is overcarbonated	• Contamination • Beer and priming sugar not adequately mixed in bottling bucket • Too much priming sugar
Beer's original gravity (OG) too low	• X: wort and topping up water not mixed thoroughly • AG: poor extract efficiency (see above)
Cheesy aroma or flavor	• Hops are old and stale
Corn-like aroma or flavor (DMS)	• Wort cooled too slowly when certain very pale malts used • Contamination
Solvent-like or nail polish aromas (higher alcohols, fusel oils)	• Fermentation temperature too high • Inadequate aeration • High original gravity
Skunk-like aroma	• Beer exposed to light (especially due to bottling in clear or green bottles)
Wet cardboard aromas and flavors (oxidation)	• Beer exposed to oxygen during late fermentation or conditioning
Sherry-like aromas or flavor (oxidation)	• Beer exposed to oxygen during late fermentation or conditioning • Long aging of high-alcohol beers (appropriate in some cases)
Excessive sediment in bottle conditioned beer	• Some sediment is always present • Let beer fall clear before bottling
Water, wort or beer on floor	• Be sure all valves are closed before transferring liquid to a vessel
Beer on ceiling	• Fermentation lock clogged (use blow-off tube next time)

what I'm talking about. Let's look at the potential causes for this all too common flaw.

Most of the reasons for why this undesirable flavor occurs can be found in the mash tun or boiling pot. The grain or extract itself is very rarely the problem unless you are only brewing really dark beers with copious amounts of roasted malts. If you are experiencing harshness across a large spectrum of beer styles, it is most likely your water that is to blame.

For all-grain recipes, you should try to keep your sparge water temperatures at a maximum of 170 °F (77 °C), especially near the end of wort collection, to avoid pulling excessive amounts of tannins from the husks. You also want to quit sparging before the pH of your runoff rises above 5.8 (or the specific gravity of the final runnings drops below 1.008).

The composition of your brewing water could have a number of factors working against you, so getting a water report is highly recommended if you think this could be the root of your problem. You should be able to get a copy of this information if you are on a municipal water supply. If you are on a well, you could have a sample analyzed at a lab for around $25-50.

Having this information is great, but you'll need to know how to use it. Without diving too much into water chemistry, an excessive amount or lack of balance between any number of ions or compounds are common contributors to harsh flavors. I have personally done battle with very alkaline water carrying high levels of bicarbonates and way too much magnesium. My tap water was wreaking havoc on my beers for about a month until I figured out what the issue was. Water that has a high alkalinity keeps your mash pH high and is another way to extract harsh tannins from the grains. Treating the mash with brewing salts is one way to combat this, but only to a certain extent.

Other sources of harshness could be high levels of sulfate, calcium chloride and sodium. If you are looking for a quick solution to this problem, you could always dilute your water with bottled drinking water (which is what I did), use it entirely to brew with, or get a reverse osmosis (RO) system. If you choose to go the RO route, you may want to consider using brewing salts to add some calcium and other beer friendly ions back in to it.

Last but not least are the variety and amount of hops you are using. Most brewers believe that hops with high amounts of the alpha acid cohumulone contribute a more harsh bitterness than those with lower levels. Be sure you are not adding too much hops early on in the boil. If you are dry hopping a beer with pellets, you may also want to give it extra time to let the particles settle out or filter the beer with a sanitized, fine mesh bag before kegging or bottling. Those little hop pieces can be a little tough on the pallet.

Bitterness (a flavor) and astringency (a mouthfeel) are difficult to distinguish for some people and a problem with one can be compounded by a problem with the other. If your beers are "harsh," examine everything in your brewing process that would affect either of these.

Bottom Line: Keep your temperature, pH and hopping rates in check and try using bottled water if you think your tap water is the problem.

Problem: Carbonation Too Lengthy and Variable

If you are bottling your beer and are frustrated with the turnaround time, I would highly recommend switching to kegs if you have the means to do it. It's really not as hard as you think. All you have to do is get a CO_2 tank, a pressure regulator, some food grade tubing, the proper connectors, a Corny keg, a refrigerator to put it in and a finger tap. Using physics to carbonate rather than relying on a biochemical reaction is much quicker and more exact. Using a carbonation chart, you can dial in the pressure and temperature to get the carbonation level you want in 7–10 days. Trust me, you'll never go back once you do.

If that is still too long to wait and you are in a pinch to get some beer to your buddy's bachelor party, there is another way. I'm not an advocate for the "crank and shake" method, but I've had good results with a slightly less crude version of this. Once your beer has been adequately cold conditioned at around 34–40 °F (1.1–4.4 °C), you could easily be sipping on it by that same afternoon by doing this without any adverse effects to the beer.

When filling your keg, be sure to leave about 10–15% head space. Connect the CO_2 tank and purge the air out of it a couple times. Turn the pressure up to 20 PSI and lay the keg sideways on a flat surface with the CO_2 connector facing up. Grab a chair a place it right in front of the keg. Gently rock the keg back and forth with your feet for about 10 minutes. Turn off the gas pressure at the regulator and place the keg in the refrigerator for a few hours. Come back and relieve the head pressure and then turn it to 1–2 PSI (if your serving tube isn't more than a couple feet). I have used this method dozens of times and have never been disappointed. It hits the sweet spot of around 2.5 volumes of CO_2, which is good for most ales. If you desire more or less carbonation, you can change the pressure setting or

rock the keg for more or less time. You'll get the hang of it.

Bottom Line: You don't have to wait 2–3 weeks for complete carbonation of your beer if you don't want to.

Problem: Accurately Predicting Perceived Bitterness

Have you ever had a pale ale that turns out more like an IPA? Or perhaps a brown ale that ends up tasting a bit Scottish? Any significant deviation from the intended bitterness of your recipe can completely change the eventual style of your beer even with all else being equal. In my opinion, the play between sweet and bitter is probably the most basic and critical factor in how your beer will end up tasting.

When we are just getting started creating recipes on your own, many of us think that outright estimated IBU's will give us all we need to know, but that is only half the story. Right now the shelves at our favorite local stores carry bottles with various IBU ratings that are supposed to represent the level of iso-alpha acids in the beer that were contributed by various hop additions during brewing. Those numbers mean very little without knowing how much sweetness is left in the beer.

For example, if I told you a beer only had 20 IBUs, you'd think it wasn't going to be bitter at all right? Well if that beer had a starting gravity of 1.025 and finished at 1.005, you might be singing a different tune after tasting it. The reason a 10% barleywine can have 60 IBUs and actually taste somewhat balanced is because there is a ton of residual sugars left behind.

I have found that the best indicator to use when putting a beer recipe together is the BU:GU ratio (where BU and GU stand for bitterness units and gravity units). All you have to do is take the estimated IBUs and divide them by the last few digits of the estimated OG like so: 40 IBU and 1.080 OG would be 40/80 or a 0.50 ratio. Most people would consider this to be a balanced beer. As you go above this number, the perceived bitterness increases with the opposite being true



as you go lower.

I'm sure someone out there is wondering why the final gravity reading isn't used in this formula instead. My guess is because the OG not only has a fairly direct correlation to the residual sugars, but also actually takes into account other flavor compounds yet to be produced by the yeast, which will be vying for influence over your taste buds along with the alpha-acids.

As mentioned earlier in this article, your water could also have something to contribute to bitterness in addition to any highly-kilned malts you've got in your grain bill. There's no numerical way to measure their affect on your beers flavor or an individuals personal sensitivity to iso-alpha acids for that matter. That being said, the BU:GU ratio will get you on the right track to having better control over what you eventually taste and your own recipes as a whole.

Bottom Line: Bitterness is a function not only of the number of IBUs, but of what else is in your beer. This includes the grain bill and water chemistry.

Problem: Stuck Fermentation or High Final Gravity (FG)

Almost every homebrewer has faced this situation. Your fermentation has slowed to a stop. You go to take a hydrometer reading and it is way too high. You spin the hydrometer to dislodge any bubbles clinging to the glass, but the reading doesn't change. What went wrong (and can it be fixed)?

An overly high final gravity can have several negative impacts on your beer. First, the beer will likely be too sweet, compared to what you expect. In addition, residual sugars left behind could become a food source for contaminating bacteria.

So where do you start when your fermentation has stopped too soon. The first thing you should do is to double check your expectations — what final gravity (FG) did you expect to reach and why?

For most homebrews, the expected apparent attenuation (the degree of attenuation you measure with your hydrometer) is around 75%. Yeast suppliers will give the range of apparent attenuations for each yeast strain, but the 75% figure is worthwhile to remember for quick reality checks. If you think your FG is too high, take the OG (in "gravity points") and divide by 4 to get an estimated FG. (For example, if your OG was 1.080, your expected FG would be 1.020, because 80 divided by 4 is 20.) There are many factors that influence your FG, so the above is just a quick check that works best for all-malt beers that aren't brewed to be overly sweet or overly dry. Sometimes homebrewers are expecting an FG lower than is realistic, especially those new to brewing beers that start at a high OG.

If you consistently deal with higher than expected FGs, you can get an accurate idea of what your final gravity should be by performing a forced wort test. On brew day, take a small sample of your chilled wort (perhaps in a small jar), aerate it well and pitch an abundance of yeast (many times your actual pitching rate). Keep the sample warm (preferably around 80 °F/27 °C) until fermentation stops, then take a hydrometer reading.

This reading — from "overpitched," well-aerated wort, fermented warm — will tell you days ahead of time what your actual FG should be. If the FG of your full batch of beer is higher, you have an actual problem with your fermentation.

Another thing to check is the accuracy of your hydrometer. If your hydrometer were reading high, your beer would be fine, but the measurement would be off. For starters, do a quick calibration by floating your hydrometer in water. In pure water, it should read 1.000 — and even in most tap waters, the deviation due to dissolved minerals would be negligible. If you think your hydrometer is reading wrong, you will need to calibrate it. (For instructions, go to byo.com/component/resource/article/414.)

If you think that you are consistently getting great extract efficiency (from your high OG readings), but poor attenuation (from the FG readings), yet your beer does not taste inappropriately sweet, your hydrometer is a likely culprit.

But what if your expectations are realistic and your hydrometer is accurate? In other words, what if something is actually wrong and your fermentation stopped short?

The reason that stuck fermentations are common in homebrewing is that there are many different factors that lead to them. In some cases, the fermentation can easily be restarted; in others, there is no easy remedy.

One reason that some fermentations stick is that the temperature in the fermenter drops too low. This is the easiest type of stuck fermentation to fix. Simply stir the yeast back into suspension (without aerating the wort) and warm the fermentation up. This can be done by moving buckets or carboys to warmer locations or with a heating blanket. Fermentations stopped by the cold can almost always be restarted when a proper temperature is re-established.

Another reason fermentations can stick is due to poor yeast performance, and there are many causes of this. If your wort was lacking in nutrients, not sufficiently aerated prior to pitching or you pitched an inadequate amount of yeast, they can perform sluggishly and stop fermenting early. And unfortunately, most often this cannot be corrected after the fact. Adding yeast nutrients when a fermentation is mostly completed may revive the yeast, but residual nutrients will leave you with very biologically unstable beer. Likewise, adding oxygen to mostly fermented beer will definitely reinvigorate the yeast, but it will also cause them to excrete an excessive amount of diacetyl into your beer. It will also accelerate staling.

In these cases, you may be able to salvage the beer by making a yeast starter and repitching some healthy yeast to the batch. If you try this, do not aerate the main batch or add yeast nutrients. For a 5-gallon (19-L) batch, make a ½-quart (½-L) starter, aerate well and pitch it at high kräusen.

You should know, however, that this procedure is not guaranteed to work. When yeast are stressed, they

secrete certain proteins into their environment that suppress growth. So, if you try to revive a stressed fermentation by adding active yeast, they may simply shut down when they encounter the "stress proteins" in the wort. If you are really determined to rescue a batch, you can fine the beer with something that removes proteins (such as silica gel), and then try repitching with fresh, actively-fermenting yeast.

In all of the above cases — inadequate nutrition, underaeration and underpitching — it is much easier to take care of the potential problem on brew day than to try to compensate for it later. And remember, you can add yeast nutrients to your yeast starter as well as giving the starter periodic shots of oxygen.

A final potential cause for an overly high final gravity may be the fermentability of your wort. Some worts may contain an overabundance of non-fermentable carbohydrates. Even with an adequate amount of nutrients, oxygen and yeast cells, the fermentation will stop when all of the fermentable sugars are gone. The non-fermentables may come from large additions of some malt extracts, lactose or crystal malts, or they could result from a "short, high" mash (a mash where the saccharification rest temperature was at the high end of the range and the overall duration was short).

There is a possible remedy to this problem, but it is tricky. You can add Beano® (the dietary supplement that helps people digest beans more agreeably) to your beer and convert some of the non-fermentable carbohydrates to fermentable sugars. However, there is no way to know how much Beano® to add. Beano® is an enzyme and keeps working until it breaks down. There is no formula for how much of this to add because its action is unpredictable. Hombrewers who have tried this frequently report that overly sweet batches of beer were transformed into "rocket fuel" — dry, highly alcoholic tasting beverages.

Bottom Line: A stuck fermentation or overly high FG are two of the most common problems in homebrewing. There are many possible causes for this and in every case it is easier to avoid the problem by using proper brewing techniques than to remedy the situation afterwards.

Problem: Overly Dark Extract Beers

Brewing using malt extract is a convenient way to brew and most popular beer styles can be made using extract. One of the biggest problems extract brewers face, however, is beers that turn out darker than expected.

There are basically three reasons that extract beers sometimes have too much color — stale extract, scorching or Maillard reactions.

Malt extract is a food product made from grains and, as with any-

U IS FOR UNIQUE



Unique products from William's

Since 1979, we have developed unique home brewing products. From our famous William's Brewing Kits to our exclusive line of William's Malt Extracts, we have products you just can't find anywhere else. Here is a partial list:

- William's Oxygen Aeration System
- Unique Kegging Systems
- Kegs from 1.75 Gallons and Up
- Exclusive Brewing Pots
- Exclusive line of Hydrometers
- Exclusive Weldless Pot Fittings
- Unique Aeration Systems
- Huge assortment of Bottle Cappers
- Glassware from Belgium

Interested? Checkout our website, request our catalog, or look us up on Facebook or Twitter.

williamsbrewing.com
1-800-759-6025



thing made from grains, it will eventually go stale. When it does so, its color darkens. Since liquid malt extract contains water, it goes stale more quickly than dried malt extract. As such, if you use liquid malt extract, find a source that gets it fresh and use the extract within a couple months. Dried extract will store longer, but is not immune from staling (especially if it is not stored in an airtight container).

When brewing with extracts, it is easy for clumps of incompletely dissolved extract to fall to the bottom of your brewpot. There, with a thick sugary solution next to the hot metal surface, malt sugars will caramelize (a reaction between sugars) and scorch. Whenever stirring malt extract into your brewpot, turn off the heat briefly. Also, continue stirring longer than you think is necessary before turning the heat back on.

Extract brewing frequently involves making very thick worts in your brewpot, then diluting them to working strength in the fermenter. Unfortunately, at higher concentrations of wort solids, reactions between sugars and amino acids (Maillard reactions) are more favored and these reactions will darken a wort. If you can't boil your full wort volume, try adding as much of the malt extract as is feasible late in the boil (for the final 5–15 minutes). Malt extract does not need to be boiled for longer than the amount of time it takes to sanitize it.

Finally, extract brewers should also know that malt extract makes wort that is slightly darker than the equivalent wort made from grains. This is because malt extract picks up some color as it is concentrated. For all but the lightest beers, you can adjust the darkest specialty grains downward a bit, if color matters to you.

Bottom Line: Use fresh malt extract, stir well and minimize the amount of time you boil the wort when it is at its thickest (i.e. add the extract late). BYO

Justin Burnsed is Partner and Brewmaster at Prospectors Brewing Company in Mariposa, California — which opened this summer. He is a frequent contributor to Brew Your Own.

Dallas Home Brew

a division of

The Wine Maker's Toy Store

FROM LIGHT TO DARK
AND EVERY STYLE IN BETWEEN

We have all
of the ingredients,
supplies and
equipment
to make your
favorite brews!

1300 N. I-35E, Suite 106., Carrollton, TX 75006
http://www.finevinewines.com
1-866-417-1114

Easy

Inexpensive

Homebrewing
Fermentation Cooler

Cool Brewing

Visit Cool-Brewing.com

GOT BREWING QUESTIONS?

The Homebrewer's Answer Book



Direct from the pages of *Brew Your Own* magazine, this comprehensive collection of questions and answers from our popular "Mr. Wizard" department offers advice for both the novice and the advanced hobby homebrewer – and everyone in between!

Covering nearly every situation a homebrewer could encounter, this 432-page guide is the perfect reference for any amateur brewer. Fully indexed and organized by themes. Find answers to your questions and fixes to your problems fast.

Get Yours Today!

Available at better brewing supply retailers and bookstores

Order your copy now for just $14.95
online at
brewyourownstore.com
or by calling 802-362-3981

PLASTIC BEER CASES
WATERPROOF, DURABLE
LONG-LASTING
FOR 12oz. AND 22oz. BOTTLES

CARRY YOUR BEER WITH CONFIDENCE

BEER CASES FOR 12 22oz. BOTTLES

MADE IN THE U.S.A.

BEER CASES FOR 24 12oz. BOTTLES

AVAILABLE AT

★ C&W ★
CRATE CO

WWW.CWCRATE.COM INFO@CWCRATE.COM

AMERICAN WILD ALES

Running Feral Fermentations at Home

Take a walk on the wild side and brew a soured beer with microorganisms from your backyard

Story by
Michael Tonsmeire

Sour beers are frequently aged in used barrels. The microorganisms in the wood contribute to the wort flora and the barrels "breathe" just enough to let a small amount of oxygen in.

"I remember several years ago Jean Van Roy at Cantillon telling me, 'You can spontaneously ferment in the United States, but, keep in mind that it probably won't be the same way we do it here. You might have to come up with your own program.' In the case of Allagash they've pretty much been able to copy how it is done in Belgium and they are getting amazing/similar results as our friends in Belgium. For us, we've had to come up with a couple of hybrid methods to make it happen."
– Vinnie Cilurzo, Brewmaster and Co-Owner of Russian River Brewing Co.

Out of all of the ways to sour a beer, the most romantic is to let the fresh wort ensnare wild yeast and bacteria from the air as it slowly cools. People often refer to *Brettanomyces* as "wild yeast," but the truth is that the strains most brewers pitch have been selected, isolated, and propagated and are no longer truly wild. While using untamed microbes may not be as easy as pitching a mixed culture from a Wyeast or White Labs, the flavors created can be far more exciting.

A mixed culture of wild yeast and bacteria was the only option for fermenting beer until Louis Pasteur identified and isolated brewer's yeast (*Saccharomyces*) 150 years ago. While brewers in Germany and England con-

The coolship at Cantillon (the corner of which you can see at right) and the louvers that let in air to cool the wort. Some US brewers have now installed coolships for sour beer production, but homebrews can simply use any relatively shallow container, even their kettles.

tinue to produce beers with microbes in addition to *Saccharomyces* (like Berliner weisse and a few traditional old ales), the only place where spontaneous fermentation survived on a commercial scale was in Belgium. However, as public tastes gravitated more towards sweetness, most large Belgian producers began blending pasteurized lambic, fermented in stainless steel, with fruit syrup. With dry, sour beers regaining popularity, the handful of traditional Belgian lambic brewers and gueuze blenders who remain are lauded for producing beers with a balance of acidity and complexity unrivaled by any other fermentation.

Over the last decade, a small number of American brewers have not only started to experiment but have also succeeded with their own spontaneous fermentations. Despite the risks, more than a dozen craft brewers scattered across the country (including New Hampshire, California, Texas, Alaska and Michigan) are fermenting with their own local microflora. Although I have not yet tasted a spontaneously fermented American beer to equal a gueuze from 3 Fonteinen, Girardin or Cantillon, it may only be a matter of time and commitment.

Wort Production

When planning to spontaneous ferment any beer, you need to start with suitable wort. Standard pale ale wort, for example, is not a good candidate for spontaneous fermentation. Aside from the fact that sour and bitter flavors don't generally work well together, this type of wort is a poor choice in that even moderate hop levels inhibit some of the bacteria that are needed to produce these beers.

Using the right recipe and wort production techniques will increase the probability of a success. Produce a wort rich in chains of sugar molecules too long to be fermented by *Saccharomyces*, dextrins and starches. For lambics, this result is traditionally accomplished with a turbid mash. No complex regimen is required, but I suggest using a conversion rest at least in the high 150 °F (around 70 °C) range. Wild *Brettanomyces*, *Lactobacillus* and *Pediococcus* produce the enzymes necessary to ferment these complex carbohydrates. (If you don't do a turbid mash or accidentally end up with mash temperatures near the lower end of the usual range, don't worry that your wort won't sour at all; even the driest beers achieve only about 75% real attenuation.)

While any grain bill suitable for a pitched sour beer could be used, every American brewer experimenting with spontaneous fermentation that I have spoken with has stayed close to the lambic template: between 30 and 40 percent unmalted wheat, with the remainder being Pilsner malt. Extract brewers can substitute wheat malt extract supplemented with 10% maltodextrin to boost the percentage of dextrins in the wort.

Spontaneous fermentation is the single sour beer brewing method that absolutely requires aged hops. Their antimicrobial contribution prevents wild *Lactobacillus* from reducing the pH of the wort too far before

DCambic

(5 gallons/19 L, all-grain)

OG = 1.050 FG = 1.004
SRM = 4 ABV = 6.0%

Ingredients

6.25 lbs. (2.8 kg) German Pilsner malt
3.20 lbs. (1.5 kg) unmalted wheat
3 oz. (85 g) three-year-old Willamette hops (195 mins)

Step by Step

Use a turbid mash. See the July-August 2008 Issue of *BYO* for details (or see below). Boil wort for 3 hours 45 minutes with 3 oz. (85 g) of three-year-old Willamette added at 195 minutes left in boil. In the primary fermenter, add 0.75 oz. (21 g) oak cubes that have been boiled for 10 minutes. Age in the primary fermenter until the desired flavor is reached and the gravity is stable. Carbonate to 3.0 volumes. This can be accomplished with the addition of sugar. If using the traditional method, blending old and younger batches, target a combined gravity of 0.003 higher than the gravity of the driest component (carbonation with this method can take a year of bottle conditioning to achieve).

Mash Option: Substitute flaked wheat for the unmalted wheat berries and use a single infusion mash rested at 158°F (70°C) for 45 minutes.

Extract Option: Substitute all of the grain for 5 lbs (2.25 kg) of wheat DME and 9 oz (.25 kg) of maltodextrin.



Photo by Michael Tonsmeire

A pellicle floating on top of beer in a carboy. The pellicle is comprised of numerous kinds of microorganisms and slowly grows as the fermentation progresses.

Saccharomyces has sufficient time to complete its fermentation.

Aging hops at a warm temperature and exposing them to air causes their alpha acids to oxidize, thus reducing their bitterness contribution. While isomerized alpha acids are partly responsible for the antimicrobial properties of hops, enough other compounds survive, or are created by oxidation, to maintain the desired effect. Many of these other compounds have low solubility characteristics in wort, which is part of the reason that aged hops should be boiled in the wort for an extended period of time (three to four hours). If, on the other hand, you were to use a sufficient amount of un-aged hops to inhibit *Lactobacillus*, the bitterness they contributed would clash with the sourness in the resulting beer.

You can usually buy hops that have already been aged or debittered for a reasonable price. Homebrewers might also consider aging their own hops if planning on frequent spontaneous fermentations. The standard approach is to place whole, low alpha acid hops in a container large enough to allow air circulation. Keep the container out of direct sunlight, and in low humidity to prevent mold growth. After three years properly (poorly) stored hops will smell similar to dried hay. Adequately aged hops will not smell excessively cheesy or off, although their aroma may be slightly unappealing. The extended boil also helps to volatilize any off-aromas.

In the absence of aged hops, a method for accelerating the debittering process is to bake the hops at your oven's lowest temperature setting, stirring occasionally, until tan and crisp.

Jeff Sparrow's book, "Wild Brews" (2005, Brewers Publications) suggests 4 ounces of aged hops per 5-gallon batch (120 g in 20 L) as the traditional rate used by Belgian lambic brewers. However, the American brewers I talked to have all settled on lower hop-

ping rates. The range spanned from 2.6 to 3.3 ounces per five gallons (80-100 g per 20 L). The brewers of Allagash tasted a metallic off-flavor in early batches of their spontaneously fermented beers and traced the cause to the traditional lambic hopping rate.

Safety

An oft-repeated reassurance to beginning brewers is that no matter how bad a beer tastes, it will not make you sick. Although true with standard fermentation, it is not necessarily the case when it comes to spontaneous fermentation. When I spoke with Jason Perkins, Head Brewer of Allagash, about his coolship, he was audibly nervous at the thought of homebrewers attempting something similar. He warned me that "the things that usually keep you safe





Stacks of gueuze (blended lambic) aging at Cantillon, the Belgian brewery that has inspired many American brewers to attempt spontaneously fermented beers.

aren't there. You are making a big yummy nutrient soup that all the things you worry about can grow in."

For the first few weeks of fermentation, there is a chance that pathogenic enteric bacteria, like *Escherichia coli* and *Salmonella*, might take up residence in your beer. Luckily, as soon as the desired yeast and bacteria lower the pH and produce sufficient alcohol, the danger is gone. Evaluate spontaneous fermentations only by sight and smell for the first month. Do not taste samples early in fermentation.

If growing a big vat of *E. coli* seems like a bad idea, then artificially lower the pH of the wort below 4.4 to prevent these bacteria from reproducing. Acidification could be accomplished with a sour mash, sour worting or acid malt, but adding food grade lactic acid is the easiest method. The off flavors some enteric bacteria produce during the early stage of a spontaneous fermentation can be used by *Brettanomyces* to produce complex fruity esters, but for many brewers the risk is not worth the reward.

Timing Your Brew

Outside temperature is the key indicator for determining the best time to capture wild microbes. "Wild Brews" reports that during the hot summer months lactic acid bacteria are too prevalent for successful spontaneous fermentation. Several brewers suggested to me that vinegar-producing *Acetobacter* is the graver concern. Hot summer temperatures also slow natural cooling, allowing thermophilic bacteria more time to flourish before the wort cools below 105 °F (41 °C) where yeast can thrive.

Before undertaking their spontaneous fermentation project, the brewers at Allagash compared their weather pattern in Portland, Maine to the epicenter of lambic brewing, Brussels, Belgium. During most of the year, temperatures are similar, but since Maine is much colder in the winter and lambic brewers do not brew in the heat of the summer, Allagash decided to avoid starting spontaneous fermentations in both winter and summer. Jason considers an outside temperature of 40 °F (4.5 °C) to be ideal.

Inoculation

One way to think about the process for producing lambic/gueuze is that the wort is being fermenting by a carefully selected and propagated mixed house culture. Microbes floating on the breeze land in the wort and initiate fermentation in the "horny tank," but at this point the beer is pumped into microbe rich barrels that held previous batches of fermenting lambic.

For decades lambic brewers and blenders have been reusing the barrels that have yielded good beer, and getting rid of the ones that have produced less pleasing brews. The first time a barrel is filled with wort it is usually inoculated with microbe laden beer from an established barrel to increase the chances that it will produce high-quality beer. Obviously, for your first batch, you will not have this option.

Cool the hot wort in a wide vessel to speed the dissipation of heat and provide more surface area for potential microbe landing sites. While a copper or stainless steel coolship is traditional for lambic brewers, American breweries without this specialized vessel have used mash tuns, open fermenters, and oak barrels. Rapid cooling is less of a concern for homebrewers because of the smaller volume of wort. As such, your boil kettle is a fine option.

Location

There are ongoing debates over the best location to expose your cooling wort for inoculation. Lore holds that areas near orchards or vineyards are ideal because the sugar-loving yeasts that ferment the fallen fruit are well adapted to sugary wort. Interestingly, Brasserie Cantillon is located in an urban part of Brussels where only a few cherry trees remain, not the bucolic landscape depicted on their labels.

If for any reason you have a pessimistic outlook on the microbes in your neighborhood, you can move your wort to a more favorable location for inoculation. Gabe Fletcher inoculated his first batch of spontaneous fermented beer at Anchorage Brewing by driving the wort filled barrels several hours outside of Anchorage into the wilderness of Slana, Alaska. In Slana, Gabe opened small lids which he had cut into the top of each barrel, thus exposing the wort for two days to the air next to wild blueberry bushes.

It seems as if there are as many inoculation techniques as there are breweries attempting it, some prominent examples are highlighted below.

For their Coolship series, Allagash installed a shallow stainless steel basin in a small room attached to the side of the brewery. When each three-and-a-half hour boil is complete, the brewers pump the wort into the coolship through a screen that catches any stray hops. The wort is then allowed to sit undisturbed with the windows open and an exhaust fan running until it cools to 60–65 °F (16–18 °C). The exact amount of time to cool depends on outside temperatures, but 12 to 18 hours is the expected range. Once the

Brew-Magic™ by SABCO

Fermenters and Storage Vessels

SABCO produces an entire line of 'Pro-Level' brewing equipment.

Ready to take your brewing skills to the 'next-higher' level?

"It all started with my Brew-Magic"

'World renowned' Brew-Magic System

Chill-Wizard System

Our equipment is designed by professionals for pro-level, high quality brewing. However, it remains easily affordable to advanced home brewers. We simply suggest that you consider buying equipment that you can 'grow with' !

Brew-Kettles

Visit BREW-MAGIC.COM for seasonal specials that are sure to make you drool!

Frames

SABCO
BREW-MAGIC.COM
419-531-5347

Proud Member of:

wort is cool it is moved to a stainless steel tank to ensure that the microbes that landed on its surface are evenly distributed among the barrels.

Three days is the fastest Allagash coolship wort has started fermenting, and some barrels take as long as a week. Fermentation, once it has started, is often so vigorous that the kräusen overflows out of the barrels. *Saccharomyces* fermentation lasts 10 to 11 days, at which point 80% of apparent fermentables have been consumed.

> "For decades lambic brewers and blenders have been reusing the barrels that have yielded good beer, and getting rid of the ones that have produced less pleasing brews."

At Jolly Pumpkin in Michigan, the boiled wort for Lambicus Dexterius is sprayed into one of their shallow open-fermenters to kick-start cooling. The wort temperature drops slowly overnight as the brewery's HVAC (heating, ventilation and air conditioning) system draws in microbe laden air from the outside. The next day, the now cool wort is ready to be pumped into well-used barrels. Fermentation usually starts within 24 hours in oak, 48 hours at the most. Owner and Brewmaster Ron Jeffries credits the quick onset of activity to the microbes in the wood rather than those that land in the cooling wort from the air. Those same wild microbes also serve to sour all of the other beers that Jolly Pumpkin releases, although they are also pitched with cultured brewer's yeast.

Cambridge Brewing Company in Massachusetts (CBC) spontaneously inoculates the base beer for their potent "imperial" lambics using a unique method. The five oak barrels holding the current batch were first filled with boiling water to kill the microbes living in the wood. The water was emptied and each barrel was filled 20 percent full with boiling wort directly from the kettle. The bunghole of each barrel was covered with cheesecloth. The goal was to draw air from the barrel cellar into each barrel via the vacuum created as the wort and air cooled. The remaining 80 percent of the batch was pumped into CBC's clean mash tun. The manway was left open, the doors and windows of the brewpub were opened, and fans were run to introduce wild microbes. One day later, the cool wort in the mash tun was used to fill the barrels. The batch took three days to show signs of fermentation, at which point the barrels began erupting with kräusen.

The original process for Russian River's Sonambic (it is transformed into Beatification when it is blended and packaged) started with a complex step mash. After mash-out an overnight sour mash prepared the mash tun for its role as makeshift coolship. The following day, while the wort boiled, the empty mash tun was rinsed with cold water. This water ensured that most of the spent grain was removed, but the lactic acid bacteria that multiplied during the sour mash were still present. Once the boil was complete the wort was pumped through the heat exchanger and into the mash tun. Vinnie eventually settled on 60 °F (16 °C) for the target wort temperature going into the mash tun. This temperature delayed the peak of fermentation for a couple of weeks and led to lower final acidity compared to warmer knockout temperatures. After spending a night in the mash tun, the wort was pumped into wine barrels which had previously aged Russian Rivers' other sour beers.

In late 2011, Russian River installed a 19 ft long by 4 ft wide (5.8 m by 1.2 m) coolship that they began inoculating Sonambic in. As the primary purpose of the sour mash was to inoculate the mash tun with microbes, the sour mash procedure is no longer part of the brewing process.

Personal Experimentation

Despite the success that American craft brewers have had with Belgian inspired methods, most homebrewers report poor results from the combination of traditional inoculation methods and fermentation in a glass carboy or plastic bucket. (Because some of the microorganisms at work in a sour fermentation are microaerophiles, organisms that thrive on small amounts of oxygen, buckets are a better choice than carboys since they let in tiny amounts of oxygen over time.)

For my first attempt at fermenting with microbes native to Washington, DC, I decided to use a more reliable method. To reduce the risk of catastrophic off-flavors, I captured and propagated multiple wild cultures in advance of brew day.

On a chilly March night, I concocted a half gallon (1.9 L) of low gravity, 1.030 (7.5 °P), wort from light dried malt extract, half an ounce (14 g) of three-year-old Willamette hops, and a pinch of yeast nutrient. For this method, the hops do not need to be aged because the bitterness imparted by un-aged hops would be diluted when the starter is pitched into the wort. (However, keep in mind that hops have anti-bacterial properties, so keep the hopping rate low.)

After the 15 minute boil, I divided the still hot starter wort into three sanitized metal pots. To prevent insects from getting into the wort as it cooled, I covered each with a single layer of cheesecloth secured with a rubberband. I placed starters in my backyard (at 42 °F/6 °C), living room (at 62 °F/17 °C) and basement barrel room (at 57 °F/14 °C). The following morning, with the wort cooled, I poured each into its own growler and left them at 62 °F (17 °C). I did not aerate the wort any more than what occurred as it was being funneled into the growlers. I immediately attached a

ANNAPOLIS HOME BREW

$7.95 Flat-Rate Shipping!

Orders to 'lower 48' only
See our website for details

GREAT BEER KITS

Tested & proven exclusive AHB recipes.
Top-quality ingredients - we don't skimp!
Fresh kits - measured & packed for you.
70 available - Extract, Partial, & All-Grain

Wide range of top-notch kits in stock.
All available with Flat Rate shipping!
Seasonal & Limited Edition wine kits.
Many options on beginner equipment.

GREAT WINE KITS

Open 7 Days - Secure Online Ordering

800-279-7556

www.annapolishomebrew.com

Let us fix what "ale's" ya!

Have a Brewing Question?

Visit us at

www.homebrewing.org

Our Brewing Specialists will be able to help!!

Adventures in homebrewing

AMERICAN BREWERS GUILD BREWING SCHOOL

New Classes From the American Brewers Guild...



The American Brewers Guild would like to announce a brand new classroom, laboratory and brewery facility on Route 7 South in Middlebury, Vermont. This facility is also home to our new commercial brewery, Drop In Brewing Company. Along with the usual twice annual IBS&E and CBA distance learning programs there will be some new class offerings:

Brewing Science for the Advanced Homebrewer
September 8 & 9, 2012 Tuition $550
A two day weekend class aimed at describing the essential brewing science underpinning the process of brewing.

Classes will take place at The American Brewers Guild's 5,600 square foot, modern facility which features a classroom, laboratory and the nation's only full scale brewing facility dedicated to brewing education.

The Drop In Brewing Company Sample Room and Growler Shop is now open!

TRAINING THE BREWERS OF TOMORROW TODAY!

Call us or email for more information (800) 636-1331
www.abgbrew.com • email: info@abgbrew.com

Over 1,000 Recipe Kits*

AUSTIN HOMEBREW SUPPLY EST. 1991

including seasonals, clones, and limited edition beer recipe kits

*for real

austinhomebrew.com

stopper and airlock to each.

The first signs of fermentation took three days to appear in the starters, and even then the visual signs indicated only weak activity. I left the three starters alone for three weeks, thus providing adequate time for alcohol and acid production to inhibit enteric bacteria (like *E. coli*). Even after three weeks, I did not feel safe tasting the starters. I dumped out the "upstairs" starter because it smelled foul and was covered in black mold. The "outside" starter had a few spots of white mold and smelled spicy while the "barrel room" starter had no mold and smelled like over-ripe fruit.

Using freshly brewed starter wort, I doubled the volume of the two remaining starters. For this growth step, I crimped a piece of sanitized aluminum foil over the opening of each growler, shaking a few times per day to oxygenate. Both starters resumed fermenting quickly and smelled clean and pleasant. When fermentation slowed, I attached airlocks to limit oxygen exposure thus preventing the mold from reappearing. At this point I finally tasted the starter beers, and to my relief discovered that they had each developed a fruity yeast flavor and light lemony tartness.

I force chilled 5 gallons (19 L) of traditional lambic style wort to 65 °F (18 °C) using my wort chiller. I shook both starters and pitched 1 quart (0.95 L) from each into the cooled wort in a 6-gallon (23-L) fermenter. Visible fermentation took less than 24 hours to appear.

Making wild starters is no guarantee of success, since you will not be able to tell how the character of the wild yeast and bacteria will change with additional aging, but it will reduce the chance of producing an undrinkable beer. If you get a particularly wonderful culture, then follow the lead of lambic brewers by repitching your microbes into future batches rather than starting from scratch each time.

Fermentation

Whatever technique you choose, once the wort is inoculated, your work is complete for a year or two. Lambics are traditionally left in the primary fermenter so that the *Brettanomyces* can benefit from the nutrients ejected by autolysing (dying) *Saccharomyces* cells. I find that this enhances the beer's rustic, funky character. If you want a cleaner character — think Flemish Red compared to a traditional gueuze — rack the beer off of the trub into another fermenter after the initial vigorous fermentation subsides.

While it lasted, the kräusen of my batch was composed of large, delicate bubbles. A light kräusen is a sign that the yeast strains at work are less flocculant than brewer's yeasts. For the first few months the beer exhibited a strong tropical fruit aroma combined with moderate clove, but these faded as the beer aged. Gabe Fletcher described tasting a similar flavor progression from the spontaneously fer-

www.breworganic.com

Great organic beer starts with great organic ingredients!

30 Organic Hop Varieties:
Admiral, American Fuggles, Belgian Cascade, Belgian Saaz, Bravo, Cascade, Centennial, Challenger, Chinook, Fuggles, Hallertaur Tradition, Hershbrucker, Horizon, Ivanhoe, Kent Goldings, Motueka, Nelson Sauvin, New Zealand Hallertaur, Nugget, Opal, Pacific Gem, Palisade, Perle, Pilgrim, Rakau, Saphir, Smaragd, Spalt Select, Summit, Whitbread Goldings Variety.

28 Organic malts:
From Briess, Crisp, Gambrinus, Great Western, & Weyermann

The world's best selection of organic ingredients to make the world's best organic beer.. whether it's your first brew ever or a 200 gallon batch in your craft brewery.

Better Brew Bridges For a Better World

Green Coffee Too! Fair Trade certified, which supports fair wages for the growers who craft the best organic coffee in the world.

800-768-4409
325A River Street, Santa Cruz, CA 95060
Retail Store Hours:
Mon- Sat 10 am to 6 pm, Sun 12 to 6 pm
7bridges@breworganic.com

The Ruby Street Brewery

- Accessible safe height
- Unique storage feature
- 10" Pneumatic tires
- Pump, fittings & tubing included
- 15.5 Gallon SS kettles & fittings
- No tools required for assembly

Exceptional Form

Intuitive Design

Incredible Function

www.RubyStreetBrewing.com
Visit our website for details and a dealer near you!
Ruby Street Brewing, LLC PO Box 271722 Ft Collins, CO 80527

mented beer he brewed while still Head Brewer at Midnight Sun (thousands of miles from where I live). At one year old, my beer has a light acidity and a wonderful aroma with hints of pipe tobacco, and spicy *Brett* funk.

Blending/Flavoring

With the wide variations in character that spontaneous fermentation produces, all commercial breweries blend batches and barrels to produce their final beer. Allagash Resurgam, the non-fruit version of their Coolship series, is produced by blending several vintages (for example 24-month, 18-month, and 6-month old). Russian River, and Jolly Pumpkin have similar blending programs to produce Beatification and Lambicus Dexterius.

You have to be daring to start several of these batches simultaneously, but blending is a requirement of producing a beer with the balance of a great gueuze. Try to inoculate batches in different locations or at different times of the year, to create a wide variety of characters to blend with. Even the best lambic breweries have barrels that are so acidic that their only use is in shining the copper kettles.

Spontaneously fermented beers can be flavored just as you would any other sour beer. Allagash produces three fruited versions Red (raspberries), Cerise (Montmorency cherries), and Balaton (Balaton cherries). Before you ask, founder Rob Tod has sworn off the idea of adding the ubiquitous Maine blueberry. CBC adds fruit to their imperial lambic to create Kriek du Cambridge (cherry), and Rosé de Cambrinus, which takes its name (and inspiration) from Cantillon's cherry and raspberry infused Rosé de Gambrinus. Honey Badger is a similar concept to Hanssens Mead the Gueuze, although rather than blending with mead, Brewmaster Will Meyers adds honey to the base beer. Russian River made their first batch of Framboise for a Cure by aging Sonambic on raspberries. Rather than adding fruit, Jolly Pumpkin blends a small amount of Lambicus Dexterius into its light hoppy Bam Bière to create Bambic.

My plan is to add a few pounds of



mulberries, harvested from the tree growing in my backyard, to half of the DCambic to impart their unique earthy fruit flavor and deep purple color. Local fruit will contribute wild yeast of its own, and could be added earlier in the process to increase the role these microbes play in the fermentation. See my article "Adding Fruit to Sour Beer" in the September 2010 issue of *BYO* for more information.

What Are You Waiting For?

As with most aspects of brewing sour beer, there is no single preeminent method for starting a spontaneous fermentation. What works for one location or brewer will not work for all. It is important to focus on the commonalities of the methods, ensuring a quick start to fermentation while avoiding too much early activity from *Lactobacillus*. Once fermentation starts, make sure that you heed the advice presented in "Sour Beer Orientation" from the November 2011 issue of *BYO* to monitor the progress of the microbes.

A quick overview of a plan to spontaneously ferment at home might look something like this: First, decide how much beer you want to produce and in how many batches. More batches will give you more potential different contributions to your sour beer blend, but also (obviously) are more work and each has a non-trivial chance of failure. Round up the requisite numbers of buckets, airlocks, etc., and be sure you have a place to store them long term. Fermentation takes many months at a bare minimum.

Second, find out when your overnight temperatures are likely to be in the low 40s °F (around 5 °C) and schedule your brew days. If you live in a rural or semi-rural area, you may also want to scout locations to let your worts cool or to set out starter worts to collect wild microbes to pitch later.

Although you could attempt to inoculate your batches by simply exposing them to the air as they cool, you will greatly increase your chances of success by gathering many samples of wild microbes and determining which have the highest potential.

On brew day, make your wort in the evening and let it cool overnight. Using cheesecloth or something similar to screen your wort will keep insects out. The next morning, transfer the wort to a bucket and add your wild microbe starter, if you made one. From this point onward, all you need to do is wait for the beer to ferment and sour.

This style of fermentation demands patience, blending and the willingness to dump beer, but with some skill and luck you can make a beer that is more exciting and rewarding than anything fermented with the relative safety of cultured microbes from a tube. BYO

Michael Tonsmeire is a frequent BYO *contributor. He blogs as The Mad Fermentationist.*





PINTS for PROSTATES

Reaching men through the universal language of beer.™ pintsforprostates.org

©2012 Pints for Prostates Inc. Creative design donated as a public service by Eric Mower + Associates.

Story by **Bill Pierce**

DREWRYS
A Good Time for a Beer

A look at a historical American brewery and a brewing technique used to expand production in breweries worldwide.

In 1933, when the United States was deep in the throes of the Great Depression, patience with the thirteen-year-old "noble experiment" of Prohibition had waned. It had turned millions of otherwise law-abiding citizens into scofflaws and provided a huge source of income for organized criminals who were only too happy to cater to the public's thirst. One of the earliest acts of newly inaugurated President Franklin Roosevelt, who had campaigned on a pledge to end Prohibition, was to shepherd through Congress the Cullen-Harrison Act, which again legalized beer with an alcohol content of 3.2 percent or less by weight (4 percent by volume). The night before he signed the bill, the President remarked to guests at a small dinner, "I think this would be a good time for beer."

The act took effect on Friday April 7, 1933. Grateful for the opportunity to reopen, and seeking publicity, brewers in at least four cities sent beer to the White House on that day. Two cases were shipped by chartered airplane on behalf of seven Milwaukee breweries. Notable among the other beers was one brewed in Evansville, Indiana, with the intriguing name of Drewrys Canadian Ale.

Photos courtesy of Derrick Morris

Drewrys brewed their original brands, brands acquired in mergers and beers that were contract brewed, including beers brewed for a liquor store (905) and a department store (Katz).

Born in the UK

How a beer with a name associated with Canada had a role to play in US history is an interesting story, one that like so many other North American brewing legacies begins with immigration. E. L. (Edward Lancaster) Drewry was born in England, in London in 1851. His interest in brewing came naturally, as his father was a brewer. In 1857 the family immigrated to St. Paul, Minnesota, where they founded the North Star Brewery and young E. L. learned the trade. By 1874 he was able to find a position as manager of a brewery in Pembina, Dakota Territory. Today it is a quiet small town in North Dakota near the Minnesota and Canadian borders, but at the time it was a rollicking frontier settlement.

There were even greater opportunities farther north. The nearest place of any size was 70 miles away in the growing Canadian city of Winnipeg, and in 1877 Drewry again moved in

"How a beer with a name associated with Canada had a role to play in US history is an interesting story"

The front of the Drewrys plant in South Bend, Indiana still bears the name of the brewery. A historical marker gives the date the brewery was founded.

order to take over the lease of the Redwood Brewery that had closed. In 1881 he purchased the brewery outright, and a year later production was 20,000 barrels. Business grew with the booming city's population. Drewry was civic-minded and took an interest in his adopted hometown. He was elected to the city council and became Winnipeg's first parks chairman; he also served in the Manitoba Legislature. In 1927 he helped to found Western Breweries Limited, a consortium of several Canadian breweries, including his own.

Southern Exposure

By the early 1930s, it was apparent that Prohibition would end in the US. Drewrys was among the Canadian brewers who had not ceased operations and now eyed the large potential market just to the south. The preferred choice would have been to create a US subsidiary and brew in the US, which would avoid import duties on foreign beer and enable distribution from a US location. However, at the time US law limited foreign ownership of US breweries. The alternative was to enter into a licensing agreement with an existing US brewer, which is exactly what Drewrys did with Sterling Brewers of Evansville, Indiana. Production at Sterling continued under license until 1936. By then Drewrys

Cream Ale Recipe

Here is a popular cream ale recipe courtesy of homebrewer Scott Abene of East Kingston, New Hampshire. The beer can be brewed in the usual manner, or by using high-gravity brewing techniques to yield an extra gallon (3.8 L) of beer.

Genesee My Butt (American Cream Ale)
(5 gallons/19 L, all-grain)

OG = 1.047 FG = 1.008
IBU = 17 SRM = 2–4 ABV = 4.6%

Ingredients
5.0 lbs. (2.3 kg) 6-row pale malt
2.25 lbs. (1.0 kg) flaked maize
1.75 lbs. (0.79 kg) Vienna malt
0.75 lbs. (0.34 kg) crystal malt (10 °L)
4.8 AAU Liberty hops (60 mins) (1.2 oz./34 g of 4% alpha acids)
4.0 AAU Liberty hops (5 mins) (1.0 oz./28 g of 4% alpha acids)
Wyeast 2112 (California Lager), or White Labs WLP810 (San Francisco Lager) yeast
Alternate yeast:
Wyeast 1056 (American Ale), or White Labs WLP001 (California Ale,) or Fermentis US-05

Step by Step
Single infusion with a 60-minute saccharification rest at 149 °F (65 °C). Boil wort for 75 minutes. Ferment at 65 °F (18 °C).

Genesee My Butt (American Cream Ale)
(5 gallons/19 L, extract with grains)

OG = 1.047 FG = 1.008
IBU = 17 SRM = 2–4 ABV = 4.6%

Ingredients
5.0 lbs. (2.3 kg) American lager liquid malt extract
1.5. lbs. (0.68 kg) Light liquid malt extract
0.75 lbs. (0.34 kg) crystal malt (10 °L)
4.8 AAU Liberty hops (60 mins) (1.2 oz./34 g of 4% alpha acids)
4.0 AAU Liberty hops (5 mins) (1.0 oz./28 g of 4% alpha acids)
Wyeast 2112 (California Lager), or White Labs WLP810 (San Francisco Lager) yeast
Alternate yeast:
Wyeast 1056 (American Ale), or White Labs WLP001 (California Ale,) or Fermentis US-05

Step by Step
Steep crystal malt in approximately 1.5 quarts (1.5 liters) 150 °F (65 °C) water for 30 minutes before adding the resulting "tea" to the boiling kettle with additional heated water and the extract. Boil wort for 60 minutes. Ferment at 65 °F (18 °C).

High Gravity Brewing Option:
These recipes — or just about any 5-gallon (19-L) homebrew recipe below ~14 °Plato (OG 1.056), really — can be brewed to yield 6 gallons (23 L) of beer. First, multiply the amounts of all the ingredients in the 5-gallon (19-L) recipe by 1.2. This will yield the equivalent 6-gallon (23-L) recipe. However, brew the beer as you would a 5-gallon (19-L) batch. (Your original gravity in this case will now be 1.056) Be sure to pitch an adequate amount of yeast — yeast from a 3.5-quart (3.5-L) yeast starter should suffice for these beers. Ferment the beer on the cool side of the yeast strain's recommended range. Immediately before packaging, boil a little over a gallon (~4 L) of water, then cool it rapidly. Bubble CO_2 — or, preferably, if you have a nitrogen tap in your brewery, use nitrogen — through the water for about 20 minutes. (Finer bubbles are better for this procedure.) Bottle or keg the beer and let it condition. Once it's ready, consume within a few weeks as it is not suited for long aging.



had decided the best strategy was to create a separate American company under majority American ownership, and the newly incorporated Drewrys Ltd. USA purchased the Muessel Brewing Co. of South Bend, Indiana, which had reopened but had not prospered after Prohibition's repeal. The Muessel beers were discontinued and equipment was upgraded so that brewing of the Drewrys brands could begin.

Meanwhile, E. L. Drewry died in 1940. The original brewery in Winnipeg was closed and Canadian operations absorbed into Western Breweries, which eventually became part of Molson Breweries (now Molson Coors). Drewrys survived south of the border, where it became solely an American beer. They continued to acknowledge its Canadian roots, however, with the figure of a red-uniformed Mountie that appeared on labels and cans into the 1970s.

Rumor has it that the Mountie disappeared when the Royal Canadian Mounted Police filed an objection, but there is no record of this.

The brand developed a regional following in an area of the Midwest bounded roughly by northern Kentucky, Michigan, Ohio and Illinois. The most popular of their beers was

Once a large regional brewery, Drewrys is now a footnote in US history.

Drewrys Extra Dry lager. Drewrys was one of the first brewers to stress drinkability, a trend that continues into today with American light beer. Ads as early as the 1960s foreshadowed a more modern slogan for another popular beer, boasting that Drewrys was "less filling, more satisfying!" They were also one of the first brewers to use aluminum cans, and pointed out that the lighter cans (and by extension lighter beer) allowed them to float in a cooler. Another campaign marked one of the rare times a brewery promoted a specific brewing ingredient, touting Drewrys as "the beer with Fuggle hops." One radio commercial featured "the Fuggle Hop" as a dance craze with a catchy beat.

Times Were A-Changin'

Drewrys made one acquisition in 1951 with the purchase of Atlas Brewing in Chicago. Two of Drewrys major shareholders also owned an interest in Associated Brewery Co., which resulted in 1962 from the merger of two Detroit breweries, Pfeiffer and E&B, which had acquired other smaller brewers. They offered Drewrys a stronger distribution network and the opportunity to expand, and in 1963 Drewrys was folded into Associated.





A promotional item (perhaps a paperweight) from Drewrys featuring a Canadian Mountie mounting. Does this make you want to drink beer?

Production at the South Bend brewery was 1.25 million barrels in 1965. The 1960s and '70s were a period of major consolidation for American brewers as regional players jockeyed to become national brands. By 1972 Associated found itself a target of Wisconsin brewer G. Heileman, which was swallowing up regional brands in a major expansion move. Heileman had excess capacity at other breweries, and one of their first actions was to close the South Bend facility. More than 300 workers lost their jobs; today the building and site remain empty, still awaiting redevelopment efforts. Ironically, production of Drewrys beers was shifted to the former Sterling brewery in Evansville, where they had originally been brewed following the end of Prohibition.

In a highly competitive market, Heileman stressed low price, and so Drewrys became a "value-priced" brand aimed at budget-minded consumers. It was one of the earlier beers

The Grape and Granary

THE GRAPE AND GRANARY

YOUR HOMETOWN BREW SHOP ON THE WEB

FEATURING

EXTENSIVE SELECTION

FAST SHIPPING/ EXPERT ADVICE

WE CATER TO NEW BREWERS!

Visit our online store or call to request a catalog. You'll be glad you did!

800-695-9870

WWW.THEGRAPE.NET

AKRON OHIO USA

FARMHOUSE BREWING SUPPLY

OVER 70

VARIETIES OF HOPS AVAILABLE

IN OUR POPULAR SEMI-BULK 4/OZ PACKAGES.
HOPS STARTING AT $.75/OZ.

WWW.FARMHOUSEBREWINGSUPPLY.COM

offered in the 40-oz. (1.18-liter) bottle that has become a staple for low-income beer drinkers.

Heileman itself struggled in the 1980s, eventually filing for bankruptcy reorganization and selling off some of its brands and assets. Among these were Drewrys and the Evansville brewery. After a brief closure in 1988, a group of local investors that included three former brewers purchased and reopened the brewery under the name of the Evansville Brewing Co.

They continued to brew Drewrys, along with other brands and contract beverages, until 1997, when they sold the company to Pittsburgh Brewing. The last can of Drewrys left the brewery in November 1997 when it closed its doors. Pittsburgh Brewing never resurrected the brand. Beset by its own financial woes, the company shuttered its flagship Pittsburgh brewery in 2007. Today its beers are contract brewed at the former Rolling Rock brewery in Latrobe, Pennsylvania, now owned by City Brewery of La Crosse, Wisconsin.

By the way, if you are wondering what happened to those beers sent to the White House by grateful brewers to mark the end of Prohibition back in 1933, it is unlikely President Roosevelt himself ever drank any of them. Instead they were donated to the National Press Club "with the President's compliments," where thirsty journalists undoubtedly enjoyed them after toasting his popularity. We homebrewers can only follow FDR's advice: "I think this would be a good time for a beer."

Let's Play Concentration

No records have surfaced for the recipe for the original Drewrys Canadian Ale, but it is likely to have been an American cream ale, a style common in North America after the end of Prohibition and which persists today in a few commercial examples — most notably Genesee (Genesee Brewing Company) and Little Kings (Hudepohl-Schoenling). Drewrys portfolio of brands also contained 20 Grand Cream Ale in the 1950s.

Typically cream ales were brewed by ale brewers to compete with the mass market lagers that were achieving great popularity. North American ingredients, including six-row malt, corn as an adjunct and American hops, were the norm. Cream ale is relatively light in flavor and body, with only a little of the fruitiness associated with other ale styles. Hopping is low to moderate, and the emphasis is on drinkability. In general this is a dry beer, but it may have a slight sweetness in the finish from the corn. In my earlier article on Old Style (July-August 2012), I discussed kräusening, which was associated with that brand through its advertising. In this article, the associated brewing angle is high gravity brewing.

It's common for commercially produced American light beers to be

Home Beermaking
by William Moore

New 4th edition



Home Beermaking has sold over 450,000 copies since first being published in 1980. This completely rewritten 4th edition includes updated recipes for everything from Honey Cream Ale to Belgian Triple. A classic beginner's book. Available now at fine home brewing retailers.

Distributed to retailers by:

L.D. Carlson Company
800-321-0315
ldcarlson.com

Brewcraft USA
877-355-2739
brewcraftusa.com

Brewmaster Inc.
800-288-8922
brewmasterinc.com

Crosby & Baker
877-675-9463
crosby-baker.com

KEYSTONE HOMEBREW SUPPLY

24,000 square feet of fermentation fun!

IT'S

***H**umongous selection* of equipment, supplies & clever gizmos
***U**ltra-fresh ingredients* including Wyeast & White Labs
***G**reat service* where your needs always come first
***E**xpert advice* from award-winning brewers & BJCP judges

That's what she said.

DO YOU HATE TO WAIT?

1 day UPS shipping in the Mid-Atlantic from Connecticut to Virginia

Montgomeryville, PA
215-855-0100

Bethlehem, PA
610-997-0911

www.KeystoneHomebrew.com

brewed using this method, which involves brewing a strong version of the beer then diluting it to working strength post-fermentation.

The advantage of such brewing is that larger volumes of beer can be brewed with a brewery's vessels, both on the hot (mashing and boiling) and cold (fermenting) sides of the process. As fermenter space is at a premium in breweries, there are strong economic incentives to brew in this manner. However, this requires careful planning before the fact. The recipe needs to be designed for dilution; otherwise the beer could easily be watery and thin-bodied, lacking in both malt flavor and hop character. For homebrewers, there is no economic incentive to brew this way, but there are times he or she may want produce more beer or simply learn another brewing technique. If you try this at home, there are two main considerations — how strong to make your concentrated beer and how to deaerate your dilution water.

Typical commercial practice for brewing American Pilsners around 11 °Plato (OG 1.044) is to make and ferment a 16 °Plato (OG 1.064) wort, then dilute the beer to 11 °Plato (OG 1.044) at packaging. Higher gravity worts would result in too much ester production during fermentation, so brewers do not attempt to brew the absolute strongest beer they could possibly manage. For homebrewers — who can use this technique to "expand" any style of beer — it's best to pick a specific gravity for the strong beer for which you know you can run a relatively clean fermentation. Also, you will have a higher probability of success at home if you don't try to expand your batch volume beyond about 20% — for example, from 5 gallons (19-L) to 6 gallons (23 L).

One major concern in high gravity brewing is that oxygen dissolved in the dilution water will promote rapid oxidation. Commercial brewers have specialized equipment to thoroughly deaerate their dilution water. Homebrewers, however, will have to rely on simpler methods.

At room temperature, water that is exposed to air will hold about 9 ppm oxygen (at equilibrium). If it is boiled and quickly cooled (no splashing), it will contain less than 1 ppm oxygen. To further deaerate the water, you could bubble either CO_2 or (preferably) nitrogen through the water. The gas bubbles rising through the water will partially scrub it. Nitrogen works better for this as it produces finer bubbles. Boiling alone may be sufficient if you plan to expand the volume of your batch by only 10–15% and then drink the beer within a few weeks. See the recipe on page 60 for more detailed instructions on this technique. BYO

Bill Pierce wishes to thank the Franklin D. Roosevelt Presidential Library and Museum, as well as homebrewer Scott Abene for information and their assistance.

abetterbrewstand.com
Presents:

The best built, most economical stand on the market today.

- Powder coated, modular steel components.
- On-board electrical.
- Gas manifold with a pressure gauge for repeatable results.
- Available in your choice of colors!

Visit us at abetterbrewstand.com to see all of the benefits of the Liberty-Brewing Brew System.



Enter "byo" at check out for 10% off your total purchase.

Brew Brothers



Homebrew Products

PAY LESS, BREW MORE!™

225 malts in stock starting @ 72¢ / lb or $29.50 / 50 lb bag
45+ hop varieties in stock starting @ $1.30 / 2 oz pack

See why Brewing News readers named us "Best Homebrew Shop in Oregon"

Use code BYO1210
at checkout for a 5% Discount on your order
Please, one per customer; not valid with other discounts
Expires 10/31/12

WWW.BREWBROTHERS.BIZ
info@brewbrothers.biz
Toll Free (888) 528-8443
"Come join the family!"™

Lighten Up

Late extract additions

by Terry Foster

Many authors (including me) recommend that you do a full wort boil (5 gallons/19 L if that is to be the final volume of wort at pitching) when brewing with malt extract, having added all the extract at the beginning. That's a good rule of thumb, for it ensures a proper hot break, and means that it is relatively easy to calculate hop bitterness and to reproduce it from beer to beer. But, as always there are cases where you may not want to follow the rule, the first being that maybe you just don't have the equipment or space to do a full wort boil. But there is another case where you deliberately add a portion of the extract late on in the boil.

In fact malt extract does not need an extended boil, since it has already been boiled in its manufacture. If you use a 90-minute boil (as you might with an all-grain beer) an extract-based beer can be thin and lacking in mouthfeel because of excessive breakdown in proteinaceous material. That is why most brewers recommend a 45- to 60-minute boil for extract beers. And it is clear that adding a significant amount of extract towards the end of boiling will limit the breakdown of protein residues which will help both the beer's head retention ability and its body.

But the main reason for late extract addition is to make your beer paler than if all the extract was added at the beginning. This is because during boiling certain reactions occur in the wort, which result in browning and darkening. The extent of browning is partly a function of boiling time and of the concentration of the wort, so that the longer the boil and the higher the wort concentration the darker the wort will be. Therefore, if you add, say, two thirds of the total amount of extract 15 minutes before the end of a 60-minute boil you can expect your beer to be paler than if all the extract was added at the start. Exactly how much paler is impossible to say without carrying out an involved series of tests coupled with color measurements, to which homebrewers are unlikely to have access. But if you are brewing a light-colored beer this approach is obviously a good insurance against getting too dark a color, and it is one that is used successfully by a number of homebrewers. Of course it would be of most value if brewing an American light lager, or a genuine Pilsner, but many brewers consider it useful to use late extract addition in all their pale beers. You can also do it with dark beers, but I don't recommend it, not just because the lessening of color is unimportant in such beers, but because most of them benefit from the flavor compounds that are produced by the browning reactions. And do be careful with late addition — turn off the heat source and make sure all the extract is fully dissolved before turning it on again. If it is not dissolved it will scorch and caramelize on the bottom of the pot and your efforts will have been in vain.

This browning effect is caused by what are called Maillard reactions, whereby reducing sugars react with amino acids to form a variety of compounds. One group of these compounds is known as melanoidins because they are highly colored; other, usually simpler, molecules are produced that are intensely flavored and can have beneficial effects on the palate of the beer, especially dark beers. As a flavor reference one source states that the ultimate product of Maillard reactions is caramel. Indeed caramel flavoring is usually manufactured by heating sugar in the presence of ammonium ions, although it can be produced without the presence of the latter.

That's a little bit of the chemistry behind late extract addition and its effect on beer color, but we need not get too much into that for it should be obvious to even the most simple-mind-

> "Malt extract does not need an extended boil, since it has already been boiled in its manufacture."



"You can also see that doing a 3-gallon (11-L) boil gives about 6–7 IBU less than you would get for a 5-gallon (19-L) boil, whether you use late extract addition or add it all at the beginning of the boil. Such a difference is marginal and might not be enough to be perceived by all drinkers. So all you "3-galloners" might not be so far off the money as you may have been led to believe!"

ed astrophysicist that the technique is a very useful one for an extract brewer, whether using only extract or using the partial mash plus extract technique. It is not much good for brews produced using steeped grains plus extract, because the grains in that case are usually highly-colored and full of melanoidins anyway!

But are there any downsides to using late extract addition? Well, there is one drawback, and a quick trawl around homebrewing websites reveals a common complaint about this technique — that the beer is too bitter. The reasoning behind this is that for most of the boil time the wort specific gravity is significantly lower than that of the final wort going to fermentation. As a result, hop utilization is much higher and the beer is likely to end up with a higher concentration of iso-alpha acids than would have been the case if all the extract had been present at the commencement of the boil and the wort SG during boiling would have been closer to that of the final wort SG. Since bittering hop additions are usually calculated for the full wort gravity in the boil, a beer produced by late hop addition is going to have a higher bittering level than you originally targeted. This will obviously be most noticeable in a lightly-flavored, delicate beer which may well be just the type of beer which benefits from this technique in terms of color.

Well, I am nothing if not a critical scientist, and my first inclination was to ask, "How many of these people did a control test, as all good experimentation requires?" In other words, were the beers produced by late extract addition significantly higher in bitterness than those where the extract was added at the start? Given that IBU measurement is impractical for the homebrewer, is there some way we could calculate them at least to a reasonable approximation? I've seen several pieces on late extract addition and they all seem to think that it is far too complicated to do so, because of the changes in wort gravity when this method is used. In "All About Bitterness" (*BYO* September 2011) I quoted two authors who offer formulae that make allowance for the effect of increasing wort gravity on hop utilization. These were Rager and Garetz whose formulae have been widely used by homebrewers. However, these only deal with beers of OG 1.050 (12.4 °P) or higher, and the first part of the boil using late extract addition will be below this gravity (see below).

In the earlier article I also mentioned a very complicated equation for calculating IBUs, that from Glenn Tinseth. Since this does allow for lower wort gravities than 1.050, we can use this equation to do a little "thought experiment" on IBUs. Glenn has thoughtfully given an IBU calculator on his website: www.realbeer.com/hops/. This made life easy for me and I used it in what follows, with some reservations, which I shall detail later in this column.

Bittering effects in late extract addition

1. Let's assume, for simplicity's sake that we are going to make 5 gallons (19 L) of a pale beer using 6 lbs. (2.7 kg) malt extract syrup, and adding 1.5 oz. (43 g) of hops at 5% alpha-acid. We'll add all the hops and ⅓ of the extract at the start of the 60 minutes boil, and the remaining ⅔ for the last 15 minutes, using a full 5-gallon (19-L) boil.

The gravity at start is (2 x 36)/5 = 1.014, which Tinseth says will give 33 IBU in 45 minutes boiling. Now gravity in last stage is (6 x 36)/5 = 1.043, which the calculator gives as yielding 14 IBU in 15 minutes boiling. Therefore total IBU this way would be 47. If all the extract had been added at the start, then at 1.043 throughout the boil would give a wort with only 28 IBU.

2. Let's do it all over again, but this time using only a 3-gallon (11-L) boil. The gravity at the start will be (2 x 36)/3 = 1.024, which will give 30 IBU via Tinseth for a 45 minute boil. But gravity for the last 15 minutes will be (6 x 36)/3 = 1.072, and the calculator says that will provide 11 IBU. So that means total IBU would be 41 by this method. If all the extract were to be added at the start, then we would have had 21 IBU in the finished wort.

What all this means

In the first case, the difference between late extract addition and total addition at the start is 19 IBU, while in the second it is 20 IBU. If those numbers are correct then this is certainly a big difference in bitterness for a beer of OG 1.043, and would certainly be noticeable in the taste of the beer. So all those brewers who tried late extract addition and said that the bitterness of their beers was way over the top were correct! That verifies the old brewing adage of "always taste it and rely on what your palate tells you."

You can also see that doing a 3-gallon (11-L) boil gives about 6 to 7 IBU less than you would get for a 5-gallon (19-L) boil, whether you use late extract addition or add it

all at the beginning of the boil. Such a difference is marginal and might not be enough to be perceived by all drinkers. So all you "3-galloners" might not be so far off the money as you may have been led to believe!

Finally, this strongly suggests that if you want to do a late extract addition you must adjust the amount of hops you use if you don't want to overshoot on bitterness. But by how much should you reduce the hop addition? Well, you could just work it out for yourself as I have done using Tinseth's calculator. Or you could use the numbers I have given above to make an approximation as to how much to add. These show that for a 5-gallon (19-L) boil you would need to reduce the amount to 28/47, or 60% of the original quantity to bring it down to 28 IBU as from early extract addiction, while the corresponding number for a 3-gallon (11-L) boil would be 21/41, or 50% of the original to bring it to the 21 IBU you would get from early addition. However, if you wanted to get 28 IBU in a 3-gallon (11-L) boil with late addition you should only reduce the hops to about 70% of the original amount. Of course, these numbers are just guidelines and should be used with care; they may be very different for different recipes and different original gravities.

Reservations

All the bitterness calculations above assume that Tinseth's equation is correct, which may not be the case. He himself admits that the constants in his equation are empirically derived; that is they are chosen to make the data fit the equation, and are not absolute. In fact, they may apply only to his brewing procedures, and could be different for somebody else. And, he derived this equation using whole, fresh hop cones, so that quite different results could be obtained if you were using pellets. Finally, Tinseth's equation only gives IBU for the wort, and we know that IBU levels in the beer will be lower. Losses of iso-alpha acids occur throughout processing, particularly when foam is formed, so that the major loss occurs in fermentation. Always remember it's the taste not the math that counts.

Conclusions

Late extract addition is a very useful technique for any extract brewer who wants to keep his or her beer as pale as possible. I recommend that you try it, providing that you make the appropriate adjustment to the amount of hops used, or it can cause your beer to be excessively bitter. That may take a bit more thought than you want to put in, but this is life and you get nothing for nothing. And if any of my number handling has confused you, remember to let your palate be your judge! BYO

Terry Foster writes "Techniques" in every issue of Brew Your Own *magazine.*



SPEIDELS
Braumeister
SPEIDEL

Made in Germany

More information and sales partner on
www.speidels-braumeister.de

250 CLONE RECIPES IN ONE GREAT SPECIAL ISSUE!

FEATURES
132 pages of recipes & know-how to brew 250 commercial craft and import beers



the best of Brew
THE HOW-TO HOMEBREW BEER MAGAZINE
250 CLASSIC CLONE RECIPES

Replicate your favorite commercial beers featuring the best clone recipes from the last fifteen years of BYO.

- Intro on how to clone brew commercial beers
- 250 recipes provided for all-grain and extract brewers - includes 150 recipes from the now out-of-print "150 Classic Clone Recipes" plus 100 more clone recipes!
- Cross indexed so you can easily find your favorite recipes by brewery or style

At just $10.00 ($10.00 CAN) retail, you won't find a more valuable recipe collection to brew beers like the pros make!

This special newsstand-only issue is available at better homebrew retailers or order today by calling 802-362-3981
Also available online at brewyourownstore.com

* Attention homebrew supply shop owners - call us today at 802-362-3981 to discuss volume discounts to resell the BYO 250 Classic Clone Recipes issue in your shop

Let Us Help You Make Your Own
Beer • Wine • Soda • Cheese
Equipment • Ingredients • Friendly, Knowledgeable Advice

Call Today To Receive a FREE Catalog!
800-321-BREW(2739)
www.homebrewery.com



Yeast Metabolism

What yeast do during fermentation

by Chris Bible

Yeast are microscopic, unicellular fungi that are capable of converting various types of sugar into ethanol and other byproducts. Yeast take in sugars and anaerobically (without oxygen) metabolize them to produce energy, additional yeast cells, ethanol, carbon dioxide and other metabolic byproducts:

Sugar + Yeast → More Yeast + Ethanol + Carbon Dioxide + Metabolic Byproducts + Heat

The two species of yeast that are most widely used by brewers are *Saccharomyces cerevisiae* (ale yeast) and *Saccharomyces pastorianus* (lager yeast). These two species of yeast differ in several important ways, including their optimum fermentation temperatures (lager yeast can ferment at colder temperatures), ability to ferment different kinds of sugars (lager yeast can ferment maltotriose) and production of fermentation byproducts (lager yeast produces fewer esters and is generally described as producing "cleaner" beer).

Yeast metabolism

When fermenting wort, yeast have several distinct phases of metabolism, including cell wall synthesis/O_2 uptake, sugar uptake, nitrogen uptake, fermentation, energy production, cell growth, acidification, production of byproducts (from the yeast's perspective . . . CO_2, ethanol, others). These stages are not discrete, in other words one blends into the other as the fermentation progresses and a cell may be doing more than one thing at a time. Different cells within the population of yeast will be in different phases. For example, when a fermentation slows, some cells are quicker to shut down and flocculate than others.

Fermentation is also sometimes described as proceeding through lag phase (where there is little or no indication of active fermentation at the macroscopic level), exponential growth phase (when the yeast are multiplying most rapidly and cell counts increase exponentially over time), stationary phase (when the cell count is relatively stable and the bulk of fermentation occurs) and death (or in beer production, flocculation and perhaps the cells are reused for another fermentation).

Some of the major metabolic pathways relevant to beer production are shown in the figure on page 70.

Cell wall synthesis / O_2 uptake

In order for yeast to begin cell wall synthesis, the yeast cells must have access to cell-wall building blocks: sterols and oxygen. Sterols can be synthesized by the yeast, or they may be scavenged from the wort (if present). Additionally, the yeast cells must be permeable enough to allow nutrient and oxygen uptake to occur.

Synthesis of cell walls using sterols and oxygen requires the yeast to consume internal reserves by using internally-stored glycogen in order to supply the needed energy. (As the fermentation progresses, newly assimilated wort sugars also contribute.) Glycogen reserves are slowly depleted during the storage of yeast, so older yeast will have less stored glycogen. Low oxygen levels or low glycogen levels can lead to a sluggish fermentation.

Sugar uptake

After the yeast has built up a cell wall structure, the next step is sugar uptake. In an anaerobic environment, yeast generally take up and preferentially ferment sugars in the following order: glucose, fructose, sucrose, maltose (the most abundant) and maltotriose.

Different enzymes help process the different sugars. For example, the enzymes sucrose permease and sucrase transport sucrose inside the cell and split it into glucose and fructose. Different enzymes take in maltose and maltotriose and split them into their constituent glucose residues.

"Yeast are microscopic, unicellular fungi that are capable of converting various types of sugar into ethanol and other byproducts."



Metabolic Pathways In Beer Production



Nitrogen uptake

Nitrogen in the form of amino acids is next taken up by the yeast. Amino acids can be thought of as consisting of an NH_3^+ component that is attached to various carbon chain skeletons. The NH_3^+ component is used by the yeast cells for protein synthesis. Amino acids are also the precursors for the formation of fusel alcohols.

Under certain conditions, yeast may excrete essential nitrogen-containing compounds back into the wort. This can occur if a yeast cell experiences larger osmotic pressures than they can cope with due to high wort gravity. This phenomena is known as shock excretion.

Fermentation

From the perspective of the yeast, fermentation produces numerous byproducts (things not associated with making more yeast) including ethanol, acetaldehyde, fusel alcohols, esters and ketones.

Ethanol is a major excretion product from fermentation. Excretion of ethanol is a cell detoxification mechanism from pyruvate and acetaldehyde build up within the yeast cell. Ethanol is, of course, the two carbon alcohol that provides the "kick" to beer and is also toxic to many other microorganisms that could potentially spoil wort.

Acetaldehyde is an intermediate anaerobic fermentation product that is mostly converted to ethanol during the fer-

Easily clean Corny kegs, carboys and brew pails



Spend your time brewing beer - not cleaning your equipment! Clean and sanitize large brewing vessels and tubing as you go. Never have to clean a dry, crusty carboy again!

MARK'S KEG WASHER

Check **www.kegwasher.com** for a listing of dealers who stock Mark's Keg Washer. If your local dealer doesn't carry it, request it.

HOMEBREW HEAVEN

#1 IN THE PACIFIC NORTHWEST

OPEN Come see our newly remodeled storefront!
Sundays 11 - 3 Starting 9/2/12
New Store Hours are 10-6:30 M-F, 10-5 Sat, 11-3 Sun Pacific Time

Check out our website for:

NEW

⇒ Exciting *NEW* products!
⇒ Beer Clone Recipes
⇒ Upcoming Instructional Classes
⇒ We now have Wyeast Belgian Saison #3724 & Lambic Blend #3278 Liquid Ale Yeasts

NOVICE to ADVANCED BREWERS WELCOME!
Everything You need to make Quality, Hand-Crafted Beer, Wine, Cheese and Soda Pops
- GIFT CERTIFICATES -
WE OFFER MILITARY DISCOUNT

Follow us on

SCAN CODE TO SEE OUR CURRENT SPECIALS

Watch our instructional videos for in-depth, Hands-On How-to's by That guy and The Other guy

YouTube

Take Your Brewing To New Heights!
BEER AND WINEMAKING EQUIPMENT AND SUPPLIES
Email: info@homebrewheaven.com
HOMEBREWHEAVEN.COM

Factors Affecting Yeast During Fermentation and Effects on Flavor of Finished Beer

Factor	Effect on Yeast During Fermentation	Effect on Flavor & Quality of Beer
Yeast Strain	---	Different yeast strains produce different flavor compounds. Select strain appropriate for desired beer style.
Yeast Condition at Time of Pitching	Healthy and Fresh Yeast: Lots of glycogen reserves available. Short lag phase. Unhealthy and Old Yeast: Less glycogen reserves available. Longer than desirable lag phase	Optimal for good beer 1) Off-flavor production more likely 2) Potential for contamination increased
Amount of Yeast Initially Pitched (Pitching Rate)	High Initial Cell Count: Yeast ferment wort more quickly Low Initial Cell Count: 1) Yeast ferment wort more slowly (increased chance of stuck fermentation) 2) Decreased attenuation	Almost always desirable for homebrewers 1) Fusel alcohols, esters & diacetyl production increased. 2) Residual sweetness possibly higher than desired 3) Potentially higher sulfur levels in finished beer
Dissolved Oxygen Content (Wort Aeration)	High Initial Dissolved Oxygen Content: 1) Short lag phase 2) High yeast viability Low Initial Dissolved Oxygen Content: 1) Longer than desirable lag phase. 2) Low yeast viability	Almost always desirable for homebrewers Esters, diketone & acetaldehyde production increases
Micronutrient Availability (Zinc, Magnesium, other trace minerals)	Enzyme functions require trace mineral ions. Influences speed of fermentation. Readily-available micronutrients allow for cleaner fermentation through normal metabolic pathways.	Off-flavors are more likely if micronutrient concentration is lower than optimal during fermentation.
Wort Gravity	Higher: 1) Decreased fermentation rate 2) Increased production of metabolic by-products Lower: 1) Increased fermentation rate 2) Decreased production of metabolic by-products	Higher wort gravities may lead to increased ester production, more fusel alcohols, and more phenolic compounds in the finished beer. Yeast can more easily ferment lower gravity wort, so fewer by-products are produced. Cleaner fermentation happens with lower gravity wort.
Wort pH	Higher pH increases organic acid formation . Wort pH <5.3 desired.	Ester and fusel alcohol production more likely higher if excess organic acids present. Fruity or sour flavors produced.
Wort Temperature During Fermentation	Too high for Yeast Strain: Rapid fermentation due to increased metabolic rate. Higher metabolic rate leads to increased production of compounds other than ethanol and CO_2	Increased amounts of fusel alcohols, esters, lactones, organic acids, sulfur compounds, & diacetyl
	Optimal Range for Yeast Strain: Ideal fermentation condition Too low for Yeast Strain: Slow, incomplete or no fermentation	Always desirable 1) Poor attenuation 2) Residual sweetness possibly higher than desired
Flocculation Characteristics of Yeast Strain	Highly Flocculent Yeast Strain: Premature settling possible Decreased attenuation possible	1) Clear beer 2) Higher residual sweetness 3) Higher diacetyl level 4) Fuller body possible
	Less Flocculent Yeast Strain: Yeast remains in suspension longer. Increased attenuation.	1) Potentially hazy beer 2) Lower residual sweetness 3) Dryer beer 4) Thinner body possible 5) "Yeasty" flavor possible

mentation process. Acetaldehyde is the compound associated with a green apple flavor within finished beer. If yeast cells are present, acetaldehyde will continue to be converted to ethanol during aging.

Fusel alcohols — alcohols that contain more than two carbon atoms — are formed when the carbon skeletons from amino acids in the wort are taken up and biochemically reduced within the yeast cell to an alcohol of corresponding chain length. Different fusel alcohols have different flavors and aromas. Fusel alcohols can have flavors that are described as "hot," solvent-like, rough, chemical, medicinal and rosy. These are not wanted in beer and can cause headaches for the drinker at moderate concentrations.

Esters are formed when an alcohol combines with an acetyl-CoA-produced fatty acid. Ethyl acetate, the most common beer ester, is formed from ethyl alcohol and acetyl-CoA. Ester compounds can have flavors described as fruity banana and are more prevalent in ales than lagers.

Ketones and vicinal diketones (VDKs) are formed by the oxidation of the amino acid synthesis intermediates valine and isoleucine. Ketone flavors are described as buttery or butterscotch (e.g. diacetyl), fruity, musty, honey (e.g. 2,3-pentadione) and rubber. These molecules are not desired in most beers, although some English-styles have a noticeable level of residual diacetyl. VDKs can be removed by yeast during the later stages of fermentation. This is the primary reason that brewers are advised not to separate their beer from their yeast to quickly following primary fermentation.

Factors in the fermentation process that impact yeast performance

Fermentation involves complex interactions of biological, chemical and physical factors. Factors such as wort temperature, wort gravity, yeast nutrient availability, dissolved oxygen content and yeast pitching rate all affect how the yeast will ferment the wort. The table on page 71 shows how these factors can impact the yeast and affect the quality of the finished beer.

Conclusions

Yeast are the living organisms that do the biochemical work of making beer. The ability of yeast to ferment wort and produce beer is affected by myriad variables. In order to ensure that you have optimized the conditions for the best yeast performance you should use fresh, healthy yeast; ensure that the wort is fully aerated; pitch an appropriate amount of yeast (frequently, this involves making a yeast starter); fermentation within the optimal temperature range for quality beer production (varies with yeast strain) and don't separate the beer from your yeast too soon. BYO

Chris Bible is BYO*'s "Advanced Brewing" columnist.*

Hobby Beverage Equipment Co

www.minibrew.com

Fermenters Mash Tun & Hot Liquor Tank

6.5 gal

8 & 15 gal

15 gal Mash Lauter Tun

100 gal

john@minibrew.com - 951 676 2337 - free catalog

PALLY PORTER

OG= 1.046 FG= 1.013 ABV= 4.4% IBU= 33 COLOR(L)= 52

Description: the perfect porter for prolonged sessions with pals. Recipe for 5 US gallons (19 L).

Quantity	Ingredients	Comment
7.5 lbs.	Briess Pale Ale Malt	
1 lb.	Briess Caramel Malt 60L	
1/2 lb.	Briess Carapils® Malt	
1/2 lb.	Briess Chocolate Malt	
1/4 lb.	Briess Blackprinz® Malt	
1 1/2 oz.	East Kent Golding (5% AA hop)	(boil 60 min.)
1 oz.	East Kent Golding (5% AA hop)	(boil 15 min.)
1/2 oz.	East Kent Golding (5% AA hop)	(boil 0 min.)
1 vial	White Labs WLP039 East Midlands Ale Yeast	
1 capsule	Servomyces Yeast Nutrient	(boil 10 min.)

Instructions:

1. Mash grains at 154-158° F for 45 minutes.
2. Heat to 170° F.
3. Lauter.
4. Boil with bittering hops for 60 minutes.
5. Cool to 68° F, oxygenate wort
6. Pitch 1 vial White Labs WLP039 East Midlands Ale Yeast.

Fermentation: Primary: 2 weeks at 68° F. • Secondary: 2 weeks

RHEIN BOCK

OG= 1.109 FG= 1.028 ABV= 10.6% IBU= 22 COLOR(L)= 32

Description: Somewhere between the maltiness of Austrian doppelbocks and the high alcohol tolerance of Zurich lager yeast lies the inspiration for Rhein Bock. Recipe for 5 US gallons (19 L).

Quantity	Ingredients	Comment
9.9 lbs.	Briess CBW®Pilsen Light LME	
4 lbs.	Briess Pilsen Malt	
3 lbs.	Briess Aromatic Malt	
1/2 lb.	Briess Extra Special Malt	
1/2 lb.	Briess Caramel Malt 60L	
1/4 lb.	Briess Caramel Malt 120L	
1/2 lb.	Briess Carapils® Malt	
1 1/2 oz.	Hallertau Tradition (6.0% AA hop)	(boil 60 min.)
1 oz.	Hallertau Tradition (6.0% AA hop)	(boil 5 min.)
2 1/2 vials	White Labs WLP885 Zurich Lager Yeast	(1/2 vial for conditioning)
1 capsule	Servomyces Yeast Nutrient	(boil 10 min.)

Instructions:

1. Steep grains in 150-158° F water for 30 minutes.
2. Remove grains. Bring to boil.
3. Remove from heat, add liquid extract, and first hop addition.
4. Boil 55 minutes, add final hop addition.
5. Boil 5 minutes.
6. Cool to 55°F and oxygenate wort. Pitch 2 vials White Labs WLP885 Zurich Lager Yeast.

Fermentation: Primary: 3-4 weeks at 55° F, allow to warm to 60° F for 2 days
Secondary: 4 months 38° F, add 1/2 vial White Labs WLP885 Zurich Lager Yeast for bottle conditioning.

Bottle Washer/Sanitizer

A quick way to get bottle cleaning done

by Jeff Shoemaker

I built this bottle washer to help out with the huge task of bottling in my homebrewery (and also for my home winemaking efforts). As any homebrewer can agree, anything that can be done to make bottling time easier is worth it.

Instead of washing each of the bottles one at a time, with this washer build I am able to sanitize twelve bottles at one time quickly and easily. At bottling time this bottle washer works so well I thought other people should know how to build one of their own. It's easy to assemble and fairly inexpensive (I spent around $140 for all of the components). I was able to source everything I needed from the Internet and my local big box hardware store. I would advise, however, buying your Rubbermaid tub, water pump, bottle rinsing base, bulkhead fitting and barbed garden hose fitting before buying the rest of the fittings so that you can be sure that all of the parts will fit properly. Take your bulkhead fitting with you to the hardware store when you buy the threaded barbed fitting to be sure of a tight fit. I also listed a remote on/off switch in the parts and tools list (to the lower left), but you don't have to include that modification if you don't want to.

The choice of which portable water transfer pump model to use is up to you as long as it will fit comfortably in the tub. Remember to always run your pump fully submerged so that you don't run it dry. Also, as with any project that requires combining electricity and liquid, be sure to always plug your pump into an outlet with a GFCI adapter for added safety.

The bottle washer design is completely self contained. The sanitizer solution of your choice is held within the tub and is circulated through the pump and into the bottles, then back into the tub through holes in the lid so there is no need to be near a sink.

If you're also using inert gas prior to bottling, you can modify this design to use another sparging base for the gas and just transfer the bottle rack from the washer to the gas set up. It works very well for both beer and wine bottles.

Before you start building, I have to remember to give credit where credit is due. I got the original idea for building the washer in this style from Alan Holtzheimer, the owner and winemaker of Silver Bell Winery in Burlington, Washington. Please visit Alan at Silverbellwinery.com and support him!

Parts and Tools

- (1) 10- to 20-gallon (38-76- L) Rubbermaid (or similar) tub
- Portable, water transfer pump
- Bottle rinsing base (part # CE970 from morewinemaking.com)
- 2 bottle racks (part #CE971 from morewinemaking.com)
- ~2 feet (~1 m) of ⅝-inch diameter heavy duty tubing (length will depend on how far your away your pump will be)
- 1-inch diameter bulkhead fitting (found at aquarium stores)
- Barbed garden hose fitting
- 1-inch threaded to ⅝-inch brass barbed fitting (the threaded end needs to fit into the bulkhead fitting. Take it to the store to make sure a snug fit is achieved before you buy anything.)
- 2 pipe clamps
- Remote on/off switch for the pump (optional, but helpful)
- Drill
- Razor knife
- Flat-head screw driver
- Zip-ties
- Teflon tape

> "Instead of washing each of the bottles at one time, with this washer I am able to sanitize twelve bottles at one time quickly and easily."



1. BULKHEAD FITTING

Once you have all of your parts together, the first step to making the bottle washer is to put a hole in the side of the plastic tub for the bulkhead fitting. Trace a circle around the bulkhead fitting about 1 inch (2.5 cm) or so from the bottom of the tub and use the razor knife to carefully cut out the circle. Insert the bulkhead fitting with the flat side on the outside of the tub, you'll want a nice snug fit to help prevent leakage.

2. TUBE ASSEMBLY

Now it is time to construct the tube assembly that will go from the bulkhead fitting to the water pump. Slide one end of the tube over the barbed side of the threaded 1-inch brass fitting, and apply the pipe clamp. Wrap the Teflon tape tightly around the threaded part of the fitting to help avoid leaking. The other end of the tube can be slid on to the barbed end of the garden hose fitting. A separate pipe clamp can be applied there too, to ensure a nice tight fit with no leaking. Once this is assembled you may screw the 1-inch brass fitting into the bulkhead fitting and the garden hose fitting can be screwed to the inlet port of the water pump.

3. FILL

Once this is all done, fill the tub with about 3 gallons of your favorite no-rinse sanitizer solution so that the bulkhead fitting is fully submerged. This ensures your pump will not run dry. Hook up the supplied tubing that comes with the sparging base to the outlet port on the water pump and place the lid on the tub. Make sure the pump is filled with sanitizer water as not to run it dry.

4. PUT IT TOGETHER

Now you may drill a series of holes in the lid of the tub to allow the sanitizer solution to drain back into the tub after flushing the bottles. Then place the bottle rinsing base on the lid of the tub, I affixed the rinsing base to the lid with zip ties through the newly drilled holes, so everything stays in place.

5. TEST

Plug the water pump into the remote controlled outlet and fill the bottle rack with bottles. Prior to using the bottle washer, the bottles should be free of debris and labels, ready for bottling. Place the rack of bottles onto the bottle washer. Turn on the pump and test the setup. If anything is leaking, go back and check your fittings and apply more teflon tape if needed.

6. SANITIZE

Once everything is in working order, you're ready to start sanitizing. I suggest using a 15-20 second rinse and a quick spin of each bottle to ensure good coverage inside the bottle, and with the press of a button you'll have evenly sanitized bottles in no time! BYO

This is Jeff Shoemaker's first article for Brew Your Own. *He lives in Freedom, Pennsylvania.*

classifieds

APPAREL

BEER GEEK TEES
Get 10% off with
Coupon: BYOMAG
Wholesale pricing for resellers.
BrewerShirts.com

BEERSHIRTZ - FREE SHIPPING!
www.beershirtz.com

GET YOUR BYO GEAR!
BYO logo shirts, sweats, hats & lots more.
www.cafepress.com/brewyourown

BAR SUPPLIES

BUILDING A BAR?
Call the Kegman. Pro Equipment, Wholesale Pricing.
973-512-2028
www.kegman.net

BREWING EQUIPMENT

#1 BREWING SYSTEM
All stainless steel, American-made, TIG welded.
Visit us at synergybrew.com

1-3 BARREL BREWING SYSTEMS
Affordable, High Quality, Custom Built Brewing Systems.
www.psychobrewLLC.com

BARGAINFITTINGS.COM
High quality weldless, stainless steel kits to convert your kegs, kettles and coolers.

BEER WORT CHILLERS
High efficiency plate heat exchangers. Great prices.
www.dudadiesel.com
256-417-4337

BrewHardware.com
Specializing in brewing measurement gadgets: Sight Glasses, Thermometers, Refractometers and More!

BREWHEMOTH - SIZE MATTERS
22 gallon fermenter and accessories.
www.brewhemoth.com

KEGGLE BREWING
Corny Kegs, Tap Systems and Parts, Refrigerator Conversion Kits, Keggles and Weldless Fittings.
www.KeggleBrewing.com

RANCO TEMPERATURE CONTROLLERS and accessories.
Single stage pre-wired $74.99
Stopper thermowell $21.99
www.ETCsupply.com
888-840-1442

RUBY STREET BREWING
Beer brewing equipment & accessories.
www.rubystreetbrewing.com

STOUT TANKS & KETTLES
Stainless conical fermenters, mashtuns, & HLTs. 5-150 gallons.
conical-fermenter.com

TEMPERATURE CONTROL MATTERS BCS-462 programmable controller. Web based user interface, data logging, timers.
www.embeddedcontrolconcepts.com

TESCO PUMPS
March Homebrew Pumps & Parts Since 1977.
www.tescopumps.com
Email: tescoincnc@aol.com
(714) 357-3400

DRAFT & BOTTLING EQUIPMENT

www.TheBeerTapStore.com
Great prices on quality draft beer tapping equipment.
Many items ship for free.

BOOTLEGGER CRATES
Handcrafted wood crates for beer and wine storage. Made in the USA.
www.bootleggersupplies.com

EDUCATION

FREE HOW TO BREW Guide
Reveals 7 Most Common Mistakes Home Brewers Make. Visit:
BrewBeerAndDrinkIt.com/byo

FOOD-BEER PAIRING

LIKE BEER & CHOCOLATE?
Have them both! Hop infused Chocolates, for craft beer enthusiasts.
www.HopCandyInc.com

HOMEBREW SUPPLIES

CUSTOM BEER LABELS
Easily create unique beer labels!
10% off. Promo code: BEER10
www.BottleYourBrand.com

DRAFTSMAN BREWING COMPANY
You'll love our prices!
Call today for our FREE homebrew supply catalog.
1-888-440-BEER
www.draftsman.com

FARMHOUSE BREWING SUPPLY
55 Varieties of hops in semi-bulk 4 ounce packages. Starting at $.60/oz
www.farmhousebrewingsupply.com

HOMEBREWING EQUIPMENT:
Over 2,400 items! Hard to find parts. Great prices.
www.chicompany.net

HOP GROWING

NEED QUALITY HOPS?
Hops grow best in the Northwest
Female Rhizomes, Dried Hops, Potted Hops.
www.NorthwestHops.com
(503) 902-0902

INGREDIENTS

VALLEY MALT
New England's Micro-Malthouse
All organic and locally grown.
www.valleymalt.com
(413) 349-9098

LABORATORY & TESTING SUPPLIES

NEW BrewLab™ KIT,
six water tests for quality control of the brewing process
www.lamotte.com/brewlab

SOFTWARE

BEERSMITH BREWING SOFTWARE
Take the guesswork out of brewing!
Free 21 day trial!
www.beersmith.com

BREWTIMER FOR iPHONE
or iPod Touch. Never miss a boil addition again!
http://brewtimerapp.com

For details on running a classified call Dave at 802-362-3981 ext. 107

Brew YOUR OWN THE HOW-TO HOMEBREW BEER MAGAZINE

Shirts, Sweats, Hats & Lots More!

GREAT Gifts For You or Your Brewing Buddies

Go to www.cafepress.com/brewyourown and order your Brew Gear today!

www.cafepress.com/brewyourown

SHOW THE WORLD YOU'RE A HOMEBREWER!

Just Brew It !!

Larry's BREWING SUPPLY

1-800-441-2739

www.larrysbrewsupply.com

Home Breweries & Nanobreweries

Commercial Duty Brewing Equipment

All 304SS, Tri Clamp Fittings

STOUT

TANKS & KETTLES

Conical Fermenters
Brite Beer Tanks
Brew Kettles, Mash Tuns, HLTs
Hop Backs
5 Gal. to 3 Bbl.

conical-fermenter.com

BREWINGTV

NEW EPISODES AT

northernbrewer.com/brewingtv

Homebrew Heat Pad

Constant temperature for fermenting

"Way better than heat belts"

FREE CATALOG

Call (800) 821-2254

or fax (800) 972-0282

FOXX EQUIPMENT COMPANY

Visit foxxequipment.com to find a Home Brew Shop near you!

GET YOUR BYO WORK SHIRT!

Perfect for brew days and beer fests. This navy blue button-up shirt has the *BYO* logo over the front left pocket and a large *BYO* Euro Sticker logo across the back. A classic work shirt that lives up to your classic homebrews. Available in Men's M, L, XL & XXL. $40

Order at www.brewyourownstore.com or call 802-362-3981 ext. 106

MONSTER BREWING HARDWARE

Monster Mills by Monster Brewing Hardware are made in the USA on modern CNC equipment with state of the art accuracy for discriminating home brewers.

Why settle for second best?

WWW.MONSTERBREWINGHARDWARE.COM

"IT'S ALWAYS BETTER TO HAVE A BIGGER TOOL THAN YOU NEED"
-MONSTER MACHINIST

reader service

for direct links to all of our advertisers' websites, go to **www.byo.com/resources/readerservice**

50 Pound Sack 49
www.50PoundSack.com

Adventures in Homebrewing ..... 53 & 67
313-277-2739
www.homebrewing.org

Alpha Analytics 56
1-877-875-6642
www.hopunion.com/alphaanalytics
info@alphaanalyticstesting.com

American Brewers Guild Brewing School 53
1-800-636-1331
www.abgbrew.com
info@abgbrew.com

American Homebrewers Association 61
www.HomebrewersAssociation.org

Annapolis Home Brew 53
1-800-279-7556
www.annapolishomebrew.com
email@annapolishomebrew.com

Austin Homebrew Supply 53
1-800-890-BREW (2739)
www.austinhomebrew.com
info@austinhomebrew.com

Beginner's Guide 87
802-362-3981
www.brewyourownstore.com

Best of Brew Your Own
- 25 Great Homebrew Projects 35
- 30 Great Beer Styles 29
- 250 Classic Clone Recipes 68
- Hop Lover's Guide 87

802-362-398
www.brewyourownstore.com

A Better Brew Stand 64
www.abetterbrewstand.com

Better-Bottle division of High-Q, Inc. ..21
1-800-435-4585
www.Better-Bottle.com
sales@better-bottle.com

Blichmann Engineering, LLC 17
www.blichmannengineering.com
john@blichmannengineering.com

Brew Brothers Homebrew Products, LLC 64
1-888-528-8443
www.brewbrothers.biz
info@brewbrothers.biz

Brew Your Own Back Issues 24-25
802-362-3981
www.brewyourownstore.com
backissues@byo.com

Brew Your Own Merchandise 77
1-877-809-1659
www.cafepress.com/brewyourown

Brew Your Own Work Shirt 77
802-362-3981
www.brewyourownstore.com

Brewers Publications ..... 14 & 44
1-888-822-6273
www.BrewersPublications.com
info@brewersassociation.org

The Brewing Network 68
www.thebrewingnetwork.com

Brewing TV 77
www.brewingtv.com

Brewmasters Warehouse 72
1-877-973-0072
www.brewmasterswarehouse.com
info@brewmasterswarehouse.com

Briess Malt and Ingredients Co. ..... 28 & Recipe Cards
920-849-7711
www.brewingwithbriess.com
info@briess.com

C&W Crate Company 45
616-245-2728
www.cwcrate.com
info@cwcrate.com

Cool Brewing 45
www.cool-brewing.com

Crosby & Baker 41
508-636-5154
www.crosby-baker.com
info@crosby-baker.com

Dallas Home Brew a division of The Wine Maker's Toy Store 45
1-866-417-1114
www.finevinewines.com
geocorn@finevinewines.com

E.Z. Cap 55
403-282-5972
www.ezcap.net
ezcap@ezcap.net

Essencia Distributors Ltd. 67
1-888-977-0027
www.essenciana.com
sales@essenciana.com

Farmhouse Brewing Supply 62
412-654-8466
www.farmhousebrewingsupply.com

Five Star Chemicals & Supply Inc. 10
1-800-782-7019
www.fivestarchemicals.com
support@fivestarchemicals.com

Foxx Equipment Company 77
1-800-821-2254
www.foxxequipment.com
kcsales@foxxequipment.com

Grape and Granary 62
1-800-695-9870
www.grapeandgranary.com
info@grapeandgranary.com

High Gravity 49
918-461-2605
www.highgravitybrew.com
store@highgravitybrew.com

Hobby Beverage Equipment 72
951-676-2337
www.minibrew.com
john@minibrew.com

Home Brewery (MO) 68
1-800-321-2739 (BREW)
www.homebrewery.com
brewery@homebrewery.com

Homebrew Heaven 70
1-800-850-2739 or 425-355-8865
www.homebrewheaven.com
info@homebrewheaven.com

Homebrewer's Answer Book 45
802-362-3981
www.brewyourownstore.com

HomeBrewStuff.com 16
1-888-584-8881 or 541-830-0100
www.HomeBrewStuff.com
info@HomeBrewStuff.com

Jet Carboy and Bottle Washer Co. 56
231-935-4555
www.jetcarboy.com
mike@antonco.com

Kegs.com Ltd. dba SABCO 51
419-531-5347
www.brew-magic.com
office@kegs.com

Keystone Homebrew Supply 63
215-855-0100
www.keystonehomebrew.com
info@keystonehomebrew.com

Lallemand Inc. 6
www.LallemandBrewing.com
homebrewing@lallemand.com

Larry's Brewing Supply 77
1-800-441-2739
www.larrysbrewsupply.com
customerservice@larrysbrewsupply.com

LD Carlson Company 23
1-800-321-0315
www.ldcarlson.com
www.brewersbestkits.com
ldcarlson@ldcarlson.com

Main Grain, LLC 7
985-875-1253
www.maingrain.com

Mark's Keg Washer 70
503-806-4115
www.kegwasher.com
mark@kegwasher.com

Midwest Homebrewing & Winemaking Supplies ..... Cover III
1-888-449-2739
www.midwestsupplies.com
info@midwestsupplies.com

Monster Brewing Hardware LLC 77
678-350-1731
www.monsterbrewinghardware.com
ffrancis@monsterbrewinghardware.com

MoreBeer! 18
1-800-600-0033
www.morebeer.com
sales@morebeer.com

Muntons Malted Ingredients 3
425-372-3082
www.muntons.com
brian.perkey@muntons.com

My Own Labels 51
www.myownlabels.com
info@myownlabels.com

NorCal Brewing Solutions 11
530-243-BEER (2337)
www.norcalbrewingsolutions.com
sales@norcalbrewingsolutions.com

Northern Brewer, LLC ..... Cover II
1-800-681-2739
www.northernbrewer.com/byo
info@northernbrewer.com

Northwestern Extract Company 61
262-781-6670
www.nwextract.com
flavors@nwextract.com

Pints for Prostates 57
www.pintsforprostates.org

Polar Ware Company 34
1-800-237-3655
www.polarware.com
customerservice@polarware.com

Quality Wine and Ale Supply 55
574-295-9975
www.HomeBrewIt.com
info@HomeBrewIt.com

Rebel Brewer 22
615-859-2188
www.rebelbrewer.com
info@rebelbrewer.com

Ruby Street Brewing, LLC 54
970-673-RUBY (7829)
www.rubystreetbrewing.com
questions@rubystreetbrewing.com

Seven Bridges Co-op Organic Homebrewing Supplies 54
1-800-768-4409
www.breworganic.com
7bridges@breworganic.com

Speidel Tank - und Behälterbau GmbH 68
www.speidels-braumeister.de

Stout Tanks & Kettles 77
503-655-4663
www.conical-fermenter.com

White Labs Pure Yeast & Fermentation ..... 43 & Recipe Cards
1-888-5-YEAST-5
www.whitelabs.com
info@whitelabs.com

William's Brewing ..... 44 & 63
1-800-759-6025
www.williamsbrewing.com
service@williamsbrewing.com

Wyeast Laboratories, Inc. - 100% Pure Liquid Cultures ..... Cover IV
541-354-1335
www.wyeastlab.com
customerservice@wyeastlab.com

ALABAMA

Deep South Brewing Supply
1283 Newell Pkwy
Montgomery 36110
(334) 260-0148
www.DeepSouthBrew.com
email: info@deepsouthbrew.com
Serving Central Alabama and Beyond.

The Flying Pig, LLC
6374 US Highway 11
Springville 35146
(205) 467-0155
www.theflyingpigllc.com
We are a Wine and Craft Beer Boutique that offers a great selection of homebrew supplies and wine kits.

Werner's Trading Company
1115 Fourth St. SW
Cullman 1-800-965-8796
www.wernerstradingco.com
The Unusual Store.

The Wine Smith
6800 A Moffett Rd. (US Hwy. 98)
Mobile 36618
(251) 645-5554
e-mail: winesmith@bellsouth.net
www.thewinesmith.biz
Serving Central Gulf Coast Homebrewers

ARIZONA

Brew Your Own Brew and Wine
525 East Baseline Rd., Ste 108
Gilbert 85233
(480) 497-0011
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brew Your Own Brew and Wine
2564 N. Campbell Ave., Suite 106
Tucson 85719
(520) 322-5049 or 1-888-322-5049
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brewers Connection
1435 E. University Drive, #B103
Tempe 85821
(480) 449-3720
ami@brewersconnection.com
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week.

Brewers Connection
4500 E. Speedway Blvd. #38
Tucson 85711
(520) 881-0255
www.brewersconnection.com
Arizona's oldest homebrew store. Full service 7 days a week!

Homebrewers Outpost & Mail Order Co.
801 S. Milton Rd., Suite 2
Flagstaff 86001
1-800-450-9535
www.homebrewers.com
Free Shipping in Arizona on orders over $50.

What Ale's Ya
6363 West Bell Road
Glendale (623) 486-8016
www.whatalesya.com
Great selection of beer & wine making supplies.

ARKANSAS

Fermentables
3915 Crutcher St.
North Little Rock 72118
(501) 758-6261
www.fermentables.com
Complete homebrew & winemakers supply

The Home Brewery
455 E. Township St.
Fayetteville 1-800-618-9474
homebrewery@arkansasusa.com
www.thehomebrewery.com
For all your beer & wine making needs.

CALIFORNIA

Addison Homebrew Provisions
1328 E. Orangethorpe Ave.
Fullerton 92831
(714) 752-8446
www.homebrewprovisions.com
Beer, Wine & Mead.
Free brewing demos, club & message board.

All About Brewing
700 N. Johnson Ave., Suite G
El Cajon 92020 (619) 447-BREW
jimallaboutbrewing@att.net
www.AllAboutBrewing.com
San Diego County's newest full-service home brew and wine supply store. Ongoing free beer brewing demonstrations, both malt extract and all-grain.

Bear Valley Hydroponics & Homebrewing
17455 Bear Valley Rd.
Hesperia 92345
(760) 949-3400 fax: (760) 948-6725
info@bvhydro.com
Excellent customer service and selection whether you grow or brew your own or both. Open 7 days a week.

The Beverage People
1845 Piner Road, Suite D
Santa Rosa 1-800-544-1867
www.thebeveragepeople.com
Fast Shipping, Great Service, Cheesemaking too!

Brew Ferment Distill
3527 Broadway, Suite A
Sacramento 95817
(916) 476-5034
tim@brewfermentdistill.com
www.brewfermentdistill.com
"Promoting the Slow Drink Movement, One Bottle at a Time." Stop in for all your brewing needs.

Culver City Home Brewing Supply
4358 1/2 Sepulveda Blvd.
Culver City 90230
(310) 397-3453
www.brewsupply.com
Full supply of extracts, malts & hops. Personal service you can't get online.

Doc's Cellar
855 Capitolio Way, Ste. #2
San Luis Obispo
(805) 781-9974
www.docscellar.com

Fermentation Solutions
2507 Winchester Blvd.
Campbell 95008
(408) 871-1400
www.fermentationsolutions.com
Full line of ingredients and equipment for beer, wine, cheese, mead, soda, vinegar and more!

Hop Tech Home Brewing Supplies
6398 Dougherty Rd. Ste #7
Dublin 94568
1-800-DRY-HOPS
www.hoptech.com
Owned by people who are passionate about beer! Visit our online store or stop by to find only fresh ingredients & top-quality equipment. We carry a large selection for beer & wine making.

MoreBeer!
995 Detroit Ave., Unit G
Concord 94518
(925) 771-7107
fax: (925) 671-4978
concordshowroom@moreflavor.com
www.morebeer.com
Showrooms also in Los Altos and Riverside.

Murrieta Homebrew Emporium
38750 Sky Canyon Dr., Ste A
Murrieta 92563
(951) 600-0008
toll-free: 888-502-BEER
www.murrietahomebrew.com
Riverside County's Newest Full Serve Homebrew and Wine Making Supply Store! Taking orders online now! Free shipping on orders over $100. Free monthly demonstrations.

NorCal Brewing Solutions
1768 Churn Creek Rd.
Redding 96002
(530) 243-BEER (2337)
www.norcalbrewingsolutions.com
Full line of beer supplies, hardware and custom made equipment including the world famous "Jaybird" family of false bottoms.

Original Home Brew Outlet
5528 Auburn Blvd., #1
Sacramento
(916) 348-6322
Check us out on the Web at www.ehomebrew.com

O'Shea Brewing Company
28142 Camino Capistrano
Laguna Niguel
(949) 364-4440
www.osheabrewing.com
Southern California's Oldest & Largest Homebrew Store! Large inventory of hard to find bottled & kegged beer.

Stein Fillers
4160 Norse Way
Long Beach 90808
(562) 425-0588
www.steinfillers.com
brew@steinfillers.com
Your complete Homebrew Store, serving the community since 1994. Home of the Long Beach Homebrewers.

Valley Brewers
515 Fourth Place
Solvang 93463
(805) 325-6320
www.valleybrewers.com
Serving Santa Barbara County with a full-service homebrew and winemaking store.

COLORADO

Beer and Wine at Home
1325 W. 121st. Ave.
Westminster
(720) 872-9463
www.beerathome.com

Beer at Home
4393 South Broadway
Englewood
(303) 789-3676 or
1-800-789-3677
www.beerathome.com
Since 1994, Denver Area's Oldest Homebrew Shop. Come See Why.

HOMEBREW DIRECTORY

The Brew Hut
15120 East Hampden Ave.
Aurora 1-800-730-9336
www.thebrewhut.com
Beer, Wine, Mead, Soda, Cheese, Draft & CO_2 refills — WE HAVE IT ALL!

Hop To It Homebrew
2900 Valmont Rd., Unit D-2
Boulder 80301
(303) 444-8888
fax: (303) 444-1752
www.hoptoithomebrew.com
Because Making It Is Almost As Fun As Drinking It!

Hops and Berries
125 Remington St.
Fort Collins 80524
(970) 493-2484
www.hopsandberries.com
Shop at our store in Old Town Fort Collins or on the web for all your homebrew and winemaking needs. Next door to Equinox Brewing!

Lil' Ole' Winemaker
516 Main Street
Grand Junction 81501
(970) 242-3754
Serving Colorado & Utah brewers since 1978

Stomp Them Grapes! LLC
4731 Lipan St.
Denver 80211
(303) 433-6552
www.stompthemgrapes.com
We've moved! Now 4,000 additional sq. ft. for MORE ingredients, MORE equipment, MORE kegging supplies & MORE classes to serve you even better!

Wine or Wort Home Brew Supply
150 Cooley Mesa Rd.
(next to Costco)
Gypsum 81637
970.524.BEER (2337)
www.wineorwort.com
Beer and Wine making supplies for the novice to the advanced brewer.

CONNECTICUT

Beer & Wine Makers Warehouse
290 Murphy Road
Hartford 06114
(860) 247-BWMW (2969)
e-mail: bwmwct@cs.com
www.bwmwct.com
Area's largest selection of beer & winemaking supplies. Visit our 3000 sq ft facility with demo area, grain crushing and free beer & wine making classes with equipment kits.

Brew & Wine Hobby
Now Full Service!
Area's widest selection of beer making supplies, kits & equipment
98C Pitkin Street
East Hartford 06108
(860) 528-0592 or
Out of State: 1-800-352-4238
info@brew-wine.com
www.brew-wine.com
Always fresh ingredients in stock! We now have a Pick Your Own grain room!

Maltose Express
246 Main St. (Route 25)
Monroe 06468
In CT.: (203) 452-7332
Out of State: 1-800-MALTOSE
www.maltose.com
Connecticut's largest homebrew & winemaking supply store. Buy supplies from the authors of "CLONEBREWS 2nd edition" and "BEER CAPTURED"! Top-quality service since 1990.

Rob's Home Brew Supply
1 New London Rd, Unit #9
Junction Rte 82 & 85
Salem 06420
(860) 859-3990
robshomebrew@sbcglobal.net
www.robshomebrew.com

Stomp N Crush
140 Killingworth Turnpike (Rt 81)
Clinton 06413
(860) 552-4634
www.stompncrush.com
email: info@stompncrush.com
Southern CT's only homebrew supply store, carrying a full line of Beer & Wine making supplies and kits.

DELAWARE

How Do You Brew?
Shoppes at Louviers
203 Louviers Drive
Newark 19711
(302) 738-7009
fax: (302) 738-5651
joe@howdoyoubrew.com
www.howdoyoubrew.com
Quality Supplies and Ingredients for the Home Brewer including: Beer, Wine, Mead, Soft Drink and Kegging. One of the Mid-Atlantic's largest and best-stocked Brew Stores!

Xtreme Brewing
18501 Stamper Dr. (Rte 9)
Lewes
(302) 684-8936
fax: (302) 934-1701
www.xtremebrewing.com
contact@xtremebrewing.com
Make your own great beer or wine.

FLORIDA

AJ's Beer City & Homebrew Supplies
221 Center St.
Jupiter 33458
(561) 575-2337
www.ajsbeercitybuzz.com
South Florida's Newest Homebrew Supply Store!

Beer and Winemaker's Pantry
9200 66th St. North
Pinellas Park 33782
(727) 546-9117
www.beerandwinemaking.com
Complete line of Wine & Beer making supplies and ingredients. Huge selection, Mail orders, Great service. Since 1973.

BrewBox Miami
8831 SW 129th Street
Miami 33176
(305) 762-2859
www.brewboxmiami.com
A full-service homebrew supply shop, offering free classes every Saturday morning. We also carry a full range of hops, grains, extracts and yeast, as well as homebrewing equipment.

Just BREW It
Beer and Wine making Supplies
Two locations serving the First Coast
2670-1 Rosselle St.
Jacksonville 32204
(904) 381-1983
www.justbrewitjax.com
Second location serving Jacksonville Beach on North 3rd St.

Southern Homebrew
634 N. Dixie Freeway
New Smyrna Beach 32168
(386) 409-9100
info@SouthernHomebrew.com
www.SouthernHomebrew.com
Largest store in Florida! Complete inventory of beer & wine making supplies at money saving prices.

GEORGIA

Barley & Vine
1445 Rock Quarry Rd., Ste #204
Stockbridge 30281
(770) 507-5998
www.BarleyNvine.com
Award winning brewers serving all of your brewing (and wine-making) needs with the best stocked brew shop in Metro Atlanta! Our friendly, knowledgeable staff will help you with your first batch or help design your next perfect brew. Located just 1/2 mile off I-75, exit 224, just minutes from the ATL airport. $6.99 Flat Rate Shipping. Same day shipping on most orders.

Brew Depot - Home of Beer Necessities
10595 Old Alabama Rd. Connector
Alpharetta 30022
(770) 645-1777
fax:(678) 585-0837
877-450-BEER (Toll Free)
e-mail: beernec@aol.com
www.BeerNecessities.com
Georgia's Largest Brewing Supply Store. Providing supplies for all of your Beer & Wine needs. Complete line of draft dispensing equipment, CO_2 and hard to find keg parts. Award winning Brewer on staff with Beginning and Advanced Brew Classes available. Call or email to enroll. www.Brew-Depot.com

Brewmasters Warehouse
2145 Roswell Rd., Suite 320
Marietta 30062
(877) 973-0072
fax: (800) 854-1958
info@brewmasterswarehouse.com
www.brewmasterswarehouse.com
Low Prices & Flat Rate Shipping!

Just Brew It!
1924 Hwy 85
Jonesboro 30238
1-888-719-4645
www.aardvarkbrewing.com
Atlanta's favorite homebrew shop since 1993. Great prices with the most complete line of ingredients and kegging supplies in the region. Just 8 miles south of the perimeter on Georgia hwy 85.

Savannah Home Brew Shop
2102 Skidaway Rd. (at 37th St.)
Savannah 31404
(912) 201-9880
email: savhomebrew@hotmail.com
savannahbrewers.com
Full service store offering one on one service. Call or email orders in advance for quicker service. Call/email for store hours. Check us out on facebook.

Wine Craft of Atlanta
5920 Roswell Rd., C-205
Atlanta 30328
(404) 252-5606
www.winecraftatl.com
winecraftatl@bellsouth.net

HAWAII

HomeBrew in Paradise
2646-B Kilihau St.
Honolulu 96819
(808) 834-BREW
mike@homebrewinparadise.com
www.homebrewinparadise.com
The Best Homebrew Supply Store in Hawaii

IDAHO

HomeBrewStuff.com
9165 W. Chinden Blvd., Ste 103
Garden City 83714
(208) 375-2559
www.homebrewstuff.com
"All the Stuff to Brew, For Less!" Visit us on the web or at our new Retail Store!

ILLINOIS

Bev Art Brewer & Winemaker Supply
10033 S. Western Ave.
Chicago
(773) 233-7579
email: bevart@bevart.com
www.bev-art.com
Mead supplies, grains, liquid yeast and beer making classes on premise.

Brew & Grow (Bolingbrook)
181 W. Crossroads Pkwy., Ste A
Bolingbrook 60440
(630) 771-1410
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Chicago)
3625 N. Kedzie Ave.
Chicago 60618
(773) 463-7430
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Chicago West Loop)
19 S. Morgan St.
Chicago 60607
(312) 243-0005
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Crystal Lake)
176 W. Terra Cotta Ave., Ste. A
Crystal Lake 60014
(815) 301-4950
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Rockford)
3224 S. Alpine Rd.
Rockford 61109
(815) 874-5700
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Brew & Grow (Roselle)
359 W. Irving Park Rd.
Roselle 60172
(630) 894-4885
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Illinois.

Chicagoland Winemakers Inc.
689 West North Ave.
Elmhurst 60126
Phone: 1-800-226-BREW
info@chicagolandwinemakers.com
www.chicagolandwinemakers.com
Full line of beer & wine making supplies.

Home Brew Shop LTD
225 West Main Street
St. Charles 60174
(630) 377-1338
www.homebrewshopltd.com
Complete line of beer, wine & mead making supplies, varietal honey. Draft equipment specialists encompassing all kegging needs, line cleaning service, system installation. Classes offered in-store.

Perfect Brewing Supply
619 E. Park Ave.
Libertyville 60048
(847) 816-7055
info@perfectbrewingsupply.com
www.perfectbrewingsupply.com
Providing equipment and ingredients for all of your hombrewing needs, a full line of draft beer equipment and expert staff to answer your questions.

Somethings Brewn'
401 E. Main Street
Galesburg 61401
(309) 341-4118
www.somethingsbrewn.com
Midwestern Illinois' most complete beer and winemaking shop.

Weber Organic Homebrew Supply
Naperville 60565
email: service@weberorganic.com
www.weberorganic.com
Specializing in organic and sustainably grown brewing ingredients. Visit us online.

INDIANA

The Brewer's Art Supply
1425 N. Wells Street
Fort Wayne 46808
(260) 426-7399
brewersartsupply@gmail.com
www.brewingart.com
Friendly, Reliable service in house and on-line.

Butler Winery Inc.
1022 N. College Ave.
Bloomington 47404
(812) 339-7233
e-mail: intown@butlerwinery.com
Southern Indiana's largest selection of homebrewing and winemaking supplies. Excellent customer service. Open daily or if you prefer, shop online at: butlerwinery.com

Great Fermentations of Indiana
5127 E. 65th St.
Indianapolis 46220
(317) 257-WINE (9463)
Toll-Free 1-888-463-2739
www.greatfermentations.com
Extensive lines of yeast, hops, grain and draft supplies.

Quality Wine and Ale Supply
Store: 108 S. Elkhart Ave.
Mail: 530 E. Lexington Ave. #115
Elkhart 46516
Phone (574) 295-9975
E-mail: info@homebrewit.com
Online: www.homebrewit.com
Quality wine & beer making supplies for home brewers and vintners. Secure online ordering. Fast shipping. Expert advice. Fully stocked retail store.

Superior Ag Co-op
5015 N. St. Joseph Ave.
Evansville 47720
1-800-398-9214 or
(812) 423-6481
CoopCountryCorner@insightBB.com
Beer & Wine. Brew supplier for Southern Indiana.

IOWA

Beer Crazy
3908 N.W. Urbandale Dr./100 St.
Des Moines 50322
(515) 331-0587
www.gobeercrazy.com
We carry specialty beer, and a full-line of beer & winemaking supplies!

Bluff Street Brew Haus
372 Bluff Street
Dubuque
(563) 582-5420
jerry@bluffbrewhaus.com
www.bluffbrewhaus.com
Complete line of wine & beermaking supplies.

KANSAS

Bacchus & Barleycorn Ltd.
6633 Nieman Road
Shawnee 66203
(913) 962-2501
www.bacchus-barleycorn.com
Your one stop home fermentation shop!

Homebrew Pro Shoppe, Inc.
2061 E. Santa Fe
Olathe
(913) 768-1090 or
Toll Free: 1-866-BYO-BREW
Secure online ordering: www.homebrewproshoppe.com

KENTUCKY

My Old Kentucky Homebrew
1437 Story Ave.
Louisville 40204
(502) 589-3434
www.myoldkentuckyhomebrew.com
Beer & Wine supplies done right. Stop by and see for yourself.

Winemakers & Beermakers Supply
9475 Westport Rd.
Louisville 40241
(502) 425-1692
www.winebeersupply.com
Complete Beermaking & Winemaking Supplies. Premium Malt from Briess & Muntons. Superior Grade of Wine Juices. Family Owned Store Since 1972.

LOUISIANA

Brewstock
3800 Dryades St.
New Orleans 70115
(504) 208-2788
www.brewstock.com
e-mail: aaron@brewstock.com
The Largest Selection of Homebrewing Supplies in Louisiana!

MAINE

Maine Brewing Supply
542 Forest Ave.
Portland
(207) 791-BREW (2739)
www.BrewBrewBrew.com
From beginner to expert, we are your one stop shop for all your brewing supplies. Friendly and informative personal service. Conveniently located next to The Great Lost Bear.

Red Witch Home Brew Supply
148 West St.
Rockport 04856
(207) 691-0518
redwitchllc@gmail.com
Finally! A Brew Supply Store in Mid-Coast Maine!

MARYLAND

Annapolis Home Brew
836 Ritchie Hwy., Suite 19
Severna Park 21146
(800) 279-7556
www.annapolishomebrew.com
Friendly and informative personal service; Online ordering.

Cheers!
1324 South Salisbury Blvd.
Salisbury 21801
(410) 742-8199
fax: (410) 860-4771
We sell Beer, Wine, Cigars and Supplies for the Home Brewer and Home Vintner!

The Flying Barrel
1781 North Market St.
Frederick
(301) 663-4491
fax: (301) 663-6195
www.flyingbarrel.com
Maryland's 1st Brew-On-Premise; winemaking and homebrewing supplies!

Maryland Homebrew
6770 Oak Hall Lane, #108
Columbia 21045
1-888-BREWNOW
www.mdhb.com
6,750 square feet of all your beer, wine & cheesemaking needs. We ship UPS daily.

MASSACHUSETTS

Beer and Wine Hobby, Inc.
155 New Boston St., Unit T
Woburn 01801
1-800-523-5423
e-mail: shop@beer-wine.com
Web site: www.beer-wine.com
Brew on YOUR Premise™
One stop shopping for the most discriminating beginner & advanced beer & wine crafter.

Modern Homebrew Emporium
2304 Massachusetts Ave.
Cambridge 02140
(617) 498-0400 fax: (617) 498-0444
www.modernbrewer.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1991.

NFG Homebrew Supplies
72 Summer St.
Leominster
(978) 840-1955
Toll Free: 1-866-559-1955
www.nfghomebrew.com
nfghomebrew@verizon.net
Great prices! Personalized service! Secure on-line ordering.

South Weymouth Homebrew Emporium
58 Randolph Street
South Weymouth
1-800-462-7397
www.beerbrew.com
Visit 7,000 square feet of space devoted to the freshest supplies and equipment to make beer, wine, cheese, and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week.

Strange Brew Beer & Winemaking Supplies
416 Boston Post Rd. E. (Rt. 20)
Marlboro 1-888-BREWING
e-mail: dash@Home-Brew.com
Website: www.Home-Brew.com
We put the dash back in Home-Brew!

West Boylston Homebrew Emporium
Causeway Mall, Rt. 12
West Boylston (508) 835-3374
www.wbhomebrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1999.

The Witches Brew, Inc.
12 Maple Ave.
Foxborough 02035
(508) 543-0433
steve@thewitchesbrew.com
www.thewitchesbrew.com
You've Got the Notion, We've Got the Potion

MICHIGAN

Adventures in Homebrewing
6071 Jackson Rd.
Ann Arbor 48103
(313) 277-BREW (2739)
Michigan's Largest Supplier of Brewing Equipment & Ingredients
Visit us at: www.homebrewing.org

Adventures in Homebrewing
23869 Van Born Rd.
Taylor 48180
(313) 277-BREW (2739)
Full Line of Kegging Supplies!
Visit us at www.homebrewing.org

Bell's General Store
355 E. Kalamazoo Ave.
Kalamazoo 49007
(269) 382-5712
www.bellsbeer.com
Visit us next door to Bell's Eccentric Café or online at www.bellsbeer.com

Brewers Edge Homebrew Supply, LLC
650 Riley Street, Suite E
Holland 49424
(616) 399-0017
www.brewersedgehomebrew.com
email: brewersedge@gmail.com
Your Local Homebrewing & Winemaking Supply Shop...get the Edge!

Brew Gadgets
Store: 328 S. Lincoln Ave.
Mail: PO Box 125
Lakeview 48850
Online: www.BrewGadgets.com
E-mail: edw@BrewGadgets.com
Call us on our Dime @
(866) 591-8247
Quality beer and wine making supplies. Secure online ordering and retail store. Great! Prices and personalized service.

Brewingworld
5919 Chicago Rd.
Warren 48092
(586) 264-2351
Brew on Premise, Microbrewery, Homebrewing & Winemaking Supplies
www.brewingworld.com
www.kbrewery.com

Cap 'n' Cork Homebrew Supplies
16812 - 21 Mile Road
Macomb Twp.
(586) 286-5202
fax: (586) 286-5133
info@capncorkhomebrew.com
www.capncorkhomebrew.com
Wyeast, White Labs, Hops & Bulk Grains!

Hopman's Beer & Winemaking Supplies
4690 W. Walton Blvd.
Waterford 48329
(248) 674-4677
www.hopmanssupply.com
All your needs from brew to bottle and then some.

The Red Salamander
902 E. Saginaw Hwy.
Grand Ledge 48837
(517) 627-2012
www.theredsalamander.com
Check us out on Facebook!

Siciliano's Market
2840 Lake Michigan Dr. N.W.
Grand Rapids 49504
(616) 453-9674
fax: (616) 453-9687
e-mail: sici@sbcglobal.net
www.sicilianosmkt.com
The largest selection of beer and wine making supplies in west Michigan. Now selling beer & wine making supplies online.

thingsBEER
1093 Highview Dr.
Webberville 48892
1-866-521-2337
fax: (517) 521-3229
thingsbeer@michiganbrewing.com
www.thingsbeer.com
Your Full-Service Homebrew Shop With A Home Town Feel!

MINNESOTA

Midwest Homebrewing & Winemaking Supplies
5825 Excelsior Blvd.
Minneapolis 55416
1-888-449-2739
www.MidwestSupplies.com
The Ultimate Resource for Homebrewing & Winemaking

Northern Brewer
6021 Lyndale Ave. South
Minneapolis 55419
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Northern Brewer
1150 Grand Ave.
St. Paul 55105
1-800-681-2739
www.northernbrewer.com
Call or write for a FREE CATALOG!

Still-H_2O, Inc.
14375 N. 60th St.
Stillwater 55082
(651) 351-2822
www.still-h2o.com
Our grains, hops and yeast are on a mission to make your beer better! Wine and soda making ingredients and supplies available too. Locally owned/Family operated.

MISSOURI

The Home Brewery
1967 W. Boat St. (P.O. Box 730)
Ozark 65721
1-800-321-BREW (2739)
brewery@homebrewery.com
www.homebrewery.com
Over 25 years of great products and great customer service. One Stop Shopping for all your Beer, Wine, Soda and Cheese Making Supplies.

St Louis Wine & Beermaking LLC
231 Lamp & Lantern Village
St. Louis 63017
1-888-622-WINE (9463)
www.wineandbeermaking.com
Making the Buzz in St. Louis

NEBRASKA

Fermenter's Supply & Equipment
8410 'K' Plaza, Suite #10
Omaha 68127
(402) 593-9171
e-mail: FSE@tconl.com
www.fermenterssupply.com
Beer & winemaking supplies since 1971. Same day shipping on most orders.

Kirk's Do-It-Yourself Brew
1150 Cornhusker Hwy.
Lincoln 68521
(402) 476-7414
fax: (402) 476-9242
www.kirksbrew.com
e-mail: kirk@kirksbrew.com
Serving Beer and Winemakers since 1993!

NEVADA

U Bottle It
2230 West Horizon Ridge Pkwy., Suite 150
Henderson 89052
(702) 565-5040
info@ubottleit.com
www.ubottleit.com
Come on in and see Southern Nevada's largest homebrew store with a wide selection of beer & wine supplies. Like us on Facebook!
www.facebook.com/ubottleit

NEW HAMPSHIRE

Fermentation Station
72 Main St.
Meredith 03253
(603) 279-4028
badabingnh@yahoo.com
www.2ferment.net
The Lake Region's Largest Homebrew Supply Shop!

The HomeBrew Barn
861 Lafayette Rd. #6A
Hampton Beach 03842
(603) 601-2548
www.thehomebrewbarn.com
Home Brewing Made Simple... With all the equipment, supplies and most importantly the knowledge to make it happen. Classes available, visit our website for a schedule.

Kettle to Keg
123 Main Street
Pembroke 03275
(603) 485-2054
www.kettletokeg.com
NH's largest selection of homebrewing, winemaking, spirit and soda ingredients, supplies & equipment. Located conveniently between Concord and Manchester.

Smoke N Barley
485 Laconia Rd.
Tilton 03276
(603) 524-5004
fax: (603) 524-2854
SmokeNBarley.com
smokenbarley@metrocast.net
Mention This Listing For 10% Off Any Brewing Supplies Purchase.

Yeastern Homebrew Supply
455 Central Ave.
Dover 03820
(603) 343-2956
www.yeasternhomebrewsupply.com
info@yeasternhomebrewsupply.com
Southeastern NH's source for all your homebrewing needs.

NEW JERSEY

The Brewer's Apprentice
856 Route 33
Freehold 07728
(732) 863-9411
www.brewapp.com
Online Homebrew Shopping.

Cask & Kettle Homebrew
904-B Main St.
Boonton 07005
(973) 917-4340
www.ckhomebrew.com
email: info@ckhomebrew.com
New Jersey's #1 place for the homebrew hobbyist. Local convenience at online prices. Plenty of extra parking and entrance in rear of building.

Corrado's Wine & Beer Making Center
600 Getty Ave.
Clifton 07011
(973) 340-0848
www.corradosmarket.com

Tap It Homebrew Supply Shop
144 Philadelphia Ave.
Egg Harbor 08215
(609) 593-3697
www.tapithomebrew.com
contact@tapithomebrew.com
From beginners to experienced all-grain brewers, Southeastern NJ's only homebrew, wine & soda making supply shop!

NEW MEXICO

The Grain Hopper
4116 Jackie Rd., Suite 104
Rio Rancho 87124
customerservice@thegrainhopper.com
www.thegrainhopper.com
Great service, excellent selection, fast shipping!

Southwest Grape & Grain
2801 Eubank NE, Suite N
Albuquerque 87112
(505) 332-BREW (2739)
www.southwestgrapeandgrain.com
For all your homebrew needs. Open 7 Days a Week.

Victor's Grape Arbor
2436 San Mateo Pl. N.E.
Albuquerque 87110
(505) 883-0000
fax: (505) 881-4230
www.victorsgrapearbor.com
email: victors@nmia.com
Serving your brewing needs since 1974. Call for a Free Catalog!

NEW YORK

American Homesteader
6167 State Hwy 12
Norwich 13815
(607) 334-9941
americanhomesteader@frontier.com
www.AmericanHomesteader.net
Very large line of beer and wine making supplies. We stock some of the more unusual supplies and equipment as well. We take phone mail orders. Please visit our online store. Hours are 10-6 Mon-Sat.

Brewshop @ Cornell's True Value
310 White Plains Rd.
Eastchester 10709
(914) 961-2400
fax: (914) 961-8443
www.brewshop.com
email: john3@cornells.com
Westchester's complete beer & wine making shop. We stock grain, yeast, kits, bottles, hops, caps, corks and more. Grain mill on premise.

Brooklyn Homebrew
163 8th St.
Brooklyn 11215
(718) 369-0776
info@brooklyn-homebrew.com
www.BrooklynHomebrew.com
Stop buying dusty old ingredients! Our products are fresh! We carry a large selection of hops, malts, extract, yeast, spices & much more!

Doc's Homebrew Supplies
451 Court Street
Binghamton 13904
(607) 722-2476
www.docsbrew.com
Full-service beer & wine making shop serving NY's Southern Tier & PA's Northern Tier since 1991. Extensive line of kits, extracts, grains, supplies and equipment.

Homebrew Emporium
470 N. Greenbush Rd.
Rensselaer 12144 (800) 462-7397
www.beerbrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1988.

Mistucky Creek Co.
331 Rt 94 S.
Warwick 10990
(845) 988-HOPS fax: (845) 987-2127
www.mistuckycreek.com
email: mistuckycreek@yahoo.com
Come visit us @ Mistucky Creek. Homebrew & Wine making supplies & equipment. Check out our Country Gift store too!

Niagara Tradition Homebrewing Supplies
1296 Sheridan Drive
Buffalo 14217
(800) 283-4418 fax: (716) 877-6274
On-line ordering. Next-day service. Huge Inventory.
www.nthomebrew.com

Pantano's Wine Grapes & Homebrew
249 Rte 32 S.
New Paltz 12561
(845) 255-5201 (845) 706-5152 (cell)
www.pantanosbeerwine.com
pantanowineandbeer@yahoo.com
Find Us On Facebook.
Carrying a full line of homebrewing equipment & ingredients for all your brewing needs. Here to serve Hudson Valley's homebrewers.

Party Creations
345 Rokeby Rd.
Red Hook 12571
(845) 758-0661
www.partycreations.net
Everything for making beer and wine.

Saratoga Zymurgist
112 Excelsior Ave.
Saratoga Springs 12866
(518) 580-9785
email: oosb@verizon.net
www.SaratogaZ.com
Now serving Adirondack Park, lower Vermont and Saratoga Springs area with supplies for beer and wine making. "Home to all your fermentation needs"

NORTH CAROLINA

Alternative Beverage
1500 River Dr., Ste. 104
Belmont 28012
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
37 years serving all home brewers' & winemakers' needs! Come visit for a real Homebrew Super Store experience!

American Brewmaster
3021-5 Stony Brook Dr.
Raleigh 27604
(919) 850-0095
www.americanbrewmaster.com
abrew@americanbrewmaster.com
Expert staff & friendly service. Your hub for homebrewing since 1983.

Asheville Brewers Supply
712-B Merrimon Ave
Asheville 28804
(828) 285-0515
www.ashevillebrewers.com
The South's Finest Since 1994!

Beer & Wine Hobbies, Int'l
4450 South Blvd.
Charlotte 28209
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
Large inventory, homebrewed beer making systems, quality equipment, fresh ingredients, expert advice, fast service and all at reasonable prices.

Beer & Wine Hobbies, Int'l
168-S Norman Station Blvd.
Mooresville 28117
Voice Line: (704) 527-2337
Fax Line: (704) 522-6427
www.ebrew.com
Large inventory, over 150 recipe packages, home brewing and wine making systems, quality equipment, fresh ingredients, expert advice, and reasonable prices.

Brewers Discount
Greenville 27837
(252) 758-5967
sales@brewersdiscount.net
www.brewersdiscount.net
Lowest prices on the web!

OHIO

The Grape and Granary
915 Home Ave.
Akron 44310
(800) 695-9870
www.grapeandgranary.com
Complete Brewing & Winemaking Store.

Home Brew Ohio
3708 Columbus Ave. #6
Sandusky 44870
(419) 502-9019
www.homebrewohio.com
email: mike@homebrewohio.com
Offering a full range of homebrew supplies.

The Hops Shack
1687 Marion Rd.
Bucyrus 44820
(419) 617-7770
www.hopsshack.com
Your One-Stop Hops Shop!

Label Peelers Beer & Wine Making Supplies
137 East Ave., Suite 34
Tallmadge 44278
Toll Free: (877) 752-9997
(330) 677-1687 fax: (330) 678-6400
info@labelpeelers.com
www.labelpeelers.com
Specializing in winemaking / homebrew supplies & equipment. Free monthly classes.

Listermann Mfg. Co.
1621 Dana Ave.
Cincinnati 45207
(513) 731-1130 fax: (513) 731-3938
www.listermann.com
Beer, wine and cheesemaking equipment and supplies.

Main Squeeze
229 Xenia Ave.
Yellow Springs 45387
(937) 767-1607
www.mainsqueezeonline.com
Award Winning Brewers helping all Brewers!

Miami Valley BrewTensils
2617 South Smithville Rd.
Dayton 45420
(937) 252-4724
www.brewtensils.com
email: darren@schwartzbeer.com
Next door to Belmont Party Supply. Redesigned online store @ www.brewtensils.com. All your beer, wine & cheese supplies.

Paradise Brewing Supplies
7766 Beechmont Ave.
Cincinnati (513) 232-7271
www.paradisebrewingsupplies.com
Mention This Ad And Get a Cool Prize. The Brew Dogz Are Waiting to See You!

Shrivers Pharmacy
406 Brighton Blvd.
Zanesville 43701
1-800-845-0560
fax: (740) 452-1874
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Titgemeier's Inc.
701 Western Ave.
Toledo 43609
(419) 243-3731
fax: (419) 243-2097
e-mail: titgemeiers@hotmail.com
www.titgemeiers.com
An empty fermenter is a lost opportunity – Order Today!

OKLAHOMA

The Brew Shop
3624 N. Pennsylvania Ave.
Oklahoma City 73112
(405) 528-5193
brewshop@juno.com
www.thebrewshopokc.com
Oklahoma City's premier supplier of home brewing and wine making supplies. Serving homebrewers for over 15 years! We ship nationwide.

High Gravity
7164 S. Memorial Drive
Tulsa 74133
(918) 461-2605
store@highgravitybrew.com
www.highgravitybrew.com
Build your own beer from one convenient page! No Fine Print $9.99 flat rate shipping on everything in our store.

Learn to Brew, LLC
2307 South Interstate
35 Frontage Rd.
Moore 73160
(405) 793-BEER (2337)
info@learntobrew.com
www.learntobrew.com
Learn To Brew is run by a professionally trained brewer and offers a complete line of beer, wine, and draft dispense products and equipment and also offers beer and wine classes for all levels.

OREGON

Above the Rest Homebrewing Supplies
11945 SW Pacific Hwy, Ste. #235
Tigard 97223
(503) 968-2736
fax: (503) 639-8265
atr.homebrewing@gmail.com
www.abovetheresthomebrewing.com
Serving Beer & Wine Makers since 1993.

Brew Brothers Homebrew Products, LLC
2020 NW Aloclek Dr., Ste 107
Hillsboro (Aloha area) 97124
Toll-free: (888) 528-8443
info@brewbrothers.biz
www.brewbrothers.biz
Pay less, brew more! Hugest selection of grain, anywhere. "Come join the family!!!"

F.H. Steinbart Co.
234 SE 12th Ave
Portland 97214
(503) 232-8793
fax: (503) 238-1649
e-mail: info@fhsteinbart.com
www.fhsteinbart.com
Brewing and Wine making supplies since 1918!

Falling Sky Brewshop (formerly Valley Vintner & Brewer)
30 East 13th Ave.
Eugene 97401
(541) 484-3322
www.brewabeer.com
email: ordering@brewabeer.com
Oregon's premier, full-service homebrew shop, featuring unmatched selection of whole hops and organically grown ingredients.

Grains Beans & Things
820 Crater Lake Ave., Suite 113
Medford 97504
(541) 499-6777
www.grains-n-beans.com
email: sales@grains-n-beans.com
Largest homebrew and winemaking supplier in Southern Oregon. We feature Wine, Beer, Mead, Soda and Cheese making supplies and equipment. Home coffee roasting supplies and green coffee beans from around the world. Best of all - Great Customer Service!

The Hoppy Brewer
328 North Main
Gresham 97030
(503) 328-8474
thehoppybrewer@gmail.com
OregonsHoppyPlace.com
Homebrewing Supplies, Draft Equipment, Bottle Shop & Tap Room.

Mainbrew
23596 NW Clara Lane
Hillsboro 97124
(503) 648-4254
www.mainbrew.com
Since 1991 providing excellent customer service and serving only top quality ingredients!

The Thyme Garden Herb Company
20546 Alsea Highway
Alsea 97324
1-800-487-8670
Visit us at: www.thymegarden.com
Email: herbs@thymegarden.com
Growing organic hop rhizomes and rooted cuttings for 22 years. Over 20 varieties of hop rhizomes, extra large and rooted rhizomes. Wholesale by phone only. Also dried cones and pellets.

PENNSYLVANIA

Bald Eagle Brewing Co.
315 Chestnut St.
Mifflinburg 17844
(570) 966-3156 fax: (570) 966-6827
tsweet@baldeaglebrewingco.com
www.baldeaglebrewingco.com
Novice, we will help. Experienced, we have what you need. Very competitive prices, customer service oriented. Daily hours closed Sunday.

Beer Solutions
507 Blackman St.
Wilkes-Barre 18702
(570) 825-5509
email: sacz@ptd.net
www.beersolutionsinc.com
Complete line of supplies. We specialize in kegging equipment with kegs, parts & we fill CO_2 & Nitrogen tanks. 3 Blocks from Rt. I-81.

Country Wines
3333 Babcock Blvd., Suite 2
Pittsburgh 15237
(412) 366-0151 or
Orders toll free (866) 880-7404
www.countrywines.com
Manufacturer of Super Ferment® complete yeast nutrient/energizer, Yeast Bank®, and the Country Wines Acid test kit. Wholesale inquiries invited. Visit us or order online.

Homebrew4Less.com
890 Lincoln Way West (RT 30)
Chambersburg 17202
(717) 504-8534
www.Homebrew4Less.com
Full line of homebrew and wine supplies and equipment.

Keystone Homebrew Supply
599 Main St.
Bethlehem 18018
(610) 997-0911
sales@keystonehomebrew.com
www.keystonehomebrew.com
Your source for everything beer and wine!

Keystone Homebrew Supply
435 Doylestown Rd.
Montgomeryville 18936
(215) 855-0100
sales@keystonehomebrew.com
24,000 sq. ft. of Fermentation Fun
www.keystonehomebrew.com

Lancaster Homebrew
1944 Lincoln Highway E
Lancaster 17602
(717) 517-8785
www.lancasterhomebrew.com
info@lancasterhomebrew.com
Your source for all your beer brewing and wine making needs!

Porter House Brew Shop, LLC
1284 Perry Highway
Portersville 16051
(just north of Pittsburgh)
(724) 368-9771
www.porterhousebrewshop.com
Offering home-town customer service and quality products at a fair price. Large selection of home brewing, winemaking and kegging supplies. Now offering Winexpert Kits!

Ruffled Wine & Brewing Supplies
616 Allegheny River Blvd.
Oakmont 15139
(412) 828-7412
www.ruffledhomebrewing.com
Carrying a full line of quality kits, grains, hops, yeast & equipment. Also serving all your winemaking needs. Stop by or check us out online. Gift Cards Available!

Scotzin Brothers
65 N. Fifth St.
Lemoyne 17043
(717) 737-0483 or
1-800-791-1464
www.scotzinbros.com
Wed. & Sat. 10-5pm
Central PA's Largest IN-STORE Inventory!

South Hills Brewing - Greentree
2212 Noblestown Rd.
Pittsburgh 15205
(412) 937-0773
www.southhillsbrewing.com
Growing again to serve you better. Now stocking Spagnols wine kits and an expanded line of beer equipment. Visit our 3000 square foot showroom, or order online.

South Hills Brewing - Monroeville
2526 Mosside Blvd.
Monroeville 15146
(412) 374-1240
www.southhillsbrewing.com
Located within minutes of Interstate 376, Rt 22, and the Pennsylvania Turnpike to serve our customers east of Pittsburgh. Visit us or order online.

Weak Knee Home Brew Supply
North End Shopping Center,
1300 N. Charlotte St.
Pottstown 19464
(610) 327-1450
fax: (610) 327-1451
www.weakkneehomebrew.com
BEER and WINE making supplies, varieties of HONEY; GRAPES & JUICES in season; KEGERATORS, equipment & service; monthly classes and our unique TASTING BAR.

Windy Hill Wine Making
10998 Perry Highway
Meadville 16335
(814) 337-6871
www.windyhillwine.net
Northwest PA's beer and wine making store.
Hours: Tues - Fri 9am-6pm
Sat 9am-4pm, Closed Sun & Mon

Wine & Beer Emporium
100 Ridge Rd. #27
Chadds Ford 19317
(610) 558-BEER (2337)
winebeeremporium@aol.com
www.winebeeremporium.com
We carry a complete line of beer & winemaking supplies, honeys, cigars and more! Call for directions, please don't follow your GPS or online directions.

Wine & Beer Makers Outlet
202 South 3rd St. (Rt. 309)
Coopersburg 18036
(484) 863-1070
www.wineandbeermakersoutlet.com
info@wineandbeermakersoutlet.com
Great Beer • Great Wine • Outlet Prices

Wine Barley & Hops Homebrew Supply
248 Bustleton Pike
Feasterville 19053
(215) 322-4780
info@winebarleyandhops.com
www.winebarleyandhops.com
Your source for premium beer & wine making supplies, plus knowledgeable advice.

RHODE ISLAND

Blackstone Valley Brewing Supplies
407 Park Ave.
Woonsocket
(401) 765-3830
www.blackstonevalleybrewing.com
Quality Products and Personalized Service!

SOUTH CAROLINA

Bet-Mar Liquid Hobby Shop
736-F Saint Andrews Rd.
Columbia 29210
(803) 798-2033 or
1-800-882-7713
www.liquidhobby.com
Providing unmatched Value, Service & Quality to you for over 42 years!

Keg Cowboy
108 E. Main St.
Lexington 29072
(281) 772-2070
www.kegcowboy.com
Covering all your draft and kegging needs and wants. We also now carry homebrew supplies, CO_2 gas and organic ingredients. Visit our website or stop by our showroom in Lexington.

SOUTH DAKOTA

GoodSpirits Fine Wine & Liquor
3300 S. Minnesota Ave.
Sioux Falls 57105
(605) 339-1500
www.gsfw.com
Largest selection in South Dakota for the home brewer and winemaker. We are located in the Taylor's Pantry Building on the corner of 41st & Minnesota Ave.

TENNESSEE

All Seasons Gardening & Brewing Supply
924 8th Ave. South
Nashville 37203
1-800-790-2188 fax: (615) 214-5468
local: (615) 214-5465
www.allseasonsnashville.com
Visit Our Store or Shop Online. Nashville's Largest Homebrew Supplier!

TEXAS

Austin Homebrew Supply
9129 Metric Blvd.
Austin 78758
1-800-890-BREW or (512) 300-BREW
www.austinhomebrew.com
Huge online catalog!

Dallas Home Brew a division of The Wine Maker's Toy Store
1500 North Interstate 35E, Ste 116
Carrollton 75006
(866) 417-1114
www.finevinewines.com
Dallas' newest full service home brew supply store.

DeFalco's Home Wine and Beer Supplies
9223 Stella Link
Houston 77025
(713) 668-9440 fax: (713) 668-8856
www.defalcos.com
Check us out on-line!

Home Brew Party
15150 Nacogdoches Rd., Ste 130
San Antonio 78247
(210) 650-9070
info@homebrewparty.com
www.homebrewparty.com
Beer and wine making classes and supplies.

HOMEBREW DIRECTORY

Homebrew Headquarters
300 N. Coit Rd., Suite 134
Richardson 75080
(972) 234-4411 or
1-800-966-4144
www.homebrewhq.com
Proudly serving the Dallas area for 30+ years!

Pappy's HomeBrew
3334 Old Goliad Rd.
Victoria 77905
(361) 576-1077
www.Pappyshomebrew.com
Register for Monthly Drawing.

Stubby's Texas Brewing Inc.
5200 Airport Freeway, Ste. B
Haltom City 76117
(682) 647-1267
www.texasbrewinginc.com
info@texasbrewinginc.com
Your local home brew store with on-line store prices.

UTAH

The Beer Nut
1200 S. State
Salt Lake City 84111
(888) 825-4697
fax: (801) 531-8605
www.beernut.com
"Make Beer not Bombs"™

Salt City Brew Supply
750 E. Fort Union Blvd.
Midvale 84047
(801) 849-0955
www.saltcitybrewsupply.com
Salt Lake valley's newest Home Brew Supply Store that feels like it has been around for generations.

VERMONT

Brewfest Beverage Co.
199 Main St.
Ludlow 05149
(802) 228-4261
www.brewfestbeverage.com
Supplying equipment & ingredients for all your homebrewing needs. Largest selection of craft beer in the area. Growlers poured daily! "We're hoppy to serve you!"

VIRGINIA

Blue Ridge Hydroponics & Home Brewing Co.
5327 D Williamson Rd.
Roanoke 24012
(540) 265-2483
www.blueridgehydroponics.com
Hours: Mon-Sat 11am - 6pm and Sunday 10am - 2pm.

Fermentation Trap, Inc.
6420 Seminole Trail
Seminole Place Plaza #12
Barboursville 22923
(434) 985-2192
fax: (434) 985-2212
questions@fermentationtrap.com
www.fermentationtrap.com

HomeBrewUSA
96 West Mercury Blvd.
Hampton 23669
(757) 788-8001
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

HomeBrewUSA
5802 E. Virginia Beach Blvd., #115
JANAF Shopping Plaza
Norfolk 23502
1-888-459-BREW or
(757) 459-2739
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

Jay's Brewing Supplies
9790 Center St.
Manassas 20110
(703) 543-2663
www.jaysbrewing.com
email: info@jaysbrewing.com
No matter if you're a novice or advanced brewer, we have what you need. Setting the standard for brewing supplies & ingredients at competitive prices.

myLHBS (my Local Home Brew Shop)
6201 Leesburg Pike #3
Falls Church
(703) 241-3874
www.myLHBS.com
All the basics plus unique and hard-to-find Belgian and other specialty ingredients.

WeekEnd Brewer - Home Beer & Wine Supply
4205 West Hundred Road
Chester/Richmond area 23831
1-800-320-1456 or
(804) 796-9760
beerinfo@weekendbrewer.com
www.weekendbrewer.com
LARGEST variety of malts & hops in the area!

WASHINGTON

Bader Beer & Wine Supply, Inc.
711 Grand Blvd.
Vancouver, WA 98661
1-800-596-3610
Sign up for our free e-newsletter at www.baderbrewing.com

The Beer Essentials
2624 South 112th St., #E-1
Lakewood 98499
(253) 581-4288
www.thebeeressentials.com
Mail order and secure on-line ordering available. Complete line of brewing and kegging supplies.

The Cellar Homebrew
Make your own beer & wine
14320 Greenwood Ave. N.
Seattle 98133 1-800-342-1871
FAST Reliable Service, 40 Years!
Secure ordering online
www.cellar-homebrew.com

Homebrew Heaven
9109 Evergreen Way
Everett 98204
1-800-850-BREW (2739)
fax: (425) 290-8336
info@homebrewheaven.com
www.homebrewheaven.com
Voted Best Online Web Site for Ordering

Larry's Brewing Supply
7405 S. 212th St., #103
Kent 1-800-441-2739
www.larrysbrewsupply.com
Products for Home and Craft Brewers!

Mountain Homebrew & Wine Supply
8530 122nd Ave. NE, B-2
Kirkland 98033
(425) 803-3996
info@mountainhomebrew.com
www.mountainhomebrew.com
The Northwest's premier home brewing & winemaking store!

Northwest Brewers Supply
1006 6th Street
Anacortes 98221
(800) 460-7095
www.nwbrewers.com
All Your Brewing Needs Since 1987

Sound Homebrew Supply
6505 5th Place S.
Seattle 98108
(855) 407-4156
info@soundhomebrew.com
soundhomebrew.com
Knowledgeable Staff.
Great Selection.

WISCONSIN

Brew & Grow (Madison)
3317 Agriculture Dr.
Madison 53716 (608) 226-8910
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

Brew & Grow (Waukesha)
2246 Bluemound Rd.
Waukesha 53186
(262) 717-0666
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

House of Homebrew
410 Dousman St.
Green Bay 54303
(920) 435-1007
staff@houseofhomebrew.com
www.houseofhomebrew.com
Beer, Wine, Cider, Mead, Soda, Coffee, Tea, Cheese Making.

Northern Brewer
1306 S. 108th St.
West Allis 53214
1-800-681-2739
www.northernbrewer.com
Call or Write for a FREE CATALOG!

Point Brew Supply & O'so Brewing Co.
3038 Village Park Dr.
I-39/Exit 153
Plover 54467
(715) 342-9535
marc@pointbrewsupply.com
www.pointbrewsupply.com
www.osobrewing.com
"The Feel Good Store with a team of Professional Brewers on Staff"

The Purple Foot
3167 South 92nd St.
Milwaukee 53227
(414) 327-2130
fax: (414) 327-6682
wineandbeer@purplefootusa.com
www.purplefootusa.com
Top quality wine and beer supply - Call for a FREE catalog!

WindRiver Brewing Co., Inc
861 10th Ave.
Barron 54812
1-800-266-4677
www.windriverbrew.com
FREE catalog. Fast nationwide shipping.

Wine & Hop Shop
1931 Monroe Street
Madison 53711
1-800-657-5199
www.wineandhop.com
Southern Wisconsin's largest selection of beer & winemaking supplies. 10 varieties of wine-making grapes from Mitchell Vineyard.

AUSTRALIA

VICTORIA

Grain and Grape Pty LTD.
5/280 Whitehall St.
Yarraville 3013
(03) 9687 0061
www.grainandgrape.com.au
Equipment, ingredients and advice for the beginner & expert. Full mail order service.

CANADA

BRITISH COLUMBIA

Bosagrape Winery Supplies
6908 Palm Ave.
Burnaby V5E 4E5
(604) 473-9463
www.bosagrape.com
Not only for wineries! Best selection of Beer & Wine Making Ingredients, Supplies & Equipment.

Hop Dawgs Homebrewing Supplies
Vernon (250) 275-4911
www.hopdawgs.ca
Fast mail order service for, Brewing Equipment. Kegging Equipment. Malts, Hops, Yeasts.

ONTARIO

Beer Grains Supply Co.
8 Frontenac Crescent
Deep River K0J 1P0
(888) 675-6407
www.beergrains.com
info@beergrains.com
We connect Canadian home brewers with fresh brewing ingredients and home brewing supplies. Count on us to support you and your passion for brewing.

Canadian Homebrew Supplies
10 Wilkinson Rd., Unit 1
Brampton L6T 5B1
(905) 450-0191
chs-store@bellnet.ca
www.homebrew-supplies.ca
Drink a Beer, Waste an Hour. Brew a Beer, Waste a Lifetime! For all your homebrew supply needs and wants.

NORWAY

Bryggeland
Gjerdrumsgata 20
Lillestrøm
Tel: (+47) 63 80 38 00
www.Bryggeland.no
Alt man trenger for å lage øl og vin. "Fra råvare til nytelse" Butikker i Oslo og Lillestrøm.

Petit Agentur AS
7977 Hoylandet
Phone: (0047) 7432-1400
Web: petit-agentur.no
Mail: post@petit-agentur.no
Home made beer made fun! Your best source for everything you need to brew your own Beer.

SWEDEN

Humlegårdens Ekolager AB
Fabriksvägen 5 B
SE-18632 Vallentuna
(+46) 8 514 501 20
fax: (+46) 8 514 501 21
Email: info@humle.se
Website: shop.humle.se
50+ book titles, 50+ malt types, 60+ hop varieties, 100+ yeast strains. Fast order handling and shipping to 25 countries in Europe.

SHOP OWNERS:
List your store in the Homebrew Directory
call Dave @
802-362-3981
ext 107

SAVE TIME!

24/7 Customer Service is only a Click Away

- Change your Address
- Check your Subscription Status
- Renew, Pay a Bill, or Give a Gift
- Replace Missing Issues

Our online customer service is available 24 hours a day. Just click on the Magazine Customer Service link in the upper right corner on every page of byo.com

BrewYour Own THE HOW-TO HOMEBREW BEER MAGAZINE

THE BrewYour Own / WineMaker BEGINNER'S guide!

two GREAT HOBBIES in one GREAT ISSUE!

With a range of content covering brewing beer with kits & extracts to all-grain AND making wine from kits, concentrates, juices and fresh grapes, the Beginner's Guide is the perfect reference for...

- Your friends just starting out in the hobby
- A brewer interested in making wine OR a winemaker interested in making beer
- Homebrew & winemaking starter kits*

At just $7.00 retail, you won't find a more valuable reference to get you started on the right foot in the great hobbies of brewing and winemaking!

Available at better homebrew and winemaking retailers
or order today by calling 802-362-3981
Online at www.brewyourownstore.com

* Attention homebrew & winemaking supply shop owners – call us today at 802-362-3981 to discuss volume discounts to resell the Beginner's Guide in your shop!

NEW UPDATED EDITION

TONS of HOPPY GOODNESS in one SPECIAL ISSUE!

the best of BrewYour Own HOP LOVER'S GUIDE



We've collected and updated the best hops information from the past 12 years of BYO and included updated charts with the specs for 102 hop varieties including new varieties and suggested substitutions for hard-to-find hops. We've also detailed different hopping methods, hop growing info, hop-related build-it projects and 36 hoppy recipes. A few of the reasons you will love this new reference...

- **Hopping methods for extract & all-grain brewers to get the most out of their hops**
- **Comprehensive charts for selecting the best hops or a substitute for a hard-to-find variety**
- **Backyard hop growing instructions**

At just $8.00 retail, you won't find a hop information source as complete at such a value!

This special newsstand only issue is available at better homebrew retailers or order today by calling 802-362-3981 also available online at brewyourownstore.com

Winning Combo

Brewing buddies find their way

Sal Emma • Petersburg, New Jersey

It was an unbelievable moment. My brew partner, Terry Leary, and I had entered three beers into the annual homebrew contest at Tun Tavern in Atlantic City, New Jersey. A tire picked up a nail on the way to the judging, so I missed it. My phone buzzed around 10 p.m.

"We won!" Terry said.

"We won what?" came my reply.

"Don't you know where I am?" he asked. "We won!"

"No way."

"Way."

And that was that. The laurels were ours.

We're passionate amateurs, without professional training. We became brewers in the school of hard knocks. We each started in the mid-90s, making the typical 5-gallon (19-L) recipe. By the time we met and became friends, we'd each graduated to 10 gallons (38 L), partial-mash. We pooled our resources and started brewing together, but still producing just 20 gallons (76 L) with each brew. And at the end of every brew day, Terry would say the same thing: "We're gonna need a bigger boat." A movie quip to say, "Let's bump it up a notch. Increase the equipment size."

> "And at the end of every brew day, Terry would say the same thing: 'We're gonna need a bigger boat.'"

He was right. But it took us the better part of three years to figure it out. A challenge, because we changed everything. A two-barrel kettle, custom built. More liquor to heat, more beer to move. Hot pumps, cold pumps. A counterflow chiller. Big fermenters — and making them airtight to avoid infection. And we went "all-in." We ditched the extract syrup and started brewing all-grain.

We had some hits and misses. Each beer got better. None were terrible. But it became evident that even though we were doing everything right, something was wrong. Most of our recipes start out fairly big, around 1.060. But none would finish well. They'd peter out around 1.020 or even higher. We racked our brains as we barked up the wrong tree — post boil. We were doing everything right: chilling rapidly; aerating; pitching massive quantities of reliable yeast. Yet we couldn't get our beer to finish. With coddling, we could get it to 1.019, maybe. It was time for drastic action: we asked for help.

Friend, inventor and microbrewer Dan Listermann of Cincinnati held the key to the universe: thermometers. Dan said we were probably mashing too hot, leaving our wort short on fermentables. We put all our thermometers to the test. None read the same. We bought one we could calibrate and plotted our next conquest.

We'd made an old ale that was very tasty but not too hoppy. Decided it would be a good basis for a hoppier version. So we essentially repeated the grain bill with a lot more hops. And we were careful to mash within a degree or two from 150 °F (66 °C), reliable thermometer in hand.

The beer finished like a thoroughbred, down to 1.014 in record time, without any coaxing or additional yeast. And it was delicious. Possibly our best effort to date. It was ready when the contest deadline came around, so we took a chance. It beat its closest rival by a full point. And our Bruges Blonde, a Belgian golden, finished third. We fairly dominated.

The prize: spending a day with the Tun's brewmaster, Tim Kelly, brewing our beer on his 15-barrel Newlands system. Our beer is being served in an actual pub. And we'll pour it for brewers and beer geeks at the Garden State Craft Brewers Guild's annual Beer Festival, aboard the Battleship New Jersey. Awesome bragging rights. Tons of fun. And a gratifying apex of a journey of years, keeping our nose to the grindstone. Experience is, after all, the best teacher. BYO



Photo Courtesy of Sal Emma

THE LEAVES ARE TURNING THE COLORS OF THE SRM SCALE.

MIDWEST SUPPLIES

HOMEBREWING & WINEMAKING

TIME TO GET BACK TO BREWING.

Scan here to buy

Autumn Amber Ale

MidwestSupplies.com • 888-449-BREW (2739)

Wyeast Culture Collection

100% Pure Liquid Yeast

1007 German Ale • 1010 American Wheat • 1028 London Ale • 1056 American Ale® • 1084 Irish Ale • 1098 British Ale • 1099 Whitbread Ale • 1187 Ringwood Ale • 1214 Belgian Abbey 1272 American Ale II • 1275 Thames Valley Ale • 1318 London Ale III • 1332 Northwest Ale • 1335 British Ale II • 1388 Belgian Strong Ale • 1450 Denny's Favorite 50 • 1469 West Yorkshire Ale 1728 Scottish Ale • 1762 Belgian Abbey II • 1968 ESB Ale • 2000 Budvar Lager • 2001 Urquell Lager • 2007 Pilsen Lager • 2035 American Lager • 2042 Danish Lager • 2112 California Lager • 2124 Bohemian Lager • 2206 Bavarian Lager • 2278 Czech Pils • 2308 Munich Lager • 2565 Kolsch 2633 Octoberfest Lager Blend • 3056 Bavarian Wheat Blend • 3068 Weihenstephan Weizen • 3278 Belgian Lambic Blend • 3333 German Wheat • 3463 Forbidden Fruit • 3522 Belgian Ardennes 3638 Bavarian Wheat • 3711 French Saison • 3724 Belgian Saison • 3763 Roeselare Ale Blend 3787 Trappist High Gravity • 3942 Belgian Wheat • 3944 Belgian Witbier • 5112 Brettanomyces bruxellensis • 5335 Lactobacillus • 5526 Brettanomyces lambicus • 5733 Pediococcus

WYEAST LABORATORIES

Private Collection

Available July through September 2012

3191-PC Berliner-Weisse Blend • 3726-PC Farmhouse Ale • 3789-PC Trappist Blend

www.wyeastlab.com

© 2012 Wyeast Laboratories Inc.