

NEW WAY FOR
BIG HOP BLAST

DARK SECRETS OF
OATMEAL STOUT

BUILD A
FERMENTATION CABINET

Brew

THE HOW-TO HOMEBREW BEER MAGAZINE

YOUR OWN

MARCH-APRIL 2013, VOL.19, NO.2


BREW YOUR OWN UNIVERSITY

Special hands-on
learning guide with
techniques & tips
to improve your
brewing and make
you a smarter
homebrewer

Cellar & Store Your
Homebrew Properly

Get the Most From
Your Wort Chiller

www.byo.com




NORTHERN BREWER

Quality Ingredients, Supplies and Service Since 1993

800.681.BREW

**BREAKING THE MOLD WITH A
BOLD, POWERFUL STATEMENT
OF STUBBORNNESS.**

UNRELENTING TASTE. UNRESTRICTED BALANCE.



northernbrewer.com/byo

CONTENTS

March-April 2013 Volume 19 Number 2



26

features

26 Brew Your Own University

Exploring the fundamentals of modern homebrewing.
by Chris Colby

27 Disorientation

28 Wort Production (with malt extract)


33 Wort Production (with malted grains)

40 Fermentation and Conditioning

45 Post Fermentation and Packaging

49 Calibration and Conclusion

53 The Library



56

56 Hop Stands

Employed for years by commercial breweries, but only recently attracting much attention in homebrewing, adding hops in a whirlpool stage may be just the thing to get a better hop nose in your pale ale — or to take your double IPA to 11. Discover the different hop character added by whirlpool hopping and how to do this at home. **Plus:** a recipe inspired by Alchemist's Heady Topper IPA.

by Dave Green



19

departments

5 Mail

Questions about malting, doughing in and more.

8 Homebrew Nation

Renovations to a VW, brewing with oatmeal and The Replicator clones Rusty Truck's Fender Bender Amber.

13 Tips from the Pros

Some beers improve with age. Tips on what beers will keep and how to store them correctly.

15 Mr. Wizard

The Wiz gets on a roll discussing rolling boils and sets the record straight on mash pH.

19 Style Profile

This stout boasts a dark roasty flavor and silky mouthfeel. Oatmeal stout. It's the right thing to brew.

63 Techniques

What makes a beer suitable for cellaring and how should you approach storing it for the long haul? A guide to cellaring the beers you brewed to age.

67 Advanced Brewing

Plate chillers are a compact form of a heat exchanger. Learn the ins and outs of how to use one.

71 Projects

A dehumidifier gets a new lease on life as the heart of a fermentation chamber.

88 Last Call

What does a homebrewer with a forestry degree do? Become a professional brewer.

where to find it

75 Hop Rhizome Supplier Directory

76 Classifieds & Brewer's Marketplace

78 Reader Service

79 Homebrew Supplier Directory


RECIPE INDEX

Honey Basil Ale 8

Rusty Truck Brewing Co.'s
Fender Bender Amber Ale clone 12

McQuaker's Oatmeal Stout. 20

Over the Topper IPA 30



BYO RECIPE STANDARDIZATION

Extract efficiency: 65%

(i.e. — 1 pound of 2-row malt, which has a potential extract value of 1.037 in one gallon of water, would yield a wort of 1.024.)

Extract values for malt extract:

liquid malt extract
(LME) = 1.033–1.037
dried malt extract (DME) = 1.045

Potential extract for grains:

2-row base malts = 1.037–1.038
wheat malt = 1.037
6-row base malts = 1.035
Munich malt = 1.035
Vienna malt = 1.035
crystal malts = 1.033–1.035
chocolate malts = 1.034
dark roasted grains = 1.024–1.026
flaked maize and rice = 1.037–1.038

Hops:

We calculate IBUs based on 25% hop utilization for a one hour boil of hop pellets at specific gravities less than 1.050.



THE
LATEST
FROM BSG
HANDCRAFT
2013

WE DID IT.

We made the bold move and now find ourselves "here" ... at BSG HandCraft.

Our initial thoughts were always, "will our customers like it and how will they react to it?" But as we've progressed, we've found that what our customers and retailers really care about most is dedication to service and quality products, and not so much a name change.

What also came out of this exploration was the realization that we were not redefining ourselves, but rather moving towards a new brand that is now actively in sync with an increased level of commitment to the quality and service that you deserve.

Here's to exploration.

Until next time, keep on HandCraftin'.



BSGTM
HandCraft

info@bsghandcraft.com
bsghandcraft.com

what's happening at BYO.COM

Brewing With Coffee



The National Coffee Association claims that 79% of the adult population of the United States drinks coffee regularly. But what those statistics don't reveal is how many get their coffee through the beer they drink. Learn more about adding java to your next

homebrew.

www.byo.com/component/resource/article/318

Try Brewing With Partial Mash




Most homebrewers identify themselves either as extract or all-grain brewers, but there's another

division that may be just as important — stovetop brewers or outside brewers. If space is at a premium, but you want to brew more than extract recipes, try brewing a batch with the countertop partial mash method.

www.byo.com/component/resource/article/511

Convert an All-Grain Recipe to Extract



Ever come across an all-grain recipe that you really want to try, but you're not set up to brew all-grain? *BYO's* Ashton Lewis explains how to formulate that

recipe to brew it with extract.

www.byo.com/component/resource/article/496

THE HOW-TO HOMEBREW BEER MAGAZINE
Brew
YOUR OWN

EDITOR

Chris Colby

ART DIRECTOR

Coleen Jewett Heingartner

ASSOCIATE EDITOR

Betsy Parks

TECHNICAL EDITOR

Ashton Lewis

CONTRIBUTING WRITERS

Chris Bible, Christian Lavender, Marc Martin, Terry Foster, Glenn BumSilver, Kristin Grant, Forrest Whitesides, Jamil Zainasheff

CONTRIBUTING ARTISTS

Shawn Turner, Jim Woodward, Chris Champine

CONTRIBUTING PHOTOGRAPHERS

Charles A. Parker, Les Jørgensen



PUBLISHER

Brad Ring

ASSOCIATE PUBLISHER & ADVERTISING DIRECTOR

Kiev Rattee

ADVERTISING SALES COORDINATOR

Dave Green

EVENTS & MARKETING COORDINATOR

Jannell Kristiansen

BOOKKEEPER

Faith Alberti

SUBSCRIPTION CUSTOMER SERVICE MANAGER

Linda Marlowe

NEWSSTAND DIRECTOR

Carl Kopf

EDITORIAL REVIEW BOARD

Tomme Arthur • Port Brewing/Lost Abbey Steve Bader • Bader Beer and Wine Supply
David Berg • August Schell Brewing Co. John "JB" Brack • Austin Homebrew
Horst Dornbusch • Beer Author Greg Doss • Wyeast Laboratories
Chris Graham • MoreBeer! Bob Hansen • Briess Malt & Ingredients Co.
Anita Johnson • Great Fermentations (IN) John Maier • Rogue Ales Paul Manzo • Homebrew Consultant
Ralph Olson • Hopunion USA Inc. Mitch Steele • Stone Brewing Co.
Mark & Tess Szamatulski • Maltose Express John Weerts • Homebrew Consultant
Chris White • White Labs Anne Whyte • Vermont Homebrew Supply David Wills • Freshops

SUBSCRIPTIONS ONLY

Brew Your Own P.O. Box 469121 • Escondido, CA 92046

Tel: (800) 900-7594 • M-F 8:30-5:00 PST

E-mail: byo@pcspublink.com • Fax: (760) 738-4805

Special Subscription Offer

8 issues for \$28.00

EDITORIAL & ADVERTISING OFFICE

Brew Your Own

5515 Main Street

Manchester Center, VT 05255

Tel: (802) 362-3981 Fax: (802) 362-2377

Email: BYO@byo.com

ADVERTISING CONTACT: Kiev Rattee (kiev@byo.com)

EDITORIAL CONTACT: Chris Colby (chris@byo.com)

FACEBOOK: www.facebook.com/BrewYourOwn

TWITTER: @BrewYourOwn

Brew Your Own (ISSN 1081-826X) is published monthly except February, April, June and August for \$28.00 per year by Battenkill Communications, 5515 Main Street, Manchester Center, VT 05255; tel: (802) 362-3981; fax: (802) 362-2377; e-mail: BYO@byo.com. Periodicals postage rate paid at Manchester Center, VT and additional mailing offices. Canada Post: Return undeliverables to P.O. Box 25542, London, ON N6C 6B2. POSTMASTER: Send address changes to *Brew Your Own*, P.O. Box 469121, Escondido, CA 92046-9121. Customer Service: For subscription orders call 1-800-900-7594. For subscription inquiries or address changes, write *Brew Your Own*, P.O. Box 469121, Escondido, CA 92046-9121. Tel: (800) 900-7594. Fax: (760) 738-4805. Foreign and Canadian orders must be payable in U.S. dollars plus postage. The print subscription rate to Canada and Mexico is \$35; for all other countries the print subscription rate is \$45.

All contents of *Brew Your Own* are Copyright © 2013 by Battenkill Communications, unless otherwise noted. *Brew Your Own* is a registered trademark owned by Battenkill Communications, a Vermont corporation. Unsolicited manuscripts will not be returned, and no responsibility can be assumed for such material. All "Letters to the Editor" should be sent to the editor at the Vermont office address. All rights in letters sent to *Brew Your Own* will be treated as unconditionally assigned for publication and copyright purposes and subject to *Brew Your Own's* unrestricted right to edit. Although all reasonable attempts are made to ensure accuracy, the publisher does not assume any liability for errors or omissions anywhere in the publication.

All rights reserved. Reproduction in part or in whole without written permission is strictly prohibited. Printed in the United States of America. Volume 19, Number 2: March-April 2013

Cover Photo: Charles A. Parker



Why not more malting?

I enjoyed Graham Anderson's article on malting (January-February 2013). I had a question, though — if malting is as easy as he says, why don't more commercial breweries malt their own?

Graham Johnson
via email

This is a great question. Although a few breweries malt their own grains, 99% of the malt used by commercial brewers is produced by commercial maltsters. It is not overly difficult to make malt of a quality that will produce a fine beer. However, malt costs money and commercial maltsters are able to make malt much more efficiently than individual breweries could unless they installed a whole lot of very expensive equipment.

One of the ways maltsters produce malt efficiently is by minimizing malting loss. When barley is malted, it loses weight (dry weight). The difference in dry weight between the raw barley seed and the resulting barley malt is called malting loss. Modern maltsters are able to finely control the malting process to minimize malting loss. If individual breweries were to malt their own, they would either need to invest in a lot of expensive equipment (and hire a knowledgeable maltster) or lose a lot of money from malting loss, compared to if they simply purchased the malt. Most breweries could probably make malt that would be great from the standpoint of beer quality. It's the malting loss that would be the problem.

Of course, with craft beer sales still on the rise, beer consumers may be willing to pay a little more for beer made by a brewery that malts their own. Rogue, for example, grows some barley and malts it themselves for some of their beers. If this proves to be successful for them, maybe more breweries will get into malting.

Dough doh!

Horst Dornbusch's "Schwarzviertler" article, in the January-February 2013 issue, mentions using a dough-in instead of a mash-in. What is the difference? According



Jamil Zainasheff is the owner of Heretic Brewing Company in Pittsburg, California. He documented his transition from homebrewer to commercial brewer in his blog at byo.com. Although now a professional brewer, he keeps in touch

with the homebrewing community as the host of *Can You Brew It?* on the Brewing Network (www.brewingnetwork.com) and his website Mr. Malty (www.mrmalty.com). Jamil is *Brew Your Own's* "Style Profile" columnist and author of our recent special issue *30 Great Beer Styles*.

In this issue, on page 19, he discusses how to brew oatmeal stout, including how to really accentuate the oatmeal character in this brew.



Chris Colby is Editor of *Brew Your Own* magazine. Chris brewed his first beer in 1991 while in graduate school at Boston University. A few years later, after reading the first edition of Fix's "Principles of Brewing Science" (1989, Brewers

Publications), he became interested in brewing science and especially the science of brewing techniques. He currently resides in Texas.

In this issue, on page 26, Chris takes readers on a review of homebrewing practices in "Brew Your Own University." The article, which focuses on the most common techniques in homebrewing, seeks to explain the requirements for brewing quality beer and the options a brewer can explore when making beer.



Dave Green is the Advertising Sales Coordinator for *Brew Your Own* magazine. Dave is an avid all-grain brewer, and has written articles for *BYO* on step mashing (January-February 2008: <http://www.byo.com/stories/techniques/article/indices/9-all-grain-brewing/1529-the-science-of-step-mashing>), turbid mashing (July-August 2008: <http://www.byo.com/stories/issue/article/section/0-/1566-turbid-mashing>) and sour mashing (October 2008: <http://www.byo.com/stories/techniques/article/indices/9-all-grain-brewing/1723-sour-mashing-techniques>).

On page 56 of this issue, Dave discusses hop stands — adding hops and letting them steep in the whirlpool after the boil is shut down.

to BYO's online glossary dough-in and mash-in are analogous terms.

Andrey Kayanitsa
via email

Doughing in and mashing in are the same thing. In the article, Horst says, "For homebrewers who cannot heat their mash directly, use a thick dough in instead of a mash in," meaning that a brewer in that condition should mash in thickly, not as he normally does. This could have been spelled out more explicitly. Sorry for any confusion.

Furious first wort hops

I think you have some errors in your Surly Brewing Furious clone recipe (July-August 2010). The recipe lists IBUs at 99. When I enter the recipe into BeerSmith, I get 62 IBUs, everything else is close.

Jamy Klein
via email

Replicator author Marc Martin responds: "Thanks for your inquiry about the Surly Furious recipe. I always record my phone interviews with brewers, so I went back and listened to that one. Everything checked out, but when I punched the numbers into my calculator, the IBUs did come up short.

"Not knowing what program they use for recipe calculations, I called them this morning. The problem was that, during the interview, the brewer had read off the first wort hops as Ahtanum™, when it should have been Amarillo — a big difference in alpha acid content. After making that correction, the IBUs come up into the right range (the exact number depending on the alpha acid entered.)"

"One more variable you may want to check would be whose hop utilization factor you are using. The one that is most often used by homebrewers is Tinseth and the curve BYO uses is very similar to this. Using BYO's recipe calculator, the bitterness is 89 IBUs. Not the 99 stated in the recipe, admittedly, but not the 62 you calculated either. (The 20 AAUs of Warrior hops boiled for 90 minutes gives 75 IBUs alone, using our curve.) You may also want to check how the IBUs for first wort hops are calculated, as this is handled differently by different recipe software."

"Thanks for the catch on this. Every BYO recipe is double checked in the reviewing process, although unfortunately this error slipped through and we apologize for the error. Of course, the most important thing is how the beer tastes. Good luck brewing your Surly Furious clone and don't hesitate to let us know how this batch, or any others, come out. We are always looking for feedback from our readers." BYO

Brew THE HOW-TO HOMEBREW BEER MAGAZINE **18th Annual Homebrew LABEL CONTEST**



Send us your best homebrew labels and you could win some great brewing prizes from **BYO** advertisers! Enter as often as you like, but you can only win one prize. Winners will see their artwork featured in the July-August issue of the magazine. **Deadline to enter is April 30, 2013.**

Brew THE HOW-TO HOMEBREW BEER MAGAZINE
YOUR OWN

Label Contest Entry Form

Name _____
Address _____
City _____ State/Prov _____ Postal Code _____
E-mail _____
Daytime Phone _____


All original artwork? Y or N (circle one)

Send your entry to:
BYO Label Contest
5515 Main Street
Manchester Center, VT 05255

DEADLINE: April 30, 2013

Rules: Entrants can send labels or labels already stuck to bottles. The bottles can be full of beer. No digital or electronic files will be accepted. All other rules are made up by the editors of **BYO** as we go along. Labels are judged in one category, open to graphic artists and amateurs alike, so ultimate bragging rights are on the line. When submitting your labels, tell us a bit about the artwork and its inspiration. Is it hand-drawn? Created on a computer? Send us your best labels, tell us how you made them, and good luck!

The Right Goods For Great Beer.




Manufacturer
of wine & beer
products since
1969



Ask your retailer to carry our products. Visit our website for many more items.

www.thevintageshop.ca



WHITE LABS 2013 PLATINUM RELEASES

"Adds a nice
bready
character
and finishes
clean. Worked
great in my
imperial red!"

MAR/APR

WLP009 Australian Ale Yeast
WLP017 Whitbread Ale Yeast
WLP860 Munich Helles Yeast

Back by
popular
demand

MAY/JUNE

WLP410 Belgian Wit II Yeast
WLP076 Albion Ale Yeast - NEW
WLP072 French Ale Yeast

"A strong
fermenter,
my go-to for
Rauchbier
recipes and
other lager
experiments."

JULY/AUG

WLP006 Bedford British Ale Yeast
WLP540 Abbey IV Yeast
WLP585 Belgian Saison III Yeast

WWW.WHITELABS.COM



homebrew nation

READER PROFILE



Brewer: Aaron Vaughan

Hometown: Riverside, California

Years Brewing: 4

Type of brewer: All-grain

Homebrew Setup (volume, style, efficiency): 10-gallon (38-L) mash for 5 gallons (19 L) that allows for anything from session beers to barleywines. Fly sparge system. Homemade counterflow chiller, hop spider. On average I get about 80% efficiency, I mash at 1.5 qt/pound of grain, generally I like drier beers so I mash at

146–148 °F (63–64 °C) unless the style calls for more of a malty character. I also read *The Homebrewer's Garden* a couple of years ago and I made good use of it by incorporating a lot of my garden into brewing.

Currently fermenting: Dortmund export, Irish red, basil honey pale ale (on WLP072), a dry mead (champagne yeast) aging on oak, brown ale and an Indian masala beer on a Belgian yeast. I'm using coriander, nutmeg, turmeric, sumac, and cumin for the spice profile.

What's on tap/in the fridge: old ale, peach sour, raisin quad, Berliner weisse, chocolate porter, mild, oktoberfest, imperial Pilsner, rauch, dry stout, strawberry mead (7%, carbonated — a wonderful afternoon wine during the summer), blackberry and pomegranate mead.

How I started brewing: My wife lived in Europe for a while and developed a taste for good beer. Three weeks after we got married she said, "We should make our own beer." The rest is history.

reader recipe

Basil Honey Ale (5 gallons/19 L, all-grain)

OG = 1.084 FG = 1.021
IBU = 39 SRM = 9 ABV = 8.1%

Ingredients

10 lbs. (4.5 kg) Great Western
2-row pale malt
1 lb. (0.45 kg) Vienna malt
1 lb. (0.45 kg) Carapils® malt
5 lbs. (2.23 kg) flaked wheat
0.5 lb. (0.23 kg) honey
10 AAU Mt. Hood (whole hops)
(2 oz./57 g at 5% alpha acids)
(60 mins.)
4.5 AAU Ahtanum™ hops
(0.75 oz./21 g at 6% alpha acids)
(10 mins.)
3 oz. (85 g) fresh basil (10 mins.)
White Labs WLP072 (French Ale)
yeast

Step by Step

Mash for 75 minutes at a ratio of 1.5 qts water per pound of grain. Boil for 1 hour, adding hops and basil at specified times. Add honey to the boil with 20 minutes left. Chill the wort to 72 °F (22 °C) using counterflow chiller, then put in the fridge overnight to get down to 50 °F (10 °C). Pitch the yeast at 50 °F (10 °C), both yeast and beer are same temperature so as not to shock the yeast. Let the temperature rise naturally to 65 °F (18 °C) in a water bath. Hold at 65 °F (18 °C) for two weeks. Crash in the fridge for three days to allow yeast and protein to settle out as much as possible, then transfer to keg. Keep at 45 °F (7 °C) at 12–14 PSI.

byo.com brew polls

Do you like to brew
dark lagers?

No, I'm not interested 73%
No, but I would like to 18%
Yes, sometimes 7%
Yes, all the time 2%

we WANT you



Share your tips, recipes, gadgets and stories with *Brew Your Own*. If we use it, we'll send you some BYO gear! Email our editors at edit@byo.com

what's new?

FastRack for Homebrewers



Instead of setting up and taking down your beer bottle tree each time, try using FastRack to safely store your empties until it comes time for your next homebrew batch. Also use FastRack to dry your sanitized bottles. FastRack works with 99% of all standard 330-mL to 375-mL beer bottles. Each FastRack can hold 24 standard beer bottles, 12- to 22-oz. (355-650-mL) bomber bottles

and 12- to 26-oz. (355-750-mL) wine bottles. Typically, two FastRacks can hold enough bottles for a standard homebrew batch.


\$19.99, <http://homebrew.thefastrack.ca>

No Adhesive Labels



Design and print your own custom label on regular printer paper from home. These clear plastic heat-shrink sleeves use no adhesive at all so when you are done with the bottle, a quick slice from a knife and you are ready to reuse the bottle and even the label itself for your next brew. No more soaking, no more scrubbing.

\$9.95, www.noadhesive.com




Brewer's Friend

Brewer's Friend is an online set of tools and information to help you brew your best, every time. Easy to use for beginners with powerful features for advanced brewers. The site is mobile enabled and goes with you anywhere. Add recipes to scale and share, find useful charts and water profile

information, utilize brewing calculators, keep track of brewing sessions, create shopping lists and more. Accommodates extract, partial mash, all-grain, BIAB and no chill brewers.

<http://www.brewersfriend.com/>



calendar



March 16

Hudson Valley Homebrewers Annual Homebrew Competition Arlington, New York

The Hudson Valley Homebrewers welcome all homebrewers to enter their annual competition. Winners receive prizes, and raffle prizes will be awarded throughout the event. Deadline: March 9

Entry Fee: \$7 per entry

Contact: Justin Taylor,
justintaylor84@hotmail.com

Web: www.hvhomebrewers.com/news/HVHBAnnounce2013.pdf

March 23

Charlie Orr Memorial Chicago Cup Challenge Crest Hill, Illinois

The Brewers of South Suburbia will hold their 22nd annual homebrew competition, which is a part of the Midwest Homebrewer of the Year competition. The contest features the Chicago Beer Cup, which is awarded to the homebrew club that accumulates the most points. Ribbons and prizes will be awarded to the winners of each flight, including separate best of show awards.

Deadline: March 15

Entry Fee: \$6 per entry

Contact: Steve Sikorski,
BOSSBeerComp@gmail.com

Web: <http://bossbeer.org/competition.html>

April 6-7

Ocean State Homebrew Competition Providence, Rhode Island

Johnson & Wales University's student-run homebrewing club, JbreW, will hold their annual homebrew competition, and welcomes entries from anywhere across the US and Canada. Entries will be judged in all 98 categories and subcategories, as well as a category specifically for gluten-free beers. Deadline: March 17

Entry Fee: \$7 for the first entry,

\$5 for additional entries

Contact: Jennifer Pereira, jpereira@jwu.edu


Web: <http://oshc.brewcomp.com/>

homebrew drool systems

VW Draft System

Chris German • Waconia, Minnesota

I'm to the point now with my 1975 Riviera with a late (1976) Westfalia interior that I'm ready to dream up projects that are not of the utmost urgency to the drivability of the vehicle. Of course, there are always systems to be maintained, but I'm ready to have some real modification fun. This summer I tackled such a project and installed a homebrewed beer draft system. It's the perfect marriage of my two favorite hobbies: Volkswagens and brewing homebrew. Given that this is a family vacation get-away vehicle and I didn't really want to have to explain myself to non-approving critics, it was a major goal of mine to make the draft system as inconspicuous as possible.



Getting a beer when camping meant opening the slider door each time and disturbing my sleeping children. So I had a stainless steel box fabricated to fit nicely in the sink drain vent hole on the outside of the bus. Inside that box I had Corny keg threads welded so I could attach beer-out and CO₂-in fittings, which allows me to snap on a beer tapper and gas.



I can serve both water and cold homebrewed beer out of the stock Westy sink faucet. This is done using a 3-way ball valve at the faucet so if the handle is turned counterclockwise, beer will flow. If the handle is turned clockwise, water flows. There is one fairly short common line going from the ball valve to the faucet and it just takes a second to clear.



A beverage tube, or line, goes from the water keg directly to the 3-way ball valve/faucet. Another beverage line, which I've insulated, goes from the beer keg and runs along behind the sink cabinet and then into the icebox. In the icebox it runs through 50-feet of stainless steel coil, which is cold from ice, and then through an insulated line to the 3-way ball valve.

Vacuum Sealed for Maximum Performance

Our new packaging offers a substantial level of protection to our premium yeast. This **revolutionary vacuum-sealing technology** minimizes packaged air, offering maximum performance throughout the rated life of our products. The new package allows brewers to see and feel that the sachet is sealed airtight and ready for use. **No other brewing yeast offers this extra level of product assurance.**

Get the Dry Yeast Advantage with Danstar Premium Yeast from Lallemend.



WWW.LALLEMANDBREWING.COM

beginner's block

BREWING WITH OATMEAL

by betsy parks

Once you get the basics of brewing with barley malt down, it is fun to start experimenting with other grains and adjuncts. On page 19 of this issue, Jamil Zainasheff discusses brewing oatmeal stout. If you want to try homebrewing with oatmeal, take a moment to learn a little bit about how to use it in your homebrews.

What it does

Adding oatmeal to a homebrew recipe is a great way to add a silky mouthfeel — one of the characteristic traits of oatmeal stout, as well as some porters. This happens because oats contribute unique unfermentable sugars to beer that are not found in barley, which are perceived as texture in your mouth.

Partial mash

Unfortunately for all-extract brewers, oatmeal is an adjunct that needs to be mashed, not steeped, in order to perform properly in a brewing recipe. Mashing is the process of soaking grains in a volume of controlled-temperature hot water to convert the starch in the grains into fermentable and non-fermentable sugars. The plus side of this is that brewing with oatmeal is a fun excuse to try your hand at brewing with the partial mash technique. For instructions and more information about brewing with partial mash, visit www.byo.com/component/resource/article/2624.

Types of oats

Oatmeal is available in many different forms: whole, steel-cut, rolled and flaked. Rolled and flaked oats have been exposed to heat and pressure before being dried and packaged, so their starches have been gelatinized, therefore they can be added directly to the mash for the starch to be converted to sugar. Whole oats, on the other hand, which

includes steel cut oats, need to be cooked before adding them to the mash in order to gelatinize the starch (which remember then needs to go through the step of mashing). Try to start out brewing with oatmeal by using recipes that call for rolled or flaked oats to save a step — and some of the mess — during the brew day. You can find flaked oats at your favorite homebrew supplier, and rolled oats are available in the grocery store.

How much

Oatmeal is best used sparingly in beer recipes because it can cause a lot of trouble during wort separation as it leaves behind thick, viscous beta glucans. All-grain recipes tend to keep the amount of oats down to around 5–20% of the grist (although 20% is pretty high and not recommended for novice brewers). Ironically, oatmeal does not provide much flavor in beer, so if you want more of an oatmeal-y taste your best bet — instead of adding more oats — is to look for a recipe with specialty grains that provide the types of bready flavors associated with oatmeal, such as Victory® malt. Most well-designed homebrew recipes will keep the oats down to a minimum, so look for reputable sources for recipes (for example, Jamil's recipe for oatmeal stout on page 20 of this issue.)

Too much oatmeal in the mix can also cause a lot of haze in your finished beer, so it's a good idea to look for recipes that include Irish moss or another sort of kettle fining agent to cut down on the potential cloudiness.

Related links:

- Read more about brewing oatmeal stout: www.byo.com/component/resource/article/1194
- Learn more about grains and adjuncts with *BYO*'s online charts: www.byo.com/resources/grains

social homebrews



Like *BYO* on Facebook:
www.facebook.com/BrewYourOwn



Follow *BYO* on Twitter at: @BrewYourOwn



Dale Elster of Auburn, New York shared a photo of his tap handle with *BYO* on Facebook:

"My homemade tap handle for Gunpowder Porter — a robust porter brewed with smoked malt and cracked black peppercorns!"



homebrew nation

by marc martin

DEAR REPLICATOR, DURING A TRIP MY WIFE AND I TOOK UP THE OREGON COAST. WE STOPPED FOR DINNER IN LINCOLN CITY, OREGON AT ROAD HOUSE 101. THERE I HAD A FENDER BENDER AMBER ALE BREWED BY RUSTY TRUCK BREWING. THIS WAS THE BEST AMBER ALE I HAVE EVER HAD. IT HAD GREAT BODY, A NICE BALANCED MALTINGS AND KIND OF A NUTTY PROFILE. I WOULD LOVE TO BREW A BATCH OF THIS BEER AT HOME. ANY CHANCE YOU CAN HELP?

STEVEN WILKER
BERKELEY, CALIFORNIA



Eight years ago, Brian Whitehead bought an old, run down blues bar on highway 101 in Lincoln City, Oregon. He immediately upgraded the entire facility and re-named it Road House 101. His plan was to install a craft brewing system in this building but that proved to be too costly. Those plans were put on hold until 2011 when he had the necessary capital to complete a new 6,000-square-foot brewery building next to the restaurant and bar. They installed a 10-barrel Specific Mechanical brewhouse and their first batch, a blonde ale, was brewed in April of 2011. Their second batch was Fender Bender Amber. The odd name

for the brewery is sourced from Brian's 1958 Chevy flat bed truck which serves as a landmark when parked in front of the facility.

Their original brewer, Ron Hulka, developed most of the first recipes. These have since been tweaked by the new brewer Paul Thomas. Paul started his brewing career in 1990 as a bottler at Breckenridge Brewery. From there he went on to brew in Hailey, Idaho and Hamilton, Montana. Brian contacted him in May of 2012 while he was working as head brewer at Pelican Pub & Brewery in Pacific City, Oregon. He saw the potential at the Rusty Truck and came aboard later that month.

The Fender Bender is a classic

example of the American amber ale style. It is clear and bright with colors displaying dark copper and light ruby highlights. A creamy white head shows great retention. The aroma features malt up front with a pronounced citrus background. Caramel malts dominate the flavor with just enough hop bitterness to offset the residual sweetness. Melanoidin malt provides a slight nuttiness with dextrin adding to the body.

Steven, you can enjoy your new favorite amber ale because you can "Brew Your Own." For more about Rusty Truck Brewing Company visit their website www.rustytruckbrewing.com or call the brewery at 541-994-7729. 

RUSTY TRUCK BREWING COMPANY FENDER BENDER AMBER ALE CLONE (5 gallons/19 L, extract with grains)

OG = 1.058 FG = 1.012 IBU = 35 SRM = 13 ABV = 6%

Ingredients

3.3 lbs. (1.5 kg) Briess, light, unhopped, liquid malt extract
2.0 lb. (0.9 kg) light, dried malt extract
1.2 lb. (0.54 kg) crystal malt (20 °L)
1.2 lb. (0.54 kg) crystal malt (40 °L)
14 oz. (0.39 kg) Vienna malt
8 oz. (0.22 kg) melanoidin malt (130 °L)
6 oz. (0.17 kg) cara-pils dextrin malt
1 oz. (28 g) black malt (450 °L)
6.87 AAU Magnum hop pellets (60 min.)
(0.5 oz./14 g at 13.75 % alpha acids)
3.07 AAU Centennial hop pellets
(30 min.) (0.3 oz./8.5 g at 10.25 % alpha acids)
3.07 AAU Centennial hop pellets
(15 min.) (0.3 oz./8.5 g at 10.25 % alpha acids)
3.25 AAU Cascade hop pellets (0 min.)
(0.5 oz./14 g at 6.5 % alpha acids)
½ tsp. Irish moss (last 30 min.)
½ tsp. yeast nutrient (last 15 minutes of the boil)
White Labs WLP 051 (American Ale V)
or Wyeast 1272 (American Ale II)

yeast

0.75 cup (150g) of corn sugar for priming (if bottling)

Step by Step

Steep the crushed grain in 2 gallons (7.6 L) of water at 152 °F (67 °C) for 30 minutes. Remove grains from the wort and rinse with 2 quarts (1.8 L) of hot water. Add the liquid and dried malt extracts and boil for 60 minutes. Add the hops, Irish moss and yeast nutrient to the boil as per the schedule. Add the wort to 2 gallons (7.6 L) of cold water in a sanitized fermenter and top off with cold water up to 5 gallons (19 L).

Cool the wort to 75 °F (24 °C). Pitch your yeast and aerate the wort heavily. Allow the beer to cool to 68 °F (20 °C). Hold at that temperature until fermentation is complete. Transfer to a carboy, avoiding any splashing to prevent aerating the beer. Add the dry hops and allow the beer to condition for 1 week and then bottle or keg. Allow the beer to

carbonate and age for three weeks and enjoy your Fender Bender Amber ale clone.

All-grain option:

This is a single step infusion mash using 8 lbs. (3.62 kg) 2-row pale malt to replace the liquid and dried malt extracts. Mix all of the crushed grains with 6 gallons (23 L) of 173 °F (78 °C) water to stabilize at 152 °F (67 °C) for 60 minutes. Sparge slowly with 175 °F (79 °C) water. Collect approximately 6 gallons (23 L) of wort runoff to boil for 60 minutes. Reduce the 60-minute Magnum hop addition to 0.4 oz. (11 g) (5.5 AAU) and the 30- and 15-minute Centennial additions to 0.25 oz. (7 g) (2.56 AAU) to allow for the higher utilization factor of a full wort boil. The remainder of this recipe and procedures are the same as the extract with grains recipe.

From the Vault

Cellaring beer

tips from the pros

by Betsy Parks



WINE ISN'T THE ONLY FERMENTED BEVERAGE THAT CAN IMPROVE WITH AGE. MANY HIGH-ALCOHOL AND SOUR BEERS CHANGE FOR THE BETTER AFTER A FEW MONTHS IN A PROPER CELLAR. IN THIS ISSUE, TWO BEER BAR EXPERTS SHARE SOME AGING ADVICE.

We are currently cellaring more than 300 different beers at The Porter Beer Bar. Our oldest beer right now is Gale's Old Prize Ale from 1996. Most of our beers aging are best at about five years, though many sours can age for up to ten to fifteen years when they are kept in the right conditions.

Aging beer requires periodically tasting and evaluating the beers over time. Many of the beers we have had come through the beer cellar are among those that we have already aged and experimented with at some point, so we know when their peak is and when they begin to decline. We revisit and taste unfamiliar beers every year to check on their progress. If it's a style we haven't cellared before we will taste it every six months. If we have cellared lots of the same style of beer and feel confident it will take many years to age, we may only taste it once a year. We take notes so we help our servers give folks an idea of what they are ordering.

Maintaining a consistent temperature is key to cellaring beer, but a regular home refrigerator is the last place you want to store beer for a long time. If the beer is corked — which is the case for many bottle-aged beers — a refrigerator will eventually dry out the cork and the beer will oxidize. If you want to get into aging at home, a dark, cool closet is the best spot if you don't have access to a temperature-controlled cellar. Wine refrigerators can also do the trick. We keep the cellar at Porter Beer Bar between 60–65 °F (15–18 °C) all the time. We don't have different zones for different beers — though if you keep beer warmer it will age faster — but we are generally going for longevity rather

than speed.

There is debate out there about standing beers up or laying them down like wine when they are in the cellar, but I prefer to keep bottled beers standing up when cellaring. Beer has yeast and sediment in it and if you lay them down it forms a much longer ring around the bottle so it's more difficult for the beer to “remix” when you are pouring it. All wine that's suitable for aging — with the exception of sparkling wine — has a porous cork, so wine is aging by slowly being exposed to air and interacting with the outside environment while beer is aging within the bottle for the most part and changing due to its bottle conditioning.

If you're looking for some guidelines about what to age, there are a few simple rules to follow when you start out. Remember that the beers that are best to cellar are above 8% alcohol by volume (ABV). The only exception to that ABV rule is for sour beers, which can be much lower gravity and age much longer. Also remember that hops in a beer will fade into malty sweetness over time. If that's what you want, that's cool, but just because something is rare doesn't make it best to age. This is why many hop-heavy IPAs and imperial IPAs aren't necessarily great for aging. I once drank a year-old Hopslam from Bell's Brewery in Kalamazoo, Michigan, and it was pure sweet honey, not a hint of bitter hop left. This is also true for many fruit beers. Bright fresh flavors of fruit dull with time. You can get some of the sweetness but the subtleties that let you know it's pear and not apricot disappear. Also, the beers you cellar should be bottle conditioned. Otherwise it won't change much for many years.



Molly Gunn, Co-Owner of The Porter Beer Bar in Atlanta, Georgia. Molly Gunn was born and raised in Atlanta, and her first restaurant job was at Babette's Cafe on Highland Ave, where she bussed tables. She received a BA in cultural anthropology from the University of Pennsylvania in 2003 and worked in the restaurant business in Philadelphia, Washington, DC and Boston before returning to Atlanta in 2005. The Porter Beer Bar opened in September 2008. Molly is head of marketing, accounting, and the front of the house, but she prefers to be called “Boss Lady.”



Erich LaSher, Owner/Resident Wino and Beer Nerd at La Cave du Vin in Cleveland Heights, Ohio. La Cave du Vin opened in 1995 and was the first bar in Cleveland to only serve craft beer. It has been consistently rated highly as one of the best beer bars in the world by Ratebeer.com and Draft magazine.

at any given time we will have at least a couple of hundred bottles of vintage beers in the La Cave beer cellar. We keep our cellar at about 55 °F (13 °C) all year round, which is the perfect cellar temperature and also a great drinking temperature.


Aging beer is all about experimenting and having fun. If you have a network of other people who age beer on the internet they will help you make decisions about when to pull a beer, but otherwise it's really all a matter of remembering when you put them in and experimenting.

Just like with wine, cellaring beer does not make a beer better, it makes it different. You may or may not like what that beer turns into when it ages. A lot of people don't like those secondary characteristics that happen with time. For example, for me it seems like some bottles, like Thomas Hardy Ale, seem like they can't age

enough — but then I have tastings with fresh bottles and people like that way better. If you like something and want to lay it down, buy a bunch and try it every six months. But for god's sake, don't let it sit there forever.

One of the biggest mistakes I see with beer aging is cellaring the wrong stuff. Even if a brewery says that a beer is good for cellaring, it's all about what you like. Some beers just lose their moxie after even a year.

If you want to cellar beer at home, remember that light is the enemy — you want a place that is dark, cool and dry (at least this is what has worked best for me). You also need to be able to maintain a constant temperature. Keep in mind, though — most beer is a lot more stable than people give it credit for. If you get a beer that was imported from Belgium it's already been through hell and back — god only knows what happened to it during shipping. 



TOWER of POWER™

Modular Brewing Control

NEW!

- Unmatched accuracy and stability!
- Control Mash and HLT temps
- Gas fired RIMS connects to any burner!
- Fully Automatic operation (requires cable)
- Optional pump Tower for convenience



BLICHMANN
engineering



BLICHMANN
TOWER of POWER

www.BLICHMANNENGINEERING.COM or visit your local Home Brew Retailer

Better Boils

Adding body, mash pH

help me mr. wizard

by Ashton Lewis



Q

I WOULD LOVE SOME DISCUSSION ON THE BOIL. A FRIEND ONLY BOILS FROM HIS FIRST HOP ADDITION. I AM A FULL BOIL GUY AND WOULD NEVER EVEN CONSIDER CUTTING CORNERS ON THE BOIL, BUT I DO PONDER THE RATE OF BOIL. I LOVE SEEING THAT MASSIVE STEAM CLOUD WITH A HARD BOIL, BUT SUSPECT A SOFTER BOIL IS BETTER.

JONATHAN CONNOLLY
DADE CITY, FLORIDA

A

Historically, the boil was important in brewing because it sterilized wort.

Today we think in terms of wild yeast and bacteria that can sour beer, but in centuries past pathogens from foul drinking water were also killed in the boil. This made beer safer to drink than water. Boiling also serves to denature malt enzymes and malt proteins, the latter having a real effect on finished beer clarity. Wort gravity is affected by boiling and some brewers use the boil to produce high gravity beers. Malt aromas, namely dimethyl sulfide (DMS), are driven from wort during boiling and this is important to the aroma of the finished beer; a weak boil is often the cause of beers with strong DMS notes. And finally, boiling isomerizes alpha-acids from hops, increasing their solubility, and allows the brewer to balance malt with hop bitterness. Adding hops also has the benefit of inhibiting the growth of certain beer spoilage organisms and hops have an aroma that is loved by many.

As a very general rule, it takes anywhere from 60–90 minutes of boiling accompanied by 6–10% reduction in wort volume to accomplish the basic goals of wort boiling. Evaporation rate is really an indicator of the fact that the wort indeed boiled as expected and is also an indicator of how much DMS removal occurred during the boil. The removal of DMS has really become the single largest topic about boiling because DMS is

such a distinctive and potentially objectionable aroma. During the boil, S-methyl methionine from malt is converted to the aromatic and volatile dimethyl sulfide. If the boil is not sufficiently vigorous, the boil wort may contain enough residual DMS to be detected in the beer. Many brewers judge the intensity of the boil by how much the surface appears to roll and the term “rolling boil” is applied to wort that is properly boiling. Since wort boiling is so energy intensive there are very real economic reasons to reduce evaporation and the obsession with DMS removal goes hand-in-hand with this pursuit. Excessive evaporation, over about 15%, is also an indicator of excess thermal stress and can lead to problems with beer foam, flavor stability and development of wort flavors undesirable to some beer styles.

New boiling technologies used by commercial brewers use a variety of clever ways of reducing DMS levels in wort while simultaneously allowing for a reduction in total volume reduction. The classical conundrum with this is that DMS is removed by evaporation, essentially steam distillation, so if kettle evaporation is reduced one would expect DMS levels to increase, and that is normally true. However, modifications to wort concentrators and spreaders in large kettles with internal calandrias enable brewers to more efficiently conduct the kettle boiling process. Thin film boilers and vacuum evaporation units have also

“... in centuries past pathogens from foul drinking water were also killed in the boil. This made beer safer to drink than water.”



Photo by Les Jørgensen

been successfully used to tackle the same problem. In some of these systems total evaporation rates are now less than 4% with DMS levels that are less than or equal to conventional kettle designs. Side note about internal calandrias: Internal calandrias are shell and tube heat exchangers powered by steam that are installed in larger brew kettles. They resemble coffee percolators and some brewers simply call them “percs.” Calandrias normally have a chimney that directs the flow of wort and steam vapor to a spreader plate or “hat” that directs the flow of wort back into the kettle. This also helps suppress foaming in the kettle since the wort literally knocks the foam down. The thin film of wort also helps flash DMS from the wort as the steam leaves the kettle.

All of this really means very little to the homebrewer because these technologies simply do not apply to small scale boiling. The fact is that most homebrew kettles have a much higher surface area to volume ratio (calculated using the area at the top of the wort that is exposed to air) compared to larger kettles. Using the same kettle geometry (dished bottom vessel with height to diameter ratio of 0.85), I calculated the surface area to volume ratio of kettles ranging from 6 gallons (23 L) to 19,375 (73,342 L/0.2 BBL to 625 BBLs net fermenter yield) and the results are

interesting. Increasing the kettle volume by a factor of five decreases the surface to volume ratio by a factor of almost two. The small kettle has 23.5 square inches per gallon and the 625 BBL kettle has only 1.4 square inches per gallon. The point with this is that small kettles have much better surface evaporation as a function of total volume than do large kettles, and one would reasonably expect homebrewers not to really understand all of the hype about DMS because this is really not a problem for beers brewed in small kettles.

The take home message is that applying commercial brewing rules to homebrewing really does not make much sense for wort boiling. Evaporation rates in small kettles are usually relatively high, often well above 10%, and I would really not worry much about this indicator. The real thing that is important is the boil time. Hop acid isomerization takes time to occur and peaks after about 60 minutes of boiling. The other goals of boiling can be achieved in far less time, especially if you are not concerned about absolute clarity in your finished beer. This is why many homebrewers are brewing great beers using short boil times. There is absolutely nothing wrong with looking for ways to improve efficiency as long as you are not sacrificing your beer quality in the process.

Q

HOW IMPORTANT IS MASH pH? I'VE BEEN HOMEBREWING FOR ALMOST 20 YEARS AND NEVER MEASURED IT. IS IT A FINE POINT IN TWEAKING YOUR BEER? DOES IT IMPROVE EFFICIENCY OR FERMENTABILITY? I BATCH SPARGE AND RUN BETWEEN 68–71% EFFICIENCY.

ANDREW IGNATZ
VIA FACEBOOK

A

Mash pH is extremely important. Enzyme activity is a function of pH and all enzymes are only active in a relatively narrow range around their optimum pH. In the case of mashing, there are two enzymes of particular importance; alpha and beta amylase. The optimal range for alpha amylase is pH 5.6–5.8 and the optimal range for beta amylase is pH 5.4–5.6. If mash pH is much higher than 5.6 beta amylase activity begins to drop off and, more importantly, the pH is approaching pH 5.8, or the point where tannins really start to be extracted from malt husks. If the pH is much lower than 5.6 alpha amylase activity drops off. Lower pH levels are favored to these higher levels and most brewers like to see the mash pH in the 5.2–5.4 range. This provides good enzyme activity and does not flirt with tannin extraction.

Mash pH is principally affected by the mineral content of the brewing water and by the grains used in mashing. In general terms, dark and roasted malts tend to lower mash pH. So it is possible that mash pH can be too low when brewing dark beers like stouts, porters, dark lagers, etc. Historically, dark beers were brewed in regions where the

water contained significant levels of carbonate, and it is the carbonate in the water that balances the acidity of the roasted grains. If pale beer is brewed with carbonate water, the pH can be too high. In these cases, breweries use a variety of methods to either remove carbonate from water or add acid to the mash.

Mash can be acidified by using acidulated malt, adding soured mash as a natural source of lactic acid, or by simply adding commercially available food-grade acids like lactic or phosphoric. Adding calcium, either in the form of calcium sulfate (gypsum) or calcium chloride is another way to reduce mash pH. Calcium reacts with phosphates from malt and the result of this reaction is the release of hydrogen ions and a reduction in pH. The classic pale lagers and pale ales of the world were brewed in areas that either had extremely soft water, like Pilsen in today's Czech Republic, or areas that had water rich in minerals and dominated by calcium, like Burton, England.

Mash pH and water chemistry can quickly become very confusing without a strong understanding of chemistry, especially the concept of buffering. Buffers are weak acids that resist pH changes in the region around the


NOR CAL BREWING SOLUTIONS



Keg & Cooler Conversion Kits




Dip Tubes



Exclusive
Manufacturer

"Jaybird" Custom False Bottoms



Lowest hardware prices

530-243-BEER

NorCalBrewingSolutions.com



100% PINCH PROOF LABELS.

myownlabels
-com
CUSTOM BEER LABELS



happy st. patrick's day | enjoy 10% off | code **CPYBRW4E7** (exp. 05/01/13)

High Gravity Homebrewing & Winemaking Supplies



Introducing
our Brew In a Bag
Electric Brewing
System!



See the video



Electric Brewing

**Brew Electric and
outperform gas at a
lower cost.**

www.highgravitybrew.com

918-461-2605



Our mascot,
Pippin

“As it happens, the brewer’s mash is rich in buffering acids, primarily from malt proteins, and these buffering compounds make the system much more complex than water.”

buffer’s pK_a . (pK_a is a quantitative measure of the strength of an acid in solution). As it happens, the brewer’s mash is rich in buffering acids, primarily from malt proteins, and these buffering compounds make the system much more complex than water. And to really make any sense of this a method of pH measurement better than litmus paper is required. For these reasons there are many brewers like you who don’t measure mash pH or do anything to really control it other than adding water salts in approximate quantities specified by recipes.

So the question you pose is relevant to a lot of homebrewers. Here is the simple version of mash pH. When malt is mixed with water the mash pH is normally right

around pH 5.6, which just so happens to be right where we as brewers like it. Is this a coincidence? I have always supposed that since the enzymes being used in the mash are also active in the growing barley seed when the seed is hydrated, that the pH of the natural environment of hydrated barley and the pH of the mash should be pretty similar. Whether or not this explanation is correct is really not relevant; the bottom line is that the mash pH normally falls right in the optimum zone.

Rarely is the pH so far outside of this zone to cause real problems. This is why there are many brewers like you who have brewed great beers with good extract yield for many years without ever measuring pH. But fine-tuning pH does have real benefits. Improved extract yield and beer flavor are the two most common reasons for adjusting mash pH. If you are interested in adjusting mash pH I suggest buying a temperature compensated, hand-held pH meter and using diluted lactic acid or acidulated malt to lower pH and baking soda, or sodium bicarbonate, to raise pH. The million-dollar question is what works best, and this, like so many other things related to brewing, depends on what you are doing. If you are in search of some fun experiments, you have arrived at the right location. **BYO**

Send your questions for Mr. Wizard to wiz@byo.com.

We’re HOPPing Into Spring With...



Hop Rhizomes!

Grow your own delicious hops at home!



New Hop Varietals

The new hop harvest has arrived including some fantastic new varietals!




Single Hop Experiment Kits

These all new Pale Ale Single Hop kits will highlight the aroma & flavors of one main hop such as Amarillo, Falconers Flight, Simco, Columbus hops and many more!

MoreBeer.Com

Homebrewer Owned & Operated Since 1995 • 1-800-600-0033



Oatmeal Stout

Smooth and silky

style profile

by Jamil Zainasheff



From time to time, a person will ask me, "What is the difference between stout and porter?" Of course, there are several types of each, so my first thought is what kind of porter and what kind of stout? Most people do not want such precision when asking about beer and soon they lose interest in my rambling answer. I'm guessing you feel differently or you would not be reading this column.

In the stout family, the question of what differentiates the three lower gravity styles (dry, sweet and oatmeal) is a good question. In brief terms, think of dry stout as having a very dry character, not big and full. Think of sweet stout as similar, but with a sweeter, fuller character. Think of oatmeal stout as between the two, with a little bit of silkiness from the oatmeal. Of course, you can find examples of oatmeal stout that are sweeter than sweet stout and some drier than dry stout, but conceptually that is one of the key differences.

Oatmeal stout just might be my favorite of the stout family. Oatmeal stout is traditionally an English style, although there are more and more "Americanized" versions available. Oatmeal stout uses oats to build body and add a touch of silkiness to the mouthfeel. It is dark and rich, full of roasted flavors and aromas. It is full-bodied and has substantial coffee and chocolate notes. The appearance is dark brown to black in color. Think of oatmeal stout as similar to dry stout in roastiness, but much fuller and sweeter. Commercial examples vary considerably, with some sweeter, some drier, and many showing a wide range in oatmeal character. They range from more British (obvious fruity esters, rich malt character) to more American (lower ester levels, a little less malt character, and sometimes a touch of late hop character). I prefer the traditional British character in this style, but there are some nice

Americanized examples. If you want to impress the judges, you will tend to have more success with a slightly sweet rendition of the style with enough specialty malt character that makes them think of oatmeal cookies.

To brew a great example of this style, start with high quality British pale ale malt as the base. It provides that background rich malt character that is a key component in fine British beers. British pale ale malt is kilned a bit darker (2.5 to 3.5 °L) than the average North American two-row or pale malt (1.5 to 2.5 °L) and this higher level of kilning brings out the malt's biscuit-toasty flavors. Some brewers use North American pale ale malt or North American two-row with the addition of some specialty malts, but this will not produce the same beer as using British pale ale malt. Spend the money, make the effort and use the proper base malt if you want to make an excellent example of the style.

Similarly, extract brewers should make the effort to source an extract made from British pale ale malt. If you end up using North American two-row malt extract, you can try to compensate by partial mashing some additional specialty malts such as Munich, biscuit or Victory®.

All-grain brewers should use a single infusion mash. A temperature in the range of 150 to 156 °F (66 to 69 °C) works well. Use a lower temperature when using lower attenuating yeasts or higher starting gravities. Use a higher mash temperature when using the higher attenuating yeasts or lower starting gravity beers. If you are unsure, a great starting point is 152 °F (67 °C).

While using the proper base malt is important, oatmeal stout also requires a fair amount of specialty malt. To develop some sweetness and a caramel flavor component, you will want some crystal malt. A dry stout uses no crystal malt, but sweet stout might use up to 10%. An oatmeal

OATMEAL STOUT by the numbers

OG:	1.048–1.065 (11.9–15.9 °P)
FG:	1.010–1.018 (2.6–4.6 °P)
SRM:	22–40
IBU:	25–40
ABV:	4.2–5.9%



Photo by Charles A. Parker/Images Plus

Continued on page 21

McQuaker's Oatmeal stout (5 gallons/19 L, all-grain)

OG = 1.055 (13.5 °P)

FG = 1.016 (4.1 °P)

IBU = 28 SRM = 35 ABV = 5.1%

Ingredients

8.5 lb. (3.85 kg) Thomas Fawcett & Sons Maris Otter pale ale malt (or similar English pale ale malt)
14.1 oz. (400 g) Great Western flaked oats 1 °L
10.6 oz. (300 g) Briess Victory® malt 28 °L
10.6 oz. (300 g) Thomas Fawcett & Sons chocolate malt 350 °L
7.1 oz. (200 g) Thomas Fawcett & Sons roasted barley 500 °L
7.1 oz. (200 g) Thomas Fawcett & Sons crystal malt 85 °L
7.5 AAU Kent Goldings pellet hops (60 min.) (1.5 oz./42 g at 5% alpha acids)
White Labs WLP002 (English Ale) or Wyeast 1968 (London ESB) yeast

Step by Step

Spread the flaked oats out on a cookie sheet and toast them in the oven around 300 °F (149 °C) until they begin to slightly color up and give off a nutty oatmeal cookie character. Mill all of the grains together and dough-in targeting a mash of around 1.5 quarts of water to 1 pound of grain (a liquor-to-grist ratio of about 3:1 by weight) and a temperature of 154 °F (68 °C). Hold the mash at 154 °F (68 °C) until enzymatic conversion is complete. Infuse the mash with near-boiling water while stirring or with a recirculating mash system raise the temperature to mash out at 168 °F (76 °C). Sparge slowly with 170 °F (77 °C) water, collecting wort until the pre-boil kettle volume is around 5.9 gallons (22.3 L) and a gravity of 1.046 (11.5 °P).

The total wort boil time is

60 minutes. Add the hops once the wort reaches a full boil and then start your timer. Add Irish moss or other kettle finings with 15 minutes left in the boil.

Chill the wort to 68 °F (20 °C) and aerate thoroughly. The proper pitch rate is two packages of liquid yeast or 1 package of liquid yeast in a 2-liter starter. Ferment at 68 °F (20 °C). When fermentation is finished, carbonate the beer to approximately 2 to 2.5 volumes.

McQuaker's Oatmeal stout (5 gallons/19 L, extract with grains)

OG = 1.055 (13.5 °P)

FG = 1.016 (4.1 °P)

IBU = 28 SRM = 35 ABV = 5.1%

Ingredients

5.7 lb. (2.6 kg) English pale ale liquid malt extract
14.1 oz. (400 g) Great Western flaked oats 1 °L
10.6 oz. (300 g) Briess Victory® malt 28 °L
10.6 oz. (300 g) Thomas Fawcett & Sons chocolate malt 350 °L
7.1 oz. (200 g) Thomas Fawcett & Sons roasted barley 500 °L
7.1 oz. (200 g) Thomas Fawcett & Sons crystal malt 85 °L
7.5 AAU Kent Goldings pellet hops (60 min.) (1.5 oz./42 g at 5% alpha acids)
White Labs WLP002 (English Ale) or Wyeast 1968 (London ESB) yeast

Step by Step

Ask your local homebrew shop for an English-style liquid malt extract or an extract made from 100% Maris Otter malt. If you cannot get fresh liquid malt extract, it is better to use an appropriate amount of dried malt extract (DME) instead.

Spread the flaked oats out on a cookie sheet and toast them in the oven around 300 °F (149 °C) until

they begin to slightly color up and give off a nutty oatmeal cookie character. Mill or coarsely crack the oats with the rest of the specialty malt and place loosely in a grain bag. Avoid packing the grains too tightly in the bag, using more bags if needed. Steep the bag in about 1 gallon (~4 liters) of water at roughly 170 °F (77 °C) for about 30 minutes. Lift the grain bag out of the steeping liquid and rinse with warm water. Allow the bags to drip into the kettle. Do not squeeze the bags. Add the malt extract and enough water to make a pre-boil volume of 5.9 gallons (22.3 L) and a gravity of 1.046 (11.5 °P). Stir thoroughly to help dissolve the extract and bring to a boil.

The total wort boil time is 60 minutes. Add the hops once the wort reaches a full boil and then start your timer. Add Irish moss or other kettle finings with 15 minutes left in the boil.

Chill the wort to 68 °F (20 °C) and aerate thoroughly. The proper pitch rate is 2 packages of liquid yeast or 1 package of liquid yeast in a 2 liter starter. Ferment at 68 °F (20 °C). When fermentation is finished, carbonate the beer to approximately 2 to 2.5 volumes.



Oatmeal Stout Commercial Examples

Bell's Oatmeal Stout

Bell's Brewery
Kalamazoo, Michigan
www.bellsbeer.com

Breakfast Cereal Killer Stout

Big Time Brewery & Alehouse
Seattle, Washington
www.bigtimebrewery.com

Oat Malt Stout

Maclay Inns Ltd.
Alloa, Scotland
www.maclay.com

The Poet

New Holland Brewing Co.
Holland, Michigan
www.newhollandbrew.com

Road Slush Stout

New Glarus Brewing Co.
New Glarus, Wisconsin
www.newglarusbrewing.com

Samuel Smith Oatmeal Stout

Samuel Smith Old Brewery
Tadcaster, England
www.samuelsmithsbrewery.co.uk

Shakespeare Oatmeal Stout

Rogue Ales
Newport, Oregon
www.rogue.com

Squatters's Captain Bastard's Oatmeal Stout

Utah Brewers Cooperative
Salt Lake City, Utah
www.utahbeers.com

Wolaver's Oatmeal Stout

Otter Creek Brewing/Wolaver's
Middlebury, Vermont
www.ottercreekbrewing.com

Young's Oatmeal Stout

Wells & Young's Ltd
Bedford, England
www.wellsandyoungs.co.uk

stout is in the middle, around 5% of a 40 to 120 °L crystal malt. I prefer to use crystal malt in the 80 °L range for darker British style beers. It provides a slightly raisiny caramel flavor that complements the fruity esters common to the style. To create the dark color and an espresso-like richness, British black malt, chocolate malt, and even roasted barley are good choices. The proper amounts are going to vary

based on color and flavor. Generally, 10% of the grist is highly kilned malt in a stout. Be aware that malts of the same name from different suppliers can vary substantially in color and flavor. You might find both chocolate malt and black malt ranging from 300 °L to 500 °L, so the name the maltsters give a product is not always a reliable indicator. Always let flavor be your guide.

BetterBottle[®] Super Funnel

A perfect fit – no slop or blorp



Check out the [Product Information](#) and [Technical](#) tabs at our Web site for a wealth of really helpful information.
www.Better-Bottle.com

style profile

Many people expect to taste oatmeal in an oatmeal stout. In reality, oatmeal does not taste like much, which is why people add so much flavoring to a bowlful at breakfast. While oatmeal does add some to mouthfeel, it needs some help as far as flavor goes to produce that nutty/biscuity flavor and aroma people expect. One specialty grain that I like a lot for this is Victory® (~28 °L).

It adds a toasty, nutty, breadly character, which reinforces the impression of "oatmeal" in the beer. Another way to enhance the character of the oatmeal is by roasting the oats in the oven around 300 °F (149 °C). This toasting increases the oatmeal character and helps it stand out a bit more in the beer.

If you are looking for more complexity or increased head retention,

you can add other malts as well. Wheat malt, Munich, biscuit and others are common additions in many recipes, but keep in mind that using too many specialty malts often ends up as a muddled malt character, not a more complex one. Emphasize one or two particular malt characters in your recipe by using two or three grains and selecting only high quality British specialty malts such as Simpsons or Thomas Fawcett. These malts have a rich malt character, which is complex on its own. Some brewers like to experiment with other adjuncts, such as brown sugar, but keep in mind that simple sugars ferment out completely and result in a thinner body, which is the opposite of what you want in oatmeal stout.

All English-style beer is best brewed with English hops, such as East Kent Goldings, Fuggles, Target, Northdown or Challenger. A new hop variety that I think might do well for an Americanized version of the style is Delta, which is a cross between Fuggle and Cascade. Hop flavor and aroma should be absent or at the most minimal. The bittering level for oatmeal stout has a wide range of 25 to 40 IBU, but you should be shooting for a balance that is even or slightly sweet. The bitterness to starting gravity ratio (IBU divided by OG) ranges from 0.4 and 0.8. What ratio you target depends on the amount and type of specialty malts and yeast attenuation. If you use more highly kilned malts or chose a more attenuative yeast, then you will want to target a lower bittering ratio. If you use more unfermentable crystal malts or a less attenuative yeast, then you go with a higher bittering ratio. It is all a matter of balance, avoiding an overly sweet or bitter beer. Generally, skip any late hop additions. If you are trying to make a more "American" version of oatmeal stout, you could use a small touch of late hopping, perhaps ¼ to ½ ounce (7 to 14 g) during the last few minutes. In a classic British version, no hop flavor or aroma is fine. At most, any hop character detected would be from the bittering hop addition.

Better Beer in Just One Click!!

Rebel



Brewer

HOMEBREW MEGA-MART

154 Varieties of Yeast

170 Different types of Grain (from 75¢/lb.)

67 Varieties of Hops (from 89¢/oz.)

Equipment from Beginner to Insane

Lowest Prices
Fastest Shipping

for a Limited time
FREE SHIPPING
on all BLICHMANN products
*mainland US only

Order Online:

RebelBrewer.com

Beer Made Better

Fermentation creates most of the flavor and aroma in many British beers. "English" yeast strains provide a variety of interesting esters and leave some residual sweetness to balance the hop bittering. Many English yeasts attenuate on the lower side (< 70%), but there are some that attenuate quite well (up to 80%). For many British-style beers you have to think about the final balance of the


brewing oatmeal stout are White Labs WLP002 (English Ale) or Wyeast 1968 (London ESB). They both provide a wonderful ester profile without being excessively fruity, and they both attenuate to a moderate level, leaving just the right amount of malt sweetness and fuller mouthfeel.

At lower temperatures (<65 °F /18 °C), these yeasts produce a rela-

tively low level of esters and at high temperatures (>70 °F/21 °C) they produce abundant fruity esters and fusel alcohol notes. I start fermentation in the middle of this range (68 °F/ 20 °C), letting the temperature rise a few degrees over a couple days. This creates the expected level of esters, helps the yeast attenuate fully and keeps the amount of diacetyl in the finished beer to a minimum. **BYO**

“Many people expect to taste oatmeal in an oatmeal stout. In reality, oatmeal does not taste like much, which is why people add so much flavoring to a bowlful at breakfast. While oatmeal does add some to mouthfeel, it needs some help as far as flavor goes to produce that nutty/biscuity flavor and aroma people expect.”

beer. If the beer has a high starting gravity, or you are using many specialty grains that add residual sweetness (such as crystal malts), you need to select a more attenuative strain. If you are brewing a beer with a lower starting gravity and/or limited specialty grains, then you want to go with a less attenuative yeast. This is one of the most important things to know about crafting your own British-style recipes. My favorite yeast strains for



Home Brewing Supplies

Kettles | Brew Pots
Wort Chillers | Accessories

POLAR WARE

www.polarware.com
customerservice@polarware.com
Toll Free: 800-319-9493

Proud USA Manufacturer

BYO BACK ISSUE SALE!

Buy 5 Issues...Get 5 More Issues FREE!



We are offering readers a very special deal on our limited quantities of back issues. Buy any 5 issues for \$25 (plus \$14.50 shipping) and receive 5 more issues for **FREE!** Buy 5 and get 5 **FREE!** Choose from these collectible classics still in stock from 1998 through 2011.

HURRY! SUPPLIES ARE LIMITED! NOW AVAILABLE ONLINE AT WWW.BREWYOUROWNSTORE.COM

OCT. 98

- Great Bock Recipes
- Choose the Right Kit

JAN. 99

- Aging in Wood
- Calculating Hop Bitterness

FEB. 99

- Malta Yeast Starter
- Organic Homebrewing

MAR. 99

- Imported Clone Recipes
- Build an Electric Brew Stove

JAN. 00

- 7 Czech Beer Recipes
- Your First Brew

FEB. 00

- High-Gravity Brewing
- Foreign Clone Recipes

MAR. 00

- 8 Tips to Advance your Brewing
- 3 Great U.S. Brewers Share Tips & Recipes

JAN. 01

- Brew Indigenous Beers From 4 Continents
- Making Root Beer

FEB. 01

- 5 German Clone Recipes
- Decoction Step-by-Step

MAR. 01

- Growing Yeast Strains at Home
- Brew Low-Carb Beer with Beano®

MAY 01

- 20 Extract Recipes for Spring
- Build a Counter Pressure Bottle Filler

SUMMER 01

- 5 Clone Recipes for Summer
- Build a Big-Batch Mash Tun

JAN./FEB. 02

- 8 Ski Town Clone Recipes
- Thomas Jefferson's Homebrew

JULY/AUG. 02

- 21 Regional U.S. Recipes
- Brewing with Fruit

OCT. 02

- Better Extract Techniques
- One Batch, Two Beers

MAY/JUNE 03

- How to Control the Color of Your Beer
- Adding Oak to Beer

JULY/AUG. 03

- Light Beer Recipes
- Tips for Entering Homebrew Competitions

SEPT. 03

- Pale Ale Recipes
- Yeast Pointers

OCT. 03

- 17 Foolproof Extract Recipes
- Trappist Ale Tips & Recipes

DEC. 03

- High-Gravity Beers
- Brewing with Spices

MAY/JUNE 04

- Making Low-Carb Homebrew
- Beer Barbecue Recipes

JULY/AUG. 04

- Brewing Bocks — American & German
- Water Tips for Extract Beer

OCT. 04

- Extract Experiments
- Lambic Brewing

MAY/JUNE 05

- 10 Classic Clones: Anchor Steam, Fuller's ESB, Guinness, Sierra Nevada Pale Ale, Orval, Duvel, Paulaner Hefeweizen, Pilsner Urquell, Celebrator, Warsteiner

JULY/AUG. 05

- Brewing Heineken and International Lagers
- Belgian Saison

JULY/AUG. 08

- 6 Belgian Inspired Clones
- Fruit Meads

SEPT. 08

- Low-Hop Recipes
- Dry Stout, Scottish Ale

MARCH/APRIL 09

- Australian Brewing
- Controlling Fermentation Temperatures

OCT. 09

- Imperial German Beers - Take Malty Classics Big and Extreme
- Zombie Clones: Bring 5 British Ales Back from the Dead

NOV. 09

- Small Space Brewing Tips
- Countertop All-grain Brewing System

DEC. 09

- Pro Brewers Who Homebrew
- Rise of Small Hop Farms

JAN./FEB. 10

- Dark Secrets of Porter
- Brewing with Scotland's Brewdogs

MARCH/APRIL 10

- Bicycle Themed Beer Clones
- Master Dry Hopping

MAY/JUNE 10

- Breakfast Beers
- Build Your Own Keg & Carboy Cleaner

JULY/AUG. 10

- Grain to Glass - Your First All-Grain Brew Session
- Cascadia Dark Ale

SEPT. 10

- 15 Tips from 15 Pro Brewers
- Cooking with Homebrew

OCT. 10

- Extract Brew Day: A Pictorial Guide
- Use Malt Extract Like a Pro

NOV. 10

- Tap Into Kegs
- Barleywine Clones

DEC. 10

- Recipes & Tips from New Belgium Brewing
- Build a Motorized Mill

MAR./APR. 11

- Lagering Techniques
- Build a Multi-Tap Kegerator

MAY/JUNE 11

- Scandinavian Brews
- Make a Viking Ale

JULY/AUG. 11

- Cult of American Saison
- Making Witbier

SEPT. 11

- Cool New Malts
- Welsh Beer

OCT. 11

- Retro Regional Beer Clones
- Cooking with Bock

NOV. 11

- Build the Ultimate Home Bar
- Build a Draft Tower

DEC. 11

- Brew Award-Winning Lagers
- Brooklyn Brewery Tips & Clone Recipes




BUY 5 ISSUES...GET 5 MORE ISSUES FREE!

SPECIAL ISSUES:

GUIDE TO KEGGING

- How to choose & use a draft system
- Maintain & fix your draft set-up
- Build projects for the perfect pour
- Upgrade to add more taps or nitro

NEW!



NEW!



30 GREAT BEER STYLES

- Tips, techniques and recipes to brew 30 of the world's best beer styles at home
- Authored by beer style guru and "Style Profile" columnist Jamil Zainasheff


25 GREAT HOMEBREW PROJECTS

- Best projects from 16 years of *BYO*
- Includes parts & tools list as well as detailed instructions & pictures for each build




BUILD BRUTUS TEN

- Build your own single-tier, 10 gal. (38 L) semi-automated brewing system
- Includes plans, photos and step-by-step diagrams
- Special re-print from sold out November '07 issue




HOP LOVER'S GUIDE

- Hopping methods for extract & all-grain brewers to get the most out of your hops
- Comprehensive charts for 102 hop varieties
- Backyard hop growing instructions
- 36 hoppy recipes



250 CLASSIC CLONE RECIPES

- New edition of our popular special issue now with 100 more recipes
- Brew your favorite commercial beers at home




BEGINNER'S GUIDE

- How to brew with kits, extracts & all-grain
- Also provides introduction to winemaking!



THE HOME BREWER'S ANSWER BOOK

- Direct from the pages of *BYO*, this collection of Q&A from our "Mr. Wizard" column is the perfect reference for beginners and advanced brewers — and everyone in between!



THE HOW-TO HOMEBREW BEER MAGAZINE
Brew
YOUR OWN

Mark your 10 choices below.

Qty.	Issue	Qty.	Issue
_____	October 98	_____	May/June 05
_____	January 99	_____	July/Aug. 05
_____	February 99	_____	September 08
_____	March 99	_____	Mar./April 09
_____	January 00	_____	October 09
_____	February 00	_____	November 09
_____	March 00	_____	December 09
_____	January 01	_____	Jan./Feb. 10
_____	February 01	_____	Mar./April 10
_____	March 01	_____	May/June 10
_____	May 01	_____	July/Aug. 10
_____	Summer 01	_____	September 10
_____	Jan./Feb. 02	_____	October 10
_____	July/Aug. 02	_____	November 10
_____	October 02	_____	December 10
_____	May/June 03	_____	Mar./April 11
_____	July/Aug. 03	_____	May/June 11
_____	September 03	_____	July/Aug. 11
_____	October 03	_____	September 11
_____	December 03	_____	October 11
_____	May/June 04	_____	November 11
_____	July/Aug. 04	_____	December 11
_____	October 04		

* previous issues not listed are sold out;
2012 & 2013 back issues still cost the full
cover price and can be ordered at
www.brewyourownstore.com

5 copies	\$25	\$ _____
5 BONUS copies	FREE	FREE
Guide to Kegging _____ x \$10 ea =		\$ _____
30 Great Beer Styles _____ x \$10 ea =		\$ _____
25 Great Homebrew Projects _____ x \$10 ea =		\$ _____
Build Brutus Ten Brewing System _____ x \$3 ea =		\$ _____
Hop Lover's Guide _____ x \$8 ea =		\$ _____
250 Clone Recipes _____ x \$10 ea =		\$ _____
Beginner's Guide _____ x \$7 ea =		\$ _____
Homebrewer's Answer Bk. _____ x \$14.95 ea =		\$ _____
Shipping/Handling (see below).....		\$ _____
1 unit = \$3.50 • 2-9 units = \$8.00		
10-36 units = \$14.50 • 37-72 units = \$28.00		
73+ units = \$42.00		

Orders outside the U.S. please call or e-mail for shipping quote.

BYO Binders _____ x \$20 ea. (incl. shipping) \$ _____

(Binders hold 12 issues each)

Total \$ _____

Name _____

Address _____

City _____ State _____ Zip _____

E-mail _____

Phone _____

☐ Check Enclosed ☐ MasterCard ☐ Visa

Card# _____

Exp. Date _____

Signature _____

ORDER ONLINE: www.brewyourownstore.com

MAIL ORDER FORM TO:
BYO Back Issues
5515 Main Street
Manchester Center, VT 05255

FAX FORM TO:
802-362-2377
or CALL:
802-362-3981

www.brewyourownstore.com



CONTENTS

Disorientation	27
Wort Production (with malt extract)	28
Wort Production (with malted grains)	33
Fementation and Conditioning	40
Post Fermentation and Packaging	45
Calibration and Conclusion	49
The Library	53

Disorientation

Introduction to Brew Your Own University

Homebrewers are a diverse group, and they acquire their homebrewing skills from many different sources. Some homebrewers learn from friends, others by following the instructions in the homebrewing kit they got for Christmas or their birthday. Some read as much as they can from homebrewing books before they start, others jump right in. Some enjoy the benefits of a homebrew club, while others go it alone. In addition, most homebrewers have adapted what they've learned to work with the equipment in their own homebrewing set-up and other constraints. After brewing for awhile, many homebrewers get into a groove . . . or a rut, depending on how you look at it. They take what they've learned, adapted it to work on their equipment and make their beer based on that . . . and that's where Brew Your Own University may help.

The quantity of information available to homebrewers is greater now than it ever has been, and the way

you've always done things may not be the most modern way to homebrew. (Then again, maybe all this new information is just proving that you've been right all along.)

In this Brew Your Own University package, we'll walk through a typical brew day (for both extract and all-grain brewers), as well as the fermentation and conditioning of a beer and examine each major step. We can't discuss every possible permutation, but we will point out the key elements in each stage to making quality beer. (One downside to the explosion of brewing information is that sometimes it's hard to see the forest for the trees.) In addition, we'll take a look at the options you have during the brew day, and their consequences. And, we will focus on what can be measured while the beer is being made, to help you understand if things are going well. When we're done, you will hopefully have some ideas to improve your process and your beer.

As much as is reasonable, the articles in this Brew Your Own University package focus on techniques — what you can actually do as a homebrewer — as opposed to theory. However, in the final section, we'll give you a reading list to pursue if you're interested in the science behind the techniques.

This Brew Your Own University package has five articles, and an appendix of pointers to additional helpful information.

The first article describes wort production using malt extract, especially making wort from malt

wort production using malted grains. We'll discuss how to transform dried, malted grain into sweet wort, focusing on the techniques used and the variables that can be manipulated (instead of theoretical discussion of enzymes). Crushing the grains as well as the major mash variables that can be manipulated — temperature, thickness, pH — will be discussed. This section focuses mostly on single-infusion mashes.

In the third section, we'll discuss fermentation and how the manner you conduct your fermentation shapes the character of your beer. For many homebrewers, this is the area in which the most improvement to their beer could be made. We'll cover aeration, pitching rate and fermentation conditions needed to make the best beer.

In the fourth section, we'll discuss packaging and aging — especially how to do this while exposing your beer to the minimal amount of oxygen.

Finally, we'll wrap things up with a section on calibrating your brewery tools. Calibrating your instruments will give you some confidence in your measurements and help you troubleshoot problems, should they arise, more easily. The Library of Brew Your Own University includes a list of information beyond the scope of these articles.

Brew Your Own University covers a lot of ground, yet we are giving one topic short shrift — and it's the most important aspect of brewing! Yes, that's right, we're not going to cover cleaning and sanitation. Suffice it to say, that everything you read here will be rendered irrelevant if your equipment is not sparkling clean and everything that touches your chilled wort is not additionally sanitized.

If you are a beginning to intermediate brewer, we hope that reading these articles will let you make informed decisions about how you conduct your brew day and beer fermentation and that this will lead to better beer and more enjoyment from this hobby. If you are an advanced brewer, much of this will be familiar to you, but hopefully some of the finer points will be new. So, if you're suitably disoriented from reading this introduction, grab a homebrew, turn the page and begin your studies at Brew Your Own University!



Thorough cleaning and proper sanitation is required to produce quality homebrewed beer, free from contaminating microorganisms.

extract and steeping grains. We'll discuss how to get the best results, with an emphasis on how malt extract is produced and what that means to homebrewers. Along the way, we'll debunk a couple long-standing homebrew myths about malt extract. We'll also tackle simple ways of chilling your wort without a wort chiller.

The second section discusses



Wort Production (with malt extract)

Wort made from reconstituted malt extract is dissimilar from wort made from mashing malted grains. Knowing the differences can guide you to making sound decisions regarding how to use it on brew day. The convenience of malt extract does not have to come at the price of beer quality if you know how to handle it.

In this article, we'll discuss making wort (unfermented beer) using malt extract accompanied by some steeped specialty grains. You can think of this as comprising three steps: Making sweet wort, making hopped wort and chilling the hopped wort. Sweet wort is the thick, sugary, not-yet-boiled solution made (in this case) from malt extract and steeped grains. Boiling the sweet wort and adding hops produces hopped wort, and chilling that solution yields wort that is ready to be fermented.

When making wort from malt extract, the ingredients aren't manipulated extensively — essentially, you dissolve the malt extract and boil it for

awhile. Along the way you also steep the specialty grains and add the hops to the boiling wort.

Given that the process isn't that complex, your main goal is to get the most from your ingredients. In order to do this, it pays to understand the composition of your ingredients.

Malt Extract

Malt extract is condensed wort in the case of liquid malt extract (LME), or dried wort in the case of dried malt extract (DME). Wort is mostly water, with the next most abundant component being sugars. Of the sugars, maltose is the most abundant. The minor components of wort (by weight) include proteins, amino acids, lipids and all the various molecules that give wort its distinctive flavor, aroma and mouthfeel. The flavor of wort comes largely from the sweetness from the carbohydrates in the malted grains, the "malty" (bread-like, toasty) flavors from the husk of these grains and the bitterness and flavors from the hops.

Unhopped malt extract — of the type made for brewers, not for bakers — is made in the same manner as a brewer would make hopped wort, with the exception of not adding the hops. However, at the point when the boiled wort would normally be chilled, it is instead condensed or dried. (See The Library on page 53 for more extensive details of malt extract production.) Brewery grade malt extract has also had the hot break separated from it. The practical upshot of this is that all you really need to do with

malt extract is dissolve it in hot water to reconstitute the original wort. You do not need to boil it as you would wort made from malted grains.

Malt extract is a food product made from grains. Just as bread will eventually go stale, so will malt extract. Stale malt extract can be detected by its flavor and aroma, as well as by the fact that stale malt extract becomes progressively darker as it stales. Liquid malt extract (LME), because of its higher water content, goes stale faster than dried malt extract (DME). Stored properly (in a cool location), LME will remain fresh for a couple months. Stored properly, cool and sealed away from moisture, DME may remain fresh for up to 8 months. Always strive to use the freshest possible malt extract when you brew.


Malted Grains

Most extract recipes call for steeping some malted grains (usually specialty grains) to add to the flavor from the malt extract (usually pale, unhopped malt extract). As with malt extract, your steeping grains should be fresh. On brew day, your grains will also need to be milled (crushed). Many homebrew shops will mill the grains sold to extract brewers because most extract brewers do not own a grain mill. Unmilled grains will stay fresh for about 8 months, while milled grains will remain fresh for, at best, a week or so. So, if you get your grains milled at your homebrew shop, use them as soon as possible, ideally within a few days. Store them in a cool, dry place until your brew day.

Specialty grains contain sugars in their interior which add to the original gravity of the beer you are making. More importantly, they impart flavors that are not present in the unhopped pale malt extract. These flavors come from the husk of the grains. Husks also contain a class of compounds you do not want in excess in your finished beer, tannins. These molecules cause a puckering astringency to your beer.

Hops

Homebrewers mostly use either pellet




Specialty grains add color and flavor to a light malt extract based beer.

Predicted Max IBUs in an OG 1.048 Beer

post-boil volume [gallons]	max IBUs extract late [boil gravity < 1.050]	max IBUs standard method [boil SG in parentheses]
1	20	5 (1.240)
2	40	30 (1.120)
2.5	50	42 (1.096)
3	60	53 (1.080)
3.5	70	66 (1.069)
4	80	77 (1.060)
5	100	100 (1.048)

Here are the predicted maximum IBUs, based on a 100 IBU assumed maximum in beer made from wort boiled at 12 °Plato (SG 1.048). In the standard method. All the malt extract is boiled for 60 minutes. In the extract late method, half is reserved until knockout.



Pellet Hops

Pellet hops can be added during the boil to add bitterness to an extract beer. Late hop additions provide more flavor and aroma as their volatile oils do not get entirely boiled off.

hops or whole hops. Less frequently, they will use plug hops. Whatever form of hop you use, it is imperative that these hops be in good shape in order to get the best hop character in your beer. Hops should be green and smell fresh. Hops that have been stored poorly will turn brown and smell cheesy.

Hops should be stored frozen or refrigerated, preferably in packaging that blocks light and is flushed with an inert gas (such as nitrogen). Over time, even properly stored hops will decline in bitterness. The alpha acid rating can decline as much as 50% per year. However, the hop's aroma may remain appealing. In fact, some breweries purposely age their aroma hops, feeling that this makes them more refined and appealing.

Recipe Considerations

You can make high-quality homebrew from malt extract if you can find an appropriate malt extract for the beer you are making. Although there are malt extracts made from a blend of base malts and specialty malts, designed to make a particular style of beer, most homebrewers base their beers on a light or pale malt extract and add the additional malt touches by steeping specialty grains. Light, extra-light or pale malt extracts are available that are suitable as the base for most English-style or American-style ales, and Pilsner malt extracts can be used for many German-style or Belgian-style beers. Wheat malt extract is also available for wheat beers. And, increasingly, you can also find malt extract made from Munich

malt, Maris Otter pale ale malt, Vienna malt, smoked malt and others.

Although you can make great beer from extract, it pays extract brewers to understand that wort made from malt extract is not the same as wort made entirely from mashed base malt. First, because the extract is heated, albeit gently, during the condensation process, pale or light malt extracts yield worts slightly darker than the wort it was condensed from. In addition, the fermentability of a wort made from malt extract is usually lower than a wort made from malted grains. These drawbacks, however, only become a problem if you are attempting to brew a very light-colored, dry beer. And, there are workarounds. For example, you can subtract some of the malt extract from your recipe and perform a small partial mash of pale or Pilsner malt. Or, more simply, you can swap some of the malt extract in your recipe — up to about 20% — with table sugar (sucrose) or corn sugar (glucose). Either of these methods will lighten the color of your beer and increase the fermentability of the wort. If you want to test the color of your malt extract, dissolve 2 oz. of dried malt extract or 3 oz. of liquid malt extract in a pint of warm water (57 or 85 g/250 mL); this will make a wort of specific gravity 1.048. This will show you approximately the color of a 5% ABV beer made from that malt extract, assuming it does not pick up any additional color in the boil.


Malt Extract Brew Day

So, once you've got your fresh ingredients assembled, your task as a brewer is to convert them into chilled, hopped wort — getting the best from each ingredient and ensuring that this wort will provide a healthy environment for the brewers yeast.

Steeping the Grains


Recommendations for steeping specialty grains run the gamut in the homebrewing literature. To get the best character from your specialty grains, you should focus on two things — temperature and steeping volume.

Dried Malt Extract



Dried malt extract (DME) being added to a kettle prior to the boil.

Stirring in Malt Extract



Malt extract must be stirred in thoroughly. DME will clump and LME will sink to the bottom of the kettle and scorch.

Most often, when steeping specialty grains, you want to get the same character from them as they would have imparted in an all-grain recipe. (If the recipe you are brewing is a commercial clone or an extract version of an all-grain recipe, this is certainly true.) To get the same character, you'll want to treat them in (at least roughly) the same manner. Therefore, in all but a few special cases, you

should steep your specialty grains in the temperature range of a single infusion mash — 148–162 °F (64–72 °C). If the extract recipe is a conversion from an all-grain recipe, steep them at the same temperature as specified for the mash.

The amount of water you steep the grains in is also important. If all of the steeped grains in an extract recipe are specialty grains, you have a fairly wide range that they can be steeped in — from so thick that the water just barely covers the grains to quite thin (by all-grain standards)— around 3.0 qts. of water per pound of grain (6.3 L/kg). If your steeping grains contain grains that need to be mashed, as is often the case in extract recipes in *BYO*, keep the water-to-grain ratio between 1.25 qts./lb. (2.6 L/kg) and 2.5 qts./lb. (5.2 L/kg).

The quality of the crush is not as important in steeping grains as it is in mashing. As long as the grains aren't ground into a powder or mostly whole, you should be fine. Place the grains in a steeping bag so they fill no more than $\frac{1}{3}$ of the volume of the bag. This will allow liquid to flow past the grains while they are being steeped. It's a good idea to swirl the bag full of grains in the water a few times while you steep, but you don't need to do much more than this to get the full flavor from them.

For convenience, many old recipes instructed homebrewers to put the grains in their brewpot, filled to whatever volume was to be boiled. The grain bag remained in the brewpot until the boil started, or just before. In cases in which the water-to-grain ratio was high, this could lead to the extraction of tannins. Likewise, instructions that encourage homebrewers to squeeze or twist the bag to wring out every last bit of liquid may encourage tannin extraction. Your best solution is to either let the bag drip until the liquid almost stops, press it very gently between two plastic cutting boards or rinse the grains with a small amount of water at around 170 °F (77 °C). Most modern *BYO* recipes call for rinsing the grains at this temperature with around half

of the volume of steeping water. This strikes a good balance between getting all you want from the grains, but not approaching conditions that would favor excess tannin extraction.

When brewing with malt extract, you don't need to worry about the mineral content of your water. The malt extract will contain the minerals from the wort it was condensed from. Your best bet is to reconstitute the malt extract using very soft, even distilled or reverse osmosis, water.

However, if the grains you are steeping contain some base grains, add a pinch (less than $\frac{1}{8}$ tsp. for a typical 5-gallon/19-L recipe) of either gypsum or calcium chloride if you are using very soft water.

If you are trying to brew a very hoppy beer, and are using soft water to dilute the extract, adding 1 to 2 tsp. of gypsum per 5 gallons (19 L) will accentuate the hops.

If want to get a jump on heating the water in your brewpot while you steep your grains, try steeping the grains in a separate pot and adding the "grain tea" to your brewpot when the steep is done. Alternately, if you are not steeping any grains that need to be mashed, but you are heating a lot of water in your brewpot, stir in enough malt extract to bring the specific gravity to somewhere between 1.010 and 1.020. Then steep the specialty grains in this dilute wort as it passes through the temperature range of a single infusion mash.

Boil Volume

One nice thing about brewing extract beers is the convenience. In particular, you only need to boil a few gallons of wort to make 5 gallons (19 L) of beer. But this convenience comes at a price. The thicker your wort is the more likely it is to darken during the boil, and your hop extraction efficiency is lowered. As such, as an extract brewer, always boil the largest volume that you can given your brewpot size, heat source and ability to chill allow.

Adding the Extract

One method of using malt extract that works well is to add much of the

Mix Temperatures and Chill Targets (for 70 °F/21 °C wort)

volume of boiled wort (volume of dilution water)	mixed wort temperature (water = 65 °F/18 °C) [chill target]	mixed wort temperature (water = 40 °F/4.4 °C) [chill target]
2 gallons/7.5 L wort (3 gallons/11 L water)	129 °F (54 °C) [77 °F (25 °C)]	114 °F (46 °C) [110 °F (43 °C)]
2.5 gallons/9.5 L wort (2.5 gallons/9.5 L water)	143 °F (62 °C) [75 °F (24 °C)]	131 °F (55 °C) [97 °F (36 °C)]
3 gallons/11 L wort (2 gallons/7.5 L water)	158 °F (70 °C) [73 °F (23 °C)]	148 °F (64 °C) [89 °F (32 °C)]
3.5 gallons/13 L wort (1.5 gallons/5.7 L water)	172 °F (78 °C) [72 °F (22 °C)]	164 °F (73 °C) [82 °F (28 °C)]
4 gallons/15 L wort (1 gallon/3.8 L water)	186 °F (86 °C) [71 °F (22 °C)]	181 °F (83 °C) [77 °F (25 °C)]

This chart gives the temperature of a mixture of boiling wort and cool water (to make a 1.048 wort) at two water temperatures. It also gives the "chill target" — the temperature wort would need to be such that mixing wort and water yielded 70 °F (21 °C) wort.

malt extract late in the boil. After you've added the "grain tea" from the steeping grains to your brewpot, stir in enough malt extract that your specific gravity is about roughly the original gravity of your beer. Withhold the rest until near the end of the boil. For example, if you were boiling 2.5 gallons (9.5 L) of wort for a 5-gallon (19-L) batch, add a little less than half of the extract at the beginning of the boil. (If you are performing a full wort boil, all the malt extract can be stirred in before the boil starts.) This, plus the sugars from steeping the grains, will make your wort roughly working strength. Then, add the remaining extract for the final 5 to 15 minutes of the boil. Most modern *BYO* recipes call for the extract to be added at the 15 minutes to go mark, but it does not need to be boiled that long. All you are really doing is reconstituting the extract. Five minutes above 170 °F (77 °C) is enough to ensure it is sanitized. You can even just let the extract "steep" for 5 minutes after shutdown as long as the wort remains above 170 °F (77 °C).

One of the biggest problems with extract brewing is not dissolving the extract sufficiently and having small

amounts of it scorch on the bottom of the kettle. This adds color to the beer and — in extreme cases — can add burnt off flavors. If your extract beers are darker than you would like, it pays to find out when your wort is picking up the unwanted color. To do this, take a small sample of wort immediately after stirring in the first dose of malt extract. Take another small sample of wort right before you stir in the second addition of malt extract. Then take a third sample of cooled wort, diluted to working strength. Take small samples (an ounce/30 mL is all you need) as these will be discarded. If the first sample is unacceptably dark, your extract may be stale, or the extract itself is meant for a darker beer than you are attempting to brew. If the first sample's color is acceptable, but the second is too dark, you have scorched some malt extract in the boil. Likewise, if the first and second samples are acceptable, but the third is too dark, you have scorched some malt extract while reconstituting the late extract addition.

Easy Chilling

Stovetop extract beers, made from boiling a thick wort and later diluting it

to working strength, are frequently chilled without the use of a wort chiller. If you are boiling 3 gallons (11 L) or less, you can quickly and efficiently cool your wort in a sink or bathtub. In addition, if you chill your dilution water, this will lessen the amount the thick wort needs to be chilled. If you chill in a sink, cover your brewpot and at first use only tap water for cooling. Let the pot sit for 5 minutes or until the cooling water is too hot to touch, then change the water. Repeat this a few times. Swirl the pot each time you change water (or stir with a sanitized spoon). When the pot is just cool enough to touch, start adding ice to the cooling water. I also drape the lid of the brewpot with wet paper towels, to cool the pot by evaporative cooling. If you boil more than 3 gallons (11 L) of wort, see the next section for better chilling options.

If your dilution water is colder than your fermentation temperature, you do not need to chill your wort all the way down to your fermentation temperature. See the chart above for a guide to blending cool water and warm wort. (For a variety of reasons, never simply pour boiling hot wort into your dilution water.)

Hop up your brewing library!

If you like it bitter, these two titles are just what you need to learn more about IPAs and the different hops that make them so flavorful.


For the Love of Hops:

The Practical Guide to Aroma, Bitterness and the Culture of Hops

By Stan Hieronymus

IPA: Brewing Techniques, Recipes and the Evolution of India Pale Ale

By Mitch Steele



BrewersPublications.com

Brewers Publications
A Division of the Brewers Association
www.BrewersAssociation.org



U IS FOR UNIQUE


Unique products from William's

Since 1979, we have developed unique home brewing products. From our famous William's Brewing Kits to our exclusive line of William's Malt Extracts, we have products you just can't find anywhere else. Here is a partial list:

- William's Oxygen Aeration System
- Unique Kegging Systems
- Kegs from 1.75 Gallons and Up
- Exclusive Brewing Pots
- Exclusive line of Hydrometers
- Exclusive Weldless Pot Fittings
- Unique Aeration Systems
- Huge assortment of Bottle Cappers
- Glassware from Belgium

Interested? Check out our website, request our catalog, or look us up on Facebook or Twitter.

williamsbrewing.com
1-800-759-6025



SMARTPHONE QR CODE



SCAN HERE!
VISIT OUR MOBILE SITE

FLAT RATE SHIPPING!

\$7.95

KEGGING & CO2

ALL STYLES PIN AND BALL LOCK



USED & NEW KEGS!

HOPS!

30+ VARIETIES



WHOLE & PELLET

PERLICK FAUCETS

STAINLESS & CHROME



\$26.99

MANY STYLES AVAILABLE

MASH TUN COOLERS

W/ STAINLESS MANIFOLD



\$129.99

10 GAL ROUND IGLOO

BREW FOR LESS!

HOME BREW STUFF.COM


GET EVERYTHING.



Wort Production (with malted grains)

Making wort from malted grains gives the brewer the freedom to control the attributes of his or her wort, most notably, its fermentability. You have many options on an all-grain brew day. Some of the options depend on how your brewery is configured, while others allow you to make decisions that impact beer quality.

In this article, we'll discuss making wort from malted grains. In homebrewing terms, this would be described as making wort using all-grain methods. As with extract wort production, there are essentially three phases: Making the sweet wort, making the hopped wort and cooling this wort in preparation for fermentation. Unlike extract brewing, the production of sweet wort is more involved and more time-consuming. Essentially, the process includes soaking the crushed, malted grains in hot water. This is called mashing. Then the liquid wort is separated from the grain solids, and usually the grains are rinsed (sparged) to ensure a reasonable yield of sugars. This is called lautering. There are a number of variables that the brewer can manipulate that influence the quality of wort and quantity of extract achieved. To best understand the process, it pays to review the relevant characteristics of malted grain.



Mashing malted grains produces the sweet wort that must then be separated from the grain solids.

Malted Grains

The most widely utilized grain in brewing is barley, followed by wheat. Although small amounts of unmalted grains are occasionally used in brewing, almost all brewing grains are malted. Malting is a process that readies the interior of the grains for the mash and develops flavors in the husk. Basically, the seed grains are soaked in water until they sprout, then dried to stop any further growth. Then they are kilned (heated in an oven) to develop the bready, toasty flavors of malt — and, in the case of specialty malts, the more darkly roasted flavors of crystal malts and darkly-roasted malts, such as chocolate and black malt. Unmalted (seed) grain is very hard; malted grain is soft enough that it can be chewed. And, since malt can be chewed, you can taste it on brew day to ensure that it is fresh and lacking any of the flavors associated with staleness.

From the brewer's perspective, malted grains contain a starchy interior and a flavorful outer husk. The goal in making wort is to convert as much of the starch into sugar as possible and extract the best flavor compounds from the husks without extracting tannins (husk components that lead to astringency in beer).

The Crush

How finely you crush your malt affects your brewhouse efficiency and the ease with which you can lauter


your grain bed. The more finely you crush, the higher your extract efficiency. However, it becomes difficult to collect wort the more finely your malt is crushed. In addition, excessively finely crushed malt can yield more tannins when mashed and thus give your beer some astringency. Commercial breweries seek to have each husk broken into only two or three pieces and have the starch granules divided into large pieces, small pieces and powder, with large and small pieces each constituting over one third of the total.

If you crush your malt, experiment to find the right balance. Both your mill gap and the speed at which you crush affect your crush. Faster spinning rollers yield more finely crushed malt. The rollers on hand cranked malt mills move slower than is optimum. However, when the mill is powered by an electric drill, the rollers spin much faster than is optimum. To get your rollers moving at an optimal speed, you will need to motorize your mill. (There is an article on that in *The Library*, page 53.) Hand cranking and powering the mill with a drill both work, but you will need to experiment with adjusting your mill gap to get the best crush.

If you are unsure about your crush, for example if you are just trying out all-grain brewing, it is better to err on the side of undercrushed malt. If you crush your malt and all the kernels are broken open, that is enough. This will make lautering as easy as it can be (although you won't get stellar extract efficiency).

Mash Temperature

Mashing has always been an extension of malting. In malting, the rock hard barley seed is transformed into the relatively soft malted barley kernel. Along the way, the seed is modified in many other ways. In the mash, these modifications may continue if the conditions are right. Long ago, brewers needed to begin mashing at lower temperatures — to take care of things like gum degradation or protein modification — before raising the mash temperature to the saccharification



After the mash is finished, the wort is recirculated to clarify it before it is collected.



Sparge water is used to rinse the grain bed, to get a better yield from the malts.

range (148–162 °F/64–72 °C) to convert the starch to sugars.

These days, most malts are made so that all a brewer needs to do is employ a single-infusion mash — a mash with only one temperature rest. Modern malts are sometimes called well-modified malts, to indicate that almost all of the modifications that need to be accomplished have been achieved during the malting process. Undermodified malts, usually Pilsner malts, can be found with a little looking and can be used if you want to do a multi-step decoction mash or other multi-step mash. In this article, I'll focus mostly on single-infusion mashes. See *The Library* (p. 53) for information on other types of mashing.

In a single-infusion mash, the mash temperature is the primary way for a brewer to control the fer-

mentability of the wort. If malts are mashed at the low end of the saccharification range (148–152 °F/64–67 °C), the resulting wort will be highly fermentable. The resulting beer will be dry compared to beers made from higher-temperature mashes. If you want to make an exceedingly dry beer (from wort with a very high degree of fermentability), you can add a rest — up to a couple hours — at 140–145 °F/60–63 °C before raising the temperature into the regular saccharification range. Alternatively, you can extend the mash time to 90 minutes if you are doing a single-infusion mash. Stir the mash as frequently as is feasible. You can also substitute some highly fermentable ingredients (sugar, honey) for part of the grain bill.

If malts are mashed at the high end of the saccharification range (156–162 °F/69–72 °C), the resulting wort will show a low degree of fermentability. The resulting beer will finish at a higher specific gravity and be more filling. If you wish to make a wort with a very low degree of fermentability, employ a short (~20–30 minute) rest at the very top of the saccharification range (160–162 °F/71–72 °C), followed immediately by a mash out to 170 °F (77 °C). Additionally, you can add some relatively unfermentable carbohydrates, such as lactose, to the recipe.

For most beers, you will be striving for an intermediate level of fermentability. The key to achieving this is to pick an appropriate temperature (152–156 °F/67–69 °C) and mash long enough to get a negative result on a starch iodine test. Stir the mash and let the rest go to 30–45 minutes, if it hasn't gone on that long (to improve your efficiency a bit), then mash out.

Mash Thickness

The thickness of your mash also affects the fermentability of your wort. However, this effect is much less pronounced than that caused by the mash temperature. If a mash is exceedingly thick, the starch granules will not quickly or completely dissolve and the enzymes will not be able to diffuse through the liquid and reduce

the starch to sugar. Likewise, in an excessively thin mash, the starch would dissolve, but the distances between starch molecules and enzymes would mean the mash would be slow to convert. In practice, there is a fairly wide window of mash thicknesses in between these extremes that work well. Anything in the 1.0–3.0 qts./lb. (2.1–6.3 L/kg) range will work.

Homebrewers, especially those with limited space in their mash tuns, tend to favor fairly-thick, English mashes around 1.25 qt./lb. (2.6 L/kg). Brewers who make German-style lagers frequently favor thinner mashes, around 1.5–2 qt./lb. (3.1–4.2 L/kg) for dark beers and up to 2.5 qt./lb. (5.2 L/kg) for pale beers. If you are performing a step mash, thinner mashes are easier to stir when the mash is being heated.

Water Chemistry and pH

When you dough in (stir the grains and brewing liquor together), the pH of the mash should settle into the 5.2 to 5.6 range (with the lower half of that range being preferable). Many times, this will happen without any intervention by the brewer if he is brewing a type of beer suitable for his water. The theory behind water chemistry and brewing is beyond the scope of this article, but a few points should be made. (For a more complete description of water chemistry and how it effects your brewing, see *The Library*, p. 53.)

When measuring mash pH, be aware that pH is temperature dependent. If you heat any solution, its pH will drop. As such, if you take a sample from your mash and cool it to room temperature before taking a pH measurement, you will need to subtract 0.35 from your reading to account for the rise in pH that accompanied the cooling of the sample. Cooling your sample is necessary for some pH meters and also helps prolong the life of the probe on many other models.

Arguably, the most important part of water treatment for brewers using municipal tap water is getting rid of

Mash Vessel Size Required for Grain Amounts

max weight of grain	volume of mash vessel
4.0 lbs. (1.8 kg)	2 gallons (7.6 L)
6.0 lbs. (2.7 kg)	3 gallons (11 L)
12 lbs. (5.4 kg)	5 gallons (19 L)
24 lbs. (10.9 kg)	10 gallons (38 L)
36 lbs. (16.3 kg)	15 gallons (57 L)

The more grain you plan to mash, the larger your mash tun will need to be. Here are some suggested mash tun sizes for partial mashing and full mashing.

the chlorine or chloramines used in water treatment. There are two possible ways to do this. One is to use a relatively large activated carbon filter. The filters that are housed under sinks should do the job while smaller filters (for example, the types that attach to a faucet) may not. The other is to add potassium metabisulfite, available at home winemaking shops in the form of Campden tablets. One Campden tablet stirred into 20 gallons (76 L) will almost instantly neutralize any chlorine or chloramines. Because Campden tablets release sulfur dioxide (SO₂), you should let the water stand, loosely covered, for 24 hours to let the rotten egg smell dissipate. (At 1 tablet per 20 gallons/76 L, it's faint.)

Mashing In

There are at least three ways of mashing in, adding brewing liquor (water) to the crushed grains, adding grains to the brewing liquor or adding them simultaneously. Of the three, adding your grains to your mash tun, then stirring in water, is the worst option. Stirring water into dry grains frequently leaves little "malt balls," pockets of dried malt that can be difficult to break up.

However, one small advantage to this method is you do not need to measure your brewing liquor, just keep stirring in water until you hit the correct mash thickness. This also allows you to take the mash temperature when the mash is almost mashed in, but still very thick and — if needed — make small temperature adjustments to your brewing liquor in order

to hit your target mash temperature.

If you fill your mash tun with hot brewing liquor, then stir in the grains, you will likely have no problems with malt balls. Plus, it's a lot easier to stir your mash when performed this way. However, you need to measure the volume of your brewing liquor before you mash in and you do not have an opportunity to manipulate your mash temperature until you are completely mashed in. If you take good notes and are confident that by knowing your brewing liquor temperature and volume, you can hit your target mash temperature, stirring the grains into your brewing liquor is the quickest way to mash in.

A final option is to add the brewing liquor and crushed grains at (roughly) the same time. To do this, take two scoops of each volume. (I use beer pitchers.) If you add three scoops of brewing liquor to your mash tun, followed by two scoops of crushed malt, you can stir the mixture quickly and repeat. If you do this, you will add the malt and brewing liquor nearly simultaneously at a mash thickness around 1.5 qts./lb. (3.1 L/kg). You do not need to stir the grains and brewing liquor together completely for each addition as you will be stirring constantly as you proceed.

Additionally, you can always stir a few extra times when you are completely mashed in. When you are mashed in, your mash will be well-stirred with little temperature variation within the grain bed. This method also allows you to make temperature adjustments as you mash in. When

you reach about $\frac{3}{4}$ of the grains mashed in, take the temperature of the grain bed. It should be very close to your target mash temperature. If it isn't, adjust the temperature of your brewing liquor to hit your target mash temperature.

Stirring

In most commercial breweries, the mash is stirred continuously. This evens out temperature variation throughout the mixture and increases brewhouse efficiency. On a homebrew scale, stirring will do both of these things, but frequently this comes at the price of losing heat to the environment. If you have a heatable mash tun, stirring the mash a few times (say every 10 minutes) and re-establishing the temperature by applying heat will likely increase your extract efficiency. If you are mashing in a cooler, at the high end of the saccharification range (with the aim of getting a less fermentable wort), stirring is not advised due to the inevitable heat loss.

Mash Out

After the mash, you have the option of performing a mash out — raising the temperature of the mash to 170 °F (77 °C) to make the grain bed easier to laut and to greatly slow the action of the enzymes. If you are making wort with moderate to low fermentability, a mash out is highly recommended. If you can't heat your mash tun and don't have the room to stir in boiling water for a mash out, you can begin sparging with very hot water 190–212 °F (88–100 °C) until the grain bed temperature reaches 170 °F (77 °C). At this point, cool the sparge water to hold the grain bed temperature at 170 °F (77 °C).

Collecting Wort and Sparging


Homebrew setups vary wildly and sometimes decisions about brewing techniques end up being made due to equipment limitations. One design-induced decision seen in homebreweries is a failure to heat the wort as it is being collected. This happens when

Boiling the Wort



Boiling sanitizes the wort and coagulates the hot break.

Adding Pellet Hops



The alpha acids in hops are isomerized during the boil.

the mash/lauter tun is placed about waist high (often on a counter) and the kettle is below it, on the floor. Heating the wort as you collect it shortens the brew day, as — if you use continuous sparging and time things right — the wort can come to a boil immediately after you are done collecting it.

Heating the wort also keeps the enzymes from continuing to work on the available carbohydrates, especially if you did not perform a mash out. Continued enzyme action at this point is something you want to avoid unless you are brewing a maximally dry beer. An easy solution to this is to run your wort into a small vessel (a grant, in brewing terms) and empty this into your kettle frequently. On my old homebrew setup, I used two beer pitchers for this purpose. When one was full of wort, I moved the outlet tube from the mash/lauter tun to the

empty pitcher and poured the wort from the full pitcher into my kettle. I adjusted the ball valve on my mash/lauter tun so each pitcher would fill in about 5 minutes; this helped me time the runoff and keep the wort flowing at a constant rate. However, it also made for a very busy brew day.

Whenever sparging is described, using sparge water at 168–170 °F (76–77 °C) is almost always recommended. The idea is that tannins are extracted from the malt at an unacceptably high rate over this temperature. There are two problems with this idea. First, the temperature of your sparge water is not what is important — it's the temperature of your grain bed. Given the small size of homebreweries, mash/lauter tuns can shed a lot of heat while you are collecting your wort. So, heat your sparge water to the point that your grain bed remains at 168–170 °F (76–77 °C) throughout wort collection, especially near the end. Second, tannin extraction is pH dependent. During most of wort collection, your pH will be low enough that excessive tannin extraction will not occur, even at temperatures near boiling.

Some homebrewers advocate lowering the pH of your sparge water by adding acid, based on the relationship between pH and tannin extraction. Adding acid to your sparge water may be appropriate, however, the pH of your sparge water is irrelevant — the pH of your grain bed near the end of wort collection is what really matters. Your mash is relatively acidic and heavily buffered, mostly because of the amino acids in solution, while your sparge water is not. No matter what the pH of your sparge water is, it will become the pH of the wort in your grain bed once it is mixed in. (The Library has an article on buffers, if you are interested.) If you're worried about your pH while sparging, the reading you need to take is the pH of your final runnings. If this climbs above 5.8, stop collecting wort. You need to be vigilant to do this, the pH of the wort you collect will remain relatively constant for awhile (while it is still in the range of

the buffers); then suddenly start to rise. If your water is rich in carbonates, you may need to add acid to your sparge water. However, the pH of the sparge water is not what's important — it's adding enough acid so that you can collect all your wort at under pH 5.8. And, you'll have to find that amount out by trial and error with your water.

Continuous sparging is the most common method of sparging in commercial breweries, although in homebrewing batch sparging may now be more popular. Some homebrewers have given up continuous sparging due to difficulties in getting the flow rate onto the top of the grain bed to equal the flow rate out of the mash/lauter vessel. Others may never have tried because of the perceived complexity, or not wanting to buy the extra equipment (a sparge arm). Continuous sparging, however, can be made very simple if you practice what I call "pulsed sparging." (This may be a needless proliferation of terms, but I think it has some merit at the homebrew scale.) In pulsed sparging, you don't worry about exactly matching the flow rates into and out of the grain bed. Instead, you periodically flood the top of the grain bed with water. At a homebrew scale, this may mean quickly adding a gallon (~ 4 L) or more of hot sparge water on top of the grain bed so that there is a few inches (~8 cm) or more of water above the grain solids. Then, let the liquid level drop so the grain bed is almost exposed and repeat the addition of water. You can use a sparge arm or just pour the water (gently) on top of the grain bed.

How Much Wort to Collect

For any given weight of grain in your grist, there is an optimal volume of wort to collect from the standpoint of extract efficiency and wort quality. At this point, you have sparged the grain bed sufficiently to get a good extract efficiency, but not so extensively that you have extracted excess tannins. The exact grain weight to wort yield ratio depends on a few factors (including your crush and water chemistry),

Water Needed by Grain Weight

grain weight	mash liquor volume	sparge water (for 6.5 gallons/25 L)	sparge water (to fully sparge)
8.0 lb.(3.6 kg)	10.0 qts. (9.5 L)	4.3 gallons (16 L)	2.6 gallons (9.8 L)
10 lb. (4.5 kg)	12.5 qts. (11.8 L)	3.8 gallons (14.3 L)	3.3 gallons (12.5 L)
12 lb. (5.4 kg)	15.0 qts. (14.2 L)	3.2 gallons (12.1 L)	3.9 gallons (14.8 L)
14 lb. (6.4 kg)	17.5 qts. (16.6 L)	2.7 gallons (10.2 L)	5.2 gallons (19.7 L)
18 lb. (8.2 kg)	22.5 qts. (21.3 L)	1.6 gallons (6.1 L)	5.9 gallons (22.3 L)

Water required to mash grains at a thickness of 1.25 qts./lb. (2.6 l/kg) and then either sparge to collect 6.5 gallons (25 L) of pre-boil wort or to fully sparge the grain. Total water usage will be mash liquor plus sparge water plus water retained in "dead spaces" in brewing setup.

but expect to get a minimum of 6 gallons of wort from every 10 lbs. of grain. This works out to 0.6 gallons per pound (5.1 L per kg). If you are using continuous sparging, begin checking your final runnings when you have collected this amount of wort. Stop wort collection when the specific gravity dips below 1.008 or if the pH rises to above 5.8.

In practice, many all-grain brewers simply collect enough wort to yield their target volume after the boil. For example, a brewer may always — regardless of how much grain a recipe calls for — collect 6.5 gallons of wort and reduce it to 5 gallons (19 L) after a 90-minute boil. This actually works well for average-strength (1.040–1.057 SG/10–14 °Plato) beers.

However, for progressively higher-gravity beers, this means more and more sugars are left behind in the grain bed and extract efficiency will get progressively worse. If you are interested in always getting the most from your grain bed, you will need to collect all the wort you can get from your grain bed, then boil this wort to reduce the volume.

Of course, an all-grain homebrewer may be interested in brewing a high-gravity beer, but not conducting a long boil. In this case, collecting only the high-gravity first runnings and boiling for a (relatively) short time is the solution. Shorter boils not only save time but reduce the amount of color pickup in the boil. The only cost is the price of the extra malt.

On the other side of the coin, when brewing a low-gravity beer, you may end up collecting too much wort if you collect your full pre-boil volume. In this case, you should collect all the wort you can, and then add water to make your full pre-boil volume. For example, let's say you usually get 75% extract efficiency and plan to brew 5 gallons (19 L) of dry stout with an OG of 1.038. A reasonable grain bill for this would weigh about 7.5 lbs. (3.4 kg). If you used the ratio above as a guideline, you would collect 4.5 gallons of wort and then begin checking the OG or pH (or both). Once you stop collecting, you would need to add water to yield enough volume to perform a 60–90 minute boil.

The Boil

During the boil, the wort is sanitized, the hot break is formed, dimethyl sulfide (DMS) is volatilized and the alpha acids in hops are isomerized. A lot goes on, but — if you've already decided on the total boil time and the timing of the hop additions — there is relatively little for a brewer to do. If your boil is less than rolling, a little stirring every 5 minutes or so might be helpful. Likewise, when the first bits of foam form at the beginning of the boil, removing the chunks of coagulated protein from it with a strainer can help improve the clarity and flavor of your beer.

One thing you could do is monitor the pH of your boil. Your pre-boil wort is going to have a pH slightly

higher than your mash pH (because the last, higher-pH runnings will raise the pH slightly). However, after the boil, you want your wort to be in the pH 4.2 to 4.4 range. Many times, this will happen naturally. If your boil pH is fine, a visual confirmation is that your hot break will be in the form of big, fluffy flakes.

However, some times you need to adjust the pH. There are two ways to do this. If you have only a half hour left in the boil and the pH has not dropped below 4.5, you can add acid (such as phosphoric acid) until the pH is in the proper range. An easier way to do this is to add a small amount of calcium to the boil. Around 25 ppm calcium ions, from gypsum or calcium chloride is all you need. If you add calcium and suddenly see the hot break turn big and fluffy, you'll know that you have solved the problem.

How hops are added in the boil is another aspect of brewing where opinions diverge. Brewers that use pellet hops sometimes add them directly to the boiling wort while others place them in a bag, so they can be removed at the end of the boil. If you bag your pellet hops, you need to leave plenty of room for them to expand. Don't fill more than one third of the bag with pellets. Even filled loosely, however, adding the hops in a bag may limit your hop utilization. On the other hand, if you simply add the hops to your kettle, you will have to find a way to deal with the hop debris when the wort is cooled and being

Conditioned Milling

In homebrewing, malt is almost always crushed dry, using a two-roller mill. In larger commercial breweries, four or six roller mills may be employed and sometimes the malt is wetted before crushing.

In conditioned dry milling, malt is exposed to steam or sprayed with 86–95 °F (30–35 °C) water for 1–2 minutes prior to milling. Due to this treatment, the moisture content of the husks rises by couple percentage points.

In steep conditioning, the malt is sprayed with water at 140–158 °F (60–70 °C) for 50–60 seconds prior to milling. The hotter water results in faster water uptake by the husks, which reach up to 22% water by the end of the steep. (The moisture content of the interior of grain should not rise more than 1%.) For every 10 kg of malt, about 6 L of water is used. As much as half of this water, however, is not absorbed by the grain.

If you are an advanced all-grain brewer that has had problems with small husk particles, astringency or slow runoff when using finely-crushed malt, you may want to experiment with conditioning your malt. There are a couple ways you can approach this.

Conditioning with Steam

To wet your malt with steam, you'll need a large steeping bag and a heatable lauter tun with a false bottom. Add water to your lauter tun until it is just below the level of the false bottom and bring it to a strong boil. Place your (uncrushed) malt in the steeping bag and lower the bag into the lauter tun. During the next 2 minutes, steam from the boiling water will be forced up through the grains. Open the bag, take your mash paddle and stir the malt gently while it is being steamed. Put a lid on the vessel when you are not stirring. After the steaming period, lift the bag out and stir the malt for about a minute, then begin milling. The boiling water in the lauter tun can be returned to your hot liquor tank.

Conditioning with Hot Water

To wet your malt with hot water, you will need essentially the same set-up as with steam conditioning, but your lauter tun does not need to be heatable. You will also need a way to spray or sprinkle the water over the grain. A watering can, as used by gardeners, or a sparge arm will work fine. In this case, instead of boiling water below the malt, you will be sprinkling hot water over the top of it. Measure out roughly 6 L of water for every 10 kg of malt — about 3.5 gallons per 10 lbs. — you are conditioning. Heat your water to 158 °F (70 °C) and sprinkle it over the malt for 50 seconds, aiming to pour out the entire volume evenly during that span. Let the excess water drain into the space. Let the malt sit for a minute or two, then crush it.

the boil. Some spigotted brewpots have a built-in strainer designed to screen out pellet hops, and these are also sold as add ons. If you bag the hops, they won't expand as pellet hops do, but you still need to give them room for wort to flow past them. Don't fill the bag more than half full.

You can make quality beer with either pellet hops or whole hops. On brew day, your main concern is how to deal with them after the boil.

Wort Chilling

After the boil, you need to chill the wort to the point that you can pitch the yeast into it without stunning or killing them.

Homebrewers typically use an immersion chiller or either a counterflow wort chiller or plate chiller. Any of these will chill your wort, but the different methods affect your beer.

An immersion chiller chills your wort in bulk. As you chill, the wort eventually falls through a temperature range (from 160–120 °F/71–49 °C) in which wort contaminants are no longer killed by the heat and can in fact grow quickly in the warm environment. You should cover your kettle when the wort is passing through this temperature range to minimize the amount of airborne contamination.

If you are using a counterflow or plate chiller, the surface of your wort in your kettle is always going to be near boiling, so you don't need to cover it as you chill. This type of chiller also forces you to decide what to do with the cold break, as it is not left behind in the kettle as with an immersion chiller. After the cold break settles, it is best to separate the wort from it. If you have a conical fermenter, this is as easy as opening the valve at the bottom of the cone for a moment.

Finally, using a counterflow or plate chiller allows the late addition hops, and especially the hops added at knockout, more contact time with near boiling hot wort. Switching between chiller types on different brew days can alter the late hop flavor and aroma of a beer brewed with the same recipe.



An immersion chiller is a heat exchanger that will rapidly cool the wort.

transferred to the fermenter. As such, you may need to leave behind some wort to avoid transferring too much "gunk" to your fermenter. (If you have a hop back, you can avoid this problem by letting it filter out the hop debris and trub.) Longer settling times allow the hop debris and trub to compact more at the bottom of the kettle, and whirlpooling the wort will ensure that the material is deposited in a cone near the center of the kettle.

If you add pellet hops directly to your wort, they have a tendency to cling to the side of the brew kettle, just above the wort line, after they dissolve. Be sure to knock these back down into the wort as the boil proceeds. They aren't contributing anything to your wort while they are clinging to the side of the pot.

Brewers using whole hops need a way to strain them out at the end of

ANNAPOLIS

HOME BREW

Serving Washington/Baltimore (and shipping nationwide!) since 1997

Famous beer kits
Wyeast & White Labs
Over 100 grains
Over 100 hops
Draft beer & kegging
Tons of equipment!
Lots of wine kits
Mead, soda, & cider too.

FEATURED RECIPE: AMERICAN STRONG ALE

A customer favorite! Full-bodied beer with plenty of hops and flavor from crystal malt, chocolate malt, honey malt, and special roast. Choose malt extract with steeping grain, partial mash, or all-grain.



\$7.95 Flat Rate Shipping

www.annapolishomebrew.com
800.279.7556



Brew-Magic™

by SABCO



Fermenters and
Storage Vessels




Chill-Wizard
System

SABCO
produces only
pro-level equipment.

Fortunately, amateurs
can afford it too!

Thinking about
graduating from the rank of homebrewer
to semi-pro or even higher? Consider
SABCO for equipment designed by
professionals for professionals.
Brew with the Best!

Visit BREW-MAGIC.COM now for
seasonal deals to make you drool!



Frames



Brewing Systems



RIMS-WIZARD
Controller System



Proud Member of:



SABCO
BREW-MAGIC.COM
419-531-5347

GROG TAG

CREATE
CUSTOM
BEER LABELS
ONLINE

CUSTOMIZABLE
REUSABLE
WRITE-ON-ABLE
WIPE-OFF-ABLE



grogtag.com

CUSTOM REUSABLE BEER & WINE LABELS

ENTER 'WINTERBREW' AT
CHECKOUT AND SAVE 10%



Fermentation and Conditioning

Running a healthy fermentation depends on pitching an appropriate amount of healthy yeast. Beyond that, creating proper wort conditions (with respect to aeration and nutrition) and controlling your fermentation temperatures are the keys to success. How you treat your yeast is a huge factor in determining beer quality.

In this stage of brewing, the brewer must create the proper conditions that allow the brewers yeast to transform the hopped wort into beer. After fermentation, brewers may also need to set the correct conditions for the yeast to clean up some molecules produced during fermentation (esp. diacetyl).

Trub Carryover

At the end of the boil, wort has a lot of coagulated protein and tannin in it. The large, fluffy bits floating in the otherwise clear wort are called hot break. While the wort is being cooled, more protein and tannins will come

out of solution. This material, called cold break, is composed of smaller clumps and gives the wort a cloudy appearance. Collectively, this — along with other solids formed in the boil — ends up at the bottom of your kettle and is called trub. You can separate this material from your wort before fermentation, but should you?

Hot and cold break can be left behind in the kettle by chilling the wort and allowing it to settle before racking the wort off the top of it and into the fermenter. Likewise, if you are using a hop jack, the hot break can be screened out prior to chilling with a counterflow or plate chiller. Some homebrewers rack their chilled wort first to a temporary holding vessel (bucket or carboy), and then later to their fermenter. This will allow all the break material — whether hot and cold break, or just cold break — to be separated from the wort. Getting rid of every last bit of break material does yield clear wort. In addition, if you were to transfer all or most of the break material to your fermenter, it would add off flavors to your beer. However, studies have shown that a small amount of trub carryover contributes to yeast health. Trub contains zinc and other nutrients as well as unsaturated fatty acids that may partially decrease the amount of aeration required. It may also serve as a nucleation site for CO_2 , which would lower the concentration of dissolved CO_2 in your fermenting beer and in that way

lead to increased fermentation vigor. As a homebrewer, your best bet is to proceed as if you planned to separate out all the trub, but then let just enough break material through to slightly cloud the wort. If you chill your wort in your kettle, let the wort sit until the break material is almost completely settled, then transfer the clear wort to your fermenter. At the end of the transfer, let a little bit of cloudy wort transfer.

If you use a counterflow chiller, let the wort sit and settle in a temporary vessel before transferring it to your fermenter. Allow enough of the cold break to transfer to very slightly cloud your wort. If you ferment in a cylindrical-conical fermenter, let the cold wort sit in the fermenter for an hour or so, then dump the trub out the bottom before proceeding with aeration and pitching.

Aeration

Once your wort is chilled, it is time to aerate it. For some homebrewers, this is done simultaneously. If you have a counterflow or plate chiller with an aeration stone placed on the wort outflow side, you can aerate your wort as it flows into your fermenter. Or, as is more common, you can aerate the wort using an aeration stone and bottled oxygen or an aquarium pump. Frequently, brewers place a HEPA filter between the stone and the source of air or oxygen to ensure no microorganisms enter the wort through their aeration efforts.

Aeration is an important step, but unfortunately homebrewers do not have an inexpensive way to measure oxygen levels in wort. Dissolved Oxygen (DO) meters have come down significantly in price in recent years, but are still more expensive than the grade of pH meters most homebrewers use. Optimally, wort should be aerated so that it contains between 8 and 10 parts per million (ppm) dissolved oxygen.

Unfortunately, there is no simple way to describe how to reach a given level of aeration in a batch of wort. You can stipulate that the wort be aerated for a certain amount of time,




Letting a small amount of trub carry over into the fermenter will nourish the yeast.

Yeast Starter Size By Pitching Rate

Original Gravity Of Beer (°Plato)	Ales (low optimal) 0.75 million cells/mL/°Plato	Ales (high optimal) 1.0 million cells/mL/°Plato	Lagers 1.5 million cells/mL/°Plato
8 °Plato	1.2 qts. (1.1 L)	1.6 qts. (1.5 L)	2.4 qts. (2.3 L)
9 °Plato	1.3 qts. (1.3 L)	1.8 qts. (1.7 L)	2.7 qts. (2.6 L)
10 °Plato	1.5 qts. (1.4 L)	2.0 qts. (1.9 L)	3.0 qts. (2.8 L)
11 °Plato	1.6 qts. (1.5 L)	2.2 qts. (2.1 L)	3.3 qts. (3.1 L)
12 °Plato	1.8 qts. (1.7 L)	2.4 qts. (2.3 L)	3.6 qts. (3.4 L)
13 °Plato	1.9 qts. (1.8 L)	2.6 qts. (2.5 L)	3.9 qts. (3.7 L)
14 °Plato	2.1 qts. (2.0 L)	2.8 qts. (2.6 L)	4.2 qts. (4.0 L)
15 °Plato	2.2 qts. (2.1 L)	3.0 qts. (2.8 L)	4.5 qts. (4.3 L)
16 °Plato	2.4 qts. (2.3 L)	3.2 qts. (3.0 L)	4.8 qts. (4.5 L)

Suggested yeast starter sizes for various pitching rates and wort concentrations. This assumes that you raise 100,000,000 cells/mL in your yeast starter. To do this would require a well-aerated starter. Other pitching rate calculators yield different results.



Aeration is important, but measuring wort oxygen levels requires an expensive meter.


but this doesn't account for the flow rate of the gas or the size of the holes in the aeration stone. Even if you could measure the volume of gas pumped into the wort, you have no easy way to determine how much has been retained. This depends on a few variables, including temperature. Gas dissolves more slowly the colder the wort is (although the capacity to hold gas goes up with lower temperatures)

whereas swirling the fermenter while aerating increases gas diffusion.


Still, some basic guidelines can be given, and homebrewers can infer if they work or not by observing their fermentations. Generally, with a stainless steel airstone, 1 to 2 minutes of oxygenation — during which a constant cloud of tiny bubbles is coming from the airstone — should be enough to aerate a batch of beer. Likewise, 5 to 10 minutes of air (for example, pushed by a fish tank aeration pump) should get you to the minimal required level. It is possible (albeit unlikely, if you are following "normal" aeration procedures) to overaerate a batch using oxygen, but not with air.

Homebrewers need to take care to monitor their fermentations early on to see if the yeast have received adequate aeration. Adequately aerated ales should start fermenting within 24 hours. Lagers should start fermenting within 36 hours. The amount of time until a fermentation starts also depends on the yeast strain, pitching rate, wort temperature and level of wort nutrients, and therefore can vary quite a bit. Start times can be

much sooner than the times given earlier, especially with healthy yeast at higher pitching rates. Incidentally, after aerating your wort, gas will begin diffusing out of solution and back into the atmosphere. For this reason, have your yeast ready to pitch immediately after aeration.




If you make a yeast starter, you will know your yeast are healthy when pitched.



Rehydrating Dried Yeast

For best results, rehydrate your dried yeast in water prior to pitching.



Pitching Yeast From A Starter

Pitching yeast from an appropriately-sized starter should yield a proper pitching rate.

Yeast Nutrition

As well as having enough oxygen, yeast also need a healthy amount of nitrogen, vitamins and minerals. For most all-malt beers, this is not a problem. If a wort is deficient in anything, it is likely zinc. Adding commercial yeast nutrients — at a rate ranging from half to the full manufacturer's recommended rate — during the boil will almost always solve the problem.

Pitching Rates

You need to pitch an adequate amount of yeast to get your fermentation to start in a reasonable amount of time, proceed in an orderly fashion and reach a reasonable final gravity (given the fermentability of your wort). A pitching rate of 1 million cells

per mL per degree Plato is frequently cited as the standard rate for ales, although some sources give a lower rate. For a 5-gallon (19-L or 19,000-mL) batch of beer at 12 °Plato (SG 1.048), this would be 228 billion cells. The optimal pitching rate for lagers is often given as twice this, although again lower rates can be found in the professional literature.

To accurately measure the amount of cells, you need a microscope, a special kind of slide called a hemacytometer (designed to count blood cells) and a vital stain (methylene blue). As most homebrewers do not have this equipment, most rely on pitching a given weight or volume of a yeast slurry, pitching yeast from a yeast starter of a given volume or by pitching multiple packages of commercial yeast based on their cell counts.

For a 5-gallon (19-L) batch of moderate-strength ale, a long-standing rule of thumb has been to pitch a cup of yeast slurry. For homebrewers repitching yeast from the bottom of a fermentation bucket or carboy, this often works well because the density of yeast cells in the slurry immediately after fermentation is relatively low. This yeast sample will be liquid-like and colored with trub and hop debris that settled along with the yeast. If you harvest healthy yeast and let it settle overnight in your refrigerator, about one-third this volume ($\frac{1}{3}$ cup/80 mL) would be satisfactory. Yeast selected this way will be creamy to pasty in consistency. And, since the trub and hop debris will sediment in separate layers, it is relatively easy to use only yeast slurry, which will be off white in color.

If you are making a yeast starter, you can estimate the amount of cells you will raise from a given volume of starter wort. The density of yeast in a well-aerated yeast starter would vary depending on yeast strain and other variables, but 50,000,000 cells/mL to 100,000,000 cells/mL is not an unreasonable estimate. If you calculate the total number of cells you need to pitch, simply divide this number by the density of your yeast starter to yield the size of the yeast starter (in mL).

Or, see the table on page 41 for starter sizes for three different pitching rates over various original gravities from 8 °Plato to 16 °Plato. The website mrmalty.com also has a calculator that suggests a suitable yeast starter volume for a given volume and gravity of wort. A rule of thumb *BYO* has used in the past is that, for moderate-strength ales, a 2 qt. (2 L) yeast starter is optimal. Mrmalty returns a value of half of this (for yeast starters initially aerated with oxygen), indicating that those calculations are based on slightly different assumptions. In reality, yeast density varies depending on yeast strain, aeration of the medium, nutrient availability and other things. If you aren't counting your yeast, you are relying on assumptions you can't test. In practice, however, beer is fairly forgiving; if you raise a healthy yeast starter and are within the ballpark of the optimal pitching rate, your beer will likely be fine.

If you are using dried yeast, making a yeast starter may be counter-productive. Dried yeast has a high amount of glycogen stored in it, and making a yeast starter (especially if the starter is too small) may deplete that store of glycogen. When using dried yeast your best option is to rehydrate the yeast in water immediately before pitching. Don't rehydrate in wort (or any sugary liquid) as this is actually worse for the yeast.

Higher pitching rates generally lead to faster starts, quicker finishes and higher attenuation. In addition, the amount of yeast character is lower in beers pitched at a high rate. If you are brewing a beer that benefits from some yeast character (esters, etc.), as is the case in most English and Belgian ales, pitching at a less than optimal rate will help accentuate the yeast byproducts as these are mostly formed when the yeast are multiplying, as opposed to when they are at a roughly constant number and fermenting. If your yeast is healthy and your sanitation is adequate, cutting the pitching rate in half (or even to one quarter) of the optimal rate can be done without too much risk. At half the optimal pitching rate, the

Stick-On Thermometer



A stick-on thermometer's reading gives you a fairly good idea of the temperature of the fermenting beer, as opposed to the surrounding environment.

Aerating with Olive Oil

The fundamentals of brewing stay fairly constant, but brewing technology is always changing. Brewers constantly try new ways to make brewing better, faster or more economical. New ideas are constantly filtering into the homebrewing community and sometimes it's fun to try out a new concept.

One such new idea arose several years ago — “aerating” your wort with olive oil. Wort aeration benefits brewers yeast because they take in oxygen and use it for sterol synthesis and unsaturated fatty acid synthesis. The idea behind olive oil aeration is, instead of the yeast taking in oxygen and converting it into these compounds, why not supply the yeast with them directly? Not only would the yeast be healthy, but the use of oxygen could be lessened or eliminated, reducing the risk of staling in finished beer. Olive oil is rich in oleic acid, a fatty acid that yeast could use or possibly also convert into other unsaturated fatty acids.

Grady Hull (of New Belgium Brewing Co, Fort Collins, Colorado) experimented with this idea and found that by adding 1 mg of olive oil per 25 billion cells in the yeast propagator, 5 hours prior to pitching the yeast, he could get unaerated wort to ferment in a similar time frame as aerated wort and produce beer that did not taste different than beer made from aerated wort.

A 2 qt. (2-L) yeast starter would contain about 250 billion cells, so you would only need 10 mg of olive oil (a tiny amount) to do this at home. Measuring that amount would be very difficult, and you don't want to add too much as oil has a negative effect on head retention. What some homebrewers have done is dipped a sanitized needle into olive oil and swished that into their yeast starter. Shake well to disperse the oil as best you can and allow the starter to work as you normally would.

yeast only have to multiply once to reach the same density as if they were pitched at the optimal rate.

Pitching Temperature

When you pitch your yeast, you should take care not to thermally shock them. In general, your pitching yeast should be within 10 °F (5 °C) of your wort temperature. If you brew lagers and raise your yeast starter at room temperature, cool the starter solution in your fermentation chamber (which should be set to a couple degrees below your planned fermentation temperature). Yeast are a little more forgiving when they are cold and pitched into a warm wort.

Temperature Control

Once the yeast have been pitched, the main goal of the brewer is to maintain the temperature of the fermentation to produce the best beer. Beer yeasts grow best at temperatures above that which produces a quality beer. Most ale yeasts produce the best beer at 65–72 °F (18–22 °C) and most lager yeasts work best at 50–55 °F (10–13 °C). In some Belgian ales, fermentation temperatures are allowed to climb much higher than in English ales (up to 85+ °F/29+ °C).

The most common way to maintain proper fermentation temperature at a homebrew scale is to place the fermenter (bucket, carboy or stain-

less steel fermenter) in an environment that is a few degrees colder than the planned fermentation temperature. Some times this simply means placing an ale in a cool spot in the basement. Other times it means placing the fermenter in a fermentation chamber made from a freezer or fridge and an external thermostat. At high kräusen, the environmental temperature may need to be lowered an extra degree or two to keep the desired temperature constant.

Likewise, the temperature may need to be raised to the target fermentation temperature near the end of fermentation as yeast activity slows. A stick-on thermometer affixed to the fermenter is a common way to measure beer temperature as it ferments. These are not very precise, but are inexpensive and give brewers a good idea of the beer temperature to within a degree or two.

Blow Off Tubes

Vigorous fermentations can produce so much kräusen that it rises and pushes out of the fermentation vessel through the airlock. One solution to this is to affix a blowoff tube. A blowoff tube will also remove some of the bitter compounds that get pushed up by the kräusen and cling to the inside of the tube or are expelled into the water lock. If you are brewing a malt-focused beer, this can help you achieve a smoother bitterness. In contrast, if you're brewing a double IPA, you might not want to lose those compounds. If you expect a vigorous fermentation, choose a fermenter with a headspace volume that will let you retain or blow off the kräusen, according to your desires.

Clean Up

After any fermentation, but especially lager fermentations, the yeast may need to mop up excess diacetyl. Don't ever rush to separate the beer from the yeast the minute that fermentation is complete. If you are using a diacetyl prone yeast, don't rack the beer off the yeast until you've sampled it and confirmed that the diacetyl is gone.



Did you know
**The company
that brings you**



**PBW™
and
StarSan™**

also makes



**5² Ph Stabilizer™
and
SuperMoss HB™**

**Visit your local
homebrew store to find
these great products.**

Biodegradable, Effective
& User-Friendly

**Five Star Chemicals
& Supply, Inc.**

(800) 782-7019

www.FiveStarChemicals.com



Shop 24/7/365
HomeBrewIt.com

Retail Store Hours:
W - F: 10-6 / Sat: 10-4


Quality Products - Expert Advice - HomeBrewIt.com
Sponsor of the Indiana State Fair Brewers Cup

*Homebrewing Supplies & Equipment for
Beer - Cheese - Soda - Liquor - Wine*
www.HomeBrewIt.com

Retail: 108 S. Elkhart Ave., Elkhart, IN 46516
Office: 530 E. Lexington Ave. #115, Elkhart IN 46516 ~ (574) 295-9975

Serious Programs for Serious Brewers

Accredited by the IBD, UC Davis Extension
is the only school in North America providing
university-level qualification in brewing science and
brewery engineering. So if you're passionate about
brewing, visit our website to learn more about
our professional brewing programs.



www.extension.ucdavis.edu/brew



Post Fermentation and Packaging

After fermentation, the beer needs to be packaged into bottles or kegs. The beer must also be carbonated to the correct level. For the best results, the beer should be exposed to as little oxygen as possible during the transfer and subsequent storage. Minimizing oxygen uptake by the finished beer will prolong its shelf life.

After biological fermentation — the conversion of sugars to alcohol and carbon dioxide — has finished, most beers are conditioned for a period of time during which the yeast and other solids drop out of solution and some molecules are taken up by the yeast. After this conditioning time, which may be only a few days for some ales but up to a few months for some lagers, most beers then go to the packaging stage. In some cases, however, the brewer wants to add additional flavors or aromas post-fermentation. Two examples of this would be dry hopping or adding fruit to make fruit beer.

In dry hopping, hops are added to

the beer in the fermenter. This can be done in the primary fermenter, when the beer is racked to secondary or in the keg. Dry hopping adds hop oils to the beer, providing a boost to the hop aroma. They are generally added after active fermentation has ceased to minimize the loss of hop oils. The contact time varies, from a few days to a couple weeks.

Whole hops are often used for dry hopping, but there is one potential drawback to using them — the air trapped between the bracteoles in the hops will add oxygen to your beer. If you dry hop immediately after fermentation, much of this oxygen will be scavenged by the yeast. But generally it is advisable to keep beer away from oxygen as much as is possible.

One way to get this entrained air out of your hops is straightforward. Take a pellet or two of dried ice (frozen CO_2) and place it at the bottom of a Corny keg, place the (bagged) whole hops on top of the dry ice and set the lid on the keg. (Don't affix the lid, just let it rest on top of the oval.) The dry ice will sublimate and fill the keg with CO_2 , replacing most of the oxygen in the hop cones.

When making a fruit beer, there are many opportunities to add the fruit. Some recipes call for the fruit to be added to the boil, while others call for the addition to come in the primary or secondary fermenter. Adding whole fruit in the secondary fermenter has the benefit of preserving

the aroma of the fruit, but the drawback that the fruit is not sanitized.


Many homebrewers therefore wonder if whole fruit needs to be sanitized before adding it. Generally, this is not needed. Although whole fruit harbors wild yeast on its exterior, these generally do not cause a problem in the beer. Fruit added after primary fermentation is going into a solution (beer) with a fairly low pH and an alcohol content that kills most microorganisms. Likewise, the brewers yeast will be reinvigorated by the sugars from the fruit addition and a brief period of fermentation will occur during which most other organisms will be competitively excluded. It is a good idea to wash your fruit before adding it, something that doesn't require too much effort at a homebrew scale. Additionally, sort through your fruit and discard any with damaged skin. And of course, canned fruit (purees, etc.) should be biologically stable and can be added without worry of contamination.

Bottling

Bottling is a fairly time-consuming part of homebrewing. You need to clean and sanitize all the bottles, then fill and cap each one. Bottling is also rewarding. When you put those two cases of homebrew in your closet to condition, there's a sense of accomplishment — and anticipation.

When bottling homebrew, there are two major goals. First, you want to carbonate the beer to the correct level. Second, you don't want to prime the beer to stale quickly by introducing oxygen as you bottle.

After fermentation is complete, most of the carbon dioxide generated by fermentation will have bubbled out of solution, but a small amount will remain dissolved in the beer. How much depends on temperature. A beer that fermented at a steady 72 °F (22 °C) is going to contain slightly less CO_2 than one fermented at a steady 68 °F (20 °C), about 0.80 volumes of CO_2 and 0.85 volumes of CO_2 respectively, because gases are more soluble in colder liquids. However,



A homebrewer filling a 22-oz. (650-mL) bomber of beer.

Photo by Dave Louw

Bottles Per 5-gallon (19-L) Batch

Package Size English (metric)	Batch Size 5 gallons (19 L)	10 gallons (38 L)	15 gallons (57 L)
12 oz. (355 mL)	53	106	160
16 oz. (473 mL)	40	80	120
22 oz. (650 mL)	29	58	87
1 qt. (946 mL)	20	40	60
2 qt. (1,900 mL)	10	20	30
5 gallon (19 L)	1	2	3

The table lists how many bottles or kegs of various sizes it would take to package three common batch sizes for homebrewers. Numbers are rounded to the nearest bottle.

even at lager temperatures the amount of carbon dioxide retained is below the level of carbonation of English ales.

Homebrewers commonly transform fermented, lightly-carbonated beer into fully-carbonated beers one of two ways, by bottle conditioning or by forced carbonation.

In bottle-conditioned homebrew, the beer is primed with a small amount of fermentable sugar and then sealed. The carbon dioxide created during the fermentation of this sugar is trapped in the sealed bottle.

Many older homebrew sources cite a single amount of corn sugar for priming a 5-gallon (19 L) batch, usually $\frac{3}{4}$ cup. This produces a level of carbonation suitable for English ales. For more control over your level of carbonation, you need to consider the residual level of carbonation and then add sugar to reach your target level, which will vary for different beers.

From the chart on page 47, read the residual level of carbonation in your beer, based on your fermentation temperature. Then subtract this amount from your target level of carbonation. That is the amount of carbonation you need to generate during bottle conditioning. You can get that amount from the chart (or see the charts at www.byo.com/resources/carbonation).

To prime your beer, dissolve the sugar in the least amount of hot water possible, then simmer for 5 minutes

(you don't want to darken the sugar extensively). You should put the priming sugar into your bottling bucket first (and it doesn't matter if it's still hot), then siphon your beer into it with as little splashing as possible. Siphoning the beer into the priming sugar so the mixture swirls should ensure that it is mixed in thoroughly. To make sure, give the beer a slow stir or two with a sanitized spoon. (Don't stir too vigorously as that just allows more oxygen to enter the beer.) Then, bottle as quickly as possible. The longer the beer sits in the bottling bucket, exposed to air, the more oxygen will get into your brew. You don't need to rush, but have everything ready to go — sugar heated, bottles, caps and capper handy — when you open the fermenter and begin siphoning the beer into the bottling bucket. Cap the bottles, with oxygen-absorbing caps, as each bottle is filled.

If you have a kegging system, you can add a squirt of CO_2 to your bottling bucket before you siphon the beer in, and then again once it's full. If you cover the bucket with aluminum foil, you will trap much of the CO_2 and this will provide a partial barrier against oxygen. You could also try putting a pellet of dry ice in a nylon bag and letting it hang in the bottling bucket above the level of the beer. The cold CO_2 would drift down over the surface of the beer and offer some protection. Don't drop the dry ice into the beer, though, or you'll make a beer

geyser and potentially lose some beer.

With the right amount of priming sugar in the beer and the beer bottled and capped promptly, the yeast is ready to carbonate your beer. For best results, store the beer relatively warm for about 2 weeks. Around 75–80 °F (24–27 °C) would be great for most beers. When two weeks is up, take one beer as a test and place it in the fridge overnight. Open it the next day and check the carbonation levels. If it's OK, move the rest of the beer to cooler storage — preferably at refrigerator temperatures, but anything below ale fermentation temperatures will be adequate.

Kegging

The most popular alternative to bottle conditioning homebrew is kegging it in Cornelius (or Corny) kegs. These kegs, with the 5-gallon (19-L) size being the most common, are the right size for most homebrewers and are more convenient for most homebrewers. Although moderately expensive, it takes much less effort to rack a 5-gallon (19-L) batch of beer into a single Corny keg than it does to put it into 53 12-oz. (355-mL) bottles. Plus, you force carbonate beer in a keg and even adjust the carbonation level as needed.

As with bottling, you want to minimize the amount of oxygen the beer is exposed to. When kegging, there is one way that works well. Fill your clean, sanitized keg completely

Residual Carbonation and Priming

Fermentation Temperature °F (°C)	Volumes CO ₂ (residual)	Priming Sugar (corn sugar) [weight/5 gal (19L)]	Volumes CO ₂ (bottle conditioning)
50 °F (10 °C)	1.15	1.0 oz. (28 g)	0.34
53 °F (12 °C)	1.09	2.0 oz. (57 g)	0.68
56 °F (13 °C)	1.04	3.0 oz. (85 g)	1.02
59 °F (15 °C)	0.988	4.0 oz. (113 g)	1.36
62 °F (17 °C)	0.940	5.0 oz. (142 g)	1.70
65 °F (18 °C)	0.894	6.0 oz. (170 g)	2.04
68 °F (20 °C)	0.850	7.0 oz. (198 g)	2.37
71 °F (22 °C)	0.807	8.0 oz. (227 g)	2.71
		9.0 oz. (255 g)	3.05

with water, then use CO₂ pressure to completely empty the keg. You now have a keg that contains only CO₂. Rack the beer quietly to this keg, keeping the lid of keg loosely set over the opening (or cover the opening with aluminum foil) and you will rack the beer in under a cover of CO₂.

Seal the keg as soon as the beer has transferred and apply CO₂ pressure (only a few PSI is needed), and pull the pressure relief valve a few times. Each time, some headspace gas (which will have a small amount of oxygen in it) will exit the keg and be replaced with pure CO₂. A few spurts of CO₂ will adequately purge the headspace and your beer will be less prone to stale quickly.

There are many ways to carbonate a keg of homebrew. These include bubbling CO₂ through the beer with an aeration stone, agitating a keg under high CO₂ pressure on the beer, letting the beer set under the correct serving pressure and priming the keg with sugar as you would during bottle conditioning. Unfortunately, there are no simple ways to measure the amount of CO₂ in homebrew. As such, the most common methods of quickly carbonating kegs — by injecting CO₂ or shaking the keg — involve some guess work or prior experience to work properly.

Waiting for the keg to carbonate

by storing it at the appropriate temperature and CO₂ for a given carbonation level is much more accurate and repeatable, but takes more time. The same thing goes for priming with sugar. For many homebrewers, a hybrid method produces results that split the difference between being extremely quick and more controllable. For example, the brewer will inject CO₂ (or shake the keg) to a degree that experience has taught him will give him slightly less carbonation than needed, then let the keg set at the appropriate temperature and pressure for a few additional days to settle into the right carbonation level.

Another benefit of kegging is that you can counterpressure bottle your beer. Counterpressure bottling involves transferring carbonated beer from a keg to a bottle. The beer is under CO₂ pressure during the transfer, so carbonation of the beer is maintained. (The bottling apparatus is removed before the bottle is capped, so a little CO₂ is lost, but this can be compensated for by slightly overcarbonating the beer destined to be bottled.) Counterpressure bottling is a way to produce sediment-free bottles of homebrew, and many homebrewers use this method to package a few beers from their kegs to take to homebrew meetings (or other parties) or to send to homebrew contests.

As with packaging bottle conditioned beers, limiting the amount of oxygen the beer is exposed to is advised. With counterpressure bottling, there is a simple way (in theory) to do this — cap the beer over foam. The idea is to fill the beer, then — when the bottling apparatus is removed from the bottle — induce the bottle to produce just enough foam to flow out the opening. The crown cap is then placed over the foam and very little oxygen has entered the beer, compared to a bottle capped over an empty headspace. Getting the beer to foam on command isn't always easy, however. If a bottle has not produced enough foam to cap over, lightly tapping the bottom of the bottle against a hard surface will induce it to foam. This can lead to uncontrollable gushing, however, if you rap the bottle too hard.

Once beer is bottled or kegged, store it so it lasts as long as possible. Your best option is to store the beer refrigerated. Your next best bet is to store the beer as cool as possible at a steady temperature. The amount of time homebrew will keep is dependent on many factors. These include the level of contamination in your beer, how well you managed to keep oxygen away from the beer, whether it's bottle conditioned, the strength of the beer and other variables.

MAKE YOUR OWN HOME

800-321-BREW (2739)

*We offer a free catalog.
Friendly knowledgeable advice as well.*

WWW.HOMEBREWERY.COM

**WE SELL EQUIPMENT AND INGREDIENTS
FOR MAKING YOUR OWN BEER, WINE, MEAD,
CIDER, SODA AND CHEESE.**

*In Ozark, Mo
Since 1984*



Home Beermaking by William Moore

Home Beermaking has sold over 485,000 copies since first being published in 1980. This completely rewritten 4th edition includes updated recipes for everything from Honey Cream Ale to Belgian Triple. A classic beginner's book. Available now at fine home brewing retailers.


As seen in the White House YouTube® home brewing video!

Distributed to retailers by:

L.D. Carlson Company
800-321-0315
ldcarlson.com

Brewmaster Inc.
800-288-8922
brewmasterinc.com

New 4th edition



Brewcraft USA
877-355-2739
brewcraftusa.com
Crosby & Baker
877-675-9463
crosby-baker.com

Northwest Specialty Co.,
253-581-0537
nwspecialtyco.com

Hobby Beverage Equipment Co

www.minibrew.com

Announcing


Dan & Dan

Canadian Distributor

Avoid the Importation Hassle

Call 418 800 5285 - dananddan@videotron.com

Fermenters - Mash Tuns - Hot Liquor Tank



New Affordable Mash Tun 6.5 Gallon

The f6.5b fermenter has a new stand

See www.minibrew.com for details

info@minibrew.com - 951 676 2337 - free catalog

Easily clean Corny kegs, carboys and brew pails



Spend your time brewing beer - not cleaning your equipment!
Clean and sanitize large brewing vessels and tubing as you go. Never have to clean a dry, crusty carboy again!

**MARK'S
KEG WASHER**

Check www.kegwasher.com for a listing of
dealers who stock Mark's Keg Washer.
If your local dealer doesn't carry it, request it.



Calibration and Conclusion

Homebrewers have a variety of tools at their disposal — including hydrometers, thermometers and pH meters — to measure important variables during the brew day. It is important that these be calibrated, so that you can have some confidence in your measurements. Fortunately, calibration is not very difficult. Here's how:

One theme running through this collection of articles is that we can't always easily measure what we want in homebrewing. However, there are several instruments with which we can get adequately precise measurements. In this article, we'll learn how to calibrate the key tools in a homebrewing lab.

It's the (Density of) Water

Density is the weight of an object divided by the volume it occupies. Water has a density of one kilogram (kg) per liter (L) at 4 °C. In other

words, if you had exactly 1 L of water at 4 °C and placed it on a (properly calibrated) scale, it would weigh exactly 1 kg. Expressed in English units, the density of water is roughly 8 lbs. 5.5 oz. per gallon. (In this article, we'll mostly be using metric units and will only give conversions to English units if that knowledge is useful.)

When we use our hydrometers, we are measuring the density of extract in our wort or beer. ("Extract" here means dissolved solids, not malt extract.) Homebrewers tend to express this in terms of specific gravity, which is the density of a liquid relative to pure water. Liquids that are equally as dense as water have a specific gravity of 1.

Single-Point Calibration

If your hydrometer is properly calibrated, it should read 1.000 when floating in pure water. Because the density of water changes with temperature, hydrometers are meant to be used at a specific temperature (either 60 °F/16 °C or 68 °F/20 °C). This temperature should be printed on the slip of paper inside the hydrometer. Tables that take temperature into account can be found in most beginning homebrew books.

Two-Point Calibration

Checking the reading of your hydrometer in pure water is a single point calibration, and this is all most homebrewers will ever do for their hydrom-

eters. However, what if the hydrometer read correctly at 1 but the scale printed on the paper sleeve inside the hydrometer was compressed or elongated compared to what it should be? To check to see if your hydrometer reads correctly in the range you use it in, do a two-point calibration. If you have a (calibrated) scale, you can make a sugar solution with a density equivalent to the average density of your wort. You can use this to check if your hydrometer reads correctly in that range.

The final step is knowing the degrees Plato (°Plato) is the percentage of sucrose (table sugar), by weight, dissolved in a water solution. For example, if you had 10 g of sucrose dissolved in 90 g of water, you would have a 10 °Plato solution — i.e. 10 g of sugar in a solution that weighs 100 g overall is 10% sugar (w/w). There is a quick and dirty way to convert between degrees Plato and specific gravity — just multiply the value in degrees Plato by four to get the value in "gravity points." Conversely, you can divide the number of "gravity points" by four to yield the value in degrees Plato. For example, the 10 °Plato solution mentioned before would have a specific gravity of 40 "gravity points" — 1.040.

This "times 4" rule is only an approximation however, as specific gravity and degrees Plato do not have a linear relationship. A 10 °Plato wort really does have a specific gravity of 1.040. However, as you get farther away from 10 °Plato, this approximation gets less accurate.

So let's say you brew mostly pale ales and porters and your target original gravity is SG 1.048. A specific gravity of 1.048 is equivalent to 12 °Plato. (Actually 12 °Plato is 1.04838, but the difference here is only 0.38 "gravity points.")

If you dissolve 12 g of sucrose in 88 g of water, you will have a 12 °Plato or SG 1.048 solution. (And actually, to have enough liquid to be able to float a standard-sized homebrew hydrometer, you will need a solution consisting of 24 g of sucrose and 176 g of water.)



A refractometer (top) and digital thermometer. Both should be calibrated before use.

When you make this sugar solution, you must use sucrose (table sugar), not corn sugar. Why? Because the type of corn sugar (glucose monohydrate) sold at homebrewing stores usually has water associated with it. As such, part of the weight of the sugar is due to the attached water molecule (the “monohydrate”).

If you have a refractometer, you can calibrate it in the same manner. In this case, using sucrose is required because °Plato (the unit that most refractometer read in) is defined as a weight to weight percentage of sucrose in water.

Volume

Many times during the brew day and later during fermentation, it pays to be able to accurately measure the volume of your wort. Likewise, it is worthwhile to calibrate all of your brewing vessels so you can read the volume of liquid in them anytime during the brew day.

The basic idea for calibrating brewing vessels is simple — add a known volume of water to the vessel and make a mark at that level. For example, you could pour a gallon of water into your carboy and place a piece of tape on the outside that corresponds to that level. Repeat this process four more times to mark the 2-, 3-, 4- and 5-gallon marks. The only catch to the above plan is — how do we measure exactly one gallon?

Standard kitchen measuring cups are not very accurate. (Neither are the hash marks printed on the outside of your brewing bucket.) What you need is something that measures volume accurately. For homebrewers, a 250-mL graduated cylinder will work well (and can double as a hydrometer test jar). A decent graduated cylinder will say how accurate it is. Mine says 250 mL +/- 2 mL at 20 °C. So, it's accurate to about 1% — which should be good enough for most homebrewing applications.

To help in calibrating larger vessels, I like to make an intermediate calibrated vessel. A one gallon (3.8 L) milk or water jug works well for this. Pour 250 mL in it almost 16 times, and

you can measure out 3.79 L or 3,790 mL (1.00 gallon). Mark the 1-gallon mark on the jug and then use it to calibrate your larger vessels.

To calibrate brewing buckets, you can use a permanent marker to write on the outside of the bucket. For carboys, labeled pieces of tape can be placed at every gallon (or half-gallon) mark. For water tanks or other vessels with sight glasses, volume marks can be painted on the sight glass. For any vessel that is not see-through, you can make a dip stick.

Scales and Balances

With a reasonably accurate 250 mL graduated cylinder, you can easily make 1 L of water — $4 \times 250 \text{ mL} = 1 \text{ L}$. Recall that 1 L of water at 4 °C (refrigerator temperature) weighs exactly 1 kg. With this information, you should be able to calibrate any scales or balances in your brewery.

Thermometer

Most homebrewers probably have a variety of thermometers. Many homebrewers may be unaware of how inaccurate thermometers can be. Cheap thermometers can be off by as much as 20 °F (11 °C). Even more expensive thermometers can be off enough to make a difference in brewing. As such, every homebrewer should know how to check and calibrate their thermometers.

Every serious homebrewer should get one good thermometer — a laboratory-grade mercury thermometer or good digital thermometer — and use this to check and adjust their working thermometers. However, even the most expensive thermometers should be checked for accuracy.

To check a thermometer, you should take the temperature of two solutions that you know the temperature of. The Catch-22 here is that, without a calibrated thermometer, how do you know the temperature of a solution? The answer is you rely on the physical properties of water to supply you with two set points.

The best place to start is at the freezing point of water. Pure water

A pH meter needs to be calibrated frequently or its readings will begin to drift.

freezes at 32 °F (0 °C). If you can make a solution of ice and water right at that point, you can check if your thermometer reads right at freezing. To make a 32 °F (0 °C) solution, do the following:

Take a clean styrofoam cup and fill it with crushed ice, heaped to the top. (Technically, the ice should be made from distilled water, but using tap water won't affect your result by enough to matter in brewing.) Don't add any water to the ice. Put the cup in your refrigerator and wait until enough ice melts to submerge your thermometer to a depth that is adequate to take a reading. (Glass laboratory thermometers will have an immersion line showing how far the thermometer tip should be submerged.) It will take a few hours for the ice to melt to this point, so plan ahead. You want to take the temperature of a solution with a lot of ice and just enough water to take a reading.

Note that you can't just take a (warm) cup, add (warm) tap water, plunk down a few ice cubes and expect the temperature to be 32 °F (0 °C). Waiting for ice to melt ensures



the resulting ice and water mixture is right at the freezing point as long as the amount of ice is much greater than the amount of water in the mix.

Once the ice water is prepared, take the temperature of the solution. Remember that your thermometer is warmer than the ice water and will warm the local area it is inserted into, so swirl the tip of the thermometer a bit as you take the reading. Keep the thermometer in the slush until it gives a steady reading.

The second point to measure is the boiling point. Water boils at 212 °F (100 °C) at sea level, at standard barometric pressure (29.9 inches of mercury (in. Hg)). But what if you're not at sea level and standard barometric pressure? If you don't know your altitude, you can find out at the US Geological Survey's Geographic Names Information System (or the USGS's GNIS, for acronym lovers) Their web site is located at geonames.usgs.gov (no "www").

If you wish to take barometric pressure into account, you can find your local barometric pressure at the weather channel (www.weather.com) or from a home barometer — if it's calibrated! Alternately, take your reading when your local barometric pressure is between 29.6 and 30.2 inches of mercury (in. Hg) and you'll be off by a ½ degree Fahrenheit (0.28 °C) at most.

If your thermometer does not read correctly at 32 °F (0 °C), 212 °F (100 °C) or both, you can set up a standard curve to translate your thermometer's reading into the actual temperature. Take a piece of graph paper and label both axes from just below the freezing point of water to just about the freezing point of water. Label the y axis as thermometer temperature and the x axis as actual temperature. Plot two points corresponding to your two calibration measurements. For example, if your thermometer read 4 °C at 0 °C, plot one point at (0, 4) on your graph. Once you've plotted both points, take a ruler and connect them with a straight line. This is your standard curve. When you take a measurement, find

the value on the y-axis and trace a horizontal line over to the curve. Then trace a horizontal line straight down. Your actual temperature is the value on the x axis where the line crosses it.

Once you've calibrated your best thermometer using the methods above, use it as a reference to calibrate the rest of your thermometers.

pH Meters

Handheld pH meters are popular among homebrewers. These relatively inexpensive meters give very accurate readings, but should be calibrated every time they are used. (The same goes for expensive bench-top meters.)

The meter is calibrated by placing the electrode in solutions of known pH and ensuring that it reads right. For calibrating, you will need a pH 7.01 buffer and a pH 4.01 buffer — which are often sold as a kit, along with electrode storage solution, wherever pH meters are sold.

Calibration is important because pH meters will "drift" between uses — and sometimes within a long day of taking pH readings. If you don't calibrate them, their pH readings will change over time. Also, pH electrodes eventually wear out. Letting their storage solution run out will speed their demise. If the readings of the meter bounce around and won't settle down, or if the meter quickly goes out of calibration, this may be a sign that a new electrode is needed. As a quick check on how stable your pH meter is, take the pH of your two buffer solutions at the end of any session of pH measurement. If the meter doesn't give their pH values as 7 and 4, the meter has drifted and will need to be recalibrated.

Once you've calibrated the equipment in your brewery, you will know that your readings of temperature, specific gravity, volume and weight are accurate. This knowledge can help you to consistently brew the best beers possible.

Graduation

Hopefully, you will have learned something from this collection of arti-

cles that you can use to brew better beer. Like almost everything in the world, brewing great beer requires that you pay attention to every step along the way. There are no "silver bullets" that will make your beer great, and the "weakest link in the chain" is going to be what determines your beer's quality. Reviewing your brewery practices and doing each step in the best possible manner will allow you to push your beer to new heights.

Another important key to brewing better beer is to learn from your own successes and failures. When you start brewing, you will mostly be following a set of directions. As you continue brewing, however, you will learn by trial and error what works in your homebrewery and what doesn't. You will make adjustments to get things to work on your equipment and with your water. It is important not to let that hard-earned knowledge slip away. For that reason, you should keep a brewing notebook and record not only what your plans for each brew was, but how it was brewed in actuality. If you accidentally heated your sparge water 10 °F (5 °C) above your target, write that down in your brewing notebook.

When your beer is done, take tasting notes and reread what you did on brewing day. See if you can find any connections. (Did the too-hot sparge water lead to an astringent mouthfeel in your beer?)

Finally, once you've learned the basics of brewing from those brewers that have gone before us, and you've learned for yourself how to get things to work on your own homebrew setup, put that knowledge to use by brewing as much as possible. It will help you become a better brewer. Knowledge plus experience is an unbeatable combination.

Visit The Library (the next section) for more topics to explore . . . and of course, don't forget to relax at the campus pub. And don't worry about your grades — the only test here is whether you can take any information that was new to you and use it to brew better beer.

Brew[®] 2.0

THE HOW-TO HOMEBREW BEER MAGAZINE

YOUR OWN

ANYTIME • ANYWHERE



Our new digital edition of *Brew Your Own* can be read on a computer, Apple devices like iPads and iPhones, Android tablets and phones, and more! Each digital edition contains all the great content of our print edition plus the ability to search terms, add bookmarks, link directly to web content and other unique digital features.

Choose from two digital subscription options:

Digital Only

8 digital issues for \$28
(All countries - same rate.)

Digital and Print

8 digital issues + 8 print issues for \$33
(U.S. rate only. Canada rate is \$38.
Other countries are \$50.)

For more information check out:

byo.com/digitaledition



The Library

Welcome to The Library at Brew Your Own University. If you're new to brewing, the magazine articles should help you get up to speed on most commonly practiced homebrewing techniques. If you've brewed for awhile, the professional brewing texts will give you access to a wealth of brewing knowledge.

In the BYO U package, we hoped to discuss the most important aspects of each stage in the brewing process, the decisions that can be made along the way and measurements that can (and can't) be made. To explore further, here are some reading materials with which you can examine individual topics raised here in more depth. Most of the topics that rated a paragraph or more in the BYO U articles have a corresponding article that takes a closer look at the idea. As with the Brew Your Own University articles, most of the articles in The Library focus on techniques, not ingredients, equipment or beer styles.

We hope that the Brew Your Own University package is valuable to all homebrewers, regardless of their experience. If BYO U was mostly a refresher course, the references to the

professional texts may be your next step in your continuing brewing education.

Professional Brewing Texts

"Malting and Brewing Science: Volume 1 Malt and Sweet Wort (Second Edition)," by Briggs, Hough, Stevens and Young, 1981, Kluwer Academic/Plenum Publishers, New York (387 pages)

"Malting and Brewing Science: Volume 2 Hopped Wort and Beer (Second Edition)," by Hough, Briggs, Stevens and Young, 1999, Aspen Publishers, Gaithersburg, Maryland (914 pages)

These two volumes are core reference materials for any serious brewer. The authors cover the topic of (commercial) brewing completely, including the basic relevant brewing science, ingredient handling and brewery practices. Unfortunately, they are somewhat expensive (just short of \$300 each new), but it's not too hard to find used texts for about half that price.

"Technology Brewing and Malting (3rd International Edition)," by Wolfgang Kunze, 2004, VLB, Berlin (949 pages)

A German brewing text, translated into English. Lots of material, but far fewer references to the original literature than in Briggs, et. al. The English translation

is a bit rough in places and some of the figures retain their German titles and labels. Similarly expensive as the above texts, but very good, especially if you are interested in German-style brewing.

"Brewing (Second Edition)," by Lewis and Young, 2002, Kluwer Academic/Plenum Publishers, New York (398 pages)

A much more affordable brewing text (~\$60, new) that is a good overview of commercial brewing. More up to date than the Briggs, et. al. volumes, but covers less ground.

Brew Your Own Articles (And Special Issues)

Ingredients

"Malting at Home," by Graham Anderson (January-February 2013)

"Making Malt Extract," by Bob Hansen (May-June 2008)
<http://www.byo.com/stories/issue/article/issues/252-mayjun-2008/1106-making-malt-extract>

BYO's Hop Lover's Guide
 (Special Issue)

Mashing


"From Grain to Glass: Your First All-Grain Beer," by Chris Colby (July-August 2010)

"Making the Most of Your Mash (Extract Efficiency)," by Chris Colby (July-August 2006)
<http://www.byo.com/stories/issue/article/issues/237-julaug-2006/1110-making-the-most-of-your-mashes-techniques>

"Homebrew Decoction Made Easy," by Horst Dornbusch (December 2010)

"The Science of Step Mashing," by Dave Green (January-February 2008)
<http://www.byo.com/stories/issue/article/issues/250-janfeb-2008/1529-the-science-of-step-mashing>

"Cereal Mashing," by Jon Stika (December 2007)



These books aren't cheap, but they contain a wealth of information.

"Lautering," by Chris Colby
(May-June 2003)

"Water Profiles: Create your own
Chemistry," by Jon Stika
(October 2009)

"Countertop Partial Mashing," by
Chris Colby (October 2006)
[http://www.byo.com/stories/issue/art
icle/issues/239-october-2006/511-
countertop-partial-mashing](http://www.byo.com/stories/issue/article/issues/239-october-2006/511-countertop-partial-mashing)

"Hot Wort! (Boiling)," by Chris Colby
(July-August 2003)

"Lighten Up: Late Extract Additions,"
by Terry Foster (September 2012)

Chilling and Aeration

"Wort Chilling," by Chris Colby
(December 2002)
[http://www.byo.com/stories/issue/art
icle/issues/209-december-2002/1684-
wort-chilling-techniques](http://www.byo.com/stories/issue/article/issues/209-december-2002/1684-wort-chilling-techniques)

"To Aer is Human (Wort Aeration),"
by Chris Colby (October 2000)

"Olive Oil Aeration," by John
McKissack (May-June 2008)

Yeast and Fermentation

"Fermentation: Homebrewing
Options for Fermenting your Wort,"
by Chris Colby (January-February
2003)

"Yeast and Fermentation," by Chris
Colby, Greg Doss and Chris White
(September 2009)
This is a package of four articles.

"Make a Yeast Starter," by Jon Stika
(July-August 2007)
[http://www.byo.com/stories/issue/art
icle/issues/245-julaug-2007/1088-
make-a-yeast-starter-techniques](http://www.byo.com/stories/issue/article/issues/245-julaug-2007/1088-make-a-yeast-starter-techniques)

"Yeast Counting," by Chris Colby
(December 2003)

"Keeping it Cool (Lagering)," by Chris
Colby (July-August 2004)

"Lagering Techniques," by James
Spencer (March-April 2011)

"Fermenting Belgian-Style Beers," by
Stan Hieronymus (July-August 2006)
[http://www.byo.com/stories/article/i
ndices/31-fermentation/640-ferment-
ing-belgian-style-beers](http://www.byo.com/stories/article/indices/31-fermentation/640-fermenting-belgian-style-beers)

"Kräusening," by Chris Colby
(November 2006)
[http://www.byo.com/stories/issue/art
icle/issues/240-november-2006/970-
krausening-techniques](http://www.byo.com/stories/issue/article/issues/240-november-2006/970-krausening-techniques)

"Dry Hopping," by Donald Million,
(September 2003)
[http://www.byo.com/stories/article/i
ndices/37-hops/573-dry-hopping-
techniques](http://www.byo.com/stories/article/indices/37-hops/573-dry-hopping-techniques)

Bottling and Kegging

"Priming with Sugar," by Robert
McGill (November 2006)
[http://www.byo.com/stories/issue/art
icle/issues/240-november-2006/1276-
priming-with-sugar](http://www.byo.com/stories/issue/article/issues/240-november-2006/1276-priming-with-sugar)

"Keg it!" by Andy Sparks
(November 2010)

"Counter-Pressure Bottling," by Chris
Colby (November 2002)
[http://www.byo.com/stories/issue/art
icle/issues/208-november-2002/509-
counter-pressure-bottling-techniques](http://www.byo.com/stories/issue/article/issues/208-november-2002/509-counter-pressure-bottling-techniques)

"Homebrewing Cask Ales," by Dave
Louw (July-August 2012)

BYO's Guide to Kegging (Special Issue)

Measurement

"Home Lab Tests," by Chris Colby
(December 2004)
[http://www.byo.com/stories/issue/art
icle/issues/225-december-2004/770-
home-lab-tests-advanced-homebrew-
ing](http://www.byo.com/stories/issue/article/issues/225-december-2004/770-home-lab-tests-advanced-homebrewing)

"A Matter of Degrees (Temperature
Measurement)," by Steve Parkes
(November 2003)

"The pH pHiles (Testing pH)," by
Chris Colby (May 2001)

Projects

"Motorize a Grain Mill," by Steve Van
Tassell (December 2010)

*BYO's 25 Great Homebrew Projects
(Special Issue)*

Brewing Science

"Deep Water (Water Chemistry),"
by Steve Parkes
(January-February 2002)

"pH pHacts," by Steve Parkes
(September 2003)

"Buffers," by Chris Colby
(September 2008)
[http://www.byo.com/stories/article/i
ndices/18-brewing-science/1707-
advanced-brewing](http://www.byo.com/stories/article/indices/18-brewing-science/1707-advanced-brewing)

"Boil Basics," by Steve Parkes
(May-June 2002)

"The Big Chill (Wort Chilling),"
by Steve Parkes (July-August 2002)

"Fermentation," by Steve Parkes
(October 2002)

"Ferment and Flavor (Yeast
Byproducts)," by Steve Parkes
(December 2002)
[http://www.byo.com/stories/article/i
ndices/18-brewing-science/634-fer-
mentation-a-flavor-compounds-home-
brew-science](http://www.byo.com/stories/article/indices/18-brewing-science/634-fermentation-a-flavor-compounds-homebrew-science)

"Dreaded Diacetyl," by Steve Parkes
(November 2002)
[http://www.byo.com/stories/article/i
ndices/18-brewing-science/550-
diacetyl-homebrew-science](http://www.byo.com/stories/article/indices/18-brewing-science/550-diacetyl-homebrew-science)

"Flavor Maturation," by Steve Parkes
(January-February 2003)

"Carbonation," by Steve Parkes
(March-April 2003)
[http://www.byo.com/stories/article/i
ndices/21-carbonation/440-carbona-
tion-homebrew-science](http://www.byo.com/stories/article/indices/21-carbonation/440-carbonation-homebrew-science)


"Oxidation = Bad," by Steve Parkes
(July-August 2003)

Miscellaneous

"Improve Your Homebrews,"
by Chris Colby
(January-February 2012) **BYO**

CARBOY & BOTTLE WASHER

THE ORIGINAL BOTTLE WASHER



Great for
brewers!

**Lifetime
Guarantee**
Free
Replacement!

Clean bottles and carboys in seconds!

The original. Serving home brewers for over 40 years. All brass, auto shut-off, easy to attach — the bottle washer is ready to work!
(Also available to fit kitchen faucets.)

www.jetcarboy.com

Made in USA

PLASTIC BEER CASES

WATERPROOF, DURABLE
LONG-LASTING
FOR 12oz. AND 22oz. BOTTLES

USE PROMO CODE: **BYO**

FOR 5% OFF ALL CASES AND DRYING T'S

CARRY YOUR BEER WITH CONFIDENCE



BEER CASES FOR
(12) 22oz BOTTLES.

MADE IN THE U.S.A.
AVAILABLE AT

BEER CASES FOR
(24) 12oz BOTTLES

★ **C&W** ★
CRATE CO

INFO@CWCRATE.COM

WWW.CWCRATE.COM

616-245-2728



New Classes From the American Brewers Guild...

New Middlebury Facility!



The American Brewers Guild would like to announce a brand new classroom, laboratory and brewery facility on Route 7 South in Middlebury, Vermont. This facility is also home to our new commercial brewery, Drop In Brewing Company. Along with the usual twice annual IBS&E and CBA distance learning programs there will be some new class offerings:

Grain to Glass and Boots-On Brewing

April 6-12, 2013

A 7-day course in the science, art and practical essentials of producing quality beer.

Brewing Science for the Advanced Homebrewer

March 9-10, 2013 or September 14-15 2013

A two-day weekend class aimed at describing the essential brewing science underpinning the process of brewing.

Classes will take place at The American Brewers Guild's 5,600 square foot, modern facility which features a classroom, laboratory and the nation's only full scale brewing facility dedicated to brewing education.

Check our website for upcoming classes.

TRAINING THE BREWERS OF TOMORROW TODAY!

Call us or email for more information (800) 636-1331
www.abgbrew.com • email: info@abgbrew.com

GET IN THE GAME WITH THE BEST IN THE NORTHWEST



www.homebrewheaven.com

HOP STANDS

THE WHY AND HOW OF WHIRLPOOL HOPPING

By **Dave Green**

Ask eight brewers the key to crafting a great IPA and you will probably get nine different answers. One technique that is well-established in the professional brewing world but just recently gaining traction with homebrewers is hop standing or whirlpool hopping. While the buzz around hop stands mainly revolves around highly hopped beers, there is a lot more to this technique than just trying to crank your DIPa up to an 11. (I will be calling this technique whirlpool hopping, but keep in mind that homebrewers don't need to keep their wort constantly swirling in the kettle for this technique to work.)

The What and Why


A hop stand is simply allowing the boiled wort an extended contact period with the flameout hops prior to chilling the wort. Pro brewers typically create a whirlpool either in their kettle or in a separate whirlpool vessel with the hot wort and the ensuing vortex creates a cone shaped pile in the center of the vessel made up of the unwanted trub and left over hop material. Whether on purpose or inadvertently, pro brewers were giving their flameout hops extended contact time with the wort. This allows the hops added at flameout a period to release their essential oils into the wort, while minimizing the vaporization of these essential oils. In essence, adding a kick of hop flavor and aroma while also adding what can best be described as a smooth bitterness. In short, whirlpool hopping can add significantly to the hop flavor and aroma of beer.

Hop Essential Oils

The essential oils found in hops are volatile and provide beer with the hop flavor and aroma hop aficionados enjoy. While there are hundreds of essential oil components, for practical purposes brewers tend to focus on 4-8 main essential oils that play vital roles in providing hop varietal characteristics. One important characteristic is the essential oil's flashpoint, or the temperature at which the essential oil is actively vaporizing to the point where it could ignite if sufficient vapors were present. At wort boiling temperatures, all hop essential oils have surpassed their flashpoints, so a vigorous boil will drive them off fairly quickly. The best way to

Continued on page 59





A tangential inlet with a high temperature pump can emulate commercial brewery whirlpool conditions in your homebrewery.

Photos by Les Jørgensen

Whirlpool-Hopped Double IPA

Over the Topper DIPA (5 gallons/19 L, all-grain)

OG = 1.074 (18.5 °P)

FG = 1.012 (3 °P)

IBU = 100+ SRM = 6 ABV = 8%

This is a clone of one of my favorite double IPAs, Heady Topper, from The Alchemist Brewery in Vermont.

Ingredients

13 lbs. (5.9 kg) British pale ale malt
4.0 oz. (113 g) Caravienné® malt
1.0 lb. (0.45 kg) sucrose
19.5 AAU Simcoe® hops (30 min)
(1.5 oz./42 g at 13% alpha acids)
5.75 AAU Cascade hops (knockout)
(1.0 oz./28 g at 5.75% alpha acids)
17.2 AAU Apollo hops (knockout)
(1.0 oz./28 g at 17.2% alpha acids)
13 AAU Simcoe® hops (knockout)
(1.0 oz./28 g at 13% alpha acids)
10.5 AAU Centennial hops
(30 min into hop stand)
(1 oz./28 g at 10.5% alpha acids)
13 AAU Simcoe® hops
(30 min into hop stand)
(1 oz./28 g at 5.75% alpha acids)
14 AAU Columbus hops
(30 min into hop stand)
(1 oz./28 g at 14% alpha acids)
1.0 oz. (28 g) Chinook hops
(primary dry hop)
1.0 oz. (28 g) Citra® hops
(primary dry hop)
1.0 oz. (28 g) Simcoe® hops
(primary dry hop)
1.25 oz. (35 g) Centennial hops
(secondary dry hop)
1.25 oz. (35 g) Simcoe® hops
(secondary dry hop)
White Labs WLP001 (California Ale) or
Wyeast 1056 (American Ale) yeast
(1.5 qt./~1.5 L yeast starter)
or
Lallemand BRY 097 or Fermentis
Safale US-05 yeast (1 sachet)

Step by Step

Mash at 155 °F (68 °C) for 40 minutes. Sparge enough to collect roughly 7.5 gallons (28 L) in your kettle to achieve 6.5 gallons (25 L) at knockout. Boil for a grand total of 75 minutes. Just after knockout toss in the first set of knock-

out hops and begin the whirlpool process. You can either run your pump for 10 minutes or you can stir for a minute and then let spin down and settle. After 30 minutes have gone past after knockout, reduce wort temperature to 170 °F (77 °C) and then add the second set of hops to the hop stand and once again whirlpool. After 15 more minutes have passed, begin final cooling process. The goal is to get at least 5.5 gallons (21 L) into your fermenter to compensate for the loss of wort which will occur during dry hopping. Make sure your primary fermenter has enough headspace to accommodate that much wort plus a large krausen. Pitch a healthy dose of yeast when wort hits 65 °F (18 °C). After final gravity has been achieved, add a clarifying agent such as polyclar. Allow three days for clarifying agent to work, then add first set of dry hops to primary fermenter. After 7 days, rack beer off dry hops & yeast cake either into a keg or secondary fermenter. Try to purge with carbon dioxide if available to you. Add second round of dry hops and wait 5 days. Bottle or begin carbonation process.

Over the Topper DIPA (5 gallons/19 L, extract with grains)

OG = 1.074 (18.5 °P)

FG = 1.012 (3 °P)

IBU = 100+ SRM = 6 ABV = 8%

Ingredients

10 lbs (4.5 kg) pale/gold liquid malt extract
4.0 oz. (113 g) Caravienné® malt
1.0 lb. (0.45 kg) sucrose
19.5 AAU Simcoe® hops (30 min)
(1.5 oz./42 g at 13% alpha acids)
5.75 AAU Cascade hops (knockout)
(1.0 oz./28 g at 5.75% alpha acids)
17.2 AAU Apollo hops (knockout)
(1.0 oz./28 g at 17.2% alpha acids)
13 AAU Simcoe® hops (knockout)
(1.0 oz./28 g at 13% alpha acids)
10.5 AAU Centennial hops
(30 min into hop stand)
(1 oz./28 g at 10.5% alpha acids)

13 AAU Simcoe® hops
(30 min into hop stand)
(1 oz./28 g at 5.75% alpha acids)
14 AAU Columbus hops
(30 min into hop stand)
(1 oz./28 g at 14% alpha acids)
1.0 oz. (28 g) Chinook hops
(primary dry hop)
1.0 oz. (28 g) Citra® hops
(primary dry hop)
1.0 oz. (28 g) Simcoe® hops
(primary dry hop)
1.25 oz. (35 g) Centennial hops
(secondary dry hop)
1.25 oz. (35 g) Simcoe® hops
(secondary dry hop)
1.5 L starter with White Labs WLP001
(California Ale) or Wyeast 1056
(American Ale), or use 1 sachet of
either Lallemand BRY 097, or
Fermentis Safale US-05

Step by Step

Place crushed grains in a small steeping bag and steep in 3.0 gallons (11 L) until temperature reaches 170 °F (77 °C). Boil for a grand total of 60 minutes. Just after knockout toss in the first set of knockout hops and begin the whirlpool process. You can either run your pump for 10 minutes or you can stir for a minute and then let spin down and settle. After 30 minutes have gone past after knockout, reduce wort temperature to 170 °F (77 °C) and then add the second set of hops to the hop stand and once again whirlpool. After 15 more minutes have passed, begin final cooling process. Top off to at least 5.5 gallons (21 L) in your fermenter to compensate for the loss of wort which will occur during dry hopping. Make sure your primary fermenter has enough headspace to accommodate a large krausen. Follow the all-grain instructions for fermentation and beyond.

Web extra:



For two more hop stand recipes, visit Brew Your Own on the Web:
www.byo.com/component/resource/article/2653

think about the driving off process is in terms of half lives. The lower the flash-point, the faster the oil vaporizes and the faster the half life. The longer the hops are boiled and the lower the flash-point, the less the essential oil will impact the beer. In effect, whirlpool hopping removes the rolling boil (for the whirlpool hops), lowering the temperature of the wort and therefore reducing the vaporization rate of the essential oils, allowing the essential oils to really "soak in" to the wort. The specifics of the "soak in" process is still very much a gray area but the general idea is that essential oils will be retained in the beer longer and enhance the hop flavor and aroma of the finished beer.

Alpha Acid Isomerization

Alpha acids will continue to isomerize after flameout until the temperature of the wort reaches about 175 °F (79 °C). Homebrewers trying to calculate a beer's IBUs will need to guesstimate how much isomerization is occurring. The closer the wort is to 212 °F (100 °C) the higher the alpha acid isomerization rate. To do this, we can look to professional brewers for some guidelines. Ultimately, however, the thermal capacity of a professional 60bbl whirlpool vessel is quite different than 5 gallons (19 L) of homebrew, so the comparisons can only be rough guidelines at best.

Matt Brynildson of Firestone Walker Brewing Company says, "The fact that there is some isomerization (about 15% in whirlpool versus 35% in the kettle) of alpha acid means that not only hop aroma and hop flavor can be achieved, but also some bittering."

For Pelican Pub & Brewery's Kiwanda Cream Ale, brewmaster Darron Welch adds the beer's only hop addition at flameout. Welch gets about 25 IBUs from adding roughly 0.75 lbs./bbl (0.34 kg/bbl) of Mt. Hood hops at flameout then allowing a 30 minute whirlpool stage. This means that Darron is getting roughly 16% utilization on his 15 bbl system for a 1.049 specific gravity wort. As mentioned, in a homebrewers hop stand, the 5-gallon (19-L) kettle is going to cool much

faster and therefore create lower utilization rates. Brad Smith, creator of the BeerSmith brewing calculator, gives this advice to homebrewers, "Something in the 10% range is not a bad estimate if hops are added near boiling and left in during the cool-down period."

From my own experience with extended hop stands in 11-gallon (42-L) batches, a 10% utilization rate

for whirlpool hops seems reasonable.

The When and How

While hop-forward beers can benefit from this technique, any beer where some hop nose is desired is also a good candidate. For low IBU beers, you can add no-boil hops or you can add a tiny bittering charge of hops to help break surface tension of the beer and then add all or the majority of the IBU con-



BREWER'S

EST. **BEST** 1992

Now available from Brewer's Best®

Belgian Caramel Wit Seasonal Ingredient Kit



A refreshing spring seasonal recipe similar to classic white ale though slightly darker in color. We've incorporated Simplicity Belgian Candi Syrup from our friends at Candi Syrup, Inc. Premium candi syrup and caramel malts lend high fermentability and honey sweetness that complement the spicy characteristics from the yeast. This aromatic and flavorful ale is the perfect welcome to the spring season.

Gluten Free Ale Ingredient Kit

This Ale is the perfect choice for those looking for a Gluten free beer. The wort is crafted from White Sorghum and Belgian Style syrup and then complemented with an addition of orange and lemon peel. Lightly bitter with undertones of floral and citrus from the hops, this ale is smooth and refreshing. At last, a Gluten free ingredient kit that can be enjoyed by all!



Available in April



Summer Ale Seasonal Ingredient Kit

Pleasant citrus notes come from the bitter orange and lemon peel. Fermented with premium Safale US-05 dry yeast, this beer finishes clean with lingering flavors of citrus and spice. Crisp and refreshing.

For complete details on these products and the entire Brewer's Best® line, go to
www.brewersbestkits.com
 or contact your local Brewer's Best® retailer.

Like Brewer's Best®
on Facebook



LD Carlson Co., Kent, OH 800-321-0315
www.ldcarlson.com - www.brewersbestkits.com

Knowledge on Tap to Brew Better Beer

Build Your Brewing Knowledge With Our Brewer's Library

-  **How to Brew** by John Palmer
Everything you need to know to brew beer right the first time.
-  **Brewing Classic Styles** by Jamil Zainasheff
This text delivers the essential industry insight needed by aspiring brewers.
-  **Brew Like a Monk** by Stan Hieronymus
Discover what makes the heavenly brews of Belgium so good.
-  **Yeast** by Chris White and Jamil Zainasheff
Learn what makes yeast cells tick and how to get the most out of them.
-  **Brewing with Wheat** by Stan Hieronymus
The beer may be cloudy, but this book sheds light on one of the world's most interesting beer styles.
-  **And many more titles!**



Shop the entire Brewers Publications catalog
BrewersPublications.com

Brewers Publications
A Division of the Brewers Association
www.BrewersAssociation.org



tribution at knockout, with the 10–15% utilization in mind.

If your brewing system has a pump, you may opt to setup a tangential inlet for your kettle to allow the pump to perform the whirlpool for you. Keep in mind that you do not need a vigorous whirlpool; just a simple spinning of the wort. If you do not have a pump, a simple spoon or paddle will work to achieve the same results.

The second factor to consider is the length of your hop stand. There are no right or wrong answers, but anywhere from 10 minutes to 90 minutes — or even an overnight stand — can be employed. For most super-charged, hop-forward beers, my hop stands will run 45 to 60 minutes. For a mid-range hop profile like an American pale ale or a beer I am looking to get a significant IBU contribution from, I will usually shorten that stand to 30 minutes. If the beer is not to be hop forward nor do I need significant IBUs from the hop stand, then a 10–15 minute hop stand usually will suffice.

Three temperature profiles that seem to be popular among homebrewers are just off boil range 190–212 °F (88–100 °C), the sub-isomerization range 160–170 °F (71–77 °C), and a tepid hop stand range 140–150 °F (60–66 °C). The 190–212 °F (88–100 °C) range will allow essential oils with higher flashpoints an easier time to solubilize into the wort and also will allow some alpha acid isomerization to occur with the best estimates of between 5–15% utilization. Some homebrewers will keep their kettle burner on low to keep the temperature of the wort elevated above 200 °F (93 °C) during their extended hop stands which would better emulate the conditions in commercial whirlpools. A hop stand in the 160–170 °F (71–77 °C) range will basically shut down the alpha acid isomerization reaction and the lower temperatures will reduce the vaporization of the essential oils. Homebrewers can use their wort chillers to bring the wort down to this range before adding the knockout hops or they can add a second dose of knockout hops. The 140–150 °F (60–66 °C) range will once again reduce vaporization of the low

American BREWMASTER

3021 STONY BROOK DR. RALEIGH NC 919.850.0095
• WWW.AMERICANBREWMASTER.COM •

30% OFF YOUR CONSUMABLES
PURCHASE OF \$100 OR MORE*

ENTER THIS ONE USE COUPON CODE: BY03034



*VALID UNTIL MAY 31ST. EXCLUDES BULK HOPS & RHIZOMES. ONLINE PURCHASES ONLY.

flashpoint oils, but may take longer to get the same amount of essential oils extracted.

I have never had dimethyl sulfide (DMS) issues with any of the beers I have performed a hop stand on and have always left the lid on. If using a Pilsner malt or other DMS-prone, lightly-kilned base malt, you may want to increase your boil time to 90 minutes.

Dry Hop Considerations

Another factor to consider is how to handle dry hopping your hop-forward beers if you employ an extended hop stand. Rock Bottom Restaurant & Brewery performed an extensive study on hop stands and dry hopping under the guidance of the Portland, Oregon brewmaster at the time Van Havig, (now of Gigantic Brewing Co., Portland, Oregon). The study was published by the *Master Brewers Association of the Americas Technical Quarterly* and considered beers that were hopped in four different ways, short hop stand (50 minutes) and no dry hops, long hop stand (80 minutes) and no dry hops, no hop stand and just dry hops and finally half the hops in hop stand (80 minutes) and half the hops for dry hopping. Beers produced using exclusively hop stands and the beers produced using exclusively dry hops will both result in well-developed hop characteristics, but there were some nuances. The long hop stand developed more hop flavor and aroma than the short hop stand indicating that essential oils were still soaking into the wort after 50 minutes. The exclusively dry hopped beer received its best marks in the aroma department, higher than the hop stand beers, but scored lower for its hop flavor. The beers where only half of the hops were added for the hop stand and half were added for aroma ended up scoring high in both departments. Havig's study also showed that adding 1 lb./bbl (0.45 kg/bbl) Amarillo® dry hops produced the same amount of hop aroma as ½ lb./bbl (0.23 kg/bbl), indicating diminishing returns at higher dry hop rates.

So if you are just giving this technique a try, here is what I would sug-


gest based on the study's findings. Take all the hops you plan to add for late addition hops and dry hops and cut them in half. Add half at knockout and the second half as a dry hop addition. Again, don't feel the need to go overboard with these additions.

If you are interested in using this technique in your brewhouse, I have included three recipes I have used with great success to craft some of the best

beers that have graced my kegerator. (One is on page 58 and the other two are online at www.byo.com/component/resource/article/2653.) I assumed 10% hop utilization rates for the hops added for the hop stand. **BYO**

Related Links:

- Read more about dry hopping your homebrews: www.byo.com/component/resource/article/2482



NEW! Goldpils® Vienna Malt.

The best homebrewed beer starts with the finest handcrafted malt.

Traditional-style malt for classic-style beer.
At Briess, we challenged ourselves to remake our Vienna Malt with more authentic character. The result? Briess 2-Row **Goldpils® Vienna Malt.**

Less modified and less sweet than Pale Ale Malt, **Goldpils® Vienna** delivers rich malty flavor with hints of biscuity notes to your classic Vienna, Oktoberfest and Marzen beers and finishes exceptionally clean. At 3.5° Lovibond, it contributes light golden hues.


BRIESS
MALT & INGREDIENTS Co.
All Natural Since 1876

Chilton, WI, USA | 920.849.7711
f | www.BrewingWithBriess.com

©2013 Briess Industries, Inc.

Ask your local homebrew store for handcrafted Briess malts and malt extracts!

Just 1 of 1100+ recipes



With 8% abv and 200+ IBUs from 20 oz of hops, this recipe will melt your face.



goo.gl/KbhJn

austinhomebrew.com

Electric Brewing Supply

**Build your own Electric Brewery
Let us help**



www.ebrewsupply.com

Low prices, growing selection, DIY Kits, one stop shop
\$5 Flat Rate, Over \$49 Free Shipping
sales@ebrewsupply.com

Tap Boards™

WRITE. ERASE. REUSE.
HOMEBREW TAP HANDLES



**Great
Gift**

www.TapBoards.com
or ask for them at your
local homebrew shop

Better Home Brew Formula

A COMPLETE brewing method that shows you a series of techniques carefully organized to help you brew and improve the taste of your beer at every step of the process starting from choosing your ingredients all the way to serving the beer...



BrewBeerAndDrinkIt.com/byo

To Keep or Not To Keep

techniques

Cellaring beer

by Terry Foster



The headline in this issue's column may not be quite the question Hamlet asked himself, but it is one homebrewers and beer drinkers in general might well ask themselves. If you have a beer you like, isn't it worth keeping a few to one side, not just to drink later, but in order that the beer may "improve" in flavor? The first answer is a resounding "No!" You may be surprised at that answer since many authors and pundits have recommended laying down a few bottles of each brew so that the beer can mature and develop its real flavor. Unfortunately that is just not true as I shall explain, although there are of course exceptions.

In my area of Connecticut I introduced the concept of keeping a "beer cellar," which I began to do in the 1970s. I brought this cellar with me when I came to the US in 1978, and the quality of some of those beers induced others to lay down their own cellars. But what was then a modest cellar contained two very important beers, which are relevant to this discussion. These were some 1975 Thomas Hardy Ales (brewed by Eldridge Pope the originators of the beer), and 1978 Barclay's Russian Imperial Stout, each bottle proudly labeled with the year in which the beer was brewed.

The Hardy Ale was billed as being capable of keeping for up to 25 years, and although the Barclay's beer was brewed at much the same strength it made no such claim. I cherished these beers for some years and it was not until the 1990s when they were about 20 years old that I tasted them with a few friends. The Hardy Ale had held up well and was malty, nutty, with Sherry-like overtones and not too sweet. The Barclay's beer was flaccid, almost tasteless and quite clearly well over the hill. In short there was no comparison between the two, and I was bitterly disappointed that a famous beer that I had nursed for so

long had turned out so poorly.


Of course, that immediately raised the question as to why such apparently similar beers should have turned out so differently. My friend, Jeff Browning (the brewer at BrûRm@BAR in New Haven, Connecticut) and I have debated the matter ever since and come up with our own approach to selecting beers for laying down. I shall discuss that later in this column, but first I'll give you another example with two beers I tasted just yesterday. One was a recreation of a porter from a 1750 recipe, 5 gallons (19 L) of which I brewed at home, and it was 15 years old when tasted. We brewed a version of this on a 10-barrel scale, and it was exactly 10 years old when it was sampled. Both beers held a fundamentally good flavor, malty and rich, but both were somewhat spoilt by being too acidic, with the younger beer being more sour than the older one.

Neither of the beers had had any noticeable acidity when bottled, so it had developed on storage. And it seems likely that this difference between the two beers was in how they had been handled. The home-brewed one had been bottled right after fermentation was complete, while the other had been kegged from a serving tank, kept there some time, racked into another keg and then bottled. Clearly the second had been handled more often so there was more chance of it picking up acid-producing bacteria. This demonstrates a very important point about aging beer, which is that any fault in the beer, and not just acidity, will be magnified over time. For some more detailed comments on the chemistry of aging beers see the "Advanced Brewing" column in the December 2012 issue of *Brew Your Own*.

Which beer?

By now you're probably wondering when I'm going to stop talking and get

“In this area of Connecticut I introduced the whole concept of keeping a 'beer cellar,' which I began to do in the 1970s.”



down to some useful advice. First let me point out that these “rules” apply to both commercial and homebrewed beers. And if you are not already doing so, you ought to be buying commercial craft beers, both to develop your own palate and to have a “marker” to judge your own beers by. The basic points are these:

1. Think about the beer
2. Taste it carefully
3. Ask yourself if it is possible to improve on its present taste
4. If you decide to keep it put aside several bottles
5. Test a bottle at intervals
6. If it tastes good at any point, go ahead and drink it

Let me explain these points. The first one is something you ought always to do. If it is your own brew, what did you intend it to be? If it is one you bought, try to think what the person who brewed it intended it to taste like, taking into account the style it is supposed to be. There's a good argument that you should always eat the dish the way the chef intended you should, and not to add extras such as seasonings. Or to put it another way, there are good reasons why brewers will often tell you the beer is at its best at the brewery, where it is at its freshest. When you have done that move to point two and taste it. Did you hit the nail on the head with your own beer? If so drink it now, don't keep

it. If the commercial beer matches its description, you should do the same.

But what if it doesn't match expectation? Then you ask yourself where it differs from what you expected, and whether any flavor aspect sticks out and unbalances the beer. If there is an obvious fault, is that one that will disappear with age, or will it get worse? If it is the latter, drink it now. For example, if the alcohol stands out and the beer tastes a little hot, then that might well mellow out with keeping. But if the beer is out of balance because it is over-attenuated and tastes thin, that won't change on storage, so drink it up. Similarly, if the beer is too bitter or too hoppy in general it won't improve with keeping, so use it up quickly. If it is a little too sweet that can be reduced by keeping it so long as some yeast is still present, although this can result in over-carbonation, and might be better cured by keeping it longer in bulk in the secondary. It should be clear that any hint of oxidation, such as a cardboard flavor, or any sign of infection, such as over-acidity means that the beer is doomed.

The last three points go together, and help you to guard against wasting a good beer. A beer that improves with aging will generally only do so for a certain period. After that it will drop off the cliff very rapidly, so you want to catch it before it does so. Also, it will tell you whether there is any improvement after, say, a year or eighteen

DO YOU HATE TO WAIT?

*One day shipping
Mid-Atlantic – Connecticut to Virginia*



- One day order turnaround
- Your complete source for all things beer
- Expert advice from award-winning brewers & BJCP judges
- Ultra-fresh ingredients including Wyeast & White Labs yeast
- Great service where your needs always come first



Montgomeryville, PA store

Montgomeryville, PA
215-855-0100

Bethlehem, PA
610-997-0911

www.KeystoneHomebrew.com



**Check out our
new website!**

**Scan the QR code to visit
now from your smartphone
and get your FREE yeast
washing video •••••**



**OR view on our website at
www.wineandbeermaking.com**

Retail store hours: Mon–Fri 10am–6pm, Weekends 10 am–4pm
231 Lamp & Lantern Village, Chesterfield, MO 63017 • (636) 230-8277

months. If not there is probably never going to be any, so best get it down your throat now.

What styles do I suggest might be worth keeping? Well, any beer below 6% ABV should not be left to hang around — alcohol is a great preservative. Lager beers in general do not improve over time, as they have done their mellowing in the lagering stage. Highly-hopped beers are not candidates for long maturing as hop aroma characteristics can spoil through oxidation and hop bitterness can fade with time, throwing the beer out of balance. So we are basically looking at big, malty beers, such as barleywines, imperial stouts and the inaccurately-named imperial porters. Very strong lagers (Samichlaus from Austria at 14% ABV comes to mind) will also keep well, although it could be argued that they do not actually improve but simply maintain their level of quality. There is also an argument that big beers flavored with chocolate, coffee, oak, and so on can benefit from maturation if the flavor has not melded in to give a balanced drink. Similarly, such as an imperial stout aged in a whisky or bourbon barrel may take a little while to mellow out, although those from craft brewers are generally only released when the brewer considers them ready to drink.

How to cellar beer

There are a number of points to take into account in order to get the best results when aging beer.

1. Brew the cleanest beer you can
2. Store cool
3. Keep away from light (artificial or natural) as much as possible
4. Use only brown bottles, avoid green or clear ones
5. Check as often as you can how the beer is doing

The first point is that you must be scrupulous about cleaning and sanitizing all vessels. You may find it boring that pundits keep offering this advice, but a brewer is first and foremost a cleaner. You also want to avoid hot side aeration, which is often the cause of introducing the precursors of staling

A castle...

A throne...

A crown...

What more could a King desire?

With the new dual finish bottle from

E.Z. Cap, you can have it all.

32 oz. (1 ltr) and

16 oz. (500 ml.)

in Amber,

Cobalt and

Flint

It's Majestic.



Available from
your local

E.Z. Cap
distributors

www.ezcap.net
(403)282-5972

ENTER YOUR MEAD

IN THE

2013 **WineMaker** International Amateur WINE COMPETITION

Enter your best in one of the
three mead categories:

TRADITIONAL MEAD

Sponsor: Adventures in Homebrewing

FRUIT MEAD

Sponsor: The Purple Foot - Milwaukee

HERB AND SPICE MEAD

Sponsor: Brew Your Own magazine

BEST OF SHOW MEAD AWARD

Sponsor:

NORTHERN BREWER

000000 HOME BREW SUPPLY 000000

HURRY! Entry deadline is:
March 15th, 2013

Entry forms and competition rules are available online at:
www.winemakermag.com/competition

Questions? Contact us at: Battenkill Communications
5515 Main Street • Manchester Center, VT 05255
e-mail: competition@winemakermag.com ph: (802) 362-3981 fax: (802) 362-2377

Stand up for your homebrewing rights.



Join Us

HomebrewersAssociation.org

Ensure that homebrewers like yourself are free to practice their passion. Support the American Homebrewers Association's efforts to legalize and protect homebrewing.

American Homebrewers Association
A Division of the Brewers Association
www.BrewersAssociation.org

techniques

compounds into the beer, and cellaring will give them ample time to convert them into compounds giving off flavors, such as wet cardboard tastes. And, of course you want to avoid oxygen pick-up as much as possible, so avoid splashing whenever the beer is transferred. It is probably best if you can age in bulk in a stainless steel keg rather than bottling, which can easily introduce both oxygen and bacteria. If you do bottle the beer, then use a counter-pressure filler, make the beer "fob" over the top of the bottle, and use oxygen scavenger caps. And finally, keep the yeast in the beer at as low a level as possible, just enough to permit conditioning to take place, which shouldn't be a problem in the time-frame we are talking about. I know that yeast will help to keep oxygen levels down, but in a beer kept for months or even years it can also undergo autolysis and produce unwelcome flavors.

The second point is very important because the rate of chemical reactions, such as oxidation and staling are accelerated as the temperature is increased. You may think you have a nice cool basement when you lay the beer down in winter, but how much does it warm up in the summer? The maximum you really want is 52 °F (11 °C), which isn't always easy to achieve. My basement is pretty good, but in a New England summer it can sometimes get up to 70 °F (21 °C). I overcome that with a beer freezer kept at around 45 °F (7 °C). If you can't keep the temperature down your cellaring experiments are doomed.

Points three and four really go together, because the ultraviolet part of the visible spectrum is no good for beer. Long exposure to it even in brown bottles will result in skunky flavors. Green and brown bottles are asking for trouble for they transmit ultraviolet light much too easily. My personal rule is also that I just will not buy a beer in a clear bottle, period.

Finally, the last point I have already dealt with, but it needs repeating. Keep an eye on the beer, and if it tastes as if it has come to a peak drink it because it can go downhill quickly. 

50 POUND SACK

HOPS AND GRAIN BY THE ASSLOAD



Grain by the Bag ONLY!!

All your favorite Maltsters

Hops by the Pound

30 Varieties to choose from

ALWAYS FREE SHIPPING!!!


U.S. MAINLAND ONLY (AK AND HI CONTACT US FOR QUOTE)

www.50PoundSack.com



The best
handcrafted beer
starts with the **finest**
handcrafted malt.

www.BrewingWithBriess.com



**BREW A WORLD
OF GREAT BEERS!**

www.whitelabs.com

12,000 CLICK CREAM ALE

OG: 1.049 FG: 1.010 ABV: 5.0% ABW: 4.0% IBU: 20 COLOR(L): 4

DESCRIPTION: Separated by the Pacific Ocean, these ingredients combined to create a U.S. original with Australian influence that is both flavorful and refreshing. **Recipe for 5 US gallons (19L)**

QUANTITY	INGREDIENTS	COMMENT
3.3 lbs	Briess CBW® Golden Light, LME	
2.5 lbs	Briess 6-Row Brewers Malt	
1.5 lbs	Briess Flaked Corn	
0.75 lb	Sugar	10 min boil
0.75 oz	Pride of Ringwood (9.0%AA)	60 min boil
1 vial	WLP009 Australian Ale Yeast	
1 capsule	Servomyces Yeast Nutrient	10 min boil

BREWING PROCEDURES:

1. Steep grains at 150-154°F for 30 minutes
2. Remove grains, bring to boil
3. Remove from heat, add extract, sugar, and hops
4. Boil 60 minutes
5. Cool to 66°F, oxygenate wort
6. Pitch 1 vial WLP009 Australian Ale Yeast

FERMENTATION:

Primary: 2-3 weeks at 66°F

GOLDENWEIZEN

OG: 1.048 FG: 1.012 ABV: 4.7% ABW: 3.8% IBU: 15 COLOR(L): 5

DESCRIPTION: Briess Goldpils® Vienna Malt adds a complimentary maltiness to this variation of a traditional Heffewizen. **Recipe for 5 US gallons (19L)**

QUANTITY	INGREDIENTS	COMMENT
5 lbs	Briess Wheat Malt, Red	
5 lbs	Briess Goldpils® Vienna Malt	
1.5 oz	Hersbrucker (3.0%AA hop)	60 min boil
0.5 oz	Hersbrucker (3.0%AA hop)	10 min boil
1 vial	WLP351 Bavarian Weizen Yeast	
1 capsule	Servomyces Yeast Nutrient	10 min boil

BREWING PROCEDURES:

1. Mash grains at 108°F for 10 minutes
2. Slowly bring temperature to 148°F
3. Mash at 148°F for 30-45 minutes
4. Heat to 170°F
5. Lauter
6. Boil with bittering hops for 60 minutes
7. Cool to 68°F, oxygenate wort
8. Pitch 1 vial WLP351 Bavarian Weizen Yeast

FERMENTATION:

Primary: 2-3 weeks at 68°F

Plate Chillers

advanced brewing

Big cooling in a small package

by Chris Bible



Wort chilling is a key step in the brewing process. It is important to bring the boiling wort temperature down to the optimal temperature for fermentation as quickly as possible. By chilling the wort as quickly as possible, the brewer helps minimize the potential for contamination of the wort and minimize the production of dimethyl sulfide (DMS) precursors within the wort. Rapid chilling of the wort also helps maximize the precipitation of protein and protein-polyphenol complexes out of the wort in the form of cold break.

Plate chillers

There are several different types of wort chillers available to the homebrewer. A plate-type chiller typically consists of numerous stainless steel plates that have been welded together in such a way as to allow hot wort to flow across one side of each plate, and cooling water to flow along the other side of each plate. The plates are made to allow liquids to flow in the gaps between each plate, with the cooling water and wort filling the gap between alternating plates.

Plate-type chillers are configured in such a way as to essentially act as a very high-surface-area-per-unit-volume counterflow chiller. For example the Blichmann Therminator has physical dimensions that are advertised as 7.5" x 4" x 3" (a volume of approximately 0.05 ft³), but has approximately 6.5 ft² of heat exchange surface area. Because of this, plate chillers are very efficient at cooling wort and use the least amount of cooling water per unit heat transfer.

Plate chiller performance

Plate chiller performance is driven largely by the surface area of the chiller, the temperature difference between the hot and cold liquids within the system, and the value of an overall heat transfer coefficient. This

is shown succinctly by the equation:

$$Q = U A \Delta T_{LM}$$

Where:

Q = Rate of heat transfer (BTU/hr)

U = Overall heat transfer coefficient (BTU/hr-ft²-°F)

A = Surface area for heat transfer within the chiller (ft²)

ΔT_{LM} = "Log Mean Temperature Difference" between hot and cold liquids

With the expressions for U and ΔT_{LM} (not shown), you can predict the performance of a plate chiller. Figures 1 (pg. 68) and 2 (pg. 69) show the predicted performance of a plate chiller for different cooling water temperatures and wort flow rates. The graphs assume a heat exchange surface area of 6.5 ft² — same as the Blichmann Therminator and in the ballpark of most homebrew-sized plate chillers.

Practical discussions

Homebrewers commonly use immersion chillers, counterflow chillers and plate-type chillers. Each type of chiller can be effective and each has positive and negative attributes. These depend upon your specific brewing equipment configuration, your wort production amounts during a brew session and your brewing technique.


Immersion chillers are very simple, inexpensive, easy to construct, easy to clean, easy to sanitize and require little maintenance. However, immersion chillers require more hands-on work from the brewer on brew day, and are not as quick to chill the wort as the other chiller types. Immersion chillers, especially if they are the smaller, 25-foot (7.6-m) long version, are not the best choice if you typically brew volumes greater than 5 gallons (19 L) per batch. It would likely take longer than desired for an immersed 25-foot (7.6-m) copper coil to chill a 20+ gallon (76+ L) batch of wort.

“Plate-type chillers are configured in such a way as to essentially act as a very high-surface-area-per-unit-volume counterflow chiller.”



Photo courtesy of Blichmann Engineering

Figure 1: Effect of Cooling Water Inlet Temperature on Plate Chiller Performance



Counterflow chillers are more complex than an immersion chiller. They are also less easy to clean and sanitize than an immersion chiller. Because wort flows through an inner tube, any particulate matter contained in the wort (e.g. bits of hops or hot break material) or precipitate from the

wort during cooling (e.g. cold break) has the potential to deposit on the inner wall of the tube. These deposits, if not removed, will increase the resistance to heat transfer within the system and will cause decreased heat transfer efficiency. Counterflow chillers require very little hands-on

work by the brewer during the actual wort chilling operation, but do require that the brewer properly clean and flush out the system after the chilling. Counterflow chillers are a good option if you brew more than 5 gallons (19 L) at a time. Since the homebrewer can adjust both the wort flow rate and the cooling water flow rate, it is straightforward to "dial in" these variables in order to achieve your desired wort temperature.

Plate-type chillers are relatively simple and can be thought of as a very high-surface-area-per-unit-volume counterflow chiller. They also can't be constructed at home unless you are a very skilled welder who is also equipped with the necessary metal-working tools. Plate chillers are less easy to clean and sanitize than an immersion chiller, but are (arguably) easier to clean and sanitize than a conventional, coiled, counterflow chiller due to their smaller size and all-metal construction.

Brew Brothers Homebrew Products

Try our **BrewFresh**™
Beer Recipe Kits


Built to Order~Guaranteed Fresh

Pay Less, Brew More!

WWW.BREWBROTHERS.BIZ

info@brewbrothers.biz

Toll Free (888) 528-8443



*"Come join
the family!"*™

Brew Brothers sponsored

Oregon Brew Crew's **Heart of Cascadia CDA** Homebrew Competition

Entries accepted 3/1-4/12; judging 4/20

Best of Show-\$150 gift certificate

Runner Up-\$50 gift certificate



SEE OUR WEBSITE FOR MORE INFORMATION!

The UNI-STAT II

**PRECISE CONTROLLER
for HEATING or COOLING**



Heating or
cooling mode
is simply
switch-selected!

**GREAT FOR LAGERING OR MAINTAINING A
STEADY FERMENTATION TEMPERATURE
IN ANY SEASON!**

- Direct wall-plug installation, with load capacity up to 10 Amps
- Adjustable from 10–190 °F, with +/- 1° accuracy
- Energy-optimizing switch-selected 50% duty-cycle included
- Bright LED displays of temperature and operating mode
- Bottle probe option available for beer or wine storage
- 3-year factory warranty

Only \$89, including FREE shipping in the continental U.S.

www.winestat.com


Plate chillers have the same issue as counterflow chillers with internal fouling, but because of their relatively small size, a plate-type chiller can usually be detached from the brewing system and be fully immersed in cleaning solution, and then be easily flushed. Due to their all-metal construction, they can also be exposed to higher temperatures during cleaning and sanitizing than a counterflow chiller with an outer pipe made of garden hose. Live steam can be used to clean and sanitize a plate-type chiller, or you can place the chiller into an oven to heat-sanitize it.

Plate chillers require very little hands-on work by the brewer on brew day during the actual wort chilling operation, but do require that the brewer properly clean and flush out the system after the chilling operation in order to remove any solid material that may have been left in the interior after chilling. Plate chillers are a good option if you brew larger volumes

each batch and have the same operational advantages as the counterflow chiller. Finally, as with counterflow wort chillers, brewers can increase the rate of cooling by decreasing the temperature of the cooling water, increasing the flow rate of the cooling water or decreasing the flow rate of

the wort. The figures on pages 68 and above can guide you in choosing your initial flow rates, based on your tap water temperature the first time you use your plate chiller. From there, a little tweaking of the flow rates should be all it takes to dial in your chilled wort temperature. (BYO)

Figure 2: Effect of Cooling Water Inlet Temperature on Chilled Wort Flow Rate



Hogshead

Chocolate Rye PA
\$45 / with
Free Pint Glass *

5 Gallon Glass
Carboy Sale
\$25 *

Hop Rhizomes -
Time to Pre-Order!

*Visit www.homebrewing.org for details

The Ruby Street Brewery

- Accessible safe height
- Unique storage feature
- 10" Pneumatic tires
- Pump, fittings & tubing included
- 15.5 Gallon SS kettles & fittings
- No tools required for assembly

The MEGA RUBY
30 Gallon System
ALSO Available!

Exceptional Form

Intuitive Design

Incredible Function


www.RubyStreetBrewing.com

Visit our website for details and a dealer near you!
Ruby Street Brewing, LLC PO Box 271722 Ft Collins, CO 80527

EVERYONE WILL BE
LOOKING
AT YOUR RACK



ORDER TODAY FOR 10% OFF
www.THEFASTRACK.ca
1-800-549-5763 info@THEFASTRACK.ca



THE GRAPE AND GRANARY

YOUR HOMETOWN BREW SHOP
ON THE WEB

FEATURING

EXTENSIVE SELECTION

FAST SHIPPING/ EXPERT ADVICE

WE CATER TO NEW BREWERS!

Visit our online store or call to request
a catalog. You'll be glad you did!

800-695-9870

WWW.THEGRAPE.NET

AKRON OHIO USA



BREW MASTERY

Our custom
recipe application,
BrewBuilder™,
allows you to create,
edit, share & buy recipes right from one
convenient page.

Create one of your own recipes or customize
one of **OVER 1,100 HOMEBREW RECIPES**
- and then buy it with the click of a button!

Create & buy a **BrewBuilder™** recipe and
SAVE 10% when you enter: BBYO

Brewmasters
• **WAREHOUSE** •
brewmasterswarehouse.com



Monster Mills by Monster Brewing Hardware are
made in the USA on modern CNC equipment with state
of the art accuracy for discriminating home brewers.

Why settle for second best?



WWW.MONSTERBREWINGHARDWARE.COM

"IT'S ALWAYS BETTER TO HAVE A BIGGER TOOL THAN YOU NEED."
- MONSTER MACHINIST

Fermentation Cabinet

projects

Keep your carboys cool

by Les Svarny



How can I make my homebrew better? That was and still is the #1 question for most homebrewers. Temperature control during the fermentation is very important but it was difficult for me to control. Cooling was my problem, so I came up with this fermentation conditioner idea. I decided to take an old dehumidifier and donate it to a better cause. The only tricky challenge was reworking the Freon coil without damaging it. After that I could insert the coil into an insulated box with a gasketed door. I also needed a fan to blow air over the coil to keep the coil from icing and improve the air circulation in the chamber. The controls consisted of an external temperature controller with a capillary tube inside the box. A good dial thermometer and a vent to let the "yeast exhaust" escape completed the project. Also, safety is #1 when I build anything,

especially when it comes to working with electricity.

With this build, I can hold my temperatures right on the money. The best part is that I built it all for free! I used all recycled materials from home and construction jobsites (one of the perks from being a construction electrician.) A year later I remodeled my kitchen, which left me with a nice countertop for the top of the chamber. Even if you have to buy some material, you can build this project for a reasonable cost. I recommend a helper for this project.

Safety note: Make sure there are no live un-insulated electrical components exposed while you build this chamber. Also, protect yourself by plugging the dehumidifier into a ground fault interrupter receptacle (GFI). Stay clear of all electrical connections and the compressor fan when you have the cover removed.

“With this build, I can hold my temperatures right on the money. The best part is that I built it all for free! I used all recycled materials from home and construction jobsites.”

Tools and Materials


Tools

Ruler
Pencil/Sharpie
Tubing bender
Circular saw with wood blade
Sawzall w/wood and metal blades
Drill w/bits and driver tips
Holesaws
Tinsnips
Screwdrivers
Razor knife
Wire strippers/crimpers
Personal safety equipment:
Safety glasses
Gloves
Ear protection
Dust mask

Materials

Dehumidifier
Plywood/OSB (Oriented strand board)
1-inch Dowfoam insulation board

1 pair of hinges
1 hasp or latch
¼-in. x ¾-in. self-stick gasket material
Framing lumber 2 x 4's etc. (not treated)
3 Conductor 14-gauge SJO cord
Wire nuts and ring terminals
Rubber cord connectors
Unistrut and angle clips
Misc. nuts and bolts, screws
Duct seal/caulking
Computer fan with guard
Temperature controller w/remote sensor
Dial thermometer and bracket
Misc. closed cell insulation
Drip pan
Construction adhesive/glue
Ground fault receptacle (GFI)
Kitchen countertop (optional)
Paint or stain (optional)
Misc. ¾-in. PVC fittings (optional)





1. HARVEST THE COLD COIL

Start the dehumidifier and make sure the Freon coil gets cold and the compressor cooling fan works. Unplug the power and remove the cover. See if you think it is possible to rework the coil so as to bend the tubing out away from the main appliance body. I reworked mine out 180 degrees, but 90 degrees might work too. Do this work outdoors and go slow. If you break the coil's tubing, Freon will be released, which is toxic to inhale and can displace oxygen in enclosed areas. You will also have to start over with another dehumidifier. Do not kink the tubing. Use a tubing bender to help you. Remove the coil support clips and save them for later. Now rework your coil. Remember to keep a temporary support on the coil all times until you add the permanent support back in step 3. Test the operation of the modified dehumidifier. Make sure the coil still gets good and cold.



2. BUILD YOUR INSULATED BOX

My box started out with a piece of galvanized ductwork 24 inches (61 cm) wide x 26 inches (66 cm) high x 24 inches (61 cm) deep (open on both ends). Next, I insulated it with a layer of 1-inch (2.5 cm) thick Dowfoam board insulation, followed by an exterior layer of plywood and OSB board. You could make your box any size, just make sure your fermenter and airlock will fit inside comfortably. My box can hold two fermenters.

Next add an insulated door with a pair of hinges and a hasp or latch. I also used 1/4-in. x 3/4-in. wide self-stick gasket material to give the door a good seal.

Finally, cut a window in the lower back corner for your Freon coil. Take a little time to figure out exactly where you think it would work best for you. Make it big enough so as not to damage your coil while inserting it later. You will end up insulating this opening anyway.



3. ASSEMBLE AND SUPPORT

I mounted my insulated box and dehumidifier on a common piece of 3/4-in. thick plywood. Mine was 26 inches deep x 42 inches wide. First I mounted the box, then carefully inserted the coil into the previously created window in the box. I then fastened the dehumidifier to the base plywood.

Next I made a stand. Mine is 16 inches (41 cm) high. Note that this stand **MUST** be strong and sturdy as it will have a lot of weight on it when you have full carboys in it. Make sure you fasten this base plywood to the stand securely. Wood screws worked well for me.

Now it is time to support the Freon coil. I used a short 11-inch (28-cm) piece of Unistrut with a 2 x 2 Unistrut angle bracket fastened to the bottom of the box. I then used the coil clips I saved from the original support in the dehumidifier. Be careful not to pinch or clamp the coil too tight so as to cause a leak.

Finish this step by insulating the window at the coil. Soft closed cell packing foam worked well for me.

4. ELECTRICAL CONTROLS AND FAN

SAFETY NOTE: Electrical work should only be done by a qualified person. All electrical components and all metal parts must be properly grounded. Also, proper use of ground fault interrupter receptacles (GFIs) should always be used to prevent electrical shock.

The temperature controller is mounted in a convenient spot outside the box, with clear vision of the set point temperature dial. I drilled a hole into the box near the ceiling and mounted the sensor on the ceiling with a little plastic one-hole strap. Be careful not to kink the capillary tube. Seal the hole with a little duct seal. I used 3-conductor 14-gauge SJO cord from the controller to the compressor junction box. It is wired to have the contacts close on temperature rise. Follow this by mounting a computer fan in front of the Freon coil. I used a little piece of predrilled angle iron and a few nuts and bolts. This fan is also wired with 3-conductor 14-gauge SJO cord. It is wired to run full time, even when the compressor is not running. Make sure your fan has a guard or screen.

5. INSTALL VENT, THERMOMETER AND COVER

To vent the "yeast exhaust," I drilled a 1½ inch hole with a holesaw near the top of the box (on the sidewall). I dressed it up with ¾-in. PVC fittings. Location is not critical, so long as it is at the top. I also added a drip pan under the Freon coil to catch any condensate. This pan could be anything lying around the house.


Next I added a dial thermometer. This item, although convenient, is not necessary. A crystal thermometer on your fermenter will work just fine.

Finally, reinstall the original cover for your dehumidifier. I had to modify mine by cutting a section of the side panel off with a Sawzall. Reinstalling this cover will keep your hands away from the compressor fan and the electrical parts. Also, make sure you seal all openings (except the vent) with duct seal, insulation or caulking. This will add to the efficiency of your unit.

6. FINISHING TOUCHES

As mentioned earlier, I added a formica kitchen countertop. It was 25 inches (64 cm) deep x 37 inches (94 cm) long with a backsplash. That worked really well for scales and test equipment. My countertop ended up at 52 inches (132 cm) above the floor. Take time to smooth all edges with a wood or metal file. Paint and stain are optional. Decorations and data sheets are easy and practical.

Finally, test it out. Make any necessary adjustments — there are always a few. If you are like me, you will start making better beers with your next batch! This will also allow you to brew your favorite flagship brews over and over with wonderful results and consistency. **BYO**



www.breworganic.com

Great organic beer starts with great organic ingredients!



28 Organic malts:

From Briess, Crisp, Gambrinus, Great Western, & Weyermann

30 Organic Hop Varieties:

Admiral, American Fuggles, Belgian Cascade, Belgian Saaz, Bravo, Cascade, Centennial, Challenger, Chinook, Fuggles, Hallertau Tradition, Hersbrucker, Horizon, Ivanhoe, Kent Goldings, Motueka, Nelson Sauvin, New Zealand Hallertau, Nugget, Opal, Pacific Gem, Palisade, Perle, Pilgrim, Rakau, Saphir, Smaragd, Spalt Select, Summit, Whitbread Goldings Variety.



The world's best selection of organic ingredients to make the world's best organic beer.. whether it's your first brew ever or a 200 gallon batch in your craft brewery.



Green Coffee Too! Fair Trade certified, which supports fair wages for the growers who craft the best organic coffee in the world.

800-768-4409

325A River Street, Santa Cruz, CA 95060

Retail Store Hours:

Mon-Sat 10 am to 6 pm, Sun 12 to 6 pm

7bridges@breworganic.com

The Only Super Easy
Incredibly Effective
and Budget Friendly



FERMENTATION COOLER

Great for Lagers and Ales!



Use Code "BYO2013"
to save 10% on your order!


Cool Brewing

Code Expires 5/31/13

Visit Cool-Brewing.com

AVAILABLE NOW!

live beer radio & podcasts • BNAC beer wear



Part of the Brewing Network's
Mastering Beer Styles Series
THE BREWING NETWORK.COM

Dallas Home Brew

a division of
The Wine Maker's Toy Store

FROM LIGHT TO DARK
AND EVERY STYLE IN BETWEEN



We have all
of the ingredients,
supplies and
equipment
to make your
favorite brews!



1500 N. I-35E, Suite 116., Carrollton, TX 75006
<http://www.finevinewines.com>
1-866-417-1114

Hop Rhizome Directory

GROW YOUR OWN HOPS! Order your hop rhizomes today from the following suppliers for your own annual supply of homegrown hops.

Adventures in Homebrewing

Visit us at our two locations:
23869 Van Born Rd. Taylor, MI
6071 Jackson Rd, Ann Arbor, MI
(313) 277-BREW (2739)
www.HomeBrewing.org
Rhizomes, Pellet, Leaf. We Know Hops!

Alternative Beverage

1500 River Dr. Ste 104
Belmont, NC 28012
800-365-2739
fax: 704-967-0181
absales@ebrew.com
www.ebrew.com
Fresh Hop Rhizomes directly from the growers! Low prices, bulk pricing on request, guaranteed fresh at shipping with free instructions. Arriving early March.

American Brewmaster

3021-5 Stony Brook Dr.
Raleigh, NC 27604
(919) 850-0095
www.americanbrewmaster.com
abrew@americanbrewmaster.com
Proudly serving the homebrew and wine-making community since 1983. Hop Rhizomes available for early spring. Varieties and growing guide on our website @ hop-rhizomes.americanbrewmaster.com

Bader Beer & Wine Supply & Bader Winery

711 Grand Blvd.
Vancouver, WA 98661
(360) 750-1551 or
1-800-596-3610
steve@baderbrewing.com
baderbrewing.com
We offer 15 Washington State hop rhizomes.

Beer and Wine Hobby, Inc.

www.beer-wine.com
1-800-523-5423
155 New Boston St., Unit T
Woburn, MA 01801
bwhinfo@Beer-Wine.com
Hop rhizomes and Grapevines - order now!

The Beer Essentials

2624 South 112th St., #E-1
Lakewood, WA 98499
(253) 581-4288
www.thebeeressentials.com
Complete line of brewing supplies. Knowledgeable and Friendly staff. Pre-order hop rhizomes beginning in March. Sorry we cannot ship rhizomes to Idaho, Oregon or outside the US.

Blue Ridge Hops

313 Laurel Branch Rd.
Marshall, NC 28753
(301) 602-0722
email: blueridgehops@aol.com
www.blueridgehops.com
We grow top quality USDA Certified Organic hops in Western North Carolina. We supply rhizomes and whole leaf dried hops.

Crosby Hop Farm

8648 Crosby Rd. NE
Woodburn, OR 97071
Phone: (503) 982-5166
email: hops@bcrosbyhops.com
web: www.bccrosbyhops.com
5 Generations of Premium Hops. Wide selection of farm fresh Hop Rhizomes, Whole Hops and Hop Pellets...Get your rhizomes from the source, currently taking orders and shipping daily!

Farmhouse Brewing Supply

3000 Milton Ave.
Janesville, WI 53545
(608) 305-HOPS
Farmhousebrewingsupply@gmail.com
Farmhousebrewingsupply.com
Offering 10 varieties of rhizomes. Over 70 varieties of hops available starting at \$.70/oz. Hops from Ahtanum to Zythos!

Freshops

36180 Kings Valley Hwy.
Philomath, OR 97370
1-800-460-6925
www.freshops.com
Purveyors of fine hops and rhizomes since 1983. Oregon is the source! Order rhizomes online beginning in mid March.

High Hops

Hop Farm
6461 Hwy 392
Windsor, CO 80550
www.highhops.net
We sell over 35 varieties of Hop Plants. Available April 1st through Sept. Get a jump start with Plants. Order online. HighHops.net

Keystone Homebrew Supply

435 Doylestown Rd. (Rt. 202)
Montgomeryville, PA 18936
(215) 855-0100
Email: sales@keystonehomebrew.com
Order rhizomes online at:
www.keystonehomebrew.com

Left Field Hops

706 Elson Road
Sorrento, BC V0E 2W1
CANADA
Phone: (250) 675-4122
Fax: (250) 675-6849
email: hops@crannogales.com
www.leftfieldstore.crannogales.com
Certified Organic Rhizomes from Canada to Canada. A wide variety of hops supported by the oldest current organic hop farm and brewery in the country. Shipping in Canada only.

Mainbrew

23596 NW Clara Lane
Hillsboro, OR 97124
(503) 648-4254
www.mainbrew.com
Huge selection of Oregon-grown rhizomes. Straight from local hop farms. Bulk discounts available.

Midwest Homebrewing & Winemaking Supplies

5825 Excelsior Blvd.
Minneapolis, MN 55416
1-888-449-2739 (BREW)
www.MidwestSupplies.com
Reserve hop rhizomes online for late March / early April delivery! Guaranteed fresh and fast! Reserve yours today!

MoreBeer!

995 Detroit Ave. Unit G
Concord, CA 94518
1-800-600-0033
www.morebeer.com
14th Annual Sale of Fresh Hop Rhizomes. MoreBeer has low prices on popular rhizomes, guaranteed to ship fresh, along with free information on how to properly care for your new rhizome.

Mountain Homebrew & Winemaking Supplies

8530 122nd Ave. NE B-2
Kirkland, WA 98033
(425) 803-3996
MountainHomebrew.com
The Northwest's Leading Hop rhizome Supplier! Several varieties available including Cascade, Centennial, Chinook, Columbus, Fuggle, Glacier, Golding, Hallertau, Magnum, Northern Brewer, Nugget, Tettnang & Willamette.

myLHBS

(myLocal-Home-Brew-Shop)

6201 Leesburg Pike
Falls Church, VA 22044
(703) 241-3874
www.myLHBS.com
Pellet hops from (A)marillo to (Z)ythos. Whole hops too. Freshly harvested hop rhizomes offered every year in time for Spring planting!

Nikobrew LLC

www.nikobrew.com
email: niko@nikobrew.com
Starting at around \$3, less with bulk discounts! Homebrew shops, farms and professional brewers email for deeper discounts. Dozens of pellet hops available as well and \$5 Flat Rate Shipping to ALL 50 states. Pre-order ends February 28th!

Northern Brewer

www.northernbrewer.com/rhizomes
toll-free: 800-681-BREW
1150 Grand Ave. St. Paul, MN
1306 S.108th St. Milwaukee, WI
6021 Lyndale Ave. Minneapolis, MN
Your backyard = hopyard. Grow your own hops!

Northwest Hops

www.NorthwestHops.com
(503) 974-4677
Sales@NorthwestHops.com
•Don't be fooled by Clones.
•The BEST hops come from the Northwest.
•True hop heritage from Family Hop Farms.
•All Varieties Guaranteed Female.
•Quality control Second to None!
•Preorder starts in December.
•Shipping Daily starts February/March
•We will help you grow.

One Green World

6469 SE 134th Ave.
Portland, OR 97236
1-877-353-4028
email: info@onegreenworld.com
Visit us on the web at:
www.onegreenworld.com
Aroma and bittering hop plants available year-round. Productive, disease-resistant varieties plus many brewing herbs.

RNV Enterprises

1501 Stein Rd.
Yakima, WA 98908
(509) 952-8251 fax: (509) 697-3207
rventerprises.com
vickie.rhizomes@yahoo.com
We sell Washington State Hop Rhizomes. We specialize in customer service. Our goal is to provide customers with fun growing experience. Rhizomes available at the end of March, 2013.

The Thyme Garden Herb Company

20546 Alsea Highway
Alsea, OR 97324
1-800-487-8670
Visit us at: www.thymegarden.com
Email: herbs@thymegarden.com
Growing organic hop rhizomes and rooted cuttings for 24 years. Over 20 varieties. Order now for Spring delivery. Retail on website, wholesale by phone or email only. Also dried cones and pellets.

APPAREL

BEER GEEK TEES

Get 10% off with
Coupon: BYOMAG
Wholesale pricing for resellers.
BrewerShirts.com

BEERSHIRTZ - FREE SHIPPING!

www.beershirtz.com

GET YOUR BYO GEAR!

BYO logo shirts, sweats, hats
& lots more.
www.cafepress.com/brewyourown

BREWING EQUIPMENT

#1 BREWING SYSTEM

All stainless steel, American-made,
TIG welded.
Visit us at synergybrew.com

BARGAINFITTINGS.COM

High quality weldless, stainless
steel kits to convert your kegs,
kettles and coolers.

BEER WORT CHILLERS

High efficiency plate
heat exchangers. Great prices.
www.dudadiesel.com
256-417-4337

BREWHEMOTH - SIZE MATTERS

22 gallon fermenter
and accessories.
www.brewhemoth.com

CHUGGER PUMPS -

Stainless Steel Brew Pumps
www.chuggerpumps.com
1-800-810-1053

ELECTRIC BREWING EQUIPMENT

Low prices, growing selection,
DIY kits. \$5 Shipping,
Orders over \$49 ship free
www.ebrewsupply.com

KEGGLE BREWING

Corny Kegs, Tap Systems and
Parts, Refrigerator Conversion Kits,
Keggles and Weldless Fittings.
www.KeggleBrewing.com

LIFE'S TOO SHORT

To Worry About Wort. Monitor
pitching & fermentation
temperature with a Fermometer™!
www.tkachenterprises.com

OneDerBrew™ LOW COST

pressurizable conical fermenters
starting at \$59.99
www.onederbrew.com
questtech2002@gmail.com

STOUT TANKS & KETTLES

Stainless conical fermenters,
mashtuns, & HLTs. 5-150 gallons.
conical-fermenter.com

TESCO PUMPS

March Homebrew Pumps
& Parts Since 1977.
www.tescopumps.com
Email: tescocnc@aol.com
(704) 357-3400

www.UnitedBottles.com
Bottles, hops and more...

DRAFT & BOTTLING EQUIPMENT

www.TheBeerTapStore.com

Kegerator kits and more. Stocking
Perlick, Taprite, Bevflex tubing.
Custom quotes available.

BOOTLEGGER CRATES

Handcrafted wood crates for beer and
wine storage. Made in the USA.
www.bootleggersupplies.com

USE COMMERCIAL KEGS

with your homebrew setup. Keg
coupler ball-lock adapters available.
www.thekeggingpart.com

HOMEBREW SUPPLIES

DRAFTSMAN BREWING COMPANY

You'll love our prices!
Call today for our FREE
homebrew supply catalog.
1-888-440-BEER
www.draftsman.com

FARMHOUSE BREWING SUPPLY

55 Varieties of hops in semi-bulk 4
ounce packages. Starting at \$.60/oz
www.farmhousebrewingsupply.com

HOMEBREWING EQUIPMENT:

Over 2,400 items! Hard to find
parts. Great prices.
www.chicompany.net

HOP GROWING

NEED QUALITY HOPS?

Hops grow best in the Northwest
Female Rhizomes, Dried Hops,
Potted Hops.
www.NorthwestHops.com
(503) 902-0902

INGREDIENTS

www.UnitedBottles.com

great hops and more...

VALLEY MALT

New England's Micro-Malthouse
All organic and locally grown.
www.valleymalt.com
(413) 349-9098

LABORATORY & TESTING SUPPLIES

BREWLAB™/plus TEST KIT,
for home brewers measures up to
6 water test factors.
www.lamotte.com/brewlab

SOFTWARE

BEERSMITH

BREWING SOFTWARE

Take the guesswork out of brewing!
Free 21 day trial!
www.beersmith.com

WHOLESALE EQUIPMENT

BAYOU CLASSIC® BREW

Wholesale Equipment: Brew Kettles,
Cookers, Accessories.
www.thebayou.com
erin.busin@bi2.com

Reach 196,000
homebrewers
each issue!

For details on
running a
classified email
dave@byo.com
or call
802-362-3981
ext. 107

Brew

THE HOW-TO HOMEBREW BEER MAGAZINE
YOUR OWN

**Shirts, Sweats,
Hats & Lots More!**

**GREAT
Gifts For You or
Your Brewing
Buddies**



Go to
**www.cafepress.
com/brewyourown**
and order your Brew
Gear today!

**www.cafepress.com/
brewyourown**

**SHOW THE WORLD YOU'RE
A HOMEBREWER!**



1-800-441-2739

www.larrysbrewsupply.com

**Attention Homebrew Shops
Interested in selling**

Brew?
It's easy!



- Free point-of-purchase display rack
- Big 45% discount off cover price
- Minimum order of just 5 copies
- Help drive more customer business and demand
- Flat shipping fee
- Free Online listing & Hotlink on byo.com!

To set up an account or find out more
call Dave at (802) 362-3981 ext. 107



**The Pacific
Northwest's
Finest
Raw Hops**

Freshops

Grow Your Own Hops!
Hop Rhizomes available April-May
Visit Freshops.com
for details

freshops Specializing in partial bale quantities
of whole raw hop cones. We select the cream of the crop,
alpha analyze & cold store each lot until shipped. Serving
homebrewers, shops and microbreweries since 1983. Write
or call to receive a price list or the name of your closest
dealer.

1-800-460-6925

36180 Kings Highway, Philomath, OR 97370

**IT HAS TO BE
CLEAR TO MAKE
GOOD BEER**

Every homebrewer knows that
great beer starts with clean
equipment and clean bottles.
Straight-A and One Step are
ecologically formulated to provide
the best and safest cleaning results.

One Step
for easy, single-step cleansing

Straight-A
for heavy-duty cleaning

Give Your Brew The Best
Grades - Use One Step
and Straight-A

ecologiccleansers.com
608-658-2866
info@ecologiccleansers.com

Accept No
Imitations



Like us on facebook

BYO BINDERS!



- Gold-stamped logo on
front and spine
- Opens flat for easy use
- Leather-grained in royal
blue
- Each binder holds 10
issues

Only \$20 each (includes shipping)

**Order Today at
brewyourownstore.com**

Homebrew Heat Pad

Constant temperature
for fermenting

"Way better than heat belts"



FREE CATALOG

Call (800) 821-2254
or fax (800) 972-0282



WHOLESALE ONLY

FOXX
EQUIPMENT COMPANY

Visit foxxequipment.com to find a Home Brew Shop near you!
See our complete catalog online!

for direct links to all of our advertisers' websites, go to www.byo.com/resources/readerservice

50 Pound Sack66 www.50PoundSack.com	C&W Crate Company55 616-245-2728 www.cwcrate.com info@cwcrate.com	Mark's Keg Washer48 503-806-4115 www.kegwasher.com mark@kegwasher.com
Adventures in Homebrewing69 313-277-2739 www.homebrewing.org	Cool Brewing74 www.cool-brewing.com	Midwest Homebrewing & Winemaking SuppliesCover III 1-888-449-2739 www.midwestsupplies.com/maibock info@midwestsupplies.com
American Brewers Guild Brewing School55 1-800-636-1331 www.abgbrew.com info@abgbrew.com	Dallas Home Brew a division of The Wine Maker's Toy Store74 1-866-417-1114 www.finevinewines.com geocorn@finevinewines.com	Monster Brewing Hardware LLC70 678-350-1731 www.monsterbrewinghardware.com francis@monsterbrewinghardware.com
American Brewmaster60 www.americanbrewmaster.com	E.Z. Cap65 403-282-5972 www.ezcap.net ezcap@ezcap.net	MoreBeer! & MoreWine!18 1-800-600-0033 www.morebeer.com sales@morebeer.com
American Homebrewers Association66 www.HomebrewersAssociation.org	Electric Brewing Supply, LLC62 www.ebrewsupply.com sales@ebrewsupply.com	My Own Labels17 www.myownlabels.com info@myownlabels.com
Annapolis Home Brew39 1-800-279-7556 www.annapolishhomebrew.com email@annapolishhomebrew.com	FastRack70 1-800-549-5763 www.thefastrack.ca info@thefastrack.ca	NorCal Brewing Solutions17 530-243-BEER (2337) www.norcalbrewingsolutions.com sales@norcalbrewingsolutions.com
Austin Homebrew Supply62 1-800-890-BREW (2739) www.austinhhomebrew.com info@austinhhomebrew.com	Five Star Chemicals & Supply Inc.44 1-800-782-7019 www.fivestarchemicals.com support@fivestarchemicals.com	Northern Brewer, LLCCover II 1-800-681-2739 www.northernbrewer.com/byo info@northernbrewer.com
Better-Bottle® division of High-Q, Inc.21 1-800-435-4585 www.Better-Bottle.com sales@better-bottle.com	Fox Equipment Company77 816-421-3600 www.foxequipment.com kcsales@foxequipment.com	Polar Ware Company23 1-800-319-9493 www.polarware.com
BH Enterprises68 1-800-973-9707 www.winestat.com info@winestat.com	Freshops77 1-800-460-6925 www.freshops.com sales@freshops.com	Quality Wine and Ale Supply44 574-295-9975 www.HomeBrewIt.com info@HomeBrewIt.com
Blichmann Engineering, LLC14 www.blichmannengineering.com john@blichmannengineering.com	Grape and Granary70 1-800-695-9870 www.grapeandgranary.com info@grapeandgranary.com	Rebel Brewer22 615-859-2188 www.rebelbrewer.com info@rebelbrewer.com
Brew Beer and Drink It62 BrewBeerAndDrinkIt.com support@BrewBeerAndDrinkIt.com	GrogTag39 www.grogtag.com support@grogtag.com	Ruby Street Brewing, LLC69 970-673-RUBY (7829) www.rubystreetbrewing.com questions@rubystreetbrewing.com
Brew Brothers Homebrew Products, LLC68 1-888-528-8443 www.brewbrothers.biz info@brewbrothers.biz	High Gravity17 918-461-2605 www.highgravitybrew.com store@highgravitybrew.com	Seven Bridges Co-op Organic Homebrewing Supplies74 1-800-768-4409 www.breworganic.com 7bridges@breworganic.com
Brew Your Own Back Issue Binders77 802-362-3981 www.brewyourownstore.com	Hobby Beverage Equipment48 951-676-2337 www.minibrew.com john@minibrew.com	St. Louis Wine & Beermaking LLC64 636-230-8277 www.wineandbeermaking.com info@wineandbeermaking.com
Brew Your Own Back Issues24-25 802-362-3981 www.brewyourownstore.com backissues@byo.com	Home Brewery (MO)48 1-800-321-2739 (BREW) www.homebrewery.com brewery@homebrewery.com	Tap Boards, Inc.62 512-394-7955 www.TapBoards.com contact@tapboards.com
Brew Your Own Digital Edition52 www.byo.com/digitaledition	Homebrew Heaven55 1-800-850-2739 or 425-355-8865 www.homebrewheaven.com info@homebrewheaven.com	UC Davis Extension44 1-800-752-0881 www.extension.ucdavis.edu/brew extension@ucdavis.edu
Brew Your Own Label Contest6 802-362-3981 www.byo.com	HomeBrewStuff.com32 1-888-584-8881 or 541-830-0100 www.HomeBrewStuff.com info@HomeBrewStuff.com	The Vintage Shop7 604-590-1911 www.thevintageshop.ca info@thevintageshop.ca
Brew Your Own Merchandise77 1-877-809-1659 www.cafepress.com/brewyourown	Jet Carboy and Bottle Washer Co.55 231-935-4555 www.jetcarboy.com mike@antonco.com	White Labs Pure Yeast & Fermentation7 & Recipe Cards 1-888-5-YEAST-5 www.whitelabs.com info@whitelabs.com
Brewer's Best®59 1-800-321-0315 www.brewersbestkits.com info@brewersbestkits.com	Kegs.com Ltd. dba SABCO39 419-531-5347 www.brew-magic.com	William's Brewing32 & 48 1-800-759-6025 www.williamsbrewing.com service@williamsbrewing.com
Brewers Publications32 & 60 1-888-822-6273 www.BrewersPublications.com info@brewersassociation.org	Keystone Homebrew Supply64 215-855-0100 www.keystonehomebrew.com info@keystonehomebrew.com	WineMaker International Amateur Wine Competition65 802-362-3981 www.winemakermag.com/competition competition@winemakermag.com
The Brewing Network74 www.thebrewingnetwork.com	Lallemand Inc.10 www.LallemandBrewing.com homebrewing@lallemand.com	Wyeast Laboratories, Inc. - 100% Pure Liquid CulturesCover IV 541-354-1335 www.wyeastlab.com customerservice@wyeastlab.com
Brewmasters Warehouse70 1-877-973-0072 www.brewmasterswarehouse.com info@brewmasterswarehouse.com	Larry's Brewing Supply77 1-800-441-2739 www.larrysbrewsupply.com customerservice@larrysbrewsupply.com	
Briess Malt and Ingredients Co.61 & Recipe Cards 920-849-7711 www.brewingwithbriess.com info@briess.com	LOGIC, Inc.77 608-658-2866 www.ecologiccleansers.com info@ecologiccleansers.com	
BSG HandCraft3 508-636-5154 www.bsghandcraft.com info@bsghandcraft.com		

ALABAMA

Deep South Brewing Supply

1283 Newell Pkwy
Montgomery 36110
(334) 260-0148
www.DeepSouthBrew.com
email: info@deepsouthbrew.com
Serving Central Alabama and Beyond.

Werner's Trading Company

1115 Fourth St. SW
Cullman 1-800-965-8796
www.wernerstradingco.com
The Unusual Store.

The Wine Smith

6800 A Moffett Rd. (US Hwy. 98)
Mobile 36618 (251) 645-5554
e-mail: winesmith@bellsouth.net
www.thewinesmith.biz
Serving Central Gulf Coast Homebrewers

ARIZONA

Brew Your Own Brew and Wine

525 East Baseline Rd., Ste 108
Gilbert 85233
(480) 497-0011
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brew Your Own Brew and Wine

2564 N. Campbell Ave., Suite 106
Tucson 85719
(520) 322-5049 or 1-888-322-5049
www.brewyourownbrew.com
Where the art of homebrewing starts.

Brewers Connection

1435 E. University Drive, #B103
Tempe 85821
(480) 449-3720
ami@brewersconnection.com
www.brewersconnection.com
Arizona's oldest homebrew store.
Full service 7 days a week.

Brewers Connection

4500 E. Speedway Blvd. #38
Tucson 85711
(520) 881-0255
www.brewersconnection.com
Arizona's oldest homebrew store.
Full service 7 days a week!

Mile Hi Brewing Supplies

125 N. Cortez St.
Prescott 86301 (928) 237-9029
www.milehibrewingsupplies.com
We have the best selection of beer, wine, spirits and cheese making equipment and supplies and an unmatched commitment to customer service!

What Ale's Ya

6363 West Bell Road
Glendale
(623) 486-8016
www.whatalesya.com
Great selection of beer & wine making supplies.

ARKANSAS

Fermentables

3915 Crutcher St.
North Little Rock 72118
(501) 758-6261
www.fermentables.com
Complete homebrew & winemakers supply

The Home Brewery

455 E. Township St.
Fayetteville
1-800-618-9474
homebrewery@arkansasusa.com
www.thehomebrewery.com
For all your beer & wine making needs.

CALIFORNIA

Addison Homebrew Provisions

1328 E. Orangethorpe Ave.
Fullerton 92831
(714) 752-8446
www.homebrewprovisions.com
Beer, Wine & Mead.
Free brewing demos, club & message board.

Bear Valley Hydroponics & Homebrewing

17455 Bear Valley Rd.
Hesperia 92345
(760) 949-3400
fax: (760) 948-6725
info@bvhydro.com
Excellent customer service and selection whether you grow or brew your own or both. Open 7 days a week.

The Beverage People, Inc.

1845 Piner Road, Suite D
Santa Rosa
1-800-544-1867
www.thebeveragepeople.com
Fast Shipping, Great Service, Cheesemaking too!

Brew Ferment Distill

3527 Broadway, Suite A
Sacramento 95817
(916) 476-5034
tim@brewfermentdistill.com
www.brewfermentdistill.com
"Promoting the Slow Drink Movement, One Bottle at a Time." Stop in for all your brewing needs.

Culver City Home Brewing Supply

4358 1/2 Sepulveda Blvd.
Culver City 90230
(310) 397-3453
www.brewsupply.com
Mon-Sat 11am-7pm, Sun Noon-4
Full supply of extracts, malts & hops. Personal service you can't get online.

Doc's Cellar

855 Capitolio Way, Ste. #2
San Luis Obispo
(805) 781-9974
www.docscellar.com

Eagle Rock Home Brewing Supply

4981 Eagle Rock Blvd.
Los Angeles 90041
www.brewsupply.com
Mon-Sat 11am-7pm, Sun Noon-4
Fully Supply of extracts, malts & hops. Personal service you can't get online.

Fermentation Solutions

2507 Winchester Blvd.
Campbell 95008
(408) 871-1400
www.fermentationsolutions.com
Full line of ingredients and equipment for beer, wine, cheese, mead, soda, vinegar and more!

Home Brew Shop

1570 Nord Ave.
Chico 95926
(530) 342-3768
email: homebrushop@yahoo.com
www.chicohomebrewshop.com
Years of experience, advice always free!

Hop Tech Home Brewing Supplies

6398 Dougherty Rd. Ste #7
Dublin 94568
1-800-DRY-HOPS
www.hoptech.com
Owned by people who are passionate about beer! With over 50 Hops, 60 Grains, White Labs, Wyeast & a large selection of dry yeast, online & in-house. We carry a large selection for beer & wine making.

MoreBeer! & MoreWine!

995 Detroit Ave., Unit G
Concord 94518
(925) 771-7107
fax: (925) 671-4978
concordshowroom@moreflavor.com
www.morebeer.com
Showrooms also in Los Altos and Riverside.

Murrieta Homebrew Emporium

38750 Sky Canyon Dr., Ste A
Murrieta 92563
(951) 600-0008
toll-free: 888-502-BEER
www.murrietahomebrew.com
Riverside County's Newest Full Serve Homebrew and Wine Making Supply Store! Taking orders online now! Free shipping on orders over \$100. Free monthly demonstrations.

NorCal Brewing Solutions

1768 Churn Creek Rd.
Redding 96002
(530) 243-BEER (2337) or
(530) 221-WINE (9463)
www.norcalbrewingsolutions.com
Full line of beer, wine & distilling supplies, hardware and custom made equipment including the world famous "Jaybird" family of false bottoms.

Original Home Brew Outlet

5528 Auburn Blvd., #1
Sacramento (916) 348-6322
Check us out on the Web at
www.ehomebrew.com

O'Shea Brewing Company

28142 Camino Capistrano
Laguna Niguel
(949) 364-4440
www.osheabrewing.com
Southern California's Oldest & Largest Homebrew Store! Large inventory of hard to find bottled & kegged beer.

Seven Bridges Co-op Organic Homebrewing Supplies

325 A. River St.
Santa Cruz 95060
1-800-768-4409 fax: (831) 466-9844
www.breworganic.com
Certified Organic Brewing Ingredients.

Stein Fillers

4160 Norse Way
Long Beach 90808
(562) 425-0588
www.steinfillers.com
brew@steinfillers.com
Your complete Homebrew Store, serving the community since 1994. Home of the Long Beach Homebrewers.

Valley Brewers

515 Fourth Place
Solvang 93463
(805) 325-6320
www.valleybrewers.com
Serving Santa Barbara County with a full-service homebrew and winemaking store.

COLORADO**Beer and Wine at Home**

1325 W. 121st. Ave.
Westminster
(720) 872-9463
www.beerathome.com

Beer at Home

4393 South Broadway
Englewood
(303) 789-3676 or 1-800-789-3677
www.beerathome.com
Since 1994, Denver Area's
Oldest Homebrew Shop. Come
See Why.

The Brew Hut

15120 East Hampden Ave.
Aurora
(303) 680-8898
www.thebrewhut.com
Beer, Wine, Mead, Soda,
Cheese, Draft & CO₂ refills —
WE HAVE IT ALL!

Hops & Berries (S. Fort Collins)

1833 E. Harmony Rd., Unit 16
Fort Collins 80528
(970) 493-2484
www.hopsandberries.com
Visit us in Old Town and our new
South Fort Collins location.
Everything you need to make your
own beer, wine, soda, cheese and
more at home!

Hops & Berries (Old Town)

125 Remington St.
Fort Collins 80524
(970) 493-2484
www.hopsandberries.com
Visit us in Old Town and our new
South Fort Collins location.
Everything you need to make your
own beer, wine, soda, cheese and
more at home!

Juice of the Barley

2961 29th Street
Greeley 80634
(970) 515-6326
juiceofthebarley.net
juiceofthebarley.noco@gmail.com
We help create beer geeks!
Northern Colorado's newest
source for home brewing supplies,
parts and accessories.

Lil' Ole' Winemaker

516 Main Street
Grand Junction 81501
(970) 242-3754
Serving Colorado & Utah brewers
since 1978

Wine or Wort Home Brew Supply

150 Cooley Mesa Rd.
(next to Costco)
Gypsum 81637
(970) 524-BEER (2337)
www.wineorwort.com
Beer and Wine making supplies
for the novice to the advanced
brewer.

CONNECTICUT**Beer & Wine Makers Warehouse**

290 Murphy Road
Hartford 06114
(860) 247-BWMW (2969)
e-mail: info@bwmwct.com
www.bwmwct.com
Area's largest selection of beer &
winemaking supplies. Visit our
3000 sq ft facility with demo area,
grain crushing and free beer &
wine making classes with equip-
ment kits.

Brew & Wine Hobby

Now Full Service!
Area's widest selection of beer
making supplies, kits & equipment
12 Cedar Street
East Hartford 06108
(860) 528-0592 or
1-800-352-4238
www.brew-wine.com
Always fresh ingredients in stock!
We now have a Pick Your Own
grain room!

Maltose Express

246 Main St. (Route 25)
Monroe 06468
In CT: (203) 452-7332
Out of State: 1-800-MALTOSE
www.maltose.com
Connecticut's largest homebrew &
winemaking supply store. Buy
supplies from the authors of
"CLONEBREWS 2nd edition" and
"BEER CAPTURED"! Top-quality
service since 1990.

Rob's Home Brew Supply

1 New London Rd, Unit #9
Junction Rte 82 & 85
Salem 06420
(860) 859-3990
robshomebrew@sbcglobal.net
www.robshomebrew.com

Stomp N Crush

140 Killingworth Turnpike (Rt 81)
Clinton 06413
(860) 552-4634
www.stompncrush.com
email: info@stompncrush.com
Southern CT's only homebrew
supply store, carrying a full line
of Beer & Wine making supplies
and kits.

DELAWARE**How Do You Brew?**

Shoppes at Louviers
203 Louviers Drive
Newark 19711
(302) 738-7009
fax: (302) 738-5651
joe@howdoyoubrew.com
www.howdoyoubrew.com
Quality Supplies and Ingredients for
the Home Brewer including: Beer,
Wine, Mead, Soft Drink and Kegging.
One of the Mid-Atlantic's largest and
best-stocked Brew Stores!

Xtreme Brewing

18501 Stamper Dr. (Rte 9)
Lewes
(302) 684-8936
fax: (302) 934-1701
www.xtremebrewing.com
contact@xtremebrewing.com
Make your own great beer or
wine.

FLORIDA**Beer and Winemaker's Pantry**

9200 66th St. North
Pinellas Park 33782
(727) 546-9117
www.beerandwinemaking.com
Complete line of Wine & Beer
making supplies and ingredients.
Huge selection, Mail orders, Great
service. Since 1973.

Southern Homebrew

711 West Canal St.
New Smyrna Beach 32168
(386) 409-9100
info@SouthernHomebrew.com
www.SouthernHomebrew.com
Largest store in Florida! Complete
inventory of Brewer's Best, True
Brew, Coopers & Mountmellick.
Including a complete stock of
grain, etc and all beer & wine
making supplies & equipment all
at money Saving prices.

GEORGIA**Barley & Vine**

1445 Rock Quarry Rd., Ste #202
Stockbridge 30281
(770) 507-5998
Email: info@barleyNvine.com
www.BarleyNvine.com
Now selling Import/Craft Beers &
Growlers! Best stocked brew shop
in Metro Atlanta serving all your
fermentation and cheese making
needs. Friendly, knowledgeable
staff will help you with your first
batch or help you design your next
perfect brew. Check out our website
for our specialty clone kits, classes,
events and specials. Competitive
prices/Same Day shipping on most
orders. Located just 1/2 mile off I-
75, exit 224.

Beer & Wine Craft

220 Sandy Springs Circle
Sandy Springs 30328
(404) 252-5606
e-mail: winecraftatl@bellsouth.net
www.winecraftatl.com

Brew Depot - Home of Beer Necessities

10595 Old Alabama Rd. Connector
Alpharetta 30022
(770) 645-1777
fax: (678) 585-0837
877-450-BEER (Toll Free)
e-mail: beerne@aol.com
www.BeerNecessities.com
Georgia's Largest Brewing Supply
Store. Providing supplies for all
of your Beer & Wine needs.
Complete line of draft dispensing
equipment, CO₂ and hard to find
keg parts. Award winning Brewer
on staff with Beginning and
Advanced Brew Classes available.
Call or email to enroll.
www.Brew-Depot.com

Brewmasters Warehouse

2145 Roswell Rd., Suite 320
Marietta 30062
(877) 973-0072
fax: (800) 854-1958
info@brewmasterswarehouse.com
www.brewmasterswarehouse.com
Low Prices & Flat Rate Shipping!

Buford Beer and Wine Supplies

14 West Main St.
Buford 30518
(770) 831-1195
www.bufordbeerandwinesupplies.com
info@bufordbeerandwinesupplies.com
We carry a comprehensive line of
beer and wine making supplies. If
we don't have it we will be happy
to make special orders. We keep
over 25 specialty grains on hand.

Just Brew It!

1924 Hwy 85
Jonesboro 30238
1-888-719-4645
www.aardvarkbrewing.com
Atlanta's favorite homebrew shop
since 1993. Great prices with the
most complete line of ingredients
and kegging supplies in the
region. Just 8 miles south of the
perimeter on Georgia hwy 85,

HAWAII**HomeBrew in Paradise**

2646-B Kili Hau St.
Honolulu 96819
(808) 834-BREW
mike@homebrewinparadise.com
www.homebrewinparadise.com
The Best Homebrew Supply Store
in Hawaii

IDAHO

HomeBrewStuff.com
9165 W. Chinden Blvd., Ste 103
Garden City 83714
(208) 375-2559
www.homebrewstuff.com
"All the Stuff to Brew, For Less!"
Visit us on the web or at our large
Retail Store! Now offering a
selection of over 600 craft beers.

ILLINOIS

Bev Art Brewer & Winemaker Supply
10033 S. Western Ave.
Chicago
(773) 233-7579
email: bevart@bevart.com
www.BevArt.com
Mead supplies, grains, liquid
yeast and beer making classes on
premise.

Brew & Grow (Bolingbrook)
181 W. Crossroads Pkwy., Ste A
Bolingbrook 60440
(630) 771-1410
www.brewandgrow.com
Visit our store for a great selec-
tion of brewing equipment and
supplies. The largest inventory of
organics, hydroponics and plant
lighting in Illinois.

Brew & Grow (Chicago)
3625 N. Kedzie Ave.
Chicago 60618
(773) 463-7430
www.brewandgrow.com
Visit our store for a great selec-
tion of brewing equipment and
supplies. The largest inventory of
organics, hydroponics and plant
lighting in Illinois.

Brew & Grow (Chicago West Loop)
19 S. Morgan St.
Chicago 60607
(312) 243-0005
www.brewandgrow.com
Visit our store for a great selec-
tion of brewing equipment and
supplies. The largest inventory of
organics, hydroponics and plant
lighting in Illinois.

Brew & Grow (Crystal Lake)
176 W. Terra Cotta Ave., Ste. A
Crystal Lake 60014
(815) 301-4950
www.brewandgrow.com
Visit our store for a great selec-
tion of brewing equipment and
supplies. The largest inventory of
organics, hydroponics and plant
lighting in Illinois.

Brew & Grow (Rockford)
3224 S. Alpine Rd.
Rockford 61109
(815) 874-5700
www.brewandgrow.com
Visit our store for a great selec-
tion of brewing equipment and
supplies. The largest inventory of
organics, hydroponics and plant
lighting in Illinois.

Brew & Grow (Roselle)
359 W. Irving Park Rd.
Roselle 60172 (630) 894-4885
www.brewandgrow.com
Visit our store for a great selec-
tion of brewing equipment and
supplies. The largest inventory of
organics, hydroponics and plant
lighting in Illinois.

Chicagoland Winemakers Inc.
689 West North Ave.
Elmhurst 60126
Phone: 1-800-226-BREW
info@chicagolandwinemakers.com
www.chicagolandwinemakers.com
Full line of beer & wine making
supplies.

Home Brew Shop LTD
225 West Main Street
St. Charles 60174
(630) 377-1338
www.homebrewshopltd.com
Complete line of beer, wine & mead
making supplies, varietal honey.
Draft equipment specialists encom-
passing all kegging needs, line
cleaning service, system installa-
tion. Classes offered in-store.

Perfect Brewing Supply
619 E. Park Ave.
Libertyville 60048
(847) 816-7055
info@perfectbrewingsupply.com
www.perfectbrewingsupply.com
Providing equipment and ingredi-
ents for all of your homebrewing
needs, a full line of draft beer
equipment and expert staff to
answer your questions.

Somethings Brewn'
401 E. Main Street
Galesburg 61401 (309) 341-4118
www.somethingsbrenn.com
Midwestern Illinois' most com-
plete beer and winemaking shop.

INDIANA

The Brewer's Art Supply
1425 N. Wells Street
Fort Wayne 46808
(260) 426-7399
brewersartsupply@gmail.com
www.brewingart.com
facebook: BrewersArtSupply
Your Complete STOP Homebrew
Shop! Beer • Wine • Cider • Mead •
Soda Pop.

Butler Winery Inc.
1022 N. College Ave.
Bloomington 47404
(812) 339-7233
e-mail: intown@butlerwinery.com
Southern Indiana's largest selec-
tion of homebrewing and wine-
making supplies. Excellent cus-
tomer service. Open daily or if
you prefer, shop online at:
butlerwinery.com

Great Fermentations of Indiana
5127 E. 65th St.
Indianapolis 46220
(317) 257-WINE (9463)
Toll-Free 1-888-463-2739
www.greatfermentations.com
Extensive lines of yeast, hops,
grain and draft supplies.

Quality Wine and Ale Supply
Store: 108 S. Elkhart Ave.
Mail: 530 E. Lexington Ave. #115
Elkhart 46516
Phone (574) 295-9975
E-mail: info@homebrewit.com
Online: www.homebrewit.com
Quality wine & beer making
supplies for home brewers and
vintners. Secure online ordering.
Fast shipping. Expert advice.
Fully stocked retail store.

Superior Ag Co-op
5015 N. St. Joseph Ave.
Evansville 47720
1-800-398-9214 or (812) 423-6481
CoopCountryCorner@insightBB.com
Beer & Wine. Brew supplier for
Southern Indiana.

IOWA

Beer Crazy
3908 N.W. Urbandale Dr./100 St.
Des Moines 50322
(515) 331-0587
www.beercrazy.com
We carry specialty beer, and a
full-line of beer & winemaking
supplies!

Bluff Street Brew Haus
372 Bluff Street
Dubuque
(563) 582-5420
jerry@bluffbrewhaus.com
www.bluffbrewhaus.com
Complete line of wine &
beermaking supplies.

Kitchen Wines & Brew Shop
1804 Waterloo Rd.
Cedar Falls 50613
(319) 266-6173
info@kitchenwines.com
kitchenwines.com
Specializing in home brewing and
wine making supplies and equip-
ment.

KANSAS

Bacchus & Barleycorn Ltd.
6633 Nieman Road
Shawnee 66203
(913) 962-2501
www.bacchus-barleycorn.com
Your one stop home
fermentation shop!

Homebrew Pro Shoppe, Inc.
2061 E. Santa Fe
Olathe
(913) 768-1090 or
Toll Free: 1-866-BYO-BREW
Secure online ordering:
www.homebrewproshoppe.com

KENTUCKY

My Old Kentucky Homebrew
361 Baxter Ave.
Louisville 40204
(502) 589-3434
www.myoldkentuckyhomebrew.com
Beer & Wine supplies done right.
Stop by and see for yourself.

Winemakers & Beermakers Supply
9475 Westport Rd.
Louisville 40241
(502) 425-1692
www.winebeersupply.com
Complete Beermaking &
Winemaking Supplies. Premium
Malt from Briess & Muntons.
Superior Grade of Wine Juices.
Family Owned Store Since 1972.

LOUISIANA

Brewstock
3800 Dryades St.
New Orleans 70115
(504) 208-2788
www.brewstock.com
e-mail: aaron@brewstock.com
The Largest Selection of
Homebrewing Supplies in
Louisiana!

MAINE

Maine Brewing Supply
542 Forest Ave.
Portland
(207) 791-BREW (2739)
www.BrewBrewBrew.com
From beginner to expert, we are
your one stop shop for all your
brewing supplies. Friendly and
informative personal service.
Conveniently located next to The
Great Lost Bear.

MARYLAND

Annapolis Home Brew
836 Ritchie Hwy., Suite 19
Severna Park 21146
(800) 279-7556
www.annapolishomebrew.com
Friendly and informative personal service; Online ordering.

Cheers!

1324 South Salisbury Blvd.
Salisbury 21801
(410) 742-8199
fax: (410) 860-4771
cheerssby.wordpress.com
We sell Beer, Wine, Cigars and Supplies for the Home Brewer and Home Vintner!

The Flying Barrel

1781 North Market St.
Frederick
(301) 663-4491
fax: (301) 663-6195
www.flyingbarrel.com
Maryland's 1st Brew-On-Premise; winemaking and homebrewing supplies!

Maryland Homebrew

6770 Oak Hall Lane, #108
Columbia 21045
1-888-BREWNOW
www.mdhb.com
6,750 square feet of all your beer, wine & cheesemaking needs. We ship everywhere!

MASSACHUSETTS**Beer and Wine Hobby, Inc.**

155 New Boston St., Unit T
Woburn 01801
1-800-523-5423
e-mail: bwinfo@beer-wine.com
Web site: www.beer-wine.com
Brew on YOUR Premise™
One stop shopping for the most discriminating beginner & advanced beer & wine crafter.

Modern Homebrew Emporium

2304 Massachusetts Ave.
Cambridge 02140
(617) 498-0400
fax: (617) 498-0444
www.modernbrewer.com
email: mhe@beerbrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1991.

NFG Homebrew Supplies

72 Summer St.
Leominster
(978) 840-1955
Toll Free: 1-866-559-1955
www.nfghomebrew.com
nfgbrew@aol.com
New England's Biggest Little Homebrew Store!!! With our personalized service, we offer a wide variety of the finest ingredients for beer and wine making at GREAT PRICES!! Since 1995.

South Weymouth Homebrew Emporium

58 Randolph Street
South Weymouth
1-800-462-7397
www.beerbrew.com
email: sshe@beerbrew.com
Visit 7,000 square feet of space devoted to the freshest supplies and equipment to make beer, wine, cheese, and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week.

West Boylston Homebrew Emporium

Causeway Mall, Rt. 12
West Boylston
(508) 835-3374
www.wbhomebrew.com
email: wbhe@beerbrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1999.

The Witches Brew, Inc.

12 Maple Ave.
Foxborough 02035
(508) 543-0433
steve@thewitchesbrew.com
www.thewitchesbrew.com
You've Got the Notion, We've Got the Potion

MICHIGAN**Adventures in Homebrewing**

6071 Jackson Rd.
Ann Arbor 48103
(313) 277-BREW (2739)
Michigan's Largest Supplier of Brewing Equipment & Ingredients
Visit us at: www.homebrewing.org

Adventures in Homebrewing

23869 Van Born Rd.
Taylor 48180
(313) 277-BREW (2739)
Full Line of Kegging Supplies!
Visit us at www.homebrewing.org

Bad Teacher Brewing Supply

"Those who can, BREW"
1331 S. Airport Rd.
Traverse City 49686
(231) 632-BREW (2739)
www.badteacherbrewing.com
Providing beer and wine making equipment and ingredients to beginners and experts alike by offering free classes, information and quality products.

Bell's General Store

355 E. Kalamazoo Ave.
Kalamazoo 49007
(269) 382-5712
www.bellsbeer.com
Visit us next door to Bell's Eccentric Café or online at www.bellsbeer.com

Brew Gadgets

Store: 328 S. Lincoln Ave.
Mail: PO Box 125
Lakeview 48850
Online: www.BrewGadgets.com
E-mail: edw@BrewGadgets.com
Call us on our Dime @ (866) 591-8247
Quality beer and wine making supplies. Secure online ordering and retail store. Great! Prices and personalized service.

Brewers Edge Homebrew Supply, LLC

650 Riley Street, Suite E
Holland 49424
(616) 399-0017
www.brewersedgehomebrew.com
email: brewersedge@gmail.com
Your Local Homebrewing & Winemaking Supply Shop...get the Edge!

Brewingworld

5919 Chicago Rd.
Warren 48092
(586) 264-2351
Brew on Premise, Microbrewery, Homebrewing & Winemaking Supplies
www.brewingworld.com
www.kbrewery.com

Cap 'n' Cork Homebrew Supplies

16812 - 21 Mile Road
Macomb Twp.
(586) 286-5202
fax: (586) 286-5133
info@capncorkhomebrew.com
www.capncorkhomebrew.com
Wyeast, White Labs, Hops & Bulk Grains!

Eastern Shores Brewing Supplies

510 Pine Street
Port Huron 48060
(810) 985-3757
www.easternshoresbrewing.com
Your home-brew connection. Large selection of grains, hops, yeast and brewing and kegging equipment.

Mainstreet Brew Shoppe

307 Grand River Ave.
Howell 48843
(517) 376-6978
mainstreetbrewshoppe.com
Full service beer and wine making supply store in downtown Howell.

The Red Salamander

902 E. Saginaw Hwy.
Grand Ledge 48837
(517) 627-2012
www.theredsalamander.com
Check us out on Facebook!

Siciliano's Market

2840 Lake Michigan Dr. N.W.
Grand Rapids 49504
(616) 453-9674 fax: (616) 453-9687
e-mail: sici@sbcglobal.net
www.sicilianosmkt.com
The largest selection of beer and wine making supplies in west Michigan. Now selling beer & wine making supplies online.

MINNESOTA**Midwest Homebrewing & Winemaking Supplies**

5825 Excelsior Blvd.
Minneapolis 55416
1-888-449-2739
www.MidwestSupplies.com
The Ultimate Resource for Homebrewing & Winemaking

Still-H₂O, Inc.

14375 N. 60th St.
Stillwater 55082
(651) 351-2822
www.still-h2o.com
Our grains, hops and yeast are on a mission to make your beer better! Wine and soda making ingredients and supplies available too. Locally owned/Family operated.

MISSISSIPPI**Brew Ha Ha Homebrew Supply**

4800 I-55 North Suite 17A
Jackson 39206
(601) 362-0201
mac@brewhahasupply.com
Brewahasupply.com
Mississippi's finest store carrying homebrewing, winemaking and cheesemaking supplies, located in LeFleur's Gallery Shopping Center.

MISSOURI

The Home Brewery
1967 W. Boat St. (P.O. Box 730)
Ozark 65721
1-800-321-BREW (2739)
brewery@homebrewery.com
www.homebrewery.com
Over 25 years of great products and great customer service. One Stop Shopping for all your Beer, Wine, Soda and Cheese Making Supplies.

St Louis Wine & Beermaking LLC
231 Lamp & Lantern Village
St. Louis 63017
(636) 230-8277
www.wineandbeermaking.com
Making the Buzz in St. Louis

NEBRASKA

Fermenter's Supply & Equipment
8410 'K' Plaza, Suite #10
Omaha 68127
(402) 593-9171
e-mail: FSE@tconl.com
www.fermenterssupply.com
Beer & winemaking supplies since 1971. Same day shipping on most orders.

Kirk's Do-It-Yourself Brew
1150 Cornhusker Hwy.
Lincoln 68521
(402) 476-7414
fax: (402) 476-9242
www.kirksbrew.com
e-mail: kirk@kirksbrew.com
Serving Beer and Winemakers since 1993!

NEVADA

U Bottle It
2230 West Horizon Ridge Pkwy., Suite 150
Henderson 89052
(702) 565-5040
info@ubottleit.com
www.ubottleit.com
Come on in and see Southern Nevada's largest homebrew store with a wide selection of beer & wine supplies. Like us on Facebook!
www.facebook.com/ubottleit

NEW HAMPSHIRE

Fermentation Station
72 Main St.
Meredith 03253
(603) 279-4028
badabingnh@yahoo.com
www.2ferment.net
The Lake Region's Largest Homebrew Supply Shop!

The HomeBrew Barn
861 Lafayette Rd. #6A
Hampton Beach 03842
(603) 601-2548
www.thehomebrewbarn.com
Home Brewing Made Simple... With all the equipment, supplies and most importantly the knowledge to make it happen. Classes available, visit our website for a schedule.

Kettle to Keg
123 Main Street
Pembroke 03275
(603) 485-2054
www.kettletokeg.com
NH's largest selection of homebrewing, winemaking, spirit and soda ingredients, supplies & equipment. Located conveniently between Concord and Manchester.

Smoke N Barley
485 Laconia Rd.
Tilton 03276
(603) 524-5004
fax: (603) 524-2854
SmokeNBarley.com
smokenbarley@metrocast.net
Receive 10% off your brewing supplies purchase with the purchase of Brew Your Own Magazine.

Yeastern Homebrew Supply
455 Central Ave.
Dover 03820
(603) 343-2956
www.yeasternhomebrewsupply.com
info@yeasternhomebrewsupply.com
Southeastern NH's source for all your homebrewing needs.

NEW JERSEY

The Brewer's Apprentice
856 Route 33
Freehold 07728
(732) 863-9411
www.brewapp.com
Online Homebrew Shopping.

Cask & Kettle Homebrew
904-B Main St.
Boonton 07005
(973) 917-4340
www.ckhomebrew.com
email: info@ckhomebrew.com
New Jersey's #1 place for the homebrew hobbyist. Brew at home, or Brew on premise

Corrado's Wine & Beer Making Center
600 Getty Ave.
Clifton 07011
(973) 340-0848
www.corradosmarket.com

Tap It Homebrew Supply Shop
144 Philadelphia Ave.
Egg Harbor 08215
(609) 593-3697
www.tapithomebrew.com
contact@tapithomebrew.com
From beginners to experienced all-grain brewers, Southeastern NJ's only homebrew, wine & soda making supply shop!

NEW MEXICO

The Grain Hopper
4116 Jackie Rd., Suite 104
Rio Rancho 87124
customerservice@thegrainhopper.com
www.thegrainhopper.com
Great service, excellent selection, fast shipping!

Southwest Grape & Grain
2801 Eubank NE, Suite N
Albuquerque 87112
(505) 332-BREW (2739)
www.southwestgrapeandgrain.com
For all your homebrew needs. Open 7 Days a Week.

Victor's Grape Arbor
2436 San Mateo Pl. N.E.
Albuquerque 87110
(505) 883-0000
fax: (505) 881-4230
www.victorsgrapearbor.com
email: victors@nmia.com
Serving your brewing needs since 1974. Call for a Free Catalog!

NEW YORK

American Homesteader
6167 State Hwy 12
Norwich 13815
(607) 334-9941
americanhomesteader@frontier.com
www.AmericanHomesteader.net
Very large line of beer and wine making supplies. We stock some of the more unusual supplies and equipment as well. We take phone mail orders. Please visit our online store. Hours are 10-6 Mon-Sat.

Brewshop @ Cornell's True Value
310 White Plains Rd.
Eastchester 10709
(914) 961-2400
fax: (914) 961-8443
www.brewshop.com
email: john3@cornells.com
Westchester's complete beer & wine making shop. We stock grain, yeast, kits, bottles, hops, caps, corks and more. Grain mill on premise.

Brooklyn Homebrew
163 8th St.
Brooklyn 11215
(718) 369-0776
info@brooklyn-homebrew.com
www.BrooklynHomebrew.com
Stop buying dusty old ingredients! Our products are fresh! We carry a large selection of hops, malts, extract, yeast, spices & much more!

Doc's Homebrew Supplies
451 Court Street
Binghamton 13904
(607) 722-2476
www.docsbrew.com
Full-service beer & wine making shop serving NY's Southern Tier & PA's Northern Tier since 1991. Extensive line of kits, extracts, grains, supplies and equipment.

Homebrew Emporium
470 N. Greenbush Rd.
Rensselaer 12144
(800) 462-7397
www.beerbrew.com
email: nyhe@beerbrew.com
The freshest supplies and equipment to make beer, wine, cheese and tea, as well as bottles, honey, herbs and spices, books, labels, kegging equipment and much more. Open 7 days a week. Since 1988.

Mistucky Creek Co.
331 Rt 94 S.
Warwick 10990
(845) 988-HOPS
fax: (845) 987-2127
www.mistuckycreek.com
email: mistuckycreek@yahoo.com
Come visit us @ Mistucky Creek. Homebrew & Wine making supplies & equipment. Check out our Country Gift store too!

Niagara Tradition Homebrewing Supplies
1296 Sheridan Drive
Buffalo 14217
(800) 283-4418
fax: (716) 877-6274
On-line ordering. Next-day service. Huge Inventory.
www.nthomebrew.com

Pantano's Wine Grapes & Homebrew
249 Rte 32 S.
New Paltz 12561
(845) 255-5201
(845) 706-5152 (cell)
www.pantanosbeerwine.com
pantanowineandbeer@yahoo.com
Find Us On Facebook. Carrying a full line of homebrewing equipment & ingredients for all your brewing needs. Here to serve Hudson Valley's homebrewers.

Party Creations

345 Rokeby Rd.
Red Hook 12571
(845) 758-0661
www.partycreations.net
Everything for making beer and wine.

Saratoga Zymurgist

112 Excelsior Ave.
Saratoga Springs 12866
(518) 580-9785
email: oosb@verizon.net
www.SaratogaZ.com
Now serving Adirondack Park, lower Vermont and Saratoga Springs area with supplies for beer and wine making. "Home to all your fermentation needs"

NORTH CAROLINA**Alternative Beverage**

1500 River Dr., Ste. 104
Belmont 28012
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
37 years serving all home brewers' & winemakers' needs! Come visit for a real Homebrew Super Store experience!

American Brewmaster

3021-5 Stony Brook Dr.
Raleigh 27604
(919) 850-0095
www.americanbrewmaster.com
abrew@americanbrewmaster.com
Expert staff & friendly service. Your hub for homebrewing since 1983.

Asheville Brewers Supply

712-B Merrimon Ave
Asheville 28804
(828) 285-0515
www.ashevillebrewers.com
The South's Finest Since 1994!

Atlantic Brew Supply

3709 Neil St.
Raleigh 27607
(919) 400-9087
orders@atlanticbrewsupply.com
www.atlanticbrewsupply.com
All you need to make quality craft beer on a budget.

Beer & Wine Hobbies, Int'l

4450 South Blvd.
Charlotte 28209
Advice Line: (704) 825-8400
Order Line: 1-800-365-2739
www.ebrew.com
Large inventory, homebrewed beer making systems, quality equipment, fresh ingredients, expert advice, fast service and all at reasonable prices.

Beer & Wine Hobbies, Int'l

168-S Norman Station Blvd.
 Mooresville 28117
Voice Line: (704) 527-2337
Fax Line: (704) 522-6427
www.ebrew.com
Large inventory, over 150 recipe packages, home brewing and wine making systems, quality equipment, fresh ingredients, expert advice, and reasonable prices.

OHIO**The Grape and Granary**

915 Home Ave.
Akron 44310
800) 695-9870
www.grapeandgranary.com
Complete Brewing & Winemaking Store.

Home Brew Ohio

3708 Columbus Ave. #6
Sandusky 44870
(419) 502-9019
www.homebrewohio.com
email: mike@homebrewohio.com
Offering a full range of homebrew supplies.

The Hops Shack

1687 Marion Rd.
Bucyrus 44820
(419) 617-7770
www.hopsshack.com
Your One-Stop Hops Shop!

Label Peelers Beer & Wine Making Supplies

137 East Ave., Suite 34
Tallmadge 44278
Toll Free: (877) 752-9997
(330) 677-1687
fax: (330) 678-6400
info@labelpeelers.com
www.labelpeelers.com
Specializing in winemaking / homebrew supplies & equipment. Free monthly classes.

Listermann Mfg. Co.

1621 Dana Ave.
Cincinnati 45207
(513) 731-1130
fax: (513) 731-3938
www.listermann.com
Beer, wine and cheesemaking equipment and supplies. Tasting Room now Open!

Miami Valley BrewTensils

2617 South Smithville Rd.
Dayton 45420
(937) 252-4724
www.brewtensils.com
email: darren@schwartzbeer.com
Next door to Belmont Party Supply. Redesigned online store @ www.brewtensils.com. All your beer, wine & cheese supplies.

Paradise Brewing Supplies

7766 Beechmont Ave.
Cincinnati (513) 232-7271
www.paradisebrewingsupplies.com
Mention This Ad And Get a Cool Prize. The Brew Dogz Are Waiting to See You!

Shrivers Pharmacy

406 Brighton Blvd.
Zanesville 43701
1-800-845-0560 fax: (740) 452-1874
shriversbeerwinesupplies@yahoo.com
www.shriversbeerwinesupply.com
Large selection of beer & winemaking supplies.

Titgemeier's Inc.

701 Western Ave.
Toledo 43609
(419) 243-3731 fax: (419) 243-2097
e-mail: titgemeiers@hotmail.com
www.titgemeiers.com
An empty fermenter is a lost opportunity - Order Today!

OKLAHOMA**The Brew Shop**

3624 N. Pennsylvania Ave.
Oklahoma City 73112
(405) 528-5193
brewshop@juno.com
www.thebrewshopokc.com
Oklahoma City's premier supplier of home brewing and wine making supplies. Serving homebrewers for over 17 years! We ship nationwide.

High Gravity

7142 S. Memorial Drive
Tulsa 74133 (918) 461-2605
store@highgravitybrew.com
www.highgravitybrew.com
Turn it up to Eleven! Save money. Brew electric.

Learn to Brew, LLC

2307 South Interstate
35 Frontage Rd.
Moore 73160
(405) 793-BEER (2337)
info@learntobrew.com
www.learntobrew.com
Learn To Brew is run by a professionally trained brewer and offers a complete line of beer, wine, and draft dispense products and equipment and also offers beer and wine classes for all levels.

OREGON**Above the Rest Homebrewing Supplies**

11945 SW Pacific Hwy, Ste. #235
Tigard 97223
(503) 968-2736 fax: (503) 639-8265
atr.homebrewing@gmail.com
www.abovetheresthomebrewing.com
Serving Beer & Wine Makers since 1993.

Brew Brothers Homebrew Products, LLC

2020 NW Aloclek Dr., Ste 107
Hillsboro (Aloha area) 97124
Toll-free: (888) 528-8443
info@brewbrothers.biz
www.brewbrothers.biz
Pay less, brew more! Hugest selection of grain, anywhere. "Come join the family!!!"

F.H. Steinbart Co.

234 SE 12th Ave
Portland 97214
(503) 232-8793
fax: (503) 238-1649
e-mail: info@fhsteinbart.com
www.fhsteinbart.com
Brewing and Wine making supplies since 1918!

Falling Sky Brewshop (formerly Valley Vintner & Brewer)

30 East 13th Ave.
Eugene 97401
(541) 484-3322
www.brewabeer.com
email: ordering@brewabeer.com
Oregon's premier, full-service homebrew shop, featuring unmatched selection of whole hops and organically grown ingredients.

Grains Beans & Things

820 Crater Lake Ave., Suite 113
Medford 97504
(541) 499-6777
www.grains-n-beans.com
email: sales@grains-n-beans.com
Largest homebrew and winemaking supplier in Southern Oregon. We feature Wine, Beer, Mead, Soda and Cheese making supplies and equipment. Home coffee roasting supplies and green coffee beans from around the world. Best of all - Great Customer Service!

Homebrew Exchange

6550 N. Interstate
Portland 97217
(503) 286-0343
info@homebrewexchange.net
www.homebrewexchange.net
New warehouse location, same great customer service. Check out our large selection of homebrew and DIY supplies.

The Hoppy Brewer

328 North Main
Gresham 97030
(503) 328-8474
thehoppybrewer@gmail.com
OregonsHoppyPlace.com
Homebrewing Supplies, Draft Equipment, Bottle Shop & Tap Room.

Let's Brew

8235 SE Stark St.
Portland 97216
(503) 256-0205
fax: (503) 256-0218
email: kim@letsbrew.net
www.letsbrew.net
Since 1996. Beer-Wine-Kegging supplies-Cheese kits. Brew on Premise - 5 & 12 gallon batches. Free beer samples that were brewed here!

Mainbrew

23596 NW Clara Lane
Hillsboro 97124
(503) 648-4254
www.mainbrew.com
Since 1991 providing excellent customer service and serving only top quality ingredients.

The Thyme Garden Herb Company

20546 Alsea Highway
Alsea 97324
1-800-487-8670
Visit us at: www.thymegarden.com
Email: herbs@thymegarden.com
Growing organic hop rhizomes and rooted cuttings for 24 years. Over 20 varieties of hop rhizomes, extra large and rooted rhizomes. Wholesale by phone only. Also dried cones and pellets.

PENNSYLVANIA**Beer Solutions**

507 Blackman St.
Wilkes-Barre 18702
(570) 825-5509
email: sacz@ptd.net
www.beersolutionsinc.com
Complete line of supplies. We specialize in kegging equipment with kegs, parts & we fill CO₂ & Nitrogen tanks. 3 Blocks from Rt. 1-81.

Country Wines

3333 Babcock Blvd., Suite 2
Pittsburgh 15237
(412) 366-0151 or
Orders toll free (866) 880-7404
www.countrywines.com
Manufacturer of Super Ferment® complete yeast nutrient/energizer, Yeast Bank®, and the Country Wines Acid test kit. Wholesale inquiries invited. Visit us or order online.

Homebrew4Less.com

890 Lincoln Way West (RT 30)
Chambersburg 17202
(717) 504-8534
www.Homebrew4Less.com
Full line of homebrew and wine supplies and equipment.

Keystone Homebrew Supply

599 Main St.
Bethlehem 18018
(610) 997-0911
sales@keystonehomebrew.com
www.keystonehomebrew.com
Your source for everything beer and wine!

Keystone Homebrew Supply

435 Doylestown Rd. (Rte. 202)
Montgomeryville 18936
(215) 855-0100
sales@keystonehomebrew.com
Where Homebrewing Dreams Come True
www.keystonehomebrew.com

Lancaster Homebrew

1944 Lincoln Highway E
Lancaster 17602
(717) 517-8785
www.lancasterhomebrew.com
info@lancasterhomebrew.com
Your source for all your beer brewing and wine making needs!

Porter House Brew Shop, LLC

1284 Perry Highway
Portersville 16051
(just north of Pittsburgh)
(724) 368-9771
www.porterhousebrewshop.com
Offering home-town customer service and quality products at a fair price. Large selection of home brewing, winemaking and kegging supplies. Now offering Winexpert Kits!

Ruffled Wine & Brewing Supplies

616 Allegheny River Blvd.
Oakmont 15139
(412) 828-7412
www.ruffledhomebrewing.com
Carrying a full line of quality kits, grains, hops, yeast & equipment. Also serving all your winemaking needs. Stop by or check us out online. Gift Cards Available!

Scotzin Brothers

65 N. Fifth St.
Lemoine 17043
(717) 737-0483 or 1-800-791-1464
www.scotzinbros.com
Open 7 days! M-F 10am-6pm, Sat 10am-5pm, Sun Noon-5pm. Central PA's Largest IN-STORE Inventory!

South Hills Brewing - Greentree

2212 Noblestown Rd.
Pittsburgh 15205 (412) 937-0773
www.southhillsbrewing.com
Specialty grains available by the ounce on our new website. 3,000 square foot showroom with expanded line of beer equipment.

South Hills Brewing - Monroeville

2526 Mossdale Blvd.
Monroeville 15146
(412) 374-1240
www.southhillsbrewing.com
Located within minutes of Interstate 376, Rt 22, and the Pennsylvania Turnpike to serve our customers east of Pittsburgh. Visit us or order online.

Weak Knee Home Brew Supply

North End Shopping Center,
1300 N. Charlotte St.
Pottstown 19464
(610) 327-1450
fax: (610) 327-1451
www.weakkneehomebrew.com
BEER and WINE making supplies, varieties of HONEY, GRAPES & JUICES in season; KEGGERATORS, equipment & service; monthly classes and our unique TASTING BAR.

Wet Your Whistle

Corner of 12th & Walnut Sts.
1136 Federal Street
Lebanon 17042
(717) 274-2424
www.wetyourwhistle.net
cheryl@wetyourwhistle.net
*Find us on Facebook/Twitter
Providing excellent service seven days a week! Carrying a full line of beer and wine making ingredients and equipment.*

Windy Hill Wine Making

10998 Perry Highway
Meadville 16335
(814) 337-6871
www.windyhillwine.net
*Northwest PA's beer and wine making store.
Hours: Tues - Fri 9am-6pm
Sat 9am-4pm, Closed Sun & Mon*

Wine & Beer Emporium

100 Ridge Rd. #27
Chadds Ford 19317
(610) 558-BEER (2337)
winebeeremporium@aol.com
www.winebeeremporium.com
We carry a complete line of beer & winemaking supplies, honeys, cigars and more! Call for directions, please don't follow your GPS or online directions.

Wine Barley & Hops Homebrew Supply

248 Bustleton Pike
Feasterville 19053
(215) 322-4780
info@winebarleyandhops.com
www.winebarleyandhops.com
Your source for premium beer & wine making supplies, plus knowledgeable advice.

RHODE ISLAND**Blackstone Valley Brewing Supplies**

407 Park Ave.
Woonsocket
(401) 765-3830
www.blackstonevalleybrewing.com
Quality Products and Personalized Service!

SOUTH CAROLINA**Bet-Mar Liquid Hobby Shop**

736-F Saint Andrews Rd.
Columbia 29210
(803) 798-2033 or
1-800-882-7713
www.liquidhobby.com
Providing unmatched Value, Service & Quality to you for over 42 years!

Keg Cowboy

108 E. Main St.
Lexington 29072
(281) 772-2070
www.kegcowboy.com
Covering all your draft and kegging needs and wants. We also now carry homebrew supplies, CO₂ gas and organic ingredients. Visit our website or stop by our showroom in Lexington.

SOUTH DAKOTA**GoodSpirits Fine Wine & Liquor**

3300 S. Minnesota Ave.
Sioux Falls 57105
(605) 339-1500
www.gsflw.com
Largest selection in South Dakota for the home brewer and wine-maker. We are located in the Taylor's Pantry Building on the corner of 41st & Minnesota Ave.

TENNESSEE**All Seasons Gardening & Brewing Supply**

924 8th Ave. South
Nashville 37203
1-800-790-2188
fax: (615) 214-5468
local: (615) 214-5465
www.allseasonsnashville.com
Visit Our Store or Shop Online. Nashville's Largest Homebrew Supplier!

TEXAS**Austin Homebrew Supply**

9129 Metric Blvd.
Austin 78758
1-800-890-BREW or
(512) 300-BREW
www.austinhomewbrew.com
Huge online catalog!

Black Hawk Brewing Supply

582 E. Central Texas Expressway
Harker Heights 76548
(254) 393-0491
www.blackhawkbrewing.com
blackhawkbrewing@hotmail.com
Your homebrewing headquarters in the Ft. Hood area. Supplies to make beer, wine, cheese, cider & mead. Also great gifts & T-shirts. Find us on Facebook!

Dallas Home Brew a division of The Wine Maker's Toy Store

1500 North Interstate 35E, Ste 116
Carrollton 75006
(866) 417-1114
www.finevinewines.com
Dallas' largest home brew supply store.

DeFalco's Home Wine and Beer Supplies

9223 Stella Link
Houston 77025
(713) 668-9440 fax: (713) 668-8856
www.defalcos.com
Check us out on-line!

Home Brew Party

15150 Nacogdoches Rd., Ste 130
San Antonio 78247
(210) 650-9070
info@homebrewparty.com
www.homebrewparty.com
Beer and wine making classes and supplies.

Home Brew Party

8407 Bandera Rd., Ste 103
San Antonio 78250
(210) 520-2282
info@homebrewparty.com
www.homebrewparty.com
Beer, wine and cheese making supplies.

Homebrew Headquarters

300 N. Coit Rd., Suite 134
Richardson 75080
(972) 234-4411 or 1-800-966-4144
www.homebrewhq.com
Proudly serving the Dallas area for 30+ years!

Pappy's HomeBrew

3334 Old Goliad Rd.
Victoria 77905
(361) 576-1077
www.PappysHomebrew.com
Register for Monthly Drawing.

Stubby's Texas Brewing Inc.

5200 Airport Freeway, Ste. B
Haltom City 76117
(682) 647-1267
www.texasbrewinginc.com
info@texasbrewinginc.com
Your local home brew store with on-line store prices.

UTAH

The Beer Nut

1200 S. State
Salt Lake City 84111
(888) 825-4697
fax: (801) 531-8605
www.beernut.com
"Make Beer not Bombs"™

Salt City Brew Supply

750 E. Fort Union Blvd.
Midvale 84047
(801) 849-0955
www.saltcitybrewsupply.com
Salt Lake valley's newest Home Brew Supply Store that feels like it has been around for generations.

VERMONT

Brewfest Beverage Co.

199 Main St.
Ludlow 05149
(802) 228-4261
www.brewfestbeverage.com
Supplying equipment & ingredients for all your homebrewing needs. Largest selection of craft beer in the area. Growlers poured daily! "We're happy to serve you!"

South Royalton Market

222 Chelsea St.
South Royalton 05068
(802) 763-2400
www.soromarket.com
Serving all levels of brewers from beginner to expert. Best selection of ingredients, equipment and advice in the Upper Valley, and home of The Guru!

VIRGINIA

Blue Ridge Hydroponics & Home Brewing Co.

5327 D Williamson Rd.
Roanoke 24012
(540) 265-2483
www.blueridgehydroponics.com
Hours: Mon-Sat 11am - 6pm and Sunday 10am - 2pm.

Fermentation Trap, Inc.

6420 Seminole Trail
Seminole Place Plaza #12
Barboursville 22923
(434) 985-2192 fax: (434) 985-2212
questions@fermentationtrap.com
www.fermentationtrap.com

HomeBrewUSA

96 West Mercury Blvd.
Hampton 23669
(757) 788-8001
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

HomeBrewUSA

5802 E. Virginia Beach Blvd., #115
JANAF Shopping Plaza
Norfolk 23502
1-888-459-BREW or
(757) 459-2739
www.homebrewusa.com
Largest Selection of Beer & Wine Making Supplies & Equipment in Southeastern Virginia!

Jay's Brewing Supplies

9790 Center St.
Manassas 20110
(703) 543-2663
www.jaysbrewing.com
email: info@jaysbrewing.com
No matter if you're a novice or advanced brewer, we have what you need. Setting the standard for brewing supplies & ingredients at competitive prices.

myLHBS (my Local Home Brew Shop)

6201 Leesburg Pike #3
Falls Church
(703) 241-3874
www.myLHBS.com
All the basics plus unique and hard-to-find Belgian and other specialty ingredients.

Original Gravity

6920 Lakeside Ave. Suite D
Richmond 23228
(804) 264-4808
www.oggravity.com
Supplying bottles and corks to malted grains and hops for the brewing process, we work hard to bring you quality supplies so you can make a quality product.

WeekEnd Brewer -

Home Beer & Wine Supply

4205 West Hundred Road
Chester/Richmond area 23831
1-800-320-1456 or
(804) 796-9760
beerinfo@weekendbrewer.com
www.weekendbrewer.com
LARGEST variety of malts & hops in the area!

WASHINGTON

Bader Beer & Wine Supply, Inc.

711 Grand Blvd.
Vancouver, WA 98661
1-800-596-3610
Sign up for our free e-newsletter at www.baderbrewing.com

The Beer Essentials

2624 South 112th St., #E-1
Lakewood 98499
(253) 581-4288
www.thebeeressentials.com
Mail order and secure on-line ordering available. Complete line of brewing and kegging supplies.

The Cellar Homebrew

Make your own beer & wine
14320 Greenwood Ave. N.
Seattle 98133
1-800-342-1871
FAST Reliable Service, 40 Years!
Secure ordering online
www.cellar-homebrew.com

Homebrew Heaven

9109 Evergreen Way
Everett 98204
1-800-850-BREW (2739)
fax: (425) 290-8336
info@homebrewheaven.com
www.homebrewheaven.com
Voted Best Online Web Site for Ordering

Larry's Brewing Supply

7405 S. 212th St., #103
Kent
1-800-441-2739
www.larrysbrewsupply.com
Products for Home and Craft Brewers!

Mountain Homebrew & Wine Supply

8530 122nd Ave. NE, B-2
Kirkland 98033
(425) 803-3996
info@mountainhomebrew.com
www.mountainhomebrew.com
The Northwest's premier home brewing & winemaking store!

Northwest Brewers Supply

1006 6th Street
Anacortes 98221
(800) 460-7095
www.nwbrewers.com
All Your Brewing Needs Since 1987

Sound Homebrew Supply

6505 5th Place S.
Seattle 98108
(855) 407-4156
info@soundhomebrew.com
soundhomebrew.com
Knowledgeable Staff. Great Selection.

WISCONSIN

Brew & Grow (Madison)

3317 Agriculture Dr.
Madison 53716
(608) 226-8910
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

Brew & Grow (Waukesha)

2246 Bluemound Rd.
Waukesha 53186
(262) 717-0666
www.brewandgrow.com
Visit our store for a great selection of brewing equipment and supplies. The largest inventory of organics, hydroponics and plant lighting in Wisconsin.

Farmhouse Brewing Supply

3000 Milton Ave.
Janesville 53545
(608) 305-HOPS
farmhousebrewingsupply@gmail.com
Farmhousebrewingsupply.com
Conveniently located minutes off of I-90 and offering Southern Wisconsin's largest selection of hops.

House of Homebrew

410 Dousman St.
Green Bay 54303
(920) 435-1007
staff@houseofhomebrew.com
www.houseofhomebrew.com
Beer, Wine, Cider, Mead, Soda, Coffee, Tea, Cheese Making.

Point Brew Supply & O'so Brewing Co.

3038 Village Park Dr.
I-39/Exit 153
Plover 54467
(715) 342-9535
marc@pointbrewsupply.com
www.pointbrewsupply.com
www.osobrewing.com
"The Feel Good Store with a team of Professional Brewers on Staff"

The Purple Foot

3167 South 92nd St.
Milwaukee 53227
(414) 327-2130
fax: (414) 327-6682
wineandbeer@purplefootusa.com
www.purplefootusa.com
Top quality wine and beer supply
- Call for a FREE catalog!

RiteBrew.com

1700 Lamers Dr.
Little Chute 54140
(920) 687-2533
fax: (920) 788-2096
email: sales@ritebrew.com
RiteBrew.com
Quality Homebrewing Supplies at Wholesale Prices!

WindRiver Brewing Co., Inc

861 10th Ave.
Barron 54812
1-800-266-4677
www.windriverbrew.com
FREE catalog. Fast nationwide shipping.

Wine & Hop Shop

1931 Monroe Street
Madison 53711
1-800-657-5199
www.wineandhop.com
Southern Wisconsin's largest selection of beer & winemaking supplies. 10 varieties of wine-making grapes from Mitchell Vineyard.

AUSTRALIA

QUEENSLAND

National Home Brew

Shop 2, "The Precinct"
92 Beach Rd.
Pialba 4655
(07) 4128 2033
www.nationalhomebrew.com.au
With over 1,200 items to choose from and growing rapidly, we are Australia's must see retail store for all your homebrewing needs and wants!

VICTORIA

Grain and Grape Pty LTD.

5/280 Whitehall St.
Yarraville 3013
(03) 9687 0061
www.grainandgrape.com.au
Equipment, ingredients and advice for the beginner & expert. Full mail order service.

W. AUSTRALIA

Brewmart Brewing Supplies

21 John Street
Bayswater 6053
618 9370 2484
fax: 618 9370 3101
email: info@brewmart.com.au
www.brewmart.com.au
Wholesale and Retail distributors for Barrels and Kegs, Better Bottle, Bintani, BrewCellar, Coopers, Edwards Essences, Fermtech, Krome Dispense, Pure Distilling, Samuel Willards, The Beverage Food Company.

CANADA

ALBERTA

The Vineyard Fermentation Centre

6025 Centre Street South
Calgary T2H 0C2
(403) 258-1580
www.TheVineYard.ca
Authorized Blichmann Dealer
Authorized Winexpert Dealer
Alberta's one stop equipment and brewing ingredients store.

BRITISH COLUMBIA

Bosagrape Winery Supplies

6908 Palm Ave.
Burnaby V5E 4E5
(604) 473-9463
www.bosagrape.com
Not only for wineries! Best selection of Beer & Wine Making Ingredients, Supplies & Equipment.

Hop Dawgs Homebrewing Supplies

Vernon
(250) 275-4911
www.hopdawgs.ca
Fast mail order service for, Brewing Equipment, Kegging Equipment, Malts, Hops, Yeasts.

ONTARIO

Beer Grains Supply Co.

8 Frontenac Crescent
Deep River K0J 1P0
(888) 675-6407
www.beergrains.com
info@beergrains.com
We connect Canadian home brewers with fresh brewing ingredients and home brewing supplies. Count on us to support you and your passion for brewing.

Canadian Homebrew Supplies

10 Wilkinson Rd., Unit 1
Brampton L6T 5B1
(905) 450-0191
chs-store@bellnet.ca
www.homebrewsupplies.ca
Drink a Beer, Waste an Hour.
Brew a Beer, Waste a Lifetime!
For all your homebrew supply needs and wants.

CHINA

My Homebrew Store, Shanghai

4028 Long Dong Ave., #145
Pudong 201201
+86-158-2111-3870
mike@myhomebrewstore.cn
Everything for Beer and Wine.
The most complete line of ingredients and equipment in China.
Email for catalogue via return email.

GERMANY

Hopfen und mehr

Rudenweiler 16
Tettanng 88069
(+49) 7543 500051
fax: (+49) 7543 500052
info@hopfen-und-mehr.de
www.hopfen-und-mehr.de
Everything for home and hobby brewers. Great selection, fast shipping.
Alles für Haus-und Hobbybrauer.
Grosse Auswahl, schneller Versand.

NEW ZEALAND

BrewShop

www.brewshop.co.nz
sales@brewshop.co.nz
(07) 929 4547
Online homebrew beer supplies

NORWAY

Bryggeland

Gjerdumsgata 20
Lillestrøm
Tel: (+47) 63 80 38 00
www.Bryggeland.no
Alt man trenger for å lage øl og vin.
"Fra råvare til nyltelse"
Butikker i Oslo og Lillestrøm.

Petit Agentur AS

7977 Hoylandet
Phone: (0047) 7432-1400
Web: petit-agentur.no
Mail: post@petit-agentur.no
Home made beer made fun!
Your best source for everything you need to brew your own Beer.

SWEDEN

Humlegårdens Ekolager AB

Fabriksvägen 5 B
SE-18632 Vallentuna
(+46) 8 514 501 20
fax: (+46) 8 514 501 21
Email: info@humle.se
Website: shop.humle.se
50+ book titles, 50+ malt types, 60+ hop varieties, 100+ yeast strains. Fast order handling and shipping to 25 countries in Europe.

SHOP OWNERS:

Get BYO working for you.
List your store in the
Homebrew Directory.
E-mail dave@byo.com

Two Trails

A homebrewer goes pro

Rob Conery • Worcester, Massachusetts

“Every Wormtown beer contains some local ingredients — their motto is ‘A piece of Mass in every glass.’”




Photo Courtesy of Rob Conery

brewer Ben Roesch, as they say, came to a fork in the road — and he took it.

Some years back, newly minted forestry degree in hand, Roesch left the University of Massachusetts and returned to Worcester, moved in with some buddies and started scuffling for work. Pickings were slim.

As he mailed resumes, Roesch started boiling batches of beer on the stovetop in his little slacker flop house. He'd picked up homebrewing while away at school and it quickly took hold of his imagination.

Then in one week he got two job offers. One was doing forestry work for the state of Massachusetts — all-but guaranteed lifetime employment with security and a state pension. The other call was from Cambridge Brewing Company, near Boston. This job offered virtually nothing in terms of security; it was part-time with less pay and no retirement plan. Some other guy took the forestry job. Ben chose to follow his dream: brewing.

Part-time pay and a long commute didn't dull his enthusiasm one bit. On the contrary, he flourished, learning to brew on a commercial scale from Cambridge's Head Brewer, Will Meyers.

The next few years saw Roesch move from Cambridge to Wachusett Brewery to Nashoba Valley Winery, who were then expanding into brewing. At each step he basically went to a smaller operation but assumed more responsibilities. Already taking root was Roesch's ultimate dream — his own place.

In 2009 he entered into talks with Tom Oliveri Jr., scion of a Worcester family restaurant business to open a brewery. Negotiations were friendly but tough — Roesch fought to keep possession of his recipes if the business went sour and rejected the first seven contracts he was offered.

Finally a deal was struck.

Roesch and Oliveri settled on Wormtown Brewery as a name. Beantown is to Boston as Wormtown is to Worcester. The old nickname was revived by a local music paper from the 70s called Wormtown Punk Punk Press, which celebrated the do-it-yourself ethos of this scrappy industrial city.


Roesch and Oliveri conspired against long odds. Worcester hadn't supported a brewery since 1962. From sourcing materials to getting pieces custom machined at the last moment, the hurdles were many. The only space available to them was in a little used annex in one of Oliveri's restaurants.

The partners cobbled together some startup funding and got busy. All the tanks were custom made. Even with cash on the barrelhead, this proved difficult. Nevertheless, Roesch fought to source locally, even forgoing one Canadian bid that would have delivered working tanks months earlier and for less money.

Wormtown Brewery opened on St. Patrick's Day 2010, just in time for the big Irish parade that careens down Park Ave. They brewed 700 barrels of beer that first year.

Three years operational and growing rapidly, now with one part-time and three full-time employees, Roesch still tries to source locally. Even if it sometimes means a 150% price premium he says, “I want to know my hopsters, I want to know my farmers.” Every Wormtown beer contains some local ingredients — their motto is: “A piece of Mass in every glass.”

Roesch is happy riding the homebrewer-turned-professional gig as far as it'll take him. The other guy who took the forestry job? Roesch knows the guy, they talk. But he has no regrets. He brews beer for a living. **BYO**

A large, crowded beer hall with a balcony and many people. The ceiling is decorated with large, striped, tent-like structures and numerous white spherical lights. A balcony with a railing is visible in the middle ground, where a band is performing. The floor is filled with people sitting at tables and standing.

Pschorr Bräuerei

10,000 GERMAN STEINS CAN'T BE WRONG.

Brew a Maibock NOW to be ready in May!

MIDWEST
SUPPLIES

HOMEBREWING & WINEMAKING

MidwestSupplies.com/maibock • 888-449-BREW (2739)

Wyeast Culture Collection

Pure Liquid Yeast



1007 German Ale • 1010 American Wheat • 1028 London Ale • 1056 American Ale® • 1084 Irish Ale • 1098 British Ale • 1099 Whitbread Ale • 1127 Ringwood Ale • 1214 Belgian Abbey • 1272 American Ale II • 1275 Thames Valley Ale • 1318 London Ale III • 1332 Northwest Ale • 1335 British Ale II • 1388 Belgian Strong Ale • 1450 Danish Favorite 50 • 1469 West Yorkshire Ale • 1728 Scottish Ale • 1762 Belgian Abbey Ale • 1763 Belgian Abbey Ale • 2000 Budvar Lager • 2001 Urquell Lager • 2007 Pilsen Lager • 2035 American Lager • 2042 Danish Lager • 2112 California Lager • 2124 Bohemian Lager • 2206 Bavarian Lager • 2207 Pilsener Beer • 2308 Munich Lager • 2565 Kolsch • 2633 Oktoberfest Lager Blend • 3056 Bavarian Wheat Blend • 3068 Weiherstephan Weizen • 3278 Belgian Lambic Blend • 3333 German Wheat • 3463 Forbidden Fruit • 3522 Belgian Ardennes • 3638 Bavarian Wheat • 3711 French Saison • 3724 Belgian Saison • 3763 Roeselare Ale Blend • 3787 Trappist High Gravity • 3942 Belgian Wheat • 3944 Belgian Witbier • 5112 Brettanomyces bruxellensis • 5335 Lactobacillus • 5526 Brettanomyces lambicus • 5733 Pediococcus

Private Collection

Available January through March 2013

1581-PC Belgian Stout • 2352-PC Munich Lager II • 3655-PC Belgian Schelde Ale

Available April through June 2013

2575-PC Kolsch II • 3191-PC Berliner-Weisse Blend • 3739-PC Flanders Golden Ale

www.wyeastlab.com

© 2013 Wyeast Laboratories Inc.